

REFERENCE

A rnaud A , sarles JC, Sietzneff I et al. (1991):

Sphincter repair without over lapping for faecal incontinence .

Dis colon Rectum 34 : 744 – 747

Baetem .(1998):

Surgical Treatment of anal incontinence

BJS 85 , 723 - 724

Bannister JJ , Gibbons C & Read NW .(1989):

A preservation of faecal continence during rises in intra –

Abdominal pressure :

Gut 31 : 1051 - 1053

Bartolo, D.C.C , Jarrat , J.A, Read M.G. , Donnelly, T.C. and

Read, N.W .(1983):

The role partial denervation of puborectalis in idiopathic fecal incontinence .

Br J S. 70 – 664 .

Bartolo D.C.C , Duthie GS .(1990):

The physiological evaluation of operative repair for incontinence and prolapse . Chriecheater Cciba .

Foundation symposium 151 PP 223 – 245 .

Bartolo , D.C. (1993):

The clinical contribution of integrated laboratory and ambulatory anorectal physiology assessment in faecal incontinence .

Int J Colorectal Dis, (8) : 60 – 65 .

Bartram, C.I. and Sultan, A.H. (1995):

Anal endosonography in faecal incontinence . . .

Gut, (37) : 4 – 6 .

Beersiek F. Parks AG, Swashm. (1979):

Pathogenesis of anorectal incontinence histo metric study of the anal sphincter .

Musculature .J Neurological Sci 12 : 11 – 127 .

Blaisdell PC.(1940):

Repair of incontinence sphincter ani

Surg Gynecol obstet 70 : 692 – 697 .

Bielefeldt, K. Enck, P. and wienbeck, M.(1990):

Diagnosis and treatment of faecal incontinence .

DigDis 8 : 179 – 188 .

Binnie Binni NR, Kawimbe BM, et al.(1990):

Use of pudendo anal reflex in the treatment of fecal incontinence .

Gut 31 : 1051 – 1053 .

Brocklehurst JC.(1972) :

Bowel management in neurologically disabled .

The problem of old age. Proc R Soc Med 65: 66-69 .

Cadwell K PS.(1963):

The electrical control of sphincter incompetence .

Lancetlii 174 – 175 .

Carapeti E.A , Kamm M .A , Phillips PKS .(2000):

Topical diltiazem and bethanechol decrease anal sphincter pressure and heal anal fissures without side effects .

Dis. Colon Rectum 43: 1359 – 1362 .

Cheetham MJ , Kamm MA , Phillips PKS .(2001):

Topical phenyl ephrine increases anal canal resting pressure in patient with faecal incontinence .

Gut 48 : 356 – 359 .

Cherry , D.A. and Rothenberger D .(1988):

Pelvic floor physiology surgical clinics of North America .

Vol 168 : 1217 .

Christiansen J and Skomorowska .(1989) :

Implantation of artificial sphincter for anal incontinence. Report of 5 cases. Dis Colon rectum 32:432-436.

Coller, J.A .(1987):

Clinical application of anorectal manometry .

Gastroenterol Clin North Am, 16 : 17 – 33 .

Corman , M.L. (1983):

The management of anal incontinence

Surgical . Clinics of North America , 63 , 177 .

De Souza, N.M. , Kmito , W.A. and Puni, R. (1995):

High resolution magnetic resonance imaging of the anal sphincter an internal coil .

Gut, 37 : 284 – 287 .

Duthie HL , Gairns F.N. (1960):

Sensory Nerve endings and sensation in the anal region of man .

Br. J. Surg; 74 : 585 – 595 .

Ferrara A,Pemberton JH,Levin KE,et al .(1993) :

Relationship between anal canal tone and motor activity.Dis Colon Rectum; 46:337-342.

Engel B.T. , Nikoomanesh P. , Schuster MM.(1984):

Operant conditioning of recto sphincter response in treatment of fecal incontinence .

N. Engel J Med; 290 : 646 – 649 .

Fine J , Lawes CHW .(1940):

On the muscle fibers of the anal submucosa with special references to the pecten band .

Br. J. Surg ;237: 723 – 727

Fleshman, J.W. (1991):

Anal incontinence.ed.by Zuidema,G.D. in: Shackelford's Surgery of the Alimentary Tract, 3rd edition, published by Saunders.

W.B., philadelphia, P. 111-143.

George BD , Patel J, Maginah P et al. (1992):

Histological changes in Gracilis neosphincter muscles following long-term electrical Stimulation .

Br. J. Surg; 79 : 466

Gold DM , Bartram CI , Halligan S. and Kmiot WA . (1998):

Three dimensional endoanal ultrasound : a new technique.
Gut, 42 : A98 (Abstract) .

Goligher JC. (1980):

Surgical anatomy and physiology of the anus and rectum in
Surgery of the anus , rectum and colon , ed4 . London , Bailliere
Tindall ;p 341-344.

Goligher JC.(1984):

Surgery of the anus , rectum and colon. 5th .Edition .
Bailliere . Tindall . London ;p 346-357.

Gordon PH .(1987) :

Surgical anatomy ,in Gordon PH ,principles and practice of
Surgery from the colon ,Rectum and anal canal. ST Louis,
Quality medical publishing pp 3—39 .

Gunter Berg B , Kewenter J , Petersen J ,et al .(1976):

Anorectal function after major resections of the sacrum with
bilateral or unilateral sacrifice of sacral nerves .
Br J . surg 63: 546 – 554 .

Hallan RI, Marzouk DE , waldron DJ,and Womack NR: 1989

Comparison of digital and manometric assessmental anal
sphincter functions .
Br J . surg 76: 973 – 5 .

Healy JE and Seybold WD. (1996) :

The abdomen in synopsis of clinical anatomy.

Philadelphia ,WB Saunders ,p 211—213 .

Henry MM , and swash M .(1992);:

Coloproctology and the pelvic floor. Ed. By Henry MM. and swash M . IN: pathophysiology and management, 2nd edition published by Butterworth , London .p 453-466.

Hopkinson BR ; Lightwood R . (1967):

Electrical treatment of incontinence .Br. J . Surg; 54: 802 – 805 .

Jameson JS , Speakman CT , Dazi et al . (1994) :

Audit of post anal repair in the treatment of fecal incontinence .

Dis Colon Rectum; 37 : 369 – 372 .

Johanson JF,Lafferty and Ihre T.(1996) :

Epidemiology of faecal incontinence:The silent affliction Am J Gastroenterology :33-36 .

John D Corson and Robin CN williamson.(2001):

Anal unconontinenco in surgery

1st edition P 2114-2195

Jorge JM , and waxner SD .(1993):

Etiology and management of faecal incontinence .

Discolon Rectum 36 : 77 – 97 .

Kamm MA .(1994):

Obstetric damage and faecal incontinence .
Lancet 344 : 730 .

Kamm MA ,and Lannard – Jones JE .(1990):

Rectal mucosal electrosensory testing – evidence for a rectal
sensory neuropathy in idiopathic costipation .
Dis Colon Rectum 33 : 419 – 423 .

Keighley MR, Shouler P. (1993) :

Outlet syndrome : Is there a surgical option? JR Soc med 77 : 559-
653.

Keighley MR (1995) :

Results of surgery in idiopathic faecal incontinence. S. Afr J. Surg.
29 : 87 – 93.

Kiff ES , Swash M .(1984):

Slowed conduction in the pudendal nerves in idiopathic
(Neurogenic) faecal incontinence .
Br. J. Surg; 71 : 614 – 616 .

Kontes J , Baeten CG , Havenith MG et al .(1993):

Morphology of dynamic graciloplasty compared with the anal
sphincter .
Dis Colon Rectum 36 : 559 – 563 .

Kosten J , geerds BP , Versluis P et al .(1995):

Dynamic graciloplasty for restoration of continence after
traumatic destruction of the rectum and sphincters .
J Trauma 38 : 11 – 13 .

Kumar, D. and Benson, M. (1997):

GAX Collagen injections:

Anovel treatment for faecal incontinence Gut-40 (suppl 1): A52
(Abstract).

Lahr CJ .(1988):

Evaluation and treatment of incontinence .

Practical Gastroenterol 12 : 27 – 35 .

Lahur PA , Michot F , and Denis P .(1996):

Results of artificial sphincter in several anal incontinence , report
of 14 consecutive implantations

Dis Colon Rectum 39 : 1352 – 1355

Lloyd. L. M. Nyhus , Baker and Fischer .(1996):

Mastery of surgery vol II , P. 1582 .

Loaning – Bauke V .(1990):

Efficacy of Biofeedback training in improving fecal incontinence
and anorectal physiologic function .

Gut 31 : 1395 – 1402 .

Lubowski DZ , Nicholls RJ et al .(1988):

Internal anal sphincter in Neurgenic fecal incontinence .

Gastro enterology 95 : 997 – 1002 .

Madoff RD “the aetiology of fecal incontinence ” .(1995):

Causes and diagnosis (Participate IFFGD) .

Gastro enterology 1995 :116 : 459 – 498 .

Madoff RD , Rosen HR , and Baeten CG , et al .(1999):

Safety and efficacy of dynamic muscle plasty for anal incontinence

Gastroenterology ;116 : 549 – 556

Malone PS, Ransley PG and Kiely EM. (1990):

Preliminary report: The antegrade continence enema .

Lancet 338:1217-1218

Malouf AJ , Vaizey CJ , Nicholls RJ , Kamm MA .(2000):

Permanent sacral nerve stimulation for faecal incontinence .

Ann Surg 232 : 143 – 148 .

Massey, J.A.; Anderson, R.S. and Abram' (1987):

Mechanism of continence during raised intra abdominal pressure

Br Jol, (60): 529-531.

Mathes SJ , Nahai F (1981):

Classification of vascular anatomy of muscles . Experimental and clinical Correlation .Plast Reconstr

Surg 67 : 177 – 187 .

Matzel KE ,Stadelmaier U,Hohenfellner M,Gall FP .(1995) :

Electrical stimulation of sacral spinal nerves for treatment of anal incontinence Lancet;346:1124-1127 .

Mavrantonis C , Lee B , Wexner SD :(1999:

Stimulated graciloplasty for treatment of fecal incontinence .

Dis Colon Rectum 42 : 497 – 504 .

McMinn, R.M.H. (1999):

Abdomen. Ed. By Mc Minn, R.M.H. in: last's anatomy:
Regional and applied, 10th edition, published Regional and applied,
10th edition, published by churchill livingstone, New Yourk, p 402 .

Miller R , Bartolo DCC , and Cervero F et al .(1983):

Anorectal sampling: a comparison of normal and incontinence
patients.

Br . J Surg 75 : 40 .

Miller R , Bartob DC , A , and Cervero F .(1988):

Anal sensation and the continence mechanism .

Dis Colon Rectum 31 : 433 – 436 .

Montague DK .(1992) :

The artificial urinary sphincter (As800):Experince in 166
consecutive patients.J urol,(147): 380-382 .

Morris, Talley NJ and O keefe EA .(1994) :

Prevelance of gastrointestinal symptomsin elderly: Apopulation
based study :Gastroenterology 102:895-901

Mortensen N,and Humphreys MS .(1991) :

The anal continence plug: Adisposable device for patient with
anorectal incontinence.Lancet 338:295-297 .

Moscovitz I, Rothletz NA, Waxner SD, et al. (2000) :

Overlapping sphincteroplasty: Does preservation of the scar influence the immediate outcome? *Dis Colon Rectum* 43: A11425-455.

Nivatvongs S, Gordon PH. (1999):

Surgical anatomy, In Gordon PH, Nivatvongs S(ed) *Principles and practice of surgery for the colon, Rectum and anus*. St Louis, Quality Medical publishing PP 3 – 39.

Norton C, Kamm MA. (2001):

Anal sphincter, biofeedback and pelvic floor exercises for faecal incontinence in adults – a systemic review.

Aliment pharmacol ther; 15 : 1147 – 1154

Nixon HH. (1984):

Congenital deformities of the anorectal region in: Goligher J(ed) *surgery of the anus, rectum and colon*: 5th ed.: Bailliere Tindall London.

O'Rahilly R, Muller F. (1992):

Digestive system, in human Embryology and teratology.

New York, Wiley – Liss PP 160 – 164.

Olivera L, Ressler P, Waxner SD. (1997):

Laparoscopic Creation of Stoma *Surg Endosc* 11: 19 – 23

Parks AG , Porter NH , and Melzack J .(1962):

Experimental study of the reflex mechanism controlling the muscle of the pelvic floor .

Dis Colon . Rectum 5 : 407

Parks AG , McPartlin, JF. (1971):

Late repair of injuries of the anal sphincter. Proc R Soc Med 64 : 1187 – 1189.

Pescatori M , Anastasio G , Bottini C .(1992):

New grading and scoring system for fecal incontinence .

Dis Colon . Rectum 35 : 482 – 487

Parks AG , Mc Partlin JF .(1971):

Late result of injuries of anal sphincter .

Proc R Soc Med 64 : 1187 – 1189 .

Parks AG , Porter NH , Ha'rd Castle JD .(1966):

The syndrom of descending perineum .

Proc R Soc Med 59 : 477 – 482 .

Parks AG , Swash M , Urich H . (1977)

Sphincter denevation in anorectal incontinence and rectal prolapse .

Gut 18 : 656 – 665 .

Pinho M , Ortiz J , Oya M et al .(1992):

Total pelvic floor repair for treatment of neuropathic fecal incontinence .

An J Surg 163 : 340 – 343 .

Prager E .(1984):

The continent colostomy .

Dis Colon Rectum 27 : 235 .

Rasmussen O.O .(1994):

Anorectal function . Dis Colon Rectum 37 :386– 403

Read NW .(1990):

Functional assessment of the anorectum in fecal incontinence .

Ciba Found Symp 151 : 119 – 135 .

Read NW , Celik AF , Katsinelos P .(1995:

Constipation and incontinence in the elderly .

J Clin Gastroenterol 20 : 61 – 70 .

Richard S. Snell .(1992):

Clinical Anatomy for Medical students

4th edition P. 1041 – 1042.

Rogers J , Henry MM , Misiewicz JJ .(1988):

Combined in primary neuropathic fecal incontinence Gut 29:5 – 9

Romans GI .(1988)

Lower Limb . In Cunningham's Manual of Practical Anatomy ,
published by Oxford University Press London ,p. 116 – 121 .

Sato K , Sato T .(1991): .

The vascular and newanal Composition of the lateral ligament of
the rectum and rectosacral fascia .

Surg Radiol Anot 13 : 12 – 22 .

Scheuer M .(1990):

Disorders of impaired control : a clinical and monometric study .
Dis Colon Rectum 33 : 207 – 211 .

Schouten WR , Gordon PH .(1999):

Physiology in Gordon PH , Nivatvongs S(eds) , principles and
practice of surgery for the Colon , Rectum and anus .
St Louis, Q uality Medical Publishing pp : 42 – 86 .

Seow – Choen F , Ho JMS .(1994):

Histo anatomy of the anal glands .
Dis Colon Rectum 37 : 1215 – 1218 .

Setti-Carraro, P.: Kamm, M.A. and Nichollas, R.J. (1994):

Long-Term results of post anal repair treatment for Neuro genic
Faecal in continence. Br.J. surg,(81): 140-144.

Seymour I. Schwart 3, Tom shires G. and Fnank C., .(1979):

Principles of surgery 3rd edition
P. 1226- 1232

Shafik A .(1982) :

Anew concept of the anatomy of anal sphincter mecanism and
physiology of defecation XIV anal canal.Am .J.Proctol.
Gastroenterology Colorectal surg. 33:44.

Shafik A .(1984) :

Anew concept of the anatomy of anal sphincter mecanism and
physiology of defecation.Areview:Advances in coloproctology,
Monduzzi ed: 719-742 .

Shono T, Nagasaki A, Goto S et al .(1989):

Experimental free muscle trans plantation to the anus using micro surgical technique .

Anew treatment for anal incontinence .

Z Kinderchir 44 : 352 – 356 .

Slade MS, golberg SM, Schottler JL (1997) :

Sphincteroplasty for acquired anal incontinence. Dis Colon rectum

20 : 33-35.

Snook SJ, Setchell M, Swach M .(1984):

Injuries to innervation of pelvic floor sphincter musculature in childbirth .

Lancet ii : 546 – 550 .

Stelzner F .(1976):

The morphological principles of anorectal continence

In Rickham PP, Hecker WCH , Prevots J (eds) : anorectal mal

Formations and associated diseases .

Vo 19 PP : 1 – 6 .

Stephens FD , Smith ED .(1986):

Classification, Identification and assessment of surgical treatment of anorectal anomalies pediater .

Surg Int 1 : 200 – 205 .

Sultan AH , Kamm MA .(1994):

Endoscopy of the anal sphincter : normal anatomy and comparison with manometry .

Clin Radiol 49 : 368 – 374 .

Sun Wm , Read NW , Donnelly TC .(1990):

Anorectal function in incontinent patients with Cerebrospinal diseases .

Gastro enterology 99 : 1372 – 1379 .

Sun WM , Read NW , Verlinden M .(1997):

Effects of loperamide oxide on gastro intestinal transit time and anorectal function in patients with diarrhea and anal incontinence .

Scand J 32 : 34 – 38 .

Swash M , Snooks SJ .(1986):

Slowed motor conduction in lumbosacral nerve roots in cauda equina lesions .

J Naural Neur Surg psychiatry 49: 808 – 816 .

Takahashi T ,Garcia- Osgobio S , Valdovinos MA , Mass W .(2002)

VA Palo Alto Health Care System / Stanford Medical Center , Palo Alto , USA , ASCRS 2002 .

Tobin GW and Brocklehurst JC (1986) :

Faecal incontinence in residential homes for the elderly : prevalence, aetiology and management. Age & Ageing 15 : 41-46

Vaizey Cj , Kamm MA , Turner IC , Nichollas RJ and Woloszko J .(1998)
Sacral nerve stimulation for fecal incontinence , evaluation of short
term efficacy and effect on anorectal function .
Gastroenterology 112: A842(Abstract)

Vaizey Cj , Kamm MA , Turner IC et al .(1997):
Sacral nerve stimulation for fecal incontinence .
Gastroenterology 112: A842

Vaizey Cj , Kamm MA , Gold DM et al .(1998):
Clinical physiology and radiological study of a new purpose
designed artificial bowel sphincter .
Lancet 352: 105 – 109 .

Vaizey Cj , Kamm MA , Turner IC, Nicholls RG .(1999) :
Effects of short term sacral nerve stimulation and rectal function in
patient with anal incontinence, GUT 44:407-412 .

Vander Plas RN , Benninga MA , Bueller HA et al .(1996):
Biofeedback training in treatment of childhood constipation .
Lancet 348 : 776 – 780 .

Vvarma KK , smith AN .(1986):
Reproducibility of the proctometrogram .
Gut 27 : 288 – 292 .

War Wick R, Williams PL .(1973):
Balse et al 1985 .
The management of procidentia 30 year experience .

Dis Colon Rectum 28 : 96 – 102 .

Watts JD Rothenbergers DA and Bals JG .(1985):

The manegement of procidentia.30 year experiences.Dis Colon
and Rectum ;28:96-102.

Weber J , Delangre T et al .(1990):

Anorectal manometric anomalies in seven patients with frontal
lobe brain damage .

Dig Dissci 35 : 225 – 230 .

Weissenberg S .(1962):

Encopresis . Ztchr , Kinderh 40: 674 .

Whithead WE “Functional anorectal disorders ”.(1997):

IFFGD ; Dis Colon Rectum .p 56-76

Whithead WE , Wald A , Norton NJ .(2001):

Treatment option for fecal incontinence .

Dis Colon Rectum 44: 131 – 144 .

Williams NS and George BD .(1994):

Recent advances in surgery 13 : 184 – 185 .

Womack NR , Williams NS , Morrison JF .(1985):

New method for the dynamic assessment of anorectal function .

Br. J. Surg; 72 : 994 – 998 .

WonG WS,Jensen LL ,Bartolo DC and Rothenberger DA. (1996) :

Artificial anal sphincter .Dis Colon Rectum,39:1345-1351.