

Referances

- Adelman R D and Solhuag M J ,(2000) . Pathophysiology of body fluid and fluid therapy . In Nelson Textbook of Paediatric . 16 th edn., (eds. R E Behrman .,R M, Kliegman and Hal B.Jenson)W.B. Sounder company philadelphia, London ,Tokyo , P P :- 189 – 224 .**
- Al banase C.T. and Rowe M.L., (1995) . Preoperative and post operative mangment of the neonate . In Operative Surgery (eds, L.Spitz and A.G. Coran) , Butterworth , London , P P :- 5 – 12 .**
- Al Dakhan J., Hay cock G.B., Chantler C., et al., (1984) . Sodium homeostasis in term and preterm neonates. Arch., Dis., Childh ., 59, :- 945 – 950 .**
- Ameh EA, Dogo PM and Nmadu PT . (2001) . Emergency neonatal surgery in a developing country (Nigeria) . Paediat., surg ., int ., 17 :- 448 – 451 .**
- Ameh EA and Chirdan LB, (2000) . Ruptured omphalocele and gastroschisis . Paediat ., Surg ., Int ., 16:- 23 – 25 .**
- Ameh EA and Nmadu PT,(2000) Intestinal atresia and stenosis; West , Africa J., Med., 19 :- 39 – 42 .**
- Andorsky DJ, Lund DP lillehei CW , et al, (2001) . Nutrition and Postoperative management of neonates .J. Paediat .,139 :- 5 – 7 .**
- Andre H, Othersen HB ,and Tagge EP ., (2000) . Bronchopulmonary Malformations.In Paed.,Surgery 3 rd , edn., (edi KW Ashcraft et al .) WB. Saunders , Philadelaphia ., London P P : 273 – 286 .**
- Aschraft K, Coran A , Aldon DJ, et al., (1998) . Surgical treatment of GOR. In children paediat ., 101:- 419 .**
- Atkinson J., and Poon M., (1996) . ECMO and mangement of CDH with large defects requiring a prosthetic patch.J., Paed.,Surg.,31 :1651 –1654 .**
- Atwell J.D., (1998) . Neonatal intestinal obstruction. In Paediatric Surgery Ist edn., (ed. Atwell J.D.) Aronold , London , P P :- 197 – 205 .**

- Atwell JD, (1998) . Spina bifida . In Paediatric Surgery , Ist edn,(ed, J.D.Atwell) , Arnold , London , P P :- 279 – 288 .**
- Bager B., (1997) . Brachial plexus palsy . Acta paediat ., 86 :- 1214 – 1216.**
- Barbra J.S., and Kliegman R.M., (2000) The fetus and newborn . In Nelson Textbook of paediatrics , 16 th ., edn .,(eds , R.E.Behrman , RM Kliegman and HB. Jenson) ,WB.Sounder,London, P P : 1329 – 1334 .**
- Bax NMA ., (1995) . Laparoscopic Duhamel Pull through for aganglionic bowel . Paediatric ., Surgery Int., 10 :- 116 .**
- Beasley SW(1998) . Oesophageal atresia and TOF.In paed .,Surg.,1st , edn ., (ed., J.D, Atwell) . Arnold publishers , London , P P :- 187 – 196 .**
- Beasley SW and Myer NA (1988) . Diagnosis of congenital TOF . J., Paed ., Surg., 23 :- 415 –417 .**
- Bersford, MW and Shaw N.J., (2000) . Outcome of CDH . Paediat.,Pulmonol., 30 : 249 – 256 .**
- Bianchi AM.,(2002) . Surgical management of neonate . In Essential Surgical Practice , 4 th edn., (eds Cuschieri A, et al) . Arnold , London,PP :- 1315 – 1341 .**
- Biervliet SV, Winckel MV, Robberecht E and Kerremans L (2001) High dose of omeprazole in reflux oesophagitis with stenosis after surgical repair of oesophageal atresia .J., paediat ., surg., 36 :- 1416 – 1418 .**
- Bjorklund L., Lindroth M., Kacet N et al., (1990) . Spontaneous pneumopericardium in a healthy full term , newborn . Acta Paed ., scand.,79 : 23 –236 .**
- Blair G.K., Filler R. M. , and Theodorescu D., (1987) . Neonatal pharyngoesophageal perforation : clues to diagnosis , J. Paediat ., surg.,22:- 770 .**
- Bloom W., (1986) . The embryogenesis of human bile capillaries and ducts . Am .,Jour., Anat., 36, :- 451 – 465 .**

- Bohn D, (1996) . Postoperative management and intensive care . In**
Newborn Surgery , 1st ., edn , (ed., Prem Puri) Butterworth,London ,
P P :- 62 – 71 .
- Bohn D, Pearl R, Irish M et al., (1996). Postnatal management of CDH. Clin**
.,Perinatol., 23 : 843 – 872 .
- Boston , VE (1996) . Gastroesophageal reflux ; In Newborn Surgery, Ist edn.,**
(ed., Puri P .) Butterworth , London , P P :- 250 – 258 .
- Bouchards , Di Lorenzo M, Yossef S., et al., (2000).Pulm . lymphangiectasis.**
J. Paed ., Surg., 35: 796 – 800 .
- Buchaman GR, (1986) . Coagulation disorders of the neonates , Paediat ,**
Clin., N., Am., 33:- 203 .
- Bugge M and Holm NV (2002). Abdominal wall defects . J., Paediat.,Perinatol.,**
epidemiol ., 16 :- 73 – 81 .
- Burge DM, and Samuel M., (1998) . Structural a nomalies of the airway**
and lungs . In Paediatric Surgery, 1st,edn.,(ed., Jhon .D. Atwell) ,
Arnold , London , P P:- 170- 196 .
- Burge DM, and Samuel M., (1998) CDH . In Paediatric Surgery Ist edn.,**
(ed., Jhon , D., Atwell) , Arnold , London , P P : 153 –169 .
- Case CL , Oslizlok P, Fyfe Eet al., (1990) .Neonatal pneumomediastinum**
.Arch ., Dis., Child., 65 : 56 – 58 .
- Chang KJ, chen WJ, Hsu WM, Wu MH et al., (2002) . Laparoscopic ladd's**
procedure for intestinal malrotation . J., Med ., Associ, 101:- 152 – 155 .
- Cheves H, Bledose F , Rhea WG, et al., (1998) .Adrenal haemorrhage in**
neonate . J., Paediat ., Surg., 33 :- 300 – 302 .
- Chummy S, (1999) . Anatomy of the child in Last's Anatomy , 10 th edn.,**
(ed.Chummy,S.)Churchill living stone publishers,U.K.,P P :- 31 – 34 .
- Chwals WJ, Martin LB, Cheng A, et al., (2001) . Surgery – associated**
complication in necrotizing enterocolitis . J., Paed., Surg., 36 :-
1722 – 1724 .

- Commare MC , Brok J , Eiberg J, et al ., (1994) .Diaphragmatic paralysis in children. Paediat ., Pulmonol ., 18 :- 187 – 193 .**
- Cotton RT, and Wilging PJ ,(2000) . Airway malformation and reconstruction. In Paediatric Surgery 3 rd,edn.,(eds,keith WA, J. Patrick M. et al.), WB sounders, London , pp :- 251 – 272.**
- Cotton RT (1991) . Cricoid release in a preterm neonate . J.,Laryngol.,and Otology , 105:- 398 .**
- Cotton RT (1984) . Paediat laryngeotracheal stenosis . J., Paed.,Surg., 19 :- 699 – 704 .**
- Cozzi, F., Stainer M., Rosati D, et al., (1988) . Clinical manifestation of choanal atresia . J., Paed., Surg., 23:- 203 – 206 .**
- Cromie WJ (1993) . Genitourinary injuries in the neonates . Clin., Paediat., 18 , :- 292 – 295 .**
- Daneman A, and Alton D J (1996) .Intussusception,diagnosis and reduction. Radiol ., Clin ., N., Am., 34:- 743 – 756 .**
- Davenport M, Gonde C , Redkar R , et al., (2001) . Immunochemistry of the liver and biliary tree in extrahepatic biliary atresia . J., Paed., Surg., 36:- 1017 – 1025 .**
- David MO, (2000). Diseases of the pleura . In Nelson Textbook of Paediatric 16 th., edn.,(eds.,R.E. Behrman,R.M. Kliegman & H.B. Jenson) WB sounders,London , P P : 1329 – 1334 .**
- David WT , (2000) . Pulmonary and pleural disorder . In Paediatric surgery , 3 rd edn , (eds.,KW Ashcraft , et al .,) Philadelphia, P P : 287 – 297 .**
- Davies AEM , and Sandhu BK (1995) . Diagnosis and treatment of GOR , Arch ., Dis ., child .,73 :- 82 – 86.**
- De lorimier AA (1986) . Cogenital malformations and neonatal problems of respiratory tract . In Paediatric Surgery 4 th , edn., (eds .,KJ Welch , J.G.Randolph, et al.,), Yearbook , Chicago .P P : 631 – 644 .**
- De Santis, M., Masini L , Noia G, et al., (2000) . CCAM antenal ultrason ., findings and fetal –neonal outcome .J.,Fetal Diagnosis, Therapy, 15: 246 – 250 .**

- De Souza JCK , da Motta UIC , and Ketzer CR., (2001) . Prognostic factors of mortality in newborns with Necrotizing Enterocolitis submitted to exploratory laparotomy . J., Paed., Surg., 36:- 482 – 486.**
- Dewan PA , (1996) . Gastric perforation . In Newborn Surgery , 1st edn., (ed., Puri P .) Butterworth , London ,P P :- 277 – 280 .**
- Di Lorenzo M, Collin PP , Vaillancourt R, et al.,(1989). Bronchogenic cyst. J.,Paed.,Surg.,24 :-988–991.**
- Dietrich , K. , Wolfgang , L. and Christop B. (1996) . Embryology of congenital malformations .In Newborn Surgery , 1st .edn., (ed. Prem puri) Butterworth ,London, PP :- 3 – 14 .**
- Dikson JAS, (1998) . Anatomy of the infant and Child . In Paediatric Surgery , 1st edn ., (ed., John D.Atwell) , Arnold , London ,P P :- 124 – 136 .**
- Dilley DC, Sieger MA and Budnicks (1991) . Diagnosis and treating common oral pathologies . Ped.,Clin.,N., Am., 5 :- 1227 – 1264 .**
- Dillon PW, and Cilley RE, (2000) . Lesion of the stomach. In Paediatric Surgery, 3 rd edn., (eds., (K.W.Aschraft , J.P.Murphy , et al .) , WB sounders , philadelphia , P P :- 391 – 405 .**
- Donn, S.M, Faix , R G, Gates MR, et al., (1985) . Neonatal transport . Current probl , Paediat ., 15 :- 1 – 65 .**
- Douglas A K and Samuel D S, (2000) . Physiology of the newborn . In Paediatric Surgery , 3 rd edn.,(eds.,Keith,W.Ashcraft,J.Patrick Murphy, Ronald , J.and David L.S.) .W.B.Sounder company,Philadelphia ,London , New York , P P :- 1 – 16 .**
- Drew JH,Parkinson P, Walstab JE ,and Beischer NA,(1977) Incidences and types of malformation in newborn .Med ., J., Aust., 1:- 945 – 949 .**
- Driver CP, Shanka KR , Jones MO, et al., (2001) . Outcome of OA in the ear the spitz classification , J., Paed., Surg., 36:- 1419 – 1421 .**
- Duncan BW, and Adzick NS, (1996) . Prenatal Diagnosis . In Newborn Surgery, 1st,edn.,(ed.,prem puri).Butterworth ,London, P P :- 15 – 25 .**

- El – Gohary MA, and Etiaby A, (1994) . Gastric volvulus in infant and children . Paed., Surg ., int., 9:- 486 – 488 .**
- El – Naggar M, (1998) . Neonatology . In Clinical Paediatric Diagnosis , 3rd , edn ., University Book centre , Cairo. P P:- 9 – 55 .**
- El – Naggar M, (1997) . Fluid and electrolyte therapy . In Practical Paediatric Therapy, 3rd, edn., (ed., El – Naggar) University Book centre, Cairo , P P :- 148 – 160 .**
- EL – Sherbiny MT , Hfez AT and shokier AA, et al., (2002) . Posterior urethral valves ., Urology , 60 , :- 335 – 338 .**
- Endo M, Haya Shi A, Wilkin S, et al., (1999) . Analysis of 1992 patients with anorectal malformations over the past two decades in Japan . J., Paed ., Surg., 34:- 435 – 441 .**
- Ersahin M, Matlur S, Mirzai H, et al., (1996) . Paediatric depressed fracture Child Nervous ., System ., 12:- 323 – 331 .**
- Fallat ME, (2000) . Intussusception . In Paediatric Surgery ., 3rd edn, (eds., Aschraft KW, et al.,) W.B. Saunders , Philadelphia, P P :- 518 – 526 .**
- Festen S, Brevoold JC , Goldhoorn GA, et al, (2002) :- Apple peel atresia . J., Paed., Surg., 37:-55 – 61.**
- Filston HC, and Shorter NA, (2000) Esophageal atresia and Tracheoesophageal malformations . In paediat ., Surgery , 3rd edn., (eds K.W . Aschraft, P . Murphy and DL Sigalet).WB Saunders , Philadelphia , P P :- 348 – 369 .**
- Fleet MS ,and de la Hunt ,MN (2000) . Intestinal atresia with gastroschisis J., Paed., Surg., 35 :- 1323 – 1325 .**
- Fleisher TA, (1997) . Immune function . Paediat., Rev., 18 : 351 – 356 .**
- Flores O Ricardo, Vector LV , Blanchet EB, et al., (2001) . Hypertrophic pyloric stenosis:- A comparative study of pyloric traumyoplasty and Ramstedtpyloromyotomy . J., Paed ., Surg., 36 :- 1000 – 1003 .**
- Frenckner B, Ehren H, Granholmt T, et al ., (1997) . Preoperative stabilization, ECMO, and delayed surgery in CDH. Improved results . J., Paed., Surg., 32 , : 1185 – 1189 .**

**Fuloria M and Kreitter S,(2002) . The newborn examination, part II
emergencies and common abnormalities . Am., Fam ., Physician , 15
:- 265 – 270.**

**Gatti JM and Kirsch AJ (2001) . Posterior urethral valves , pre – and
postnatal management . Curr , Urol ., Rep ., 2:- 138 – 145 .**

**Gaurder MWL, (1992) . Gastrostomy techniques and devices .Surg .,clin., N.,
Am., 72:- 1285 – 1298 .**

**Geoffry KB, Douglas HJ, Gates KL, et al.,(2000) . Colonic atresia J., Paed.,
Surg.,36:-530 – 531 .**

**Ghory MJ and Sheldon , CA (1985) . Newborn surgical emergencies of GIT .
Surg., Clin ., N., Am., 65:- 1083 – 1098 .**

**Gorman WA., (1996) . Fluid and electrolyte balance in newborn . In Newborn
Surgery,1st edn.,(ed., Prem Puri).Butterworth,London,P P :-72 – 81.**

**Gornall P, and Atwell JD.,(1998). Anterior wall defects . In Paediatric Surgery ,
1st edn., (ed., JD Atwell) , Arnold , London , P P :- 145 – 152 .**

**Green CR, and Path MC, (1964) .The frequency of maldevelopment in
man . Am., J., Obstet ., Gynec., 90:- 994 – 1013 .**

**Greenough A., Morely GJ and Robertson NRC, (1992) . Acute respiratory
diseases in the newborn . In Textbook Neonatology , 2 nd edn,
(ed., Robertson NRC) , Churchill livingstone,London,P P : 385 – 504 .**

**Grosfeld JL, Miller K,Gates KL, et al., (1996) . GIT Perforations and
peritonitis in infants and children . Surgery , 120:- 650 – 656 .**

**Gruber DP , Brockmeyer DL and Walker ML (2000) .Head injuries in
children .In Paediatric Surgery , 3 rd , edn., (eds., Keith WA, J. Patrick
M,et al) . WB Sounder, Philadelaphia., London , New York . P P :
217 – 229 .**

**Guarino N, Yoneda A, Shima H and Puri P (2001) : Infantil pyloric
stenosis – selective neurotrophin deficiency , J., Paed., Surg., 36:
1280 – 1284 .**

**Guiney EJ, (1996) . Oesophageal atresia . In Newborn Surgery , 1st edn.,
(ed.,Prem puri) , Butterworth , London , P P :- 227 – 236 .**

Guzzetta PC, Anderson KD , Altman RP, et al., (1994). Paediatric Surgery.
In principles of surgery , 6 th edn., (eds., Schwartz , S.I., et al) ,
Mc Graw – Hill ,USA , P P :- 1681 – 1723 .

**Haller JA, (1986) . Thoracic injuries . In Paediatric Surgery , 4 th edn., (eds.,
K.J. Randolph, M.M. Ravitch et al.), Yearbook publisher, Chicago ,
P P : 143 – 154 .**

**Hammar GB, (2002) .Paediat ., thoracic anaesth., . Anaesthesiol ., Clin ., N.,
Am., 20: 153 – 180 .**

**Harma D, Sexana A, and Raina A, (2000) . CDH “ occutta “.Indian , J.,
Paed., 67: 69 – 71 .**

**Harrison MR, Adzick NS, Estes JM and Howell LJ., (1994) . Outcome of
fetuses with CDH. J., Am., Medical association , 271: 382 – 384 .**

**Harrison MW, Dietz DE, Campbel JR et al., (1986) . Diagnosis and
management of Hirschsprung’s disease . Am., J., Surg., 152:- 49 – 55 .**

**Hartman BJ, Van Der Zee DC, and Duval EL (2000) .Unexpected
birth trauma with near fatal consequences . Eur ., J., Emerg.,
Med ., 7:- 151 – 154 .**

**Haslam RHA, (2000) . The nervous system . In Nelson Textbook of
Paediatric , 16 th edn., (eds., Kliegman RM , et al.,),WB Saunders ,
Philadelphiala ,P P :- 1793 – 1817 .**

**Heitzman ER, (1984) . Embryology of the lung and pulmonary
abnormalities . In The Lung Radiological - Pathological Correlation ,
2 nd edn., (ed., E.R. Heitzman) C.V.Mosbay, st. Louis ,P P :- 13 – 15 .**

**Hill SA, Millam M, and Manaligod JM (2001) . Tracheal Agensis .
Diagnosis and management. Int .,J., Paed., Otorhinolaryngol., 59 :- 63 –68 .**

**Hoffmann K , Schier F, and Waldschmikdt J (1996) . Swenson’s pull
through ; A comparison oflaparoscopic and open procedures .J.,
Paed., Surg, 31:-1043–1049.**

**Howard ER, and Davenport M, (1998) . Biliary atresia and choledochal
cyst . In Paediatric Surgery ,1st, edn, (ed., TD Atwell) , Arnold ,
London , P P :- 241 – 259 .**

- Howard ER, and Stringer MD, (1996). Gastric volvulus . In Newborn Surgery, 1st edn., (ed., Puri P.), Butterworth,London,P P :- 279 – 276.**
- Hsu TY, Hung FC, Liem NT, et al., (2002).Birth trauma .Clin., Perinatol .,29, 578 – 590 .**
- Hui CM, and Tsui KY (2002).Splenic rupture in a newborn .J., Paed.,Surg., 37 :- 3 – 7 .**
- Hussain AN, and Hessel RG (1993) . Neonatal Pulmonary hypoplasia. J., Paediat ., 118 : 475 .**
- Islam S, Masiakos PT, Doody DP, et al., (2001) . Tracheal resection and reanastomosis in neonatalperiod . J., Paed., Surg., 36:- 1262 – 1265 .**
- Jolly SC , Halpern LM , Fauza D, et al ., (1991) . The risk of sudden death in infant from gastroesophageal reflux. J., Paed., Surg ., 26:- 691- 696.**
- Jose Carlos , Schop F L, and Forter V (2001) . Thyroid Alar cartilage laryngotracheoplasty forsevere paed.,subglottic stenosis.J., paed., surg., 36:- 1258 – 1261.**
- Kammen BF, Pacharn P, Harrison MR and Gooding CA (2002) . The “diaphanous“diaphragm .A radiographic sign seen after patch repair of CDH in neonates. Am.,J.,Roentgenol , 178: 158 – 159 .**
- Kao SCS ,and Franken EAJ , (1995) .Nonoperative treatment of simple meconium ileus. Paediat ., Radiology , 25:- 97 – 100 .**
- Karama IH, Rosenfield D, Benjamin BG, et al., (1987) . Esophageal perforation in the neonate : An emergency problem . J, Paediat ., Surg., 22:- 784 .**
- Karlowicz MG , and Adelman RD,(1992) . Acute renal failure in the neonates . Clin., Perinatol:- 139 – 158 .**
- Keller JL , and Kacher A, (2000) . Choanal atresia, charge association and congenital nasal stenosis.Otolaryngol.,Clin.,N.,Am.,33 :-1343 –1351 .**
- Kellner S, and Trammer A, (1990) . Therapy for neonatal chylothorax . Paed., Surg., Int ., 5: 216 – 217 .**

- Kelly , SM and Gray SD , (1995) . Supraglottoplasty for severe laryngeomalacia . Arch ., Otolaryngol., Head and Neck surgery, 121 :- 1351 – 1354 .**
- Kendrick TAP, Phua KB, Ooi BC, et al.,(2000) . Making the diagnosis of biliary atresia using the triangular cord sign and gall bladder length.Paediat Radiolo., 30 :- 69 – 73 .**
- Killey EM , Spitz L and Brereton R, et al., (1987) . Management of the tracheomalacia by Aortopexy. Paed., Surg., Int., 2:- 13 – 15 .**
- Kimura K, Tsugawa C, Collins DL, et al., (2001) . Multistaged extrathoracic elongation for long gap esophageal atresia . J., Paed ., surg ., 36:- 1725 – 1727 .**
- Kimura K, (1996) . Biliary atresia. In Newborn Surgery , Ist edn., (ed. Puri , P .) Butterworth , London , P P :- 423 – 432 .**
- Kimura K, Sopa RT, Koa SCS, et al., (1990) . Aortopexy for tracheomalacia follow up by cine CT. J.,Paed., Surg., 25:- 769 – 772 .**
- King LR ,(2001) . Management of neonatal ureteropelvic junction obstruction . Curr., Urol., Rep ., 2:- 106 – 112 .**
- Kluth D, Losty P, Schnitzer JJ, et al., (1996) . The developmental anatomy of CDH .Clin ., Perinatol., 23: 655 – 669 .**
- Kobayashi H, Hirakaw H,and Puri P,(1996) . Pathophysiology of Hirschsprung's disease . J., Paed ., Surg ., 31:- 794 – 798 .**
- Kogan BA , (2000) . Disorder of ureter .In Smith's General Urology , 5 th edn , (eds Tanagho EA and Mc Aninch JW)Mc Graw–Hill companies,USA , P P :- 628 – 643 .**
- Koh TH, Eyve JA, and Aynsley-Green A (1988) .Neonatal hypoglycaemia . Arch., Dis ., Childh., 63:- 1386 – 1398 .**
- Kosaku M, Yasufuku M and Yamamoto T (2001) . Balloon tracheoplasty and expandable metallic stenting for congenital tracheal stenosis . J., Paed ., Surg., 36, :- 1646 – 1649 .**
- Kosloske AM, (1996) . Necrotizing enterocolitis. In Newborn surgery , Ist edn., (ed., Puri P .). Butterworth , London ,P P :- 354 – 362.**

- Kottmeier KP, (1986) . Birth trauma . In Paediatric Surgery , 4 th, edn.,**
(eds, K.J. Welch , J.G. Randolph , M.M. Ravitch and M.J.Rowe),
year book publishers , Chicago , PP : 11 – 13.
- Kravitz RM,(1994). Congenital malformations of the lung .Paed ., Clin .,**
N.,Am.,41: 453 .
- Kumaran N, Shankar L, Loyd DA Losty PD et al ., (2002) . Trends in**
management of jejunoileal atresia . Eur., J., Paed., Surg., 12:-
163 – 167 .
- Lall A, Gupta DK, and Bajpai M (2000) . Neonatal Hirschsprung's disease**
Indian, J., Paediat ., 67:- 583 – 588 .
- Lang T, Kappler M, Dietz H, et al.,(2000) . Biliary atresia : factors predict the**
success of a Kasai operation. Eur., J., Med., Res., 27:- 110 – 114 .
- Larsson M , Arnbjornsoon E, Finkel Y and Karpe B (2002) .**
Transanastomotic feeding tube after operation for duodenal
otresia . Eur., J., Paed., Surg ., 12:- 159 – 162 .
- Lisa A, Clark and Oldman KT, (2000) . Malrotation .In Pediatric**
Surgery, 3 rd edn ., (eds,. Keith W, Ashcraft, et al.,)W.B.Saunders
company , Philadelophia , London , New York , P P :- 425 – 434 .
- Luks F, (2000) . Requirement for fetal surgery : Eur., J., Obst., Gynecol.,**
Reprod., Biol., 92: 115 – 118 .
- Mackenzie TC, Lori JH, Flake AW, et al., (2001) . The Management of**
prenatally dianosed choledochal cysts . J., Paediat ., Surg., 36:-
1241 – 1243 .
- Markham L,(2001). Total colonic aganglionosis . Neonatal Netw ., 20**
:- 23 – 29 .
- Matute JA, Romero R, Gorcia - Casillas MA, et al., (2001) . Surgical**
approach to funnel – shaped congenital tracheal stenosis . J., Paed.,
Surg., 36:- 320 – 323 .
- Mc - Aninch JW, (2000) . Disorders of testis scrotum and spermatic cord .**
In Smith's general urology , 5 th edn, (eds., Tanagho , EA and
Mc Aninch JW) Mc Graw – Hill companies , USA , P P :- 684 – 693 .

- Mehall JR, Chandler JC , Mehall RL, et al ., (2002).** Management of typical and atypical intestinal malrotation . J., Paed ., Surg., 37:-1169 – 1173 .
- Meier DE, Coln CE, Rescorla FJ, et al ., (1996) .** Intussusception in children . World J.,Surg., 20 :- 1035 – 1040 .
- Mellor DJ and Lerman J., (1998) .** Anaesthesia for neonatal surgical emergencies . Semin ., Perinatol ., 22:- 363.
- Meurs VK, Rhine K, Benitz W et al., (1994) .** Lobar lung transplantation for CDH . J.,Paed., Surg., 29: 1557 – 1560 .
- Miller AJW , Rode H and Sidney C (2000) .** Intestinal atresia and stenosis .In Paediatric Surgery , 3 rd , edn., (eds., K.W. Aschcraft , et al .) , WB sounders Philadelphia , P P :- 406 – 424 .
- Miller J H,Sinatra FR and Thomas DW (1980) .** Biliary excretion disorders in infants , evaluation using ^{99m}Tc DISDA . Am., J., Roentgenol ., 135:- 47 – 52.
- Miller RK, Sieber WK and Yunis EJ (1980) .** Congenital cystic adenomatoid malformations . Pathol . Ann., 1: 387 – 407 .
- Molenaar JC, and Meijers C,(1998).** Hirschsprung's disease . In Paed ., Surg., Ist ,edn, (ed., Atwell JD) , Arnold , London , P P :- 206 – 212 .
- Molenaar JC, (1996) .** Exomphalos and gastroschisis . In Newborn Surgery , Ist edn., (ed. Puri P) , Butterworth , London , P P :- 449 – 452 .
- Molik KA , Gingalewski A, West KW et al ., (2001) .** Gastroschisis. J., Paed., Surg., 36:- 51 – 55 .
- Morgan GE , Mikhail MS , Murray MJ, et al., (2002) .** Paediatric anaesthesia .In Clinical Anaesthesiology 3 rd edn., (eds, Morgan GE , et al) , Mc Graw – Hill , New York , P P :- 849 –874 .
- Mowat AP,(1994) .** Extrahepatic biliary atresia and other disorders of the extrahepatic bile ducts in infancy.In, Moat AP(ed.), Liver Disorders in Childhood ,Butterworth , London , P P :- 79 – 93 .
- Moyer V, Moya F, Tibbol R et al ., (2000) .** Late versus early surgical correction of CDH in newborn . Cochrane Database Syst.,Rev., 3: 169 – 179 .

- Murdoch IA, Dosanju R ,and Haycock GB,(1991) . Treatment of Hyperkalaemia . Arch ., Dis., Childh., 66:- 527 – 528 .**
- Murty GE, Shinkwin C and Gobbin KP (1994) . Vocal cord paralysis in infant . J., Laryngol ., Otol., 108:- 329 – 331 .**
- Nadler HL, (1986) . Teratology . In Paediatric Surgery , 4 th – edn.,(eds, K.J. Welch , J.G. Randolph , M.M. Ravitch and M.J.Rowe) . Year Book publishers,Chicago, PP : 11 – 13.**
- Nagaraj HS, (1996) . Oesophageal perforation in the newborn . In Newborn Surgery , Ist , edn., (ed., Puri P.) , Butterworth , London , P P :- 246 – 249 .**
- Nasir GA, Rahma S , and Kaim AH., (2000). Neonatal intestinal obstruction East, Mediterr . Health J., 6:- 187 – 193 .**
- Nievelstein RA , Vos A, Valk J, et al ., (2002) .MRI in children with anorectal anomalies:embryological studies, J., Paed ., Surg ., 37:-1138 – 1145 .**
- Ochou J B , (1996) . Meconium peritonitis . In newborn surgery Ist edn., (ed., Pur: P.)Butterworth , London , PP:- 328 – 333 .**
- Ohi R, Nio M, Chiba T, et al ., (1990). Long term follow up after surgery for patient with biliary atresia . J., Paediat .,Surg., 25:- 442 – 445 .**
- Okada T, Yoshida H, Lwai J, et al., (2001) . Pulsed doppler sonography in diagnosis of strangulated small bowel obst., J., Paed., Surg ., 36:- 340 – 435 .**
- Omar SA, De Cristofaro JD, Agarwal BI and La Gama EF (1999) . Water and sodium balance in low birth weight neonate . Paediat ., 104:- 482 – 488 .**
- Ong N, and Beasley SW,(1990) . The lead point in intussusception. J.,Paed., Surg., 25:- 640 – 643 .**
- Orford J, Manglick P, Cass CT, et al., (2001) . Mechanism of the development of esophageal atresia. J.,Paed.,Surg.,36 , 2001:- 985 – 994.**
- Ozden C, Pektas P, and Baskin D (1990) .Morgagni hernia with bowel perforation due to incarceration.Paed.,Surg.,Int ., 5 : 274 – 275 .**

- Painter MZ, and Bergman I, (1992) . Obstetrical trauma to the neonatal central and peripheral nervous system. Semin .,Perinatol.,6, :89 –104.**
- Patterson RM, (1994) .Trauma in Pregnancy .Clin .,Obstet., Gynecol.,27 , : 32 – 38 .**
- Penna A, (2000) . Imperforate anus and cloacal anomalies . In Paed., Surg., 3 rd edn., (eds , KW Aschcraft, et al .).WB Saunders Philadelphia , P P :- 473 – 492 .**
- Penna A, (1997) . Total urogenital mobilization : An easier way to repair cloacas. J., Paed., Surg., 32:- 263 – 268 .**
- Powell DM, Otherson HB, and Smith CD (1989) . Malrotation of intestine in children . The effect of age on presentation and therapy . J.,Paed., Surg., 24:- 777 – 780 .**
- Prato AP, Martucciello G and Jasonni V (2001) . Rectal suction biopsies in diagnosis of Hirschsprung's disease. J., Paed., Surg .,36: 1364 – 1366.**
- Puri P, and Mathur AB , (1996) . Pulmonary air leaks . In newborn surgery, 1st edn., (ed., Prem Puri) Butterworth , London , P P : 182 – 186 .**
- Puri P, and surona R,(1996). Inguinal hernia in newborn surgery,1st , edn , (ed., Prem Puri) , Butterworth , London , P P :- 408 – 413 .**
- Puri P ,and Sweed Y, (1996). Preoperative assessment .In Newborn Surgery , 1st , edn ., (ed., Prem Puri) , Butterworth,London ,P P :- 44 – 51.**
- Rehan VK, and Seshia MM, (1999) . Spinal cord injury . Arch ., Dis., C hild., 69:- 62 .**
- Reynold E,Douglas S, and Bleacher J, (2000) . Meconium peritonitis. J.,Perinatol. ,20:- 193 – 195 .**
- Roggin KK, Breuer CK, Car SR, et al., (2000) . The unpredictable character of congenital cystic lung lesions . J. Paed., surg., 35: 801 – 805 .**

- Ross AK, Davis PJ, Dear Gd GL, et al., (2001) .** Pharmacokinetics of remifentanyl. In anaesthetized paediatric patient. *Anaesth., Analg.*, 93 , :- 1393 – 1401.
- Ross P, and seashore JH, (1989).** Bilateral hydrothorax complicating CV catheterization in a child : *J. Paed., Surg.*, 24: 263 – 264 .
- Ruangtrakool R, Mungirandr A, and Laohrapensang M (2001).** Surgical treatment for congenital duodenal obstruction . *J., Med., Assoc., Thail.*, 84:- 842 – 849 .
- Sammarakkody U, Klaossen M and Nye B et al ., (2001)** Reconstruction of congenital agenesis of hemidiaphragm by combined reverse latissimus dorsi and serratus anterior muscle flaps.*J.,Paed.,Surg.*, 36: 1637 – 1640 .
- Samuel M, and Burg DM, (1996).** Extralobar pulmonary sequestration. *European J., Paed., surg.*, 6: 107 - 112.
- Santis M, Fauza D, Puri P, et al., (2000).** Congenital malformations of the lung . *Paed., Clin., N., Am.*, 41:-451-459.
- Sangkhathat S, Patrapinyokul S and Tadtayathikom K, et al., (2002) .** Associated genitourinary anomalies in anorectal malformations . *J., Med., Assoc .,Thail .*,85:- 289 – 296 .
- Sauter ER, Diaz JH, Arensman RM, et al., (1990).** Management of neonates With congenital oropharyngeal teratoma. *J.,Paed.,Surg.*,14:- 925 – 928.
- Scharli AF, (1996) .** Nutrition . In *Newborn Surgery*, 1st, edn ., (ed., Prem Puri) . Butterworth , London , P P : 82 – 95 .
- Schier F, and Waldschmidt J. ,(1996).** Subglottic stenosis. In *Newborn Surgery*, 1st,edn.,(ed; Prem Puri), Butterworth , London , P P : 161 – 166 .
- Segal D, Michaud L, Guimber D, et al., (2001) .** Percutaneous endoscopic gastrostomy in Children . *Paediat ., Gastroenterol ., Nutr.*, 33:- 495 – 500 .
- Sencan A, Mir E, Karaca I, et al., (2002) .** Pyloric atresia .*J., Paediat., surgery*, 37, 1223-1224
- Seo T , Ando H, Watanabe Y, et al., (2002).** Colonic atresia and Hirschsprung's disease.*J.,Paed ., Surg.*, 37:- 19 – 25 .

- Severn CB, (1972). The development of the human liver . Am., Journal .,Anat ., 131: - 133 – 158 .
- Shaffer SE ,and Norman ME, (1989) . Renal function and renal failure in the neonatal period . Clin ., Perinatol .,16:- 199 – 218 .
- Sharma, D, Sexana D, and Raina VK (2000). CDH- occulta . Indian J., paed., 67: 69-71.
- Shehab ZP, and Bailey CM ,(2001) . Laryngotracheoesophageal clefts .Int., J., Paediat., Otorhinolaryngol ., 60:- 1 – 9 .
- Shenkin A ,and Wretlind A, (1978) . Parenteral nutrition . Wld., Rev., Nutr., Diet., 28:- 49 .
- Shimada K, Hosokawa S, Amato MP, et al., (2001) . Urological management of cloacal anomalies , Int ., J., Urol ., 8. :- 282 – 289 .
- Shun A, and Puri P, (1988) . Inguinal hernia in newborn . Paed., Surg., Int., 3 :- 156 – 157 .
- Silverman WA, Sinclair JC, Hey EN, et al.,(1986).Temp erature regulation in the newborn . N., Engl., J., Med., 274:- 146 – 148 .
- Smith ED ,and Stephan FD, (1986) . Classification , identification and assessment of surgical treatment of anorectal anomalies.Paed., Surg., Int ., 1:- 200 – 205 .
- Snell RS, (1983) . Clinical Embryology for medical student, 4 th edn, Little Brown and Company , Boston . P P :- 143 – 154 .
- Snyder CL, Miller KA , Sharp RJ ,et al., (2001). Management of intestinal atresia with gastroschisis. J., Paed., Surg., 36 , P P :- 1542 – 1545 .
- Spigeland N, and Yazbeck S, (1990) . Complication associated with surgical treatment of congenital duodenal obstruction . J., Paediat ., Surg ., 25:- 1127 .
- Spitz L ., (1990) . Management of the neonatal surgical emergencies . N . Am., J., 70 :- 18 – 33 .
- Stigger KB, Wooding JH and Kanga J.F (1992). The clinical and imaging finding in CLE.Paed., Pulmonol.,14: 160 – 170 .

- Stoll CA, Alembik Y, Dott B, and Roth M (2001) . Risk factors in abdominal wall defects (omphalocele and gastroschisis) . Ann., Genet, 44:- 201 – 208 .**
- Suresh S , Mederios DM, Lope ZF, et al., (1995) . Ventilatory support for infants in emergency and in ICU . Indian , J., Paediat., 62:- 395 – 419 .**
- Suri S, Eradi B, Jirka JH, et al ., (2002) . Eearly postoperative feeding and Outcome in neonates . Nutrition , 18:- 380 – 383 .**
- Takahashi A, Suzuki N, Ikeda H, et al.,(2001). Bowel plication in addition to primary anastomosis in patients with jejunal atresia . J., Paed., Surg., 36 :- 1752 – 1756 .**
- Tatekawa Y, Asonuma K, Uemoto S, et al., (2001) . Liver transplantation for Biliary atresia . J.,Paediat ., Surg ., 36:- 436 – 439 .**
- Teitelbum DH, and Coran AG, (2000) . Nutritional support of the paediatric ., surgical ., patient . In P aediatric ., Surgery , 3 rd , edn .,(eds , Keith W.A., J. Patrick ,Ronald , J.S. and David , L.S).WB Sounder,Philadelaphia , London , NewYork , P P :- 17 – 37 .**
- Thapa BR, and Jagirdhar S , (2002) . Nutritional support in a surgical patient Indian , J., Paediat ., 69:- 411 – 415 .**
- Ulshen M ,(2000) . Normal development , structure and function of stomach and intestine . In Nelson Textbook of Paediatrics , 16th edn. (eds. Richard E.Beherman , Robert M. Kliegman and Hal B. Jenson), WB Saunders Company , Philadelphia .P P :-1128 – 1130 .**
- Upadhyaya P , (1990) . Rectal atresia . Transanal end – to – end recto – rectal anastomosis , a simplified , rational approach to management , J., Paed., Surg., 25:- 535 – 537 .**
- Vinograd I , Filler RM and Bahoric A (1987) . Prosthetic airway splint in tracheobronchomalacie . J., Paed., Surg., 22: 42 – 46 .**
- Waever E, and Nielson OH, (1995) . Operative management of duodenal atresia and stenosis ., Paediat ., Surg ., Int ., 10:- 422 – 425 .**
- Wilcox DT, Irish MIS ,and Holm BA (1996) . Pulmonary parenchymal abnormalities in CDH . Clin.,Perinatol ., 23: 771 – 779 .**

- Wilkins S, (1988) . The role of colostomy in anorectal malformations .Paed ., Surg., Int ., 3:- 105 – 109 . of anorectal anomalies in neonatal period Paed., Surg., Int ., 5:- 278 – 281 .**
- Wilson JM, Fauza DO, lund DP, et al ., (1994) .Antenatel diagnosis of CDH . J., Paed., Surg., 29: 815 – 819 .**
- Winter WD, Burrington JD, Rode H, et al ., (1992) . Atresia of colon in neonates .Am., J., Radiolo.,195 :- 1273 – 1276 .**
- Woodar JR, and Gosalbez R, (1992) . Neonatal and Prenatal emergencies . In Campbell's Urology , 6 th edn., (eds, Patrick C Walsh, et al.,) , WB sounders , Philadelphia P P :- 1590 – 1619 .**
- Wyllie Robert, (2000) . Pyloric stenosis and other congenital anomalies of stomach intestinal atresia , stenosis and malrotation . In Nelson Textbook of Paedint ., 16th edn.,(ed., Behrman R.E., Kliegman, R.M., and Hal B.,Jenson)W.B. sounders, Philadelphia,PP: 1132–1134 .**
- Yap KP , Chen A, Chu CC, et al., (1998) Bacterial infections .In paediatric surgical patients in ICUS . Ann., Academ ., Med ., 27 , 223 – 226 .**
- Zuhdi MK, Spear RM, Worthen HM, et al., (1996).Percutaneous drainage of tension pneumatocel , infected pneumatocel and lung abscess, Child.Critical Care Medicine .,24 330 – 333 .**