

REFERENCES

Ackerman LV, and Rosai J, eds (1996):

Ackerman's Surgical Pathology. 8th ed. St. Louis, Mo: Mosby-Year Book; 1996: 663-4.

Adam A, Dixon AK, and Grainger RG, (2001):

Radiology of the duodenum and small intestine. By Nolan DJ. Diagnostic Radiology 2nd ed., pp. 1063-96.

Adkins RB, and Davies J. (1987):

Cross-and microscopic anatomy of the stomach and small intestine. In: Scott HW , Sawyers JL, eds. Surgery of the duodenum, and the small intestine. Oxford: Blackwell Scientific, 45.

Ahlam H., (2000):

Interventional treatment of gastrointestinal neuroendocrine tumours. Digestion;62 Suppl. 1:59-68.

Ahluwalia NK, (1994):

Human small intestinal contractions, and aboral traction forces during fasting and after feeding. Gut; 35: 625.

Al Bahrani ZR, Al Mondhiry H, and Bakir H, (1983):

Clinical and pathological subtypes of primary intestinal lymphoma. Experience with 132 patients over a 24 years period. Cancer;52: 1666.

Alfidi RJ, Esselstyn CD, and Torar R, (1971):

Recognition and angiosurgical detection of arteriovenous malformations of the bowel. Ann. Surg., 174:573.

Alfonso AE, and Gardener B, (1982):

The practice of cancer surgery. Appelton, Century-crofts/New York, pp. 230- 7.

Anderson AS, Krause D, and Lang R, (1997):

Cardiovascular complications of malignant carcinoid disease. Am. Heart J;134(4):693-702.

Anthony LB, Martin W, and Delberke D, (1996): Somatostatin receptor imaging: predictive and prognostic considerations. Digestion; 57:50-3.

Arber N, NeugutAI, and Weinstein IB, (1997):

Molecular genetics of small bowel cancer. Cancer Epidemiol. Biomarkers Prev6: 745-748

Ashley SW, and Wells SA, (1988) :

Tumors of the small intestine. Semin. Oncol. ;15: 116.

Aueger MJ, and Allen NC, (1990):

Primary ilcocecal lymphoma. Cancer; 65: 358.

Baillie CT, and Williams A (1994):

Small bowel tumors: a diagnostic challenge. J.R. Coll. Surge. Eden 39:8

Barquist E, Apple S, and Jensen D., (1997):

Jejunal lymphangioma: an unusual case of chronic gastrointestinal bleeding. Dig. Dis. Sci., 42: 1179.

Bauer RL, Palmer ML, and Bauer AM (1994):

Adenocarcinoma of the small intestine: 21-year review of diagnosis, treatment, and prognosis. Ann. Surg.; 1:183-8.

Berk J.E, (1985):

Saunders Co., Philadelphia, London, Toronto, Vol. 3, Chap. 114,
pp.1887- 97.

Bernstein D, and Rogers A, (1996):

Malignancy in Crohn's disease. Am. J. Gastroenterol, 91(3): 434-40.

Bjork KJ, Davis CJ, and Nagorney DM, (1990):

Duodenal villous tumors. Arch. Surg. , 125: 961.

Blackledge G, Bush H, and Dodge OG, (1979):

A study of gastrointestinal lymphoma. Clin. Oncol., 5: 209.

Blanchard D.K., (2000):

Tumors of the small intestine. World J.Surg.,24: 421.

Bowden TA, (1989):

Endoscopies of the small intestine. Surg. Clin. North Am. , 69: 1237.

Boyle L, and Lack EE, (1993):

Solitary cavernous hemangioma of the small intestine. Arch.
Pathol. Lab., 117: 939.

Branum G.D., and Seigler H.F., (1991):

Role of surgical intervention in the management of intestinal
metastases from malignant melanoma. Am. J Surg;162: 428.

Brennan MF, (1990):

Duodenal carcinoma. Asian J Surg.;13:204.

Brophy C, and Cahow CE, (1989):

Primary small bowel malignant tumors. Unrecognized until
emergency laparotomy. Am. Surg., 55: 408.

Brucher BL, Roder JD, and Fink U, (1998):

Prognostic factors in resected primary small bowel tumors. Dig. Surg., 15: 42-51.

Buckley JA, Siegelman SS, and Lones B ,(1997):

The accuracy of CT staging of small bowel adenocarcinoma: CT/Pathologic correlation. J Comp Ass Tomo;21:986-991.

Cammoun M, Jaafoura H, and Tobban F, (1989):

Immunoproliferative small intestinal disease without alpha-chain disease. A pathological study. Gastroenterology; 96: 750.

Campbell, (2000):

Small bowel tumors, Current Surgical Therapy, 7th ed., St. Louis, London, Philadelphia, Sydney, Toronto, chap. 20, pp. 139-144.

Carbone PP, Kaplan HS, and Mussof K, (1971):

A report of the committee on Hodgkin's disease staging classification. Cancer Res., 31: 1860.

Carey PD, Sauvarna SK, and Baloch KG, (1993):

Primary adenocarcinoma in an ileostomy: A late complication of surgery for ulcerative colitis. Surgery; 113: 712.

Chou EF, Eng HL, and Sheen-Chen SM, (1996) :

Smooth muscle tumors of the gastrointestinal tract: analysis of prognostic factors. Surgery; 119:171.

Chow JS, Chen CC, and Ahsan, (1996):

Apopulation based study of the incidence of malignant small bowel tumor: SEER, 1973-90 Int. J. Epidemiol 25:722-728

Creutzfeldt W, (1994):

Historical background and natural history of carcinoids.
Digestion; 55 Suppl., 3:3-10.

Cunningham JD, Brower ST, and Aufses AH, (1997):

Malignant small bowel neoplasms: Histopathological determinants
of recurrence and survival. Ann. Surg., ; 225(3): 300-6.

Danzing JB, Brandt LJ, and Reinus JF, (1991):

Gastrointestinal malignancy in AIDS patients . Am J
Gastroenterol; 86: 715.

Darling RC, and Welch CE, (1959):

Tumors of the small intestine. N. Engl. J. Med., 260: 397.

Davis JH, Drucker WR, Foster RS, and Gamelli RL,(1987):

Small intestine. In clinical surgery. C.V. Mosby co., Toronto, pp.
1473-1489.

Dawson IM, Corners LS, and Morson BC, (1961):

Primary malignant lymphoid tumors of the intestinal tract: a
report of 37 cases with a study of factors affecting prognosis. Br.
J. Surg., 40: 80.

De Vita VT, Hellman S, and Rosenberg (2001):

Cancer of the small intestine. In cancer principles and practice of
oncology, 6th ed., Vol. 3, T.B. Lippincott co., Philadelphia, pp.
1206- 16.

De Vita VT, Hellman S, and Rosenberg (1989):

Cancer of the small intestine. In cancer principles and practice of
oncology, 3rd ed., T.B. Lippincott co., Philadelphia, pp. 675- 92.

Delcore R, and Friesen SR, (1994):

Gastrointestinal neuroendocrine tumors. J Am Coll Surg;178: 187.

DeMatteo RP,(2000):

Two hundred gastrointestinal stromal tumors : recurrence patterns and prognostic factors for survival. Ann Surg; 231: 51-8.

Desa I, Bridger F, and Grace PA, (1991):

Primary jejunoileal tumors: a review of 45 cases. World J. Surg., 15: 81.

DiSario JA, Bnurt RW, and Vargas H ,(1994):

Small bowel cancer: epidemiological and clinical characteristics from a population -based registry Am J Gastroenterol 1994.89:699-701.

Dixon RM, Roulston ME, and Nolan DJ, (1993):

The small bowel anemia: A ten-year review. Clin. Radiol., 47:46-8.

Doherty GM, Lowney JK, and Mason JE, (2002):

The Washington Manual of Surgery, 3rd ed., chap. 14, A Walters Kluwer Company, Philadelphia, Baltimore, New York, London, Buenos Aires, Hongkong, Sydeny, Tokyo, pp. 238-242.

Domizio P, Owen RA, and Shepherd NA, (1993):

Primary lymphoma of the small intestine: a clinicopathological study of 119 cases. Am. J. Surg. Pathol. 17: 429

Dudiak KM, Johnson CD, and StephensDH (1989):

Primary tumors of the small intestine: CT evaluation. AJR Am. J . Roentegenol., 152:995.

El Saghir NS, Jessen K, and Mass RE , (1989):

Combination chemotherapy for primary small bowel lymphoma in the Middle East. *Euro. J. Can. Oncol.* 25: 581.

Ellis DJ, (1994):

Small bowel carcinoma, *Clinical Oncology*, 1st ed., Churchill Livingstone, New York, Edinburgh, London, Melbourne, Tokyo, chap. 11, 196-209

Ellis H, (1987):

Tumors of the small intestine *Semin. Surg. Oncology*;3:12.

Esquivel J, Vidal-Jave J, and Steves MA, (1993):

Morbidity and mortality of cytoreductive surgery and intraperitoneal chemotherapy. *Surgery*; 113: 631.

Evans H.L., (1985):

Smooth muscle tumors of the gastrointestinal tract . A study of 56 cases followed for a minimum of 10 years. *Cancer*, 56:2242-2250.

Feldman JM, (1987):

Carcinoid tumors and syndrome. *Semin. Oncol.* 1987 Sep; 14(3): 237-46

Fine KD, (1994):

Mechanism by which glucose stimulates the passive absorption of small solutes by the human jejunum in vivo. *Gastroenterol.*, 107: 389.

Frost DB, Mercado PD, and Tyrel JS,(1994):

Primary tumors of the small intestine: CT evaluation *AJP +m J Roentgenol.*152: 995.

Galandiuk S, Hermann RE, and Jagelmann DG, (1988):

Villous tumors of the duodenum. *Ann. Surg.*, 207: 234.

Ganong WF (1993):

Review of medical physiology, 5th ed., Appleton and Lange co.,
Norwalk and California, pp., 428:30.

Gill SS, Heuman DM, and Miles AA, (2001):

Small intestinal neoplasms. *J Clin. Gastroenterol.*, 33 (4): 267-82.

Gillen CD, Wilson CA, and Walmsley RS, (1995):

Occult small bowel adenocarcinoma complicating Crohn's
disease: a report of three cases. *Postgraduate Med J*;71:172-174

Good CA, (1963):

Tumors of the small intestine. Cadwell lecture, *AJR*, 89: 685.

Grainger RG, Allison DJ, and Adam A, (2001):

Diagnostic Radiology, ed. 3, chap. 48, pp. 1063-95.

Greager JA, Eckhauser ML, and Pennington LR, (1991):

Neoplasms of the small intestine. In Zuidema, G. D., Nyhus L.M.
(eds): *Schackelford's Surgery of the alimentary tract*, ed. 3,
Philadelphia, W.B.Saunders, vol. 5, chap. 25, p. 437.

Greige JD, Miles WEA, and Nexon SJ, (1995):

Laparoscopic technique for small bowel biopsy. *British J Surg.*,
82: 363.

Hamilton MS, Shipherd O, and Porter J, (1992):

FAP of the small intestine. *Cancer*, 8: 409.

Harris AL, (1986):

Carcinoid tumors, *Gastrointestinal Oncology*, Castle House
publication LTD, chap. 15, 5th ed. Pp256- 278.

Haskell CM, (1990):

Cancer Treatment, 3rd ed., WB Saunders co., Philadelphia, p. 230.

Hyanes I.G., Wolverson RI, and O'Brien JM, (1986):

Small bowel intussusception due to metastatic renal carcinoma. Br. J. Urol.; 58: 460.

Hendren SK , (2001) :

Phase II trial of debulking surgery and Photodynamic Therapy for disseminated intraperitoneal tumors. Annals of Surgical Oncology, 2001; 8(1):65-67.

Herbsman H, Westein L, and Rosen Y, (1980):

Tumors of the small intestine Curr. Probl. Surg.; 21: 173-184

Herlinger H, (1987):

A modified technique for the double contrast small bowel enema. Gastrointestinal Radiol. 3: 201- 7.

Herrera G, Pintodemoraes H, and Grizzle WE, (1984):

Malignant small bowel neoplasm of enteric plexus derivation (plexosarcoma). Light and electron microscopic study confirming the origin of the neoplasm. Dig. Dis. Sci., 29:275.

Hoensch HP, Steihardt HJ, and Malchow H, (1982):

Metabolism of xenobiotics in human small intestinal mucosa: Relationship to carcinogenic factors. In Malt RA and Williams RC (eds.): colonic carcinogenesis. MTP press, Lancaster.

Hyams JS, Goldman H, and Katz AJ (1980):

Differentiating small bowel Crohn's Disease from lymphoma: role of rectal biopsy. Gastroenterology 79:340

Ihde JK, and Coit D.G., (1991):

Melanoma metastatic to the stomach, small bowel, and colon.
Am. J. Surg.; 162: 208.

Inai K, Kobuke T, Yonehara S, and Tokuoka S. (1989):

Duodenal granulocytic paraganglioma with lymph node metastases in a 17- years old boy Cancer 53: 2540.

Jarrel and Carbasi, (1986):

Surgery, the national medical series for independent study. Harwal publishing co., Media, Pennsylvania, chap. 6, pp. 113-24.

Jennings BS, and Doerr RJ, (1989):

Duodenal lipoma causing intussusception. Surgery, 105: 650.

Jensen D, (1997): Jejunal lymphangioma: an unusual case of chronic gastrointestinal bleeding. Dig. Dis. Sic., 42: 1179.

Kadivar TF, Vanek VW, and Krishnan EU, (1992):

Primary malignant melanoma of the small bowel: a case study.
Am. J Surg., 58: 418.

Kaerlev L, Tegelbjaerg PS, and Sabroe S, (2000):

Is there an association between alcohol intake and smoking and small bowel adenocarcinoma? Results from a European multi-center case-control study. Cancer Causes Control;11 :791-7.

Kaerlev L, Tegelbjaerg PS, and Sabroe S, (2001):

Medical risk factors of small bowel adenocarcinoma with focus on Crohn's disease: a European population-based case –control study. Scand J Gastroenterol;46:641-6.

Karakousis CP, (1997) :

Intraperitoneal chemotherapy in disseminated abdominal sarcoma. *Ann Surg. Oncol.* 1997; 4: 496-8.

King AJ, Mc Cobe J, and Waldran M, (1990):

Combined endoscopic cytology and biopsies in the diagnosis of duodenal malignancy. *Br. J. Clin. Practice*, 44: 264.

Kusmoto H, Takahashi I, and Yoshida M, (1992):

Primary tumors of the small intestine: Analysis of 40 cases Japanese patients. *J. Surg. Oncol.*, 50: 1390430

Lamberts SWI, (1996):

Octreotide. *N. Engl. J Med*;334:246.

Landis SH, Murray T, and Wingo PA, (1999):

Cancer statistics *CA* 49:8-31.

Lashner BA, (1992):

Risk factors for small bowel cancer in Cohn's disease. *Dig. Dis. Sci* 37: 1179-1184

Lau PW, and Lorentz TG, (1993):

Results of surgery of malignant small bowel obstruction in advanced, unresectable, recurrent colorectal cancer. *Dis. Colon Rectum*; 36: 61.

Laurent JAF, Drouillard J, and Lecesne R, (1995):

CT of small bowel neoplasms. *Semin Ultrasound, CT MRI*; 16:102- 111.

Laurent F, Raynand M, and Biset JM, (1991):

Diagnosis and categorization of small bowel tumors: role of computered tomography. *Gastrointestinal. Radiol.* 16: 115.

Lawrence WW, and Gerard MD, (2003):

Current surgical diagnosis and treatment, 11th ed., Shelton AA, Schrock TR, and Mark LW, *Anatomy of the small intestine*, pp. 674.

Leah Strickland, (2001):

Gastrointestinal stromal tumors. *Cancer Control*; 8:3.

Leaper, (1990):

Tumors of the small intestine. In Schwartz SE, Ellis H, and Hauser WC (eds) *Maingot's abdominal operations*, 4th ed., prentice-Hall international Inc., London, Toronto, Mexico, and Tokyo, vol. 1, pp. 881-2.

Ledingham, and Mackay C, (1988):

Textbook of surgical physiology, 4th ed., Churchill-Livingstone co., Edinburge, London, Melbourne, New York, p. 293.

Lee J, Tamhan R, and Parks TG. (1997):

Cecal adenocarcinoma with multiple synchronus small intestinal adenocarcinoma *Postgraduate Med J* 73: 729-731

Leu H.J., and Odermatt B., (1985):

Multicenteric angiosarcoma (Kaposi's sarcoma). Light and electron microscopic and immunohistochemical findings of idiopathic cases in Europe and Africa and of cases associated with AIDS. *Virchow' Arch.*, 408:29.

Lewis J.J., and Brennan MF, (1996):

Soft tissue sarcomas. *Curr. Prob. Surg.*,33: 817-72.

Lowenfels AB (1977):

Distribution of small bowel tumors *Cancer Lett.* 3:83.

Macho J.R., (1988):

Gastrointestinal surgery in the AIDS patients. *Gstroenterol. Clin. North Am.*, 17: 365.

Maglinte DDT, O'Connor K, and Bassette J, (1991):

The role of the physian in the late diagnosis of malignant small bowel tumors. *Am. J. Gastroenterol.*, 86: 304.

Makiridis C, Oberg K, and Juhlin C, (1990)Surgical treatment of midgut carcinoid tumors. *World J Surg*;14: 377.

Martin DA, James OA, and Allen SL, (1995):

Small bowel carcinoid. *Clinical Oncol.* 1st ed. ,Churchill Livingstone, New York, Edinburgh, London, Melbourne, Tokyo, chap. 11 , 196-209.

McGarrity TJ, Kulin HE, and Zaino RJ (2000):

Peutz-Jeghers syndrome. *Am J Gastroenterol* 2000 Mar; 95(3): 596-604.

Mc-Minn RMH, (1994):

Lasts anatomy regional and applied, 9th ed., Churchill Livingstone co., Edinburgh, London, Melbourne, and New York, pp. 326-39.

Mc-Vay, (1984):

Abdominal cavity and contents in Anson and Mc-Vay Surgical anatomy, 6th ed., Philadelphia, WB Saunders, vol. I, p. 609.

Mudan S, Conlon KC, Woodruff M, (2000):

Salvage surgery for patients with recurrent gastrointestinal sarcoma. *Cancer*; volume 88: 66-74.

Nagi B, Verma V, and Vaiphei, (2001):

Primary small bowel tumors: a radiologic, pathologic correlation. *Abdominal Imag.*, 26(5): 474-80.

Nakamara S, (1993):

Diagnostic value of push type jejunal endoscopy in primary jejunal carcinoma. *Surg. Endosc*;7:188.

Neugut AI, Jacobson JS, and Sugh S, (1998):

Epidemiology of cancer of the small intestine. *Cancer Epidemiol Biomarkers Prev.*, 7:243-251

Neutra, and Padykula HA, (1984):

The gastrointestinal tract. In weiss L. ed.: *Modern concepts of gastrointestinal histology*. New York, Elsevier science publishing Inc., chap. 19, p. 674.

Ng EH, and Pollock RE, (1992):

Prognostic factors influencing survival in gastrointestinal leiomyosarcomas, implications of surgical management and staging. *Ann. Surg.*, 215: 68-77.

Ojha A, Zachert J, and Scheuba C, (2000):

Primary small bowel malignancies: single center results of three decades. *J Clin Gastroenterol*;30:289-293.

Oliver GC, Rubin RG, and Park YH, (1987):

Preoperative evaluation of intermittent bleeding small bowel tumors, using Technetium-99 labelled red blood cells scanning of two cases. 30: 715.

Otterson MF, and Sarr MG, (1993):

Normal physiology of the small intestine. Surg. Clin. North Am., 73: 1173.

Ouriel K, and AdamsJT, (1984):

Adenocarcinoma of the small intestine. Am J Surg; 147: 66- 71.

Peck JJ, Shields AB, and Boyden AM, (1983):

Carcinoid tumors of the ileum . Am J Surg;146:124.

Penn I, (1987):

Cancers following cyclosporine therapy. Transplantation; 43: 32.

Perey B.J., (1992):

Neoplasms of the duodenum. In Scott H.W.. Jr. and Sawyers J.L. (eds.):Surgery of the stomach duodenum, and small bowel. Ed. 2, Boston, Blackwell Scientific Publications. Chap. 27, p. 464.

Person PG, Karlen P, and Burnell O, (1994):

Crohn's disease and cancer: a population based cohort study. Gastroenterology 107:1675-1679.

Pidhorecky I,(2000):

Gastrointestinal stromal tumors: Current diagnosis, biologic behavior and management. Annals of Surgical Oncology, 2000; 7(9):705-712.

Potten, (1994):

Colonic and stem carcinogenic target cells in small intestine.
Scand. J. Gastroenterol., 104: 3.

Que FG, (1995):

Hepatic resection for metastatic neuroendocrine tumors, Am J
Surg; 169: 36.

Rhodes AI, and Shorvon PJ, (2001):

Recent advances in small bowel imaging: a review Curr. Opinion
in Gastroenterol.; 17: 132-9.

Ricaniadis N, Konstadoulakis MM, and Walsh D, (1995):

Gastrointestinal metastases from malignant melanoma. Surg.
Oncol; 4:105.

Romanes GJ, (1981):

Cunningham's textbook of anatomy, 12th ed., Oxford university
press, Oxford, New York, Toronto, pp. 545-61.

Rosenfelt F, and Rosenberg SA, (1980):

Diffuse histiocytic lymphoma presenting with gastrointestinal
tract lesions: the Stanford experience. Cancer; 45: 2188.

Ross RK, Hartnet NM, and Bernstein L ,(1999):

Epidemiology of Adenocarcinma of the small intestine :Is bile a
small bowel carcinogen?

Ryder NM, Kocy, Hines OJ, et al, (2000):

Primary duodenal adencarcinoma: a 40-year experience. Arch.
Surg.. 135:1070-4.

Salem PA, Nassar VH, and Shahid MJ, (1977):

A Mediterranean abdominal lymphoma or immunoproliferative small intestinal disease. Part I, Clinical aspects. *Cancer*; 40: 2991.

Schultz SF, Alavi A, and Lichtenstein GR, (1999): Scintigraphy. In Herlinger H, Maglinte DDT, Brinbaum BA (eds), *Clinical imaging of the small intestine*, 2nd ed., Springer, New York, pp. 187- 201.

Schwartz, (1990):

Small intestine, in *Principles of surgery*, 5th ed., Mc Graw-Hill book co., New York, chap. 27, pp. 1189- 1219.

Seifort E, Schulte F, and Sotle M, (1992):

Adenoma and carcinoma of the duodenum, and papilla of Vater. *Am. J. Gastroenterol.*, 87: 37.

Skandalakis JE, Skandalakis PN, and Skandalakis LJ, (2000):

Surgical anatomy and technique, 2nd ed., SpringerVerlag, New York, Berlin, Heidelberg, pp. 365-80, and 425-42.

Sindelar W.F., (1985):

Cancer of the small intestine. In De Vita V.T., Hellman S., and Rosenberg S.A., (eds): *Cancer principles and practice of oncology*, 2nd ed., J.B. Lippincott co., Philadelphia, Chap. 24, p. 774.

Sindelar WF, Bagley DH, and Felix EL, (1989):

Lung tomography in cancer patients. Full lung tomography in screening for pulmonary metastases. *JAMA*, 240: 2060- 3.

Sjoblom SM, (1988):

Clinical presentation and prognosis of gastrointestinal carcinoid tumors. *Scand J Gastroenterol*;23: 779.

Skogseid B, (2001):

Nonsurgical treatment of advanced malignant neuroendocrine pancreatic tumors and midgut carcinoids. *World J Surg.* Jun;25 (6):700-3.

Sleisenger MH, and Fordtman JS, (1989 M):

Gastrointestinal disease, pathophysiology, diagnosis, and management, 4th ed., WB Sauder's co., Philadelphia, London, and Toronto, pp. 1359- 69. 1504-6, and 1547-69.

Soga J, (1998):

Statistical evaluation of 2001 carcinoid cases with metastases, collected from literature: a comparative study between ordinary carcinoids and atypical varieties. *J Exp Clin Cancer Res.* 1998 Mar;17(1):3-12.

Spence AP, and Mason EB, (1987):

Human anatomy and physiology, 3rd ed., Benjamin, Cummings Publishing co. Inc., California, Ontario, Amsterdam, Sydney, and Tokyo, pp. 720-6.

Spigelman AD, Murday V, and Phillips RKS. (1990) :

Cancer and the Peutz-Jeghers syndrome. *Gut* 30: 790

Stemmermann GN, Goodman MT, and Nomura AMY, (1992):

Adenocarcinoma of the proximal small intestine. A marker for familial and multicentric cancer? *Cncr*;70:2766.

Strickman NE, Rossi PA, and Hall RG, (1982)

Carcinoid heart disease: a clinical pathologic, and therapeutic update. *Curr Probl Cardiol*;6(11):1-42.

Shulten MF, and Dyasu R, (1976):

Villous adenoma of the duodenum. Am. J. Surg., 132: 90.

Sugarbaker Ph, (1998):

Intraperitoneal chemotherapy and cytoreductive surgery for the prevention and treatment of peritoneal carcinomatosis and sarcomatosis. Semin Surg Oncol 1998 ; 14:254-61.

Sweetenhaus JW, Mead jm, Wright DH, et al, (1989):

Involvement of the ileocecal region by non-Hodgkin's lymphoma in adults: clinical features and results of treatment. Br. J. Cancer; 60: 366.

Takahashi H, and Hansmann ML, (1990):

Primary gastrointestinal lymphoma in childhood. Cancer Res. Clin. Oncol., 116: 190.

Thompson GB, (1985):

Carcinoid tumors of the gastrointestinal tract. Scand J Gastroenterol; 43: 213.

Toda M, and Kawai K, (1984):

Small bowel endoscopy. Scand. J. Gastroenterol., 102:39.

Trier JS, (1991):Celiac sprue. N. Engl. J. Med., 325: 1709.

Turowski GA, and Basson MD, (1995):

Primary malignant lymphoma of the intestine. Am. J.Surg., 169: 433.

Warkel RL, Cooper PH, and Heleig EB, (1978):

Adenocarcinoid, a mucin producing carcinoid tumor of the appendix: A study of 39 cases. Cancer; 42: 2781.

Weiss NS, and Yang C...(1987):

Incidence of histological types of cancer of the small intestine
J.Nail Cancer Inst; 78:653

Widgren S., and Pizzolato G.P., (1987):

Inflammatory fibroid polyp of the gastrointestinal tract possible
origin in myofibroblasts? Ann. Pathol., 7:148.

Williamson RCN, Welch CE, and Malt RA, (1983):

Adenocarcinoma and lymphoma of the small intestine. Ann
Surg;197:172.

Wilson JM, Melvin DB, and Gray GF, (1975):

Primary malignant tumors of the small bowel: A report of 96
cases and review of the literature. Ann. Surg., 180:175-9.

Woods HF, Bax NDS, and Ainsworth I, (1990):

Abdominal carcinoid tumors. Digestion;45:17.

Yao KA , (2000):

Primary gastrointestinal sarcomas : analysis of prognostic factors
and results of surgical management. Turc; 128: 604-12.

Zucchette F, Bellotte R, and Froncera D, (1991):

Adenocarcinoma of the small intestine. Int. Surg., 76: 230.