

References

- Abdel Hamid TH, Mahmoud H, Kamel A, et al:** Risk adapted chemotherapy treatment for adult acute lymphoblastic leukemia. *Ann Oncol* 2005; 10: 1489-1492.
- Al-Obaidi MS, Mortineau M, et al:** ETV6/MAL 1 fusion by FISH in adult acute lymphoblastic leukemia. *Leukemia*, 2002; 16(4): 669-74.
- Ankathil R, Geetha N, Remani P, Gangadharan VP, Rajasekharan PG and Krishnan NM:** Clinical implications of cytogenetic classification in adult acute lymphoblastic leukaemia patients. *J Cancer Res Clin Oncol*, 1996; 22: 370.
- Annino L, Began ML, Camera A, et al:** Treatment of adult acute lymphoblastic leukemia (ALL): Long term follow up of the GIMEMA ALL 0288 randomized study. *Blood*, 2002; 99(3): 836-871.
- Arico M, Valsecchi MG, Camitta B, et al:** Outcome of treatment in children with Philadelphia chromosome positive acute lymphoblastic leukemia. *N Engl J Med*. 2000;342:998-1006.
- Asselin BL:** The three asparaginases. Comparative pharmacology and optimal use in childhood leukemia. *Adv EXP Med Biol*. 1999;457:621-29.
- Aversa F, Tabilio A, Velardi A, et al:** Treatment of high-risk acute leukemia with T-cell-depleted stem cells from related donors with one fully mismatched HLA haplotype. *N Engl J Med*. 1998;339:1186-93.
- Avramis VI, Sencer S, Periclou AP, et al:** A randomized comparison of native *Escherichia coli* asparaginase and polyethylene glycol conjugated asparaginase for treatment of children with newly diagnosed standard risk acute lymphoblastic leukemia: a Children's Cancer Group study. *Blood*. 2002;99:1986-94.
- Barrett AJ, Horowitz MM, Pollock BH, et al:** Bone marrow transplants from HLA-identical siblings as compared with chemotherapy for children with acute lymphoblastic leukemia in a second remission. *N Engl J Med*. 1994;331:1253-58.

- Bassan R, Lerede T, Rambaldi A, et al:** The role of anthracyclines in adult acute lymphoblastic leukemia. *Leukemia*. 1996;10 (Suppl. 2):S58-S61.
- Bassan R, Pogliani E, Casula P, et al:** Risk-oriented postremission strategies in adult acute lymphoblastic leukemia: prospective confirmation of anthracycline activity in standard risk class and role of hematopoietic stem cell transplants in high-risk groups. *Hematology J* 2001;2:117-126.
- Bayani J and Squire JA:** Advances in the detection of chromosomal aberrations using spectral karyotyping. *Clin Genet*, 2001; 59: 65-73.
- Bedi A, Zehnbaue BA, Barberand JP and Sharkis SJ:** Inhibition of apoptosis by BCR/ABL in chronic myelogenous leukemia. *Blood*, 1999; 83: 2038-2044.
- Begley CG and Green AR:** The SCL gene from case report to critical haematopoietic regulator. *Blood*, 1999; 1: 2700-2770.
- Bensinger WI, martin PJ, Storer B, et al:** Transplantation of bone marrow as compared with peripheral-blood cells from HLA-identical relatives in patients with hematologic cancers. *N Engl J Med*. 2001;344:175-81.
- Berend SA, Page SL, Atkinson WA, Madrigal MM, Shaffer-Bickmore WAL and Sumner T:** Mammalian chromosome banding and expression of genome organization, 1989; T1G5: 144-148.
- Bloomfield CD, Goldman AI, Alimena G, et al:** Chromosomal abnormalities identify high risk and low risk patients with acute lymphoblastic leukemia. *Blood*, 1986; 67: 415-420.
- Boucheix C, David B, Sebban C, et al:** Immunophenotype of adult acute lymphoblastic leukemia, clinical parameters and outcome: An Analysis of a prospective Trial Including 562 Tested patients (LALA87). *Blood*. Vol. 84. No. (September 1), 1994: pp 1603-1612.
- Brearly R, Johnson S and Lister T:** Acute lymphoblastic leukemia in adults: clinicopathological correlation with French-American British (FAB)Cooperative Group classification .*Eur J Cancer*,1979; 15:909.

- Brock DJH:** Molecular genetics for the clinician. Cambridge University Press (first edition), 1993; PP. 4-25.
- Brunning R, Borowitz M, Matutes E, et al:** Precursor T lymphoblastic leukemia/lymphoblastic lymphoma. In: Jaffe ES, Harris N, Stein H, Vardiman JW, editors. Pathology and genetics of tumours of haematopoietic and lymphoid tissues. Lyon, France, IARC Press, 2001, pp115-7.
- Burger B, Zimmermann M, Mann G, et al:** Diagnostic cerebrospinal fluid examination in children with acute lymphoblastic leukemia: significance of low leukocyte counts with blasts or traumatic lumbar puncture. J Clin Oncol 2003, 21(2):184-8.
- Carlson KM, Vignon C, Bohlander S, et al:** Identification and molecular characterization of CALM/AF 10 fusion products in T cell acute lymphoblastic leukemia and acute myeloid leukemia. Leukemia, 2000; 14(1): 100-104.
- Carol A, Arthur L, Cathie Spino, et al:** Clinical significance of the BCR-ABL fusion gene in adult acute lymphoblastic Leukemia: A cancer and Leukemia Group B Study. Blood 1992; 80(12): 2983-90.
- Carter NP, Ferguson-Smith MA, Perryman MT, et al:** Reverse chrom. Painting: A method for the rapid analysis of aberrant chromosomes in clinical cytogenetics. J Med Genet, 1992; 290: 299-307.
- Cassileth PA, Anderson JW, Bennett JM, et al:** Adult acute lymphoblastic leukemia. The Eastern Cooperative Oncology Group experience. Leukemia, 1992, 6: 178-81.
- Champlin RE, Schmitz N, Horowitz MM, et al:** Blood stem cells compared with bone marrow as a source of hematopoietic cells for allogeneic transplantation. Blood. 2000;95:3702-09.
- Charrin C, Magaud JP, Sebban D, et al:** Cytogenetic abnormalities in adult acute lymphoblastic leukemia: correlations with hematologic findings and outcome. A collaborative study of the Groupe Français de Cytogénétique Hématologique. Blood, 1996; 87(8): 3135-3142.

- Charrin C:** Cytogenetic abnormalities in adult acute lymphoblastic leukemia: Correlations with hematologic findings and outcome. A collaborative study of the Groupe Francais de Cytogénétique Hématologique. *Blood*. 1996;87:3135-42.
- Clark R, Byatt SA, Bennett CF, et al:** Monosomy 20 as a pointer to dicentric (9;20) in acute lymphoblastic leukemia. *Leukemia* 2000; 14(2): 241-46.
- Clarkson B, Ellis S, Little C, et al:** Acute lymphoblastic leukemia in adults. *Semin Oncol*,1984 12:160.
- Collins RH, Jr., Shpilberg O, Drobyski WR, et al:** Donor leukocyte infusions in 140 patients with relapsed malignancy after allogeneic bone marrow transplantation. *J Clin Oncol*. 1997;15:433-44.
- Cornelissen JJ, Carston M, Kollman C, et al:** Unrelated marrow transplantation for adult patients with poor-risk acute lymphoblastic leukemia: strong graft-versus-leukemia effect and risk factors determining outcome. *Blood*. 2001;97:1572-77.
- Cortes J, O'Brien SM, Pierce S, et al:** The value of high-dose systemic chemotherapy and intrathecal therapy for central nervous system prophylaxis in different risk groups of adult acute lymphoblastic leukemia. *Blood* ,1995,86: 2091.
- Cortes J:** Central nervous system involvement in adult acute lymphocytic leukemia. *Hematol Oncol Clin North Am* 2001 ,15(1):145-62.
- Cortes JE and Kantarjian HM:** Acute lymphoblastic leukemia. A comprehensive review with emphasis on biology and therapy. *Cancer* 1995; 76:2393-417.
- Crooks V, Waller S, et al:** The use of karnofsky performance scale in determining outcome and risk in patients with ALL. *J Gerontol*, 1990; 46: M 139-M144.
- Crisan D and Carr ER:** BCR-ABL gene rearrangement in chronic myelogenous leukemia and acute leukemia. *Lab Med* 1992; 32: 730.

- Crisoan D, Chen ST and Weil SC:** Polimerase chain reaction in diagnosis of chromosomal breakpoint. *Diagnostic Haematology*, 1994; 8(4): 725-50.
- Cuttner J, Mick R, Budman DR, et al:** Phase III trial of brief intensive treatment of adult acute lymphocytic leukemia comparing daunorubicin and mitoxantrone: a CALGB study. *Leukemia*, 1991;5(5): 425-31.
- Daley GQ, Van-Etten RA, Baltimore D, et al:** Introduction of chronic myelogenous leukemia in mice by the p210 BCR/ABL gene on the Philadelphia chromosome. *Science*, 1990; 247: 824-830.
- Dekker AW, Van't Veer MB, van der Holt B, et al:** Postremission treatment with autologous stem cell transplantation (Auto-SCT) or allogeneic stem cell transplantation Allo-SCT in adults with acute lymphoblastic leukemia (ALL). A phase II clinical trial (HOVON 18 ALL). *Blood* 2001, 98:3567a.
- Dewald GW, Wyatt WA, Juneau AL, et al:** High sensitivity fluorescence in situ hybridization method to detect double BCR-ABL fusion monitor response to therapy in chronic myeloid leukemia. *Blood*, 1998; 91(9): 3357-3365.
- Diebold J, Jaffe E, Raphael M and Warnke R:** Burkitt lymphoma. In: Jaffe E, Harris N, Stein H, Vardiman JW., editors. *Tumours of the haematopoietic and lymphoid tissues*. Lyon, France: IARC Press, 2001, PP,181-5.
- Dombret H, Gabert J, Boironj-M, et al:** outcome of treatment in adults with Philadelphia chromosome positive acute lymphoblastic leukaemia. Results of the prospective multicenters LALA-94 trial. *Blood*, 2002, 100(7): 2357-65.
- Doney K, Fisher LD, Appelbaum FR, et al:** Treatment of adult acute lymphoblastic leukemia with allogeneic bone marrow transplantation. Multivariate analysis of factors affecting acute graft-versus-host disease, relapse, and relapse-free survival. *Bone Marrow Transplant*. 1991;7:453-59.

- Doney K, Hagglund H, Leisenring W, et al:** Predictive factors for outcome of allogenic haemopoietic cell transplantation for adult acute lymphoblastic leukemia. *Biol Blood Marrow Transplant*, 2003; 9(7): 472-81.
- Druker BJ, Sawyers C, Kantarjian H, et al:** Activity of a specific inhibitor of the BCR-ABL tyrosine kinase in the blast crisis of chronic myeloid leukemia and acute lymphoblastic leukemia with the Philadelphia chromosome. *New Engl J Med*. 2001;344:1038-42.
- Durrant IJ, Prentice HG and Richards SM:** Intensification of treatment for adults with acute lymphoblastic leukaemias: results of U.K. Medical Research Council randomized trial UKAL XA. *Br J Haematol*. 1997; 99:84-92.
- Duval M, Suciu S, Ferster A, et al:** Comparison of Escherichia coli-asparaginase with Erwinia-asparaginase in the treatment of childhood lymphoid malignancies: results of a randomized European Organisation for Research and Treatment of Cancer Children's Leukemia Group phase 3 trial. *Blood* 2002;99:2734-39.
- Eden OB, Lilleyman JS, Richards S, et al:** Results of Medical Research Council Childhood Leukaemia Trial UKALL VIII (report to the Medical Research Council on behalf of the Working Party on Leukaemia in Childhood). *Br J Haematol* 1991; 78: 187-96.
- Edwen H and McConkey:** Human genetics, the molecular revolution. 1993; p.16, 153, 276 and 288.
- Evans WE, Crom WR, Abromowitch M, et al:** Clinical pharmacodynamics of high-dose methotrexate in acute lymphocytic leukemia identification of a relation between concentration and effect. *N Engl J Med* 1986; 314:471-7.
- FaderL S, Kantajian HM, O'Brien S, et al:** A broad exploratory trial of Campath-1H in treatment of acute leukemia. *Blood*, 2000; 96:1397a.

- Faderl S, Kantarjian HM, Talpaz M and Estrov Z:** Clinical significance of cytogenetic abnormalities in adult acute lymphoblastic leukemia. *Blood*, 1998; 91(11): 3995-4019.
- Faderl S and Albitar M:** Insights into the biologic and molecular abnormalities in adult acute lymphocytic leukemia. *Hematol Oncol Clin North Am* 2000 ,14(6):1267-88
- Faderl S, Jeha S and Kantarjian HM:** The biology and therapy of adult acute lymphoblastic leukemia. *Cancer* 2003,98(7):1337-54.
- Fenaux P, Lai JL, Morel P, Nelken B, Taboureaux O, Deminatti M and Bauters F:** Cytogenetics and their prognostic value in childhood and adult acute lymphoblastic leukemia (ALL) excluding L3. *Hematol*.
- Foa R, Vitale A, Mancini M et al:** E2A-PBX1 fusion in adult acute lymphoblastic leukaemia: biological and clinical features. *Br J Haematol*, 2003; 120: 484-487.
- Forman SJ, Schmidt GM, Nademanee AP, et al:** Allogeneic bone marrow transplantation as therapy for primary induction failure for patients with acute leukemia. *J Clin Oncol*. 1991;9:1570-74.
- Friedmann AM, Sengul H, Lehmann H, Schwartz C and Goodman S:** Do basic laboratory tests or clinical observations predict bleeding in thrombocytopenic oncology patients? A reevaluation of prophylactic platelet transfusions. *Transfus Med Rev* 2002 ,16(1):34-45.
- Gabert J, Vey N, Nabera CB, et al:** Improved outcome of adult patients with E2A PBX1/t(1;19) positive ALL after intensive therapy: results of LAL-94 multicenteric protocol. *Blood*, 2001; 98-840a.
- Gleissner B, Gokbuget N, Bartram CR, et al:** Leading prognostic relevance of the BCR-ABL translocation in adult acute B-lineage lymphoblastic leukemia: a prospective study of the German Multicenter Trial Group and confirmed polymerase chain reaction analysis. *Blood*, 2002; 99: 1536-1543.

- Gleissner B and Thiel E:** Molecular genetic events in adult acute lymphoblastic leukemia. *Expert Rev. Mol Diagn*, 2003; 3: 339-55.
- Gökbuget N, Hoelzer D, Arnold R, et al:** Treatment of adult ALL according to the protocols of the German Multicenter Study Group for Adult ALL (GMALL). *Hemat/Oncol Clin North Am*. 2000;14:1307-25.
- Gökbuget N and Hoelzer D:** Meningeosis leukaemica in adult acute lymphoblastic leukaemia. *J Neuro Oncol*.1998, 38:167.
- Gökbuget N and Hoelzer D:** The role of high-dose cytarabine in induction therapy for adult ALL. *Leuk Res*. 2002;26:473-6.
- Groupe Français de Cytogénétique Hématologique:** Cytogenetic abnormalities in adult acute lymphoblastic leukemia: Correlations with hematologic findings and outcome. A collaborative study of the Groupe Français de Cytogénétique Hématologique. *Blood*, 1996; 87:31.
- Hallbook H, Simonsson B, Bjorkholm M, et al:** High dose ara-c as upfornt therapy for adult patients with acute lymphoblastic leukemia (ALL). [abstract] *Blood*. 1999;94:1327a.
- Harris NL, Jaffe ES, Diebold J, et al.** World Health Organization classification of neoplastic diseases of the hematopoietic and lymphoid tissues: report of the Clinical Advisory Committee meeting-Airlie House, Virginia, November 1997. *J Clin Oncol* 1999, 17:3835-49.
- Harris NL, Jaffe ES, Stein H, et al:** A revised European-American classification of lymphoid neoplasms: a proposal from the International Lymphoma Study Group. *Blood* 1994,84:1361-92.
- Hatta Y, Yamada Y, Tomonaga M, Miyoshi I, Said JW and Koeffler HP:** Detailed deletion mapping of the long arm of chromosome 6 in adult T cell leukemia. *Blood*, 1999; 93(2): 613-616.

- Hayette S, Tigaud I, Maguer-Satta V, et al:** Recurrent involvement of the MLL gene in adult T lineage acute lymphoblastic leukemia. *Blood*, 2002; 99(12): 4647-9.
- Heim S and Mitelman F:** Numerical chromosome aberrations in human neoplasia. *Cancer Genet Cytogenet*. 1986; 22:99.
- Hoelzer D and Gökbuget N:** New approaches in acute lymphoblastic leukemia in adults: Where do we go? *Semin Oncol*. 2000;27:540-59.
- Hoelzer D, Gökbuget N, Ottmann O, et al:** Acute lymphoblastic leukemia: a comprehensive overview on the most recent developments in diagnosis and treatment of ALL. *Hematology*, 2002; 50: 162-192.
- Hoelzer D, Ludwig W-D, Thiel E, et al:** Improved outcome in adult B-cell acute lymphoblastic leukemia. *Blood*. 1996;87:495-508.
- Hoelzer D, Thiel E, Löffler H, et al:** Intensified chemotherapy and mediastinal irradiation in adult T-cell acute lymphoblastic leukemia. In: Gale RP, Hoelzer D, eds. *Acute Lymphoblastic Leukemia*. Alan R. Liss, Inc.; 1990, pp.221-29.
- Hoelzer D, Thiel E, Ludwig WD, et al:** Follow-up of the first two successive German multicentre trials for adult ALL (01/81 and 02/84). German adult ALL study group. *Leukemia*. 1993, 7 (suppl 2): S 130-4.
- Hurwitz CA, Silverman LB, Schorin MA, et al:** Substituting dexamethasone for prednisone complicates remission induction in children with acute lymphoblastic leukemia. *Cancer*. 2000;88:1964-69.
- Hussey DJ, Nicola M, Moore S, Peters GB and Debrowicz A:** The (4;11) (q21;p15) translocation fuses the NUP98 and RAP1GDS1 genes and is recurrent in T cell acute lymphocytic leukemia. *Blood*, 1999; 94(6): 2072-2079.
- International Bone Marrow transplant Registry.** <http://www.ibmtr.org>.2002.
- Ishigami K, Yousef-Zahra DM and Abu-Yousef MM:** Enlargement and hypervascularity of both the epididymis and testis do not exclude involvement with lymphoma or leukemia. *J Clin Ultrasound* 2004 ,32(7):365-9.

- Jackson A, Carrare P, Duke V, et al:** Deletion of 6q16-q21 in human lymphoid malignancies: a mapping and deletion analysis. *Cancer Res*, 2000; 60(11): 2775-2779.
- Kaiser R:** Pericentric inversion: Problems and significance for clinical genetics. *Human Genetic*, 1984; 68: 1-47.
- Kanerva J, Niini T, Vettenranta K, et al:** Loss of 12p detected by comparative genomic hybridization (CGH): association with TEL-AML1 fusion and favorable prognostic features in childhood acute lymphoblastic leukemia (ALL). A multi institutional study. *Med Pediatr Oncol*, 2001; 37: 419-425.
- Kantarjian HM:** Adult acute lymphocytic leukemia. Introduction and questions related to current programs. *Hematol Oncol Clin North Am* 2000 ,14(6):1205-8.
- Kantarjian HM, O'Brien S, Smith TL, et al:** Results of treatment with hyper-CVAD, a dose-intensive regimen, in adult acute lymphocytic leukemia. *J Clin Oncol* 2000, 18:547-61.
- Kantarjian HM, Talpaz M, Dhingra K et al:** Significance of the P210 versus P190 molecular abnormalities in adults with Philadelphia chromosome positive acute leukemia. *Blood*, 1991; 78: 2411-18.
- Khalidi HS, O'Donnell MR, Slovak ML, et al:** Adult precursor-B acute lymphoblastic leukemia with translocations involving chromosome band 19p13 with poor prognosis. *Cancer Genet Gytogenic*, 1999; 109(1): 58-65.
- Kolb HJ, Schattenberg A, Goldman JM, et al:** Graft-versus-leukemia effect of donor lymphocyte transfusions in marrow grafted patients. European Group for Blood and Marrow Transplantation Working Party Chronic Leukemia. *Blood*. 1995;86:2041-50.
- Körbling M, Przepiorka D, Huh YO, et al:** Allogeneic blood stem cell transplantaion for refractory leukemia and lymphoma: potential advantage of blood over marrow allografts. *Blood*. 1995;85:1659-65.

- Koren G, Ferrazini G, Sulh H, et al:** Systemic exposure to mercaptopurine as a prognostic factor in acute lymphocytic leukemia in children. *N Engl J Med* 1990;323:17-21.
- Korenberg JR and Rykowski MC:** Human genome organization: Alu, lines and the molecular structure of metaphase chromosome bands. *Cell*, 1988; 53: 391-400.
- Kumar PV, Karimi M, Monabati A, et al:** Cytology of leukemic lymphadenopathy. *Acta Cytol* 2002 ,46(5):801-7.
- Laneuville P:** ABL Tyrosine protein kinase. *Semin Immunol*, 1995; 7: 255.
- Larson RA, Dodge RK, Burns CP, et al:** A five-drug remission induction regimen with intensive consolidation for adults with acute lymphoblastic leukemia. Cancer and Leukemia Group B study 8811. *Blood* 1995,85:2025-37.
- Larson RA, Dodge RK, Linker CA, et al:** A randomized controlled trial of filgrastim during remission induction and consolidation chemotherapy for adults with acute lymphoblastic leukemia: CALGB study 9111. *Blood*. 1998; 92: 1556-64.
- Laver JH, Barredo JC, Amylon M, et al:** Effects of cranial radiation in children with high risk T cell acute lymphoblastic leukemia: a Pediatric Oncology Group report. *Leukemia* 2000, 14(3):369-73 .
- Lee KH, Lee JH, Choi SJ, et al:** Bone marrow relapse vs extramedullary relapse of acute leukemia after allogeneic hematopoietic cell transplantation: risk factors and clinical course. *Bone Marrow Transplant*,2003,32(8):835-42.
- Linker C, Damon L, Kies C and Navarow:** Intensified and shortened cyclical chemotherapy for adult acute lymphoblastic leukaemia. *J. Clin. Oncol*,2002,20(10): 2464-71.
- Look AT:** E2A-HLF chimeric transcription factors in pro-B cell acute lymphoblastic leukemia. *Curr Top Microbiol Immunol*, 1997; 220: 45-53.

- Luca DC, August CZ and Weisenberg E:** Adult T-cell leukemia/lymphoma in a peripheral blood smear. Arch Pathol Lab Med 2003;127(5):636.
- Ludwing WD, Rieder H, Bariram CR, et al:** Immunophenotypic and genotypic features, clinical characteristics and treatment outcome of adult pro-B acute lymphoblastic leukaemia: results of the German Multicenter Trials GMALL 03/87 and 04/89. Blood, 1998; 92(6): 1898-1909.
- Lugo TG, Pendergast AM, Muller AJ and Witte ON:** Tyrosine kinase activity and transformation potency of BCR-ABL oncogene products. Science, 1990; 247: 1079-1082.
- Mancini M, Vegna ML, Castoldi GL, et al:** Partial deletions of long arm of chromosome 6: biologic and clinical implications in adult acute lymphoblastic leukemia. Leukemia, 2002; 16: 2055-2061.
- Mandelli MF, Annino L, Vegna ML, et al:** Interim analysis of the GIMEMA ALL 0496 trial for adult acute lymphoblastic leukemia (ALL). Hematology J. 2001;1:692a.
- Martin TG and Gajewski JL:** Allogeneic stem cell transplantation for acute lymphocytic leukemia in adults. Hematol Oncol Clin North Am. 2001;15(1):97-120.
- McLean T, Ringold S, Neuberg D, et al:** TEL/AML-1 dimerizes and is associated with a favorable outcome in childhood acute lymphoblastic leukemia. Blood, 1996; 88(11): 4654-4258.
- Messinger Y, Levine A, Fuchs E, et al:** B34 (Anti-CD19)-Genistein treatment of therapy refractory B-lineage acute lymphoblastic leukemia. Blood, 1998; 92: 2530a.
- Micallef-Eynaud PD, Eden OB, Grace E and Ellis PM:** Cytogenetic abnormalities in childhood acute lymphoblastic leukemia. Pediatr Hematol Oncol, 1993; 10-25.
- Miller D, Krailo T, Bleyer W, et al:** Prognostic implication of blast cell morphology in childhood acute lymphoblastic leukemia: a report from the children's Cancer Study Group. Cancer Treat Rep, 1985; 69: 1211.

- Miller DR, Leikin SL, Albo VC, et al:** Three versus five years of maintenance therapy are equivalent in childhood acute lymphoblastic leukemia: a report from the Children's Cancer Study Group. *J Clin Oncol*, 1989; 7: 316-25.
- Mitelman F:** Cytogenetic methods and terminology. In Heim S, Mitelman F (eds): *Cancer Cytogenetics* New York, NY, Wiley-Liss, 1995; p 20.
- Moorman AV, Richards S and Harrison CJ:** Involvement of the MLL gene in T-lineage acute lymphoblastic leukemia. *Blood*, 2002; 100(6): 2273.
- Mundhada S, Luthra R and Cano P:** association of HLA class I and class II genes with BCR-ABL transcripts in leukemia patients with t(9;22) (q34;q11).
- Nordgren A, Schoumans J, Soderhall S, Nordenskjold M and Blennow E:** Interphase fluorescence in situ hybridization and spectral karyotyping reveals hidden genetic aberration in children with acute lymphoblastic leukemia and a normal banded karyotype. *Br J Haematol*, 2001; 114(4): 786-793.
- Nosaka K, Miyamoto T, Sakai T, Mitsuya H, Suda T and Matsuoka M:** Mechanism of hypercalcemia in adult T-cell leukemia: overexpression of receptor activator of nuclear factor kappaB ligand on adult T-cell leukemia cells. *Blood* 2002, 99(2):634-40.
- Oh H, Gale RP, Zhang MJ, et al:** Chemotherapy vs HLA-identical sibling bone marrow transplants for adults with acute lymphoblastic leukemia in first remission. *Bone Marrow Transplant*. 1998;22:253-7.
- Ottmann OG, Druker BJ, Sawyers CL, et al:** A phase II study of Imatinib Mesylate (Glivec) in patients with relapsed or refractory Philadelphia chromosome-positive acute lymphoid leukemias. *Blood*. 2002;100:1965-71.
- Passweg JR, Tiberghien P, Cahn JY, et al:** Graft-versus-leukemia effects in T lineage and B lineage acute lymphoblastic leukemia. *Bone Marrow Transplant*. 1998;21:153-8.

- Perentesis JP:** Why is age such an important independent prognostic in acute lymphoblastic leukemia? *Leukemia*. 1997;11;4.
- Petersdorf EW, Hansen JA, Martin PJ, et al:** Major-histocompatibility-complex class I alleles and antigens in hematopoietic-cell transplantation. *N Engl J Med*. 2001;345:1794-1800.
- Pettenati MJ, Rao N, Wofford M, Shuster JJ, Pullen DJ, Ling MP, Steuber CP and Carroll AJ:** Presenting characteristics of trisomy 8 as the primary cytogenetic abnormality associated with childhood acute lymphoblastic leukemia. *Cancer Genet Cytogenet*, 1994; 75:6.
- Pinkel D and Woo S:** Prevention and treatment of meningeal leukemia in children. *Blood*. 1994, 84:355.
- Polliack A, Cohen Y, Amir G, Darmon D, Kleinman Y, Gold Frab AW and Ben-Yehuda D:** Kidney involvement and renal manifestations in non-Hodgkin's lymphoma and lymphocytic leukemia: a retrospective study in 700 patients, *Br J Haematol* 2001 , 67(3): 158-64.
- Radich J, Gehly G, Lee A, et al:** Detection of BCR-ABL transcripts in Philadelphia chromosome positive acute lymphoblastic leukemia after marrow transplantation. *Blood*, 1997; 89: 2602-2609.
- Radich JP, Gooley T, Sanders JE, Anasetti C, Chauncey T and Appelbaum FR:** Second allogeneic transplantation after failure of first autologous transplantation. *Biol Blood Marrow Transplant*. 2000;6:272-9.
- Raimondi SC, Pui CH, Head D, behm F, Privitera E, Roberson PK, Rivera GK and Williams DL:** Trisomy 21 as the sole acquired chromosomal abnormality in children with acute lymphoblastic leukemia. *Leukemia*, 1992; 6: 171.
- Rauscher GH, Sandler DP, Poole C, et al:** Family history of cancer and incidence of acute leukemia in adults. *Am J Epidemiol* 2002, 156(6):517-26.
- Remberger M, Ringden O, Blau IW, et al:** No difference in graft-versus-host disease, relapse, and survival comparing peripheral stem

cells to bone marrow using unrelated donors. *Blood*. 2001;98:1739-45.

Rieder H, Ludwig WD, Gassmann W, Thiel E, Lffler H, Hoelzer D and Fonatsch C: Chromosomal abnormalities in adult acute lymphoblastic leukemia: Results of the German ALL/AUL study group. *Recent Results Cancer Res*, 1993; 131: 133.

Robak T, Szmigielska-Kaplon A and Wrzesien-Kus A: Acute lymphoblastic leukemia in elderly: the Polish Adult Leukemia Group (PALG) experience. *Ann Hematol*, 2004, 83(4):225-31.

Rocha V, Cornish J, Sievers EL, et al: Comparison of outcomes of unrelated bone marrow and umbilical cord blood transplants in children with acute leukemia. *Blood*. 2001;97:2962-71.

Rowe JM, Richards S, Wiernik PH, et al: Allogeneic bone marrow transplantation (BMT) for adults with acute lymphoblastic leukemia (ALL) in first complete remission (CR): Early results from the international ALL trial (MRC UKALL/ECOG E2993). (abstract) *Blood*. 1999;94:732a.

Rubinstein P, Carrier C, Scaradavou A, et al: Outcomes among 562 recipients of placental-blood transplants from unrelated donors. *N Engl J Med*. 1998;339:1565-77.

Schattner A, Kozack N, Sandler A, et al: Facial diplegia as the presenting manifestation of acute lymphoblastic leukemia. *Mt Sinai J Med*, 2001,68(6):406-9.

Scheuring U, Pfeifer H, Brueck H, et al: The prognostic significance of minimal residual disease in adult standard risk patients with acute lymphoblastic leukemia (ALL) patients during Gleevec (STI571) therapy. [abstract] *Blood*. 2001;98:584a.

Sierra J, Radish J, Hansen JA, et al: Marrow transplants from unrelated donors for treatment of philadelphia chromosomes positive acute lymphoblastic leukemia.,*blood*,1997;90:1410-14.

Slavin S, Naparstek E, Nagler A, et al: Allogeneic cell therapy with donor peripheral blood cells and recombinant human

interleukin-2 to treat leukemia relapse after allogeneic bone marrow transplantation. *Blood*. 1996;87:2195-204.

Snyder DS, Nademanee AP, O'Donnell MR, et al: Long-term follow-up of 23 patients with Philadelphia chromosome-positive acute lymphoblastic leukemia treated with allogeneic bone marrow transplant in first complete remission. *Leukemia*. 1999;13:2053-58.

Snyder LA, Freifelder D and Hartl DL: General genetics. Jones and Bartlett, Boston 1985.

Speletas M, Arvanitidis K, Tzoanopoulos D, et al: Rapid mutation analysis of N-ras proto-oncogene in haematologic malignancies: a study of 77 Greek patients. *Haematologica*, 2001; 86: 918-27.

Staudt LM: It's ALL in the diagnosis. *Cancer Cell* 2002, 1(2):109-10.

Szatrowski TP, Larson RA, Dodge R, et al: The effect of anti-B4blocked Ricin (anti B4-BR) on minimal residual disease (MRD) in adult with B-lineage acute lymphoblastic leukemia (ALL) (CALGB9311,8762,8763). *Blood*, 1996; 92:88:96a.

Taylor PR, Ried MM, Bown N, et al: Acute lymphoblastic leukemia in patients aged 60 years and over :a population –based study on incidence and outcome.*Blood* .1992,80:1813.

Thiebaut A, Vernant JP, Degos L, et al: Adult acute lymphocytic leukemia study testing chemotherapy and autologous and allogeneic transplantation. A follow-up report of the French protocol LALA 87.*Hematol Oncol Clin N Amer*. 2000;14:1353-66.

Thomas D, Cortes J, Giles F, et al: Rituximab and Hyper-CVAD for adult Burkitt's (BL) or Burkitt's-like (BLL) leukemia or lymphoma. (abstract) *Blood*. 1999;94:2926a.

Thomas D, Cortes J, Giles F, et al: Rituxmab and Hyper –CVAD for adult Burkitt's (BL) or Burkitt's-like(BLL)leukemia or lymphoma. *Blood*, 2001; 98: 804a.

- Thomas D, Cortes J, O'Brien S, et al:** Hyper-CVAD program in Burkitt's-type adult acute lymphoblastic leukemia. *J Clin Oncol.* 1999;17:2461-2470.
- Todeschini G, Tecchio C, Meneghini, et al:** Estimated 6-year event-free survival of 55% in 60 consecutive adult acute lymphoblastic leukemia patients treated with an intensive phase II protocol based on high induction dose of daunorubicin. *Leukemia*, 1998,12:144-49.
- Turtureanu-Hanganu E:** Emergency care: the tumor lysis syndrome. *Rev Med Chir Soc Med Nat Iasi* 2002,106(4): 705-11.
- Van Dongen JJM, Macintyre EA, Gabert JA, et al:** Standardized RT-PCR analysis of fusion gene transcripts from chromosome aberrations in acute leukemia for detection of minimal residual disease leukemia 1999, 13: 1901-28.
- Verfaillie CM, McCarthy JB, McGlave PB:** Mechanisms underlying abnormal trafficking of malignant progenitors in chronic myelogenous leukaemia. *J Clin Invest*, 1992; 90: 1232-1249.
- Usman M, Burney I, Nasim A, et al:** Outcome of adult acute lymphoblastic leukemia: a single center experience. *J Pak Med Assoc* 2003; 53(9): 384-8.
- Weisdorf DJ, Billett AL, Hannan P, et al:** Autologous versus unrelated donor allogeneic marrow transplantation for acute lymphoblastic leukemia. *Blood.* 1997; 90: 2962-8.
- Wetzler M, Dodge RK, Mrozed K, et al:** Prospective karyotype analysis in adult acute lymphoblastic leukemia: the Cancer and Leukemia Group B experience. *Blood*, 1993; 93(11): 3983-3993.
- Wetzler M, Dodge RK, Mrozek K, et al:** Characteristics, outcome and risk factors in adult acute lymphoblastic leukemia: The Cancer and Leukemia Group B experience. *Blood.* 1999;93: 3983-93.
- Yamada Y, Hattar Y, Hurata K, et al:** Deletion of p 15 and/or p 16 genes as a poor prognostic factor in adult T cell Leukemia. *J Clin* 1997; 15(5): 1778-1785.

- Yunis J, Sawyer JR and Ball DW:** The characterization of high resolution G banded chromosome of man, chromosome, 1979; 67: 303-7.
- Zhang MJ, Hoelzer D, Horowitz MM, et al:** Long-term follow-up of adults with acute lymphoblastic leukemia in first remission treated with chemotherapy or bone marrow transplantation. Ann Intern Med. 1995;123:428-31.
- Zhang MJ, Hoelzer D, Horowitz MM, et al:** Long-term follow up of adults with acute lymphoblastic leukemia in first remission treated with chemotherapy or bone marrow transplantation. The acute lymphoblastic leukemia working committee. Ann. Intern. Med, 2002, 123(6): 428-31.