

REFERENCES

Abdalla, M.I. and Bahgat, N. (1973):

Longlasting remission of Behcet's disease after chlorambucil therapy. Br. J. Opthal. 57: 706-710.

Adlard, B.P.F.; Dobbing, J. and Sands, J. (1975):

Acomparison of the effects of cytosine arabinoside and adenine arabinoside on some aspects of brain growth and development in the rat. Br. J. Pharmac. 54: 33-39.

Ahmann, D.L.; Hahn, R.G. and Bisel, H.F. (1972):

Acomparative study of 1- (2-chloroethyl) -3-cyclohexyl -1- nitrosoourea (NSC 79037) and imidazol carboxamide (NSC 45388) with vincristine (NSC 67574) in the palliation of dissminated malignant melanoma. Cancer. Res. 32: 2432.

Aisenberg, A.C. and Wilkes, B. (1964):

Studies on the suppression of immune responses by the periwinkle alkaloids vincristine and vinblastine J. Clin. Invest. 43: 2394-2403.

Al-Sarraf, M.; Vaughn, C.B.; Reed, M.L. and Vaitkevicius, V.K. (1972):

Combined 5- fluorouracil and cinblastine therapy for gastrointestinal and other solid tumours. Oncology. 26: 99-113.

Angel, J.E. (1984):

Physicians Desk Reference, 38th edition P.P. 822-825,
1080-1083.

Ariel, I.M. and Pack, G.T. (1967):

Treatment of disseminated melanoma by systemic
melphalan, methotrexate and autogenous bone-marrow
transplants. Cancer, 20: 77.

Ashton, H.; Beveridge, G.W. and Stevenson, C.J. (1970):

Topical treatment of skin tumours with 5-fluorou-
racil, Br. J. Derm. 82: 207-209.

Aso, K.; Deneau, D.G. and Krulig, L. (1975):

Epidermal synthesis of prostaglandins and their
effect on the levels of cyclic adenosine-3, 5
monophosphate. J. Invest. Dermatol. 64: 326-331.

Auerbach, R. (1970):

Mycosis fungoides treated with cyclophosphamide
(Cytosan). Arch. Derm. 101:611.

Auerbach, R. and Bystry, J.C. (1979):

Plasmapheresis and immunosuppressive therapy:
Effect on levels of intercellular antibodies in
pemphigus vulgaris. Arch. Dermatol. 115: 728-730.

**Bailin, P.L.; Tindall, J.P.; Roenigh, H.H. and Hogan,
M.D. (1975):**

Is methotrexate therapy for psoriasis carcinogenic?
J.A.M.A. 232: 359.

Belisario, H.C. (1967):

Topical cytotoxic ointment therapy for rodent carcinoma, Bowen's disease, solar keratoses and keratoacanthomas. Br. J. Derm. 79:641.

Bertino, J.R. and Hryniuk, W.M. (1978):

Disorders of growth. In clinical pharmacology, Basic principles in therapeutics 2nd edition edited by Melmon, K.L. and Morelli, H.F. MacMillan Publishing Co., Inc. New York. PP. 802-841.

Bettely, F.R. (1971):

The treatment of skin carcinoma with podophyllum derivatives. Br. J. Derm. 84: 74-82.

Betts, R.F.; Zaky, D.A.; Douglas, R.G. and Royer, G. (1975):

Reffectiveness of subcutaneous cytosine arabinoside in localized herpes zoster. Ann. Intern. Med. 82: 778-783.

Boston Interhospital and Cooperative Study (1975):

Boston Interhospital Virus Study Group and the NIAID-sponsored cooperative antiviral study. Failure of high dose 5-iodo-2'-deoxyuridine in the therapy of herpes simplex virus encephalitis. N. Engl. J. Med. 292: 599-603.

Brody, I. (1962):

The ultrastructure of the epidermis in psoriasis vulgaris as revealed by electromicroscopy. J. Ultrastruct. Res. 6: 304-323.

Brown, I.H. (1975):

Drug Index. In current dermatologic management 2nd. edition, edited by Maddin, S., Brown, T.H. and Davies, G.L.C.V. Mosby company. Saint Louis. PP. 365-366.

Bunn, P.A. and Carney, D.N. (1980):

Treatment of cutaneous T-cell lymphoma. J. Dermatol. Surg. Oncol. 6: 383-387.

Calabresi, P. and Turner, R.W. (1966):

Beneficial effects of triacetylazauridine in psoriasis and mycosis fungoides. Ann. Intern. Medicine. 64: 352-371.

Calabresi, P. and Parks, R.E. (1980):

Chemotherapy of neoplastic diseases. In the pharmacological basis of therapeutics, 6th. edition, edited by Goodman, L.S., and Gilman, A. Macmillan publishing Co., Inc. New York. PP. 1249-1313.

Carter, S.K. and Goldsmith, M.A. (1973):

Treatment of Hodgkin's disease. Lancet i:264.

Chamberlain, M.J.; Reynolds, A.L. and Yeoman, W.B. (1972):

Toxic effect of podophyllum application in pregnancy. B.M.J. iii:291.

Chrumpacker, C.S. (1979):

Antimicrob. Agents chemother. 15: 642-645.

Clement, F. (1973):

Systemic lupus erythematosus: Etogenesis and immuno-suppressive therapy. J.A.M.A. 226:1380.

Cochrum, K.R. (1977):

Immunochemistry. In review of physiological chemistry, 16th. edition, edited by Harper, H.A., Rodwell, V.W., and Mayes, P.A. Lange medical publications. California PP. 596-608.

Dahl, M.G.C.; Gregory, M.N. and Scheuer, P.J. (1972):

Methotrexate Hepatotoxicity in psoriasis-comparison of different dose Regimens. B.M.J. 1:654.

Dantzig, P.I. (1974):

Immunosuppressive and Cytotoxic drugs in dermatology. Arch. Derm. 110: 393-406.

Dave, V.K. and Vickers, C.F.H. (1974):

Azathioprine in treatment of muco-cutaneous pemphigoid. Br. J. Derm. 90: 183-186.

David, S.N. (1963):

Effect of antimetabolites on epidermal structure. Arch. Derm. 87: 258-265.

Derse, D. et al (1981):

J. Biol. Chem. 256(22): 11447-11451.

Dillaha, J.; Jensen, G.T.; Honeycutt, W.M. and Bradford, A.C. (1963):

Selective cytotoxic effect of topical 5-fluorouracil. Arch. Derm. 88: 247-256.

Drummond, K.N. (1969):

Cyclophosphamide and nephrotic syndrome. B.M.J.
ii: 576-577.

**Duttera, M.J.; Carolla, R.L.; Gallelli, J.F.; Gullion,
D.S.; Keim, D.E. and Henderson, S.E. (1972):**

Haematuria and crystalluria after high-dose
6-mercaptopurine administration. New Eng. J. Med.
387: 292-294.

Ezdinli, E.Z. and Stutsman, L. (1965):

Chlorambucil therapy for lymphomas and chronic
lymphocytic leukemia. J.A.M.A. 191: 444-450.

Farid, M. (1981):

Genital warts. In sexually transmitted diseases,
Ain Shams University Press. Cairo. PP. 553.

**Feng, P.H; Jayaratnam, F.J.; Tock, E.P.C. and Seah,
C.S. (1973):**

Cyclophosphamide in treatment of systemic lupus
erythematosus: 7 years experience. B.M.J.
ii:450-452.

Fleischmajer, R.; Perlish, J.S. and Duncan, M. (1983):

Scleroderma: Amodel for fibrosis. Arch Dermatol.
119: 957-962.

Flower R.J.; Moncada, S. and vane, J.R. (1980):

Drugs employed in the treatment of gout. In the
pharmacological basis of therapeutics, 6th. edition,
edited by Goodman, L.S. and Gilman, A. Macmillan
publishing Co., Inc. New York. PP. 717-720.

Fortuny, J.E.; Weiss, R.; Theologides, A. and Kennedy, B.J. (1973):

Cytosine arabinoside in herpes zoster. Lancet, i:38.

Fredriksson, T. (1974):

Topically applied fluorouracil in the treatment of psoriatic nails. Arch. Derm. 110: 735-736.

Frost, P. and Van Scott, E.J. (1966):

Ichthyosiform dermatoses: Classification based on anatomic and biometric observations. Arch. Dermatol 94: 113-126.

Furman, P.A. (1979):

J. Virol. 32(1): 72-77.

Gelfant, S. (1976):

The cell cycle in psoriasis. Appraisal Br. J. Dermatol. 95: 577-590.

Gianotti, F. and Caputo, R. (1971):

Skin ultrastructure in Letterer-Siwe disease treated with vinblastine. Br. J. Derm. 84: 335-345.

Gili, I. (1981):

The complement system: Mechanism of action, biology and participation in dermatological diseases. In immunodermatology, edited by Safari, B., and Good, R.A. Plenum Publishing Corp. New York. PP. 65-100.

Hahn, B.H.; Kantor, O.S. and Osterlan, C.K. (1975):

Azathioprine plus prednisone compared with prednisone alone in the treatment of systemic lupus erthematosus. Ann. Intern. Med. 83: 597-605.

Hammer, C.J. (1975):

Therapeutic management. In current dermatologic management, 2nd. edition, edited by Maddin, G.L.C.V. Mosby company. Saint Louis, PP. 102.

Hansen, H.H.; Selawry, O.S.; Muggia, P.M. and Walker, M.D. (1971):

Clinical studies with 1- (2-chloroethyl) -3-cyclohexyl -1-nitrosourea (NSC 79037): Cancer. Res. 31: 223-227.

Harper, H.A. (1977):

The water-soluble vitamins. In review of physiological chemistry, 16th. edition, edited by Harper, H.A., Rodwall, V.W., and Mayes, P.A. Lange Medical Publications. California. PP. 168-174.

Hecht, B.; Siegel, N. and Adler, M. (1976):

Prognostic indices in lupus nephritis. In Medicine. 55: 163-181.

Hersh, E.M.; Wong, V.G. and Freireich, E.J. (1966):

Inhibition of local inflammatory response in man by antimetabolites. Blood. 27: 38-48.

Hossain, M.S.; Foerster, J.; Hryniuk, W.; Isroels, L.G.;
Chowdhury, A.S. and Biswas, M.K. (1972):
Treatment of small pox with cytosine. Lancet.
ii: 1230-1232.

Hryniuk, W.; Foerster, J.; Shojania, M. and Chow, A.
(1972):
Cytarabine for herpesvirus infections. J.A.M.A.
219: 715-718.

Hursthouse, M.W. (1975):
A controlled trial on the use of topical 5-fluorouracil on viral warts Br. J. Derm. 92: 93-96.

Johnson, R.L. and Ziff, M. (1976):
Lymphokine stimulation of collagen accumulation.
J. Clin. Invest. 58: 240.

Jones, N.F.; Hilton, P.J.; Tight, J.R. and Hobbs, J.R.
(1972):
Treatment of "Primary" renal amyloidosis with
melphalan. Lancet. ii: 616.

Jordan, R.E.; Trifthauser, C.T. and Schroter, A.L. (1971):
Direct immunofluorescent studies of pemphigus
and bullous pemphigoid. Arch. Dermatol 103: 186-491.

Jordan, R.E.; Deheer, D.; Schroter, A. and Winkelmann,
R.K. (1977):
Antinuclear antibodies. Their significance in scleroderma. Mayo Clin. Proc. 46: 111-113.

Kaidbey, K.H.; Petrozzi, T.W. and Kligman, A.M. (1975):

Topical colchicine therapy for recalcitrant psoriasis. Arch. Derm. iii: 33.

Kernbaum, S. (1976):

Intravenous cytarabine in treatment of herpes zoster B.M.J. i: 224.

Kestel, J.L. and Blair, D.S. (1973):

Keratoacanthoma treated with methotrexate. Arch. Derm. 108: 723.

Kondi, E.S.; Deckers, P.J.; Gallitano, A.L. and Khung, C.L. (1972):

Diffuse eosinophilic granuloma of bone. Adramatic response to velban therapy. Cancer. 30: 1169.

Krener, W.B. (1975):

Cytarabine. Ann. Intern. Med. 82: 684-688.

Krogh, H.K. and Tonder, O. (1972):

Immunoglobulins and anti-immunoglobuline factors in psoriatic lesions. Clin. Exp. Immunol. 10: 623-634.

Leavell, U.W. and Yarbo, J.W. (1970):

Hydroxyurea, a new treatment for psoriasis. Arch. Derm. 102: 144-150.

Lever, W.F. (1972):

Methotrexte and prednisone in pemphigus vulgaris therapeutic results obtained in 36 patients between 1961 and 1971. Arch. Derm 106: 491-497.

Levy, J.; Barnett, E.V.; McDonald, N.S.; Klinenberg, J.R. and Pearson, C.M. (1972):

The effect of azathioprine on gammaglobulin synthesis in man. J. Clin. Inves. 51: 2233-2238.

Maguire, H.C. and Maibach, H.I. (1961):

Effect of cyclophosphamid, 6-mercaptopurine, actinomycin D and vinblastine on the acquisition of delayed hypersensitivity in the guinea pig. J. Inves. Dermatol. 37: 427-431.

Malaviya, A.N.; Many, A. and Schwartz, R.S. (1968):

Treatment of dermatomyositis with methotrexate. The lancet. 31: 485-488.

Mandy, S.; Taylor, J.R. and Halprin, K. (1971):

Topically applied mechlorethamine in the treatment of psoriasis. Arch. Derm. 103: 272-276.

Markenson, A.L.; Chandra, M. and Miller, D.R. (1975):

Hyperpigmentation after cancer chemotherapy. The Lancet. ii: 128.

Marshall, J. (1968):

Treatment of solar keratoses with topically applied cytotoxic agent: Br. J. Derm. 80: 540.

Martin, D.W. (1977):

Nucleotides, and metabolism of purine and pyrimidine. In review of physiological chemistry, 16th. edition, edited by Harper, H.A., Rodwell, V.W. and Mayes, P.A. LANGE Medical Publications. California. PP. 122 -130 & 391-410.

Matsumura, N. and Mizushima, Y. (1975):

Leuckocyte movement and colchicine treatment in Behcet's disease Lancet. ii: 813.

McDonald, C.J. (1974):

Cutaneous uses of anti-proliferative drugs. Clin. Pharma c. Ther. 16: 934-939.

McDonald, C.J. and Bertino, J.R. (1978):

Treatment of mycosis fungoides lymphoma: Effectiveness of infusions of methotrexate followed by oral citrovorum factor. Cancer Treat. Rep. 62: 1009-1014.

McDonald, C.J. (1985a):

Cytotoxic agents for use in dermatology I: J. of the American Academy of Dermatol. 12: 753-772.

McDonald, C.J. (1985b):

Use of cytotoxic drugs in dermatologic diseases II: J. of the American Academy of Dermatol. 12: 965-975.

Miller, D.G. (1971):

Alkylating agents and human spermatogenesis. J.A.M.A. 217: 1662-1665.

Miller, W.H. and Miller, R.L. (1980):

J. Biol. Chem. 255 (15): 7204-7207.

Milstein, H.G.; Cornell, R.C. and Stoughton, R.B. (1973):

Azaribine in the treatment of psoriasis. Arch. Derm. 108: 43-47.

Mitchell, M.S.; Wade, M.E.; Deconti, R.C.; Bertino, J.R. and Calabresi, P. (1969):

Immunosuppressive effects of cytosine arabinoside and methotrexate in man. *Ann. Intern. Med.* 70: 535-547.

Mitchell, C.D. (1981):

Lancet i (8235) 1389-1392.

Moses, A.M. and Miller, M. (1974):

Drug-induced dilutional hyponatraemia. *New. Engl. J. Med.* 291: 1234-1239.

Mullins, J.F.; Maberry, J.D. and Stone, O.J. (1966):

Reiter's syndrome treated with folic acid antagonists. *Arch. Derm.* 94: 335-339.

Murray-Lyon, I.M.; Dawson, J.L.; Parsons, V.A.; Rake, M.O.; Blendis, L.M. and Laws, J.W. (1970):

Treatment of secondary hepatic tumours by ligation of hepatic artery and infusion of cytotoxic drugs. *The Lancet.* ii: 172-175.

Nagington, J. and Rook, A. (1979):

Virus and related infections. In textbook of dermatology, 3rd. edition, edited by Rook, A., Wilkinson, D.S. and Ebling, F.J.G. Blackwell Scientific Publications. Vol. I. PP. 625.

Nelson, L.M. (1966):

Podophyllin-salicylic acid solution in treatment of basal cell carcinoma. *Arch. Derm.* 93: 457.

Newbold, P.C.H. (1972):

Antimetabolites and psoriasis. Br. J. Derm. 86:
87-90.

Newbold, P.C.H. (1982):

Management of psoriasis. Bullatin. E. S. D. V.
3:21-90.

Park, R.K.; Goltz, R.W. and Carey, T.B. (1967):

Unusual cutaneous infections associated with immuno-
suppressive therapy. Arch. Derm. 95:345-350.

Pasricha, J.S.; Sood, V.D. and Minocha, Y. (1975):

Treatment of pemphigus with cyclophosphamide.
Br. J. Derm. 93:573-576.

Paterson, W.D.; Allen, B.R. and Beveridge, G.W. (1973):

Norwegian scabies during immunosuppressive therapy.
B. M. J. iv:211-212.

**Reeves, B.R.; Pickup, V.L.; Lawler, S.D., Dinning, W.J.
and Perkins, E.S. (1975):**

Achromosome study of patient with uveitis treated
with chlorambucil. B.M.J. iv:22-23.

Robinson, T.A. and Kligman, A.M. (1975):

Treatment of solar keratoses of the extremities
with retinoic acid and 5-fluorouracil. Br. J.
Derm. 92:703-706.

Roenigk, H.H.; Maibach, H.I. and Weinstein, G.P. (1973):

Methotrexate therapy for psoriasis. Arch. Derm.
108:35.

Roenigk, H.H. and Deodhar, S. (1973):

Pemphigus treatment with azathioprine, clinical and immunologic correlation. Arch. Derm. 107 :353-357.

Sanderson, K.V. and Mackie, R. (1979):

Tumours of the skin. In textbook of dermatology, 3rd. edition, edited by Rook, A., Wilkinson, D. S. and Ebling, F. J. G. Blackwell Scientific publication. Oxford. Vol. II, PP. 2178.

Sauer, G.C. (1973):

Combined methotrexate and hydroxyurea therapy for psoriasis. Arch. Derm. 107: 369-370.

Schlitz, J.R. (1980):

Pemphigus acantholysis: A unique immunologic injury. J. Invest. Dermatol. 74: 359.

Scott, E.J.V. and Kalmanson, J.D. (1973):

Complete remission of mycosis fungoides, lymphoma induced by topical nitrogen mustard (HN₂). Cancer. 32: 18-30.

Sharon, E.; Kaplan, D. and Diamond, H.S. (1973):

Exacerbation of systemic lupus erythematosus after withdrawal of azathioprine therapy. N. Engl. J. 288: 122-124.

Sieber, S.M. and Adanson. R.H. (1975):

Maintenance therapy in myeloma: Risk versus benefit. B. M. J., ii: 557.

Singer, K.H.; Sawka, N.J.; Samowitz, H.R. and Lazarus, G.S. (1980):

Proteinase activation: A mechanism for cellular dyshesion in pemphigus. J. Invest. Dermatol. 74: 363-367.

Snaith, M.L.; Holt, J.m.; Oliver, D.O.; Dunnill, M.S.; Halley, W. and Stephenson, A.C. (1973):

Treatment of patients with systemic lupus erythematosus inducing nephritis with chlorambucil. B. M. J. ii: 197-201.

Sokal, J.E. and Lessmann, E. M. (1960):

Effects of cancer chemotherapeutic agents on the human foetus, J. A. M. A. 172: 1765-1771.

Solomon, J.; Bateman, J. R.; Lukes, R.J. and Weiner, J. M. (1973):

Chemotherapy of lymphoma with mechlorethamine and vinblastine. Archs. Intern. Med. 131:407.

Soutneastern Cancer Study Group. (1975):

Treatment of myeloma comparison of melphalan, chlorambucil, and azathioprine. Arch. Intern. Med. 135:157.

Spigel, S.C. and Coltman, C.A. (1973):

Therapy of mycosis fungoides with bleomycin. Cancer. 32: 767.

Swinyard, E.A. and Pathak, M.A. (1980):

Surface-acting drugs in the pharmacological basis of therapeutics, 6th. edition, edited by Goodman, L.S. and Gilman, A. Macmillan publishing Co. Inc. New York PP. 956.

Tappeiner, G.; Heine, KG. and Jordan, R.E. (1975):

Presence of immune complexes in pemphigus vulgaris serums as demonstrated by a Cig. binding assay. Clin. Res. 23:231.

Taylor, N.B. (1970):

Stedman's Medical Dectictionary 21th. edition, edited by Taylor, N.B. Baltimore Williams and Wilkins company. PP. 407-408.

Thomas III, J.R. and Doyle, J.A. (1982):

The therapeutic uses of topical vitamin A acid. Bulletin. E. S. D. V. 3: 41-53.

Turk, J.L. (1978):

Immunosuppressive agents. In immunology in clinical medicine, 3rd. edition, William Heinemann medical books LTD. London PP. 108-123.

Van Furon, R. (1970):

Origin and kinetics of monocytes and macrophages. Semin Hematol. 7: 125-141.

Vogel, C.L.; Primack, A.; Dharm, D.; Briers, P.; Owor, R. and Kyalwazi, S.K. (1973):

Treatment of Kaposi's sarcoma with a combination of actinomycin D and vincristine. *Cancer*. 31: 1382-1391.

Wade, A. and Reynolds, J.E.F. (1977):

Antineoplastic agents and immunosuppressants, Colchicine and Purgatives. In Martindale (The extra pharmacopoeia), 27th. edition, edited by Wade, A. and Reynolds, J. E. F. The pharmaceutical press. London. PP. 115-174, 369-371, 1340-1341.

Wade, J.C. et al. (1982):

Ann. Intern. Med. 96 (3): 265-269.

Ward, P.A. and Cochran, C.G. (1965):

Bound Complement and immunologic injury of blood vessels. *J. Exp. Med.* 121: 215-234.

Weinstein, G.D. and Van Scott, H.J. (1965):

Autoradiographic analysis of turnover times of normal and psoriatic epidermis. *J. Invest. Dermatol.* 45: 257-262.

Weinstein, G.D.; Goldfaden, G. and Frost, P. (1971):

Methotrexate Mechanism of action on DNA synthesis in psoriasis. *Arch. Derm.* 104: 236-243.

Whittcker, J.A.; Parry, D.H.; Bunch, C. and Weatherall, D. J. (1973):

Coma associated with vincristine therapy. *B. M. J.* iv: 935-937.

Wilkinson, D. S. (1979):

Topical therapy, and formulary of local applications. In textbook of dermatology, 3rd. edition, edited by Rook, A., Wilkinson, D. S., and Ebling, F. J. G. Blackwell Scientific Publications. Oxford. Vol. II., PP. 2321, and 2365.

Wilson, H.E. and Louis J. (1967):

The response of Hodgkin's disease to treatment with oral vinblastine sulphate. Ann. Intern. Med. 67: 303-308.

Winkelman, R.K. and Linman, J.W. (1973):

Erythroderma with atypical lymphocytes (Sezary syndrome). Am. J. Med. 55: 192-198.

Wishart, J. (1973):

Reticulosarcoma of vulva complicating azathioprine-treated dermatomyositis. Arch. Derm. 108: 563-564.

Wolff, S.M.; Fauci, A.S.; Horn, R.G. and Dale, D.C. (1974):

Wegener's granulomatosis. Ann. Intern. Med. 81: 513-525.

Yagoda, A.; Mukherji, B.; Young, G.; Etcubanas, E.; Lamonte, G.; Smith, J.R.; Tan, C.T.C. and Krakoff, I.H. (1972):

Bleomycin, an antitumour antibiotic, clinical experience in 274 patients. Ann. Intern. Med. 77: 861-870.