

REFERENCES

References

- Abdel Wahed, M., 2000. Deformational history, metamorphism and tectonic evolution of Archean gneisses and ophiolitic rocks, As-Swadiyah area, southeastern Yemen. *Egyptian Journal of Geology*, Vol. 44/2, PP. 1-18.
- Agar, R. A., 1992. The tectono-metallogenic evolution of the Arabian Shield: In *Precambrian Research*, Vol. 58, PP. 169-194.
- Agar, R. A., Stacey, J. S., Whitehouse, M. J., 1992. Evolution of the southern Afif terrane. Ageochronologic study: Jiddah, Saudi Arabia, Directorate General of Mineral Resources Open File Report DGMR -OF- 10-15, 41 P.
- Akaad, M. K., and Neweir, A. M., 1980. Geology and lithostratigraphy of the Arabian Desert orogenic belt of Egypt between Lat.25° 35' and 26° 30' N. *App. Geol. (Jeddah) Bull.*4, 127-135.
- Al-Hibshi, T. H., 1998. Geology and geochemical characteristics of Wadi Al-Showaifah area SE-Taiz Republic of Yemen. Unpublished M. Sc. Thesis, Sana'a Univ., 120 PP.
- Al-Khirbash, S., Sakran, Sh., Takla, M. and Abdulwahed, M. S., 2000. Geology of the Precambrian Basement Complex, Al-Bayda Governorate, Yemen. *Fac. Sc. Bull. (FSB), Sana'a Univ.*, Vol. 13, PP. 34-71.
- Al-Khirbash, S. A., Soliman, M.M. and Ba-Issa, A. O., 1995. Geochemistry and origin of Migmatites of Al-Zurbi Metamorphic belt, SW Taiz, Republic of Yemen, *JAKU: Earth Sci.*, Vol. 8, PP. 1-21.
- Al-Kotbah, A., Hamimi, Z., Al-Subbary, A., Al-Khirbash, S., 2000. Tectonostratigraphic of Lawder-Mukayras area, Al-Bayda province Republic of Yemen. 5th International conference on the geology of the Arab world, Cairo Univ., Feb. 2000, Vol. II, PP. 595-604.
- Al-Kotbah, A. M., 1992. Structural Studies on the Basement Rocks, Abas Area, AL-Bayda District, Republic of Yemen. Unpublished M. Sc. Thesis, Sana'a Univ. Republic of Yemen, 161 PP.

- Al-Selwi, Kh. M., 1997.** Geology, Geochemistry and Mineralization of the Mafic Dykes in the area between Wadi Al-Shakkat and Wadi Shiban SE. Taiz, Republic of Yemen. Unpublished M. Sc. Thesis, Sana'a Univ. Republic of Yemen, 169 PP.
- Al-Shanti, A. M. and Gass, I. G., 1983.** The upper Proterozoic ophiolitic mélange zones of the easternmost Arabian Shield: Geological Society of London Journal, V. 140. P. 867-876.
- Ashworth, J. R., 1985.** Introduction In: Migmatites (ed. Ashworth, J. R.), pp. 1-35. Blakie, Glasgow.
- Ba-Battat, M. A., 1991.** Geology, petrochemistry and tectonics of the Lowdar-Mudiah area Abyan Province. Yemen Republic. Ph.D. Thesis Univ. of Leicester U. K., 241 PP.
- Barker, F., 1979.** Trondhjemite-definition, environment and hypothesis of origin. In: Barker, F. (ed.): Trondhjemite, dacite and related Rocks. Elsevier, Amsterdam, pp. 1-77.
- Beccaluva, L., Ohnenstetter, D. and Ohnenstetter, M., 1979.** Geochemical discrimination between ocean-floor and Island arc tholeiites: Application to some ophiloites. Can. J. Earth Sci., V. 16, 1874-1881.
- Bentor, Y. K., 1985.** The crustal evolution of the Arabo-Nobian massif with special reference to the Sinai Peninsula. Precambrian Res., 28, 1-74.
- Beydoun, Z. R. and Greenwood, J. E. G. W., 1968.** Aden Protectorate and Dhufar. In: Dubertret, L., Asia, Union International Des Sciences Géologiques (Sous Commission du Lexique Stratigraphique). Centre National De La Recherche Scientifique, 15. quai Anatole-France, Paris VII.
- Beydoun, Z. R., 1964.** The stratigraphy and structure of the Eastern Aden Protectorate. Overseas Geol. Miner. Res. Suppl. Ser., Bull. Suppl. No. 5. HMSO, London.
- Beydoun, Z. R., 1966.** Geology of the Arabian Peninsula, Eastern Aden Protectorate and Part of Dhufar. U. S., Professional Paper 560-H.
- Beydoun, Z. R., 1970.** Southern Arabia and northern Somalia: Comparative geology. Philos. Trans. R. Soc. London, A267, 267-292.

- Beydoun, Z. R., 1982.** The Gulf of Aden and northwest Arabian Sea. In: Nairn, A.E.M. and Stehli, F. G. (ed), the ocean Basin and Margins, 6, 253-313. Plenum Press, New York and London.
- BGR 1987-1989.** In: Michel, J. C., with the contribution of Corps, J. C., Lescuyer, J. L. and Odent, B. 1989. Yemen Arab Republic. Master Mineral Plan. Bureau de Recherches Géologiques ET Minières (BRGM) Report 88, Yemen. 154, 546 PP.
- Bishady, A. M., Eliwa, H. A., El-Boughdady, A. A. and Dawoud, M., 2000.** Petrography and geochemistry of Gabel El-Ziat granitoids, Northern Eastern Desert, Egypt. 5th Conference of GAW. Cairo University, V. 1. P.113-132.
- Brown, G. F. and Jackson, R. O., 1979.** Geology of the Asir Quadrangle, Kingdom of Saudi Arabia. Scale 1:500000. Geologic Map GM 217A, Ministry of Petroleum and Mineral Resources, Jiddah.
- Calvez, J. Y., ALSAC, C., Delfour, J., Kemp, J., Pellaton, C., 1983.** Geological evolution of the western, central and eastern parts of the northern Precambrian shield, kingdom of Saudi Arabia: Saudi Arabian Deputy Ministry for Mineral Resources Open File Report BRGM -OF- 03-17, 57 P.
- Chinese Team, 1978.** Report on the Geological Survey in the Al-Baydah area of the Yemen Arab Republic. Survey Team of Peoples Republic of China, Intern. Report, Ministry of Oil and Mineral Resources, Sana'a, Yemen Arab Republic, 38 PP.
- Christman, P., Lagny, P., Lescuyer, J. L. and Sharaf Ad Din, A., 1983.** Resultats de trois annees de prospection en Republique arabe du Yemen. Decouverte du gisement de Jabali (Zn-Pd-Ag) dans La couverture jurassique. Chron. Rech. Min., 473, 25-38, (In Franch.)
- Christman, P., Lescuyer, J. L., Al-Janad, Y., Labbe, J. F., Lambert, A., Letalenet, J., AL-Muflihi, Y. and Shamsan, M. A., 1984.** North-East Area of Yemen Arab Republic North-East Project. Evolution of Mineral Resources Potential 1983-1984 Field Season. Yemen Arab Republic (YOMINCO). Bureau De Recherches Géologiques ET Minières (BRGM), 1984, 177 PP.

- Condie, K. C., 1973.** Archean magmatism and crustal thickening. *Geol. Soc. Am. Bull.*, 84: 2981-2991.
- Cox, K. G., Gass, I. G., Mallick, D. I. J., 1979.** The interpretation of igneous rocks. London, George Allen and Unwin, 450 P.
- Dean, A. A., 2001.** Igneous Rocks of Tanami Region-Northern Territory Geological Survey Record GS 2001-003, Department of Mines and Energy.
- Dewey, J., 1976.** Ophiolite obduction. *Tectonophysics*, 31, 93-120.
- El-Ramly, M. F., 1972.** A new Geologic map for the basement rocks in the Eastern and South-Western Deserts of Egypt. *Annals Geol. Surv. Egypt*. Vol. 11, 1-18.
- El-Ramly, M. F., and Akaad, M. K., 1960.** The basement complex in the central Eastern Desert between Lat. 24° 30' and 25° 40'. *Geol Surv. Egypt*. Paper 8, 35p.
- Floyd, P. A., Winchester, J. A., 1975.** Magma-type and tectonic discrimination using immobile elements. *Earth planet Scie. Lett.*, Vol. 27, pp. 211-218.
- Gass, I. G., 1981.** Pan-African (Upper Proterozoic) plate tectonics of the Arabian-Nubian-Shield. In: Kröner, A. (ed) *Precambrian Plate Tectonics*. Elsevier, Amsterdam 387-405.
- GEOMIN 1980-1986.** Report on Geological, Geophysical and Geochemical Investigations carried out in the Precambrian formations south - east of Taiz, Yemen Arab Republic. Vol. 1.
- GEOMIN 1985.** Report on the Geological Investigations Carried Out in the N- Western part of the Y.A.R. (Sadah Project). Intern. Report. Ministry of Oil and Mineral Resources, Sana'a, Yemen Arab Republic Geomin-Yominco, Bucharest, 1985.
- GEOMIN 1985.** Report on the Geological Investigations Carried Out in the N- Western part of the Y.A.R. (Sana'a Project). Intern. Report. Ministry of Oil and Mineral Resources, Sana'a, Yemen Arab Republic.
- Geukens, F., 1966.** Geology of the Arabian Peninsula-Yemen: U.S. Geol. Survey Prof. Paper, 560 B, PP. 1-23.

- Gill, J. B., 1981. *Orogenic Andesite and Plate Tectonics*. Springer, Berlin.
- Greenwood, W. R. and Bleackley, D., 1967. *Geology of the Arabian Peninsula Aden Protectorate*, US Geological Survey Professional Paper 560-c 96 pp. Washington. Greenwood, J.W. and Bleackley, D. 1967. *Geology of the Arabian peninsula, Aden Protectorate, U.S., Geol. Survey Prof. Paper, 560-C, 96 PP.*
- Grolier, M. J. and Overstreet, W. C., 1978. *Geological map of the Yemen Arab Republic*, U.S. Geol. Survey, Miscellaneous investigation series, Map 1-1143-B, Scale 1: 500,00.
- Harris, N. B. W., Pearce, J. A. and Tindle, A. G., 1986. *Geochemical characteristics of collision zone magmatism*. In: Coward, M. P. and Ries, A. C. (eds.) *Collision Tectonics*. Geol. Soc. Spec. Publ., No. 19, pp. 67-81.
- Hassanipak, A. A., Ghazi, A. M., Wampler, J. M., 1996. *REE characteristics and K/Ar ages of the Band Ziarat ophiolites complex, Southeastern Iran*. Canadian Journal of Earth Sciences 33, 1534-1542.
- Hawkins, J. W., Ionsdale, P. F., Macdougall, J. D., Volpe, A. M., 1990. *Petrology of the ridge of the Mariana Trough back-arc spreading center*. Earth Planet. Sci. Lett. 100, 226-250.
- Heikal, M. T. S., 1987. *Geology of the Precambrian Rocks of the Hajjah District, Yemen Arab Republic*, Ph.D. Thesis, Univ. Tanta, Egypt, 457 PP.
- Hunter, D. R., Barker, F. and Millard, H. T., 1978. *The geochemical nature of the Archean ancient gneiss complex and granodiorite suite, Switzerland: A preliminary study*. Precambrian Res. 7, 105-127.
- Irvine, T. N., Baragar, W. R. A., 1971. *A guide to the chemical classification of some common volcanic rocks*. Can. J. of Earth Sci., V. 8, P. 523-548.
- James, R. S. and Hamilton, D. L., 1969. *Phase relations in the system Na Al Si₃O₈-K Al Si₃O₈- Ca Al₂ Si₂O₈ at 1 kilobars water vapour pressure*. Contr. Mineral. Petrol., Vol. 21, pp. 111-141.

- Kabesh, M. L., Heikal, M. A. and Attawiya, M. Y., 1985.** Chemistry and petrogenesis of Precambrian and Tertiary granites from Yemen Arab Republic. Bull. NRC., Egypt, Vol. 10, pp. 137-152.
- Kröner, A. Sassi, F. P., 1996.** Evolution of the northern Somali basement: new Constraints from Zircon ages. Journal of African Earth Science 22, 1-15.
- Kröner, A., 1985.** Ophiolites and evolution of tectonic boundaries in the late Proterozoic Arabian-Nubian Shield northeast Africa and Arabia. Precambrian Res., 27: 277-300.
- Kröner, A., Greiling, R., Reischmann, T., Hussein, I. M. Ster, R. J., Durr, S., Kruger, J. and Zimmer, M., 1987.** Pan African crustal evolution in the Nubian segment of North east. Africa. Am. Geophys. Union, Sp. Publ. 17, 235-257.
- Kruck, W. and Schäffer, U., 1991 & 1996.** Geological map of the Republic of Yemen, Sana'a and Qa'tabah sheets, Scale 1: 250,000. Fed. Inst. Geosc. Nat. Res., Hannover.
- Kruck, W., 1984.** Geological map of the Yemen Arab Republic, Sana'a sheet, Scale 1: 250,000. Fed. Inst. Geosc. Nat. Res., Hannover.
- Lescuyer, J. L., 1981.** Al-Bayda Project: Drilling Campaign Bureau De Géologiques ET Minières. Report, 81 RDM, 039 PA, 16 P.
- Letalenet, J., 1981.** Southeast Area of Yemen Arab Republic Al-Bayda-Al-Fadaha, Detailed Geological and Mineral Exploration- 1980 Campaign: Bureau de Recherches Géologiques et Minières Report 82 RDM 020 PA, 17 P.
- Maniar, P. D. and Piccoli, P. M., 1989.** Tectonic discrimination of granitoids. Geol. Soc. Am. Bull., 101: 635-643.
- Mehnert, K. R., 1968.** Migmatites and the origin of granitic rocks. Amsterdam, Elsevier, 393 PP.
- Michel, J. C., with the contribution of Corps, J. C., Lescuyer, J. L. and Odent, B., 1989.** Yemen Arab Republic. Master Mineral Plane. Bureau de Recherches Géologiques ET Minières (BRGM) Report 88, Yemen. 154, 546 PP.

- Miyashiro, A., 1975.** Classification, characteristics and origin of ophiolites. *J. Geol.* 83, 249–281.
- Miyashiro, A., 1978.** Nature of alkalic rock series. *Contrib. Mineral. Petrol.*, V. 66, 91–104.
- Nakamura, N., 1974.** Determination of REE, Ba, Fe, Mg, Na and K in carbonaceous and ordinary chondrite. *Geochim. Cosmochim. Acta*, Vol. 38, pp. 757–775.
- O'Conner, J. T., 1965.** A classification for quartz-rich igneous rocks based on feldspar ratio. *U. S. Geol. Surv. Prof. Paper* 525 B, pp. 79–84.
- Overstreet, W. C., Kilsgaard, T. H., Grolier, M. J., Schmidt, D. L., Dominco, J. A., Donato, M. M., Botinelly, T. and Harms, T. F., 1985.** Contribution of the geochemistry, economic geology and geochronology of the Yemen Arab Republic. *U. S. Geol. Surv. Open-file report*, 85–755, 111 PP.
- Peacock, M. A., 1931.** Classification of igneous rock series, *J. Geol.*, V. 39, pp. 54–67.
- Pearce, J. A. and Cann, J. R., 1973.** Tectonic setting of basic volcanic rocks determined using trace element analysis. *Earth and Planetary Science Letters*, V. 19, 290–300.
- Pearce, J. A. Lippard, S. J. and Roberts, S., 1984a.** Characteristics and tectonic significants of supra-subduction zone ophiolites. In Kokelaar, B.P., and Howells, M. F.eds. *Geology of marginal basins. Spec. Publ. Geol. Soc. Lond.* 1677–1694.
- Pearce, J. A., 1980.** Geochemical evidence of the genesis and eruptive setting of lavas from Tethyan ophiolites, Ophiolites. *Proceed. Intern. Ophiol. Symp.* (Panayiton A., ed): 261–272. Cyprus.
- Pearce, J. A., 1982.** Trace element characteristics of lavas from destructive plate boundaries. In: Thorpe, R.S. (Ed.), *Andesites, Orogenic Andesites and Related Rocks.* Wiley, Chichester, pp. 525–548.
- Pearce, J. A., 1983.** The role of sub-continental lithosphere in magma genesis at destructive plate margins. In: Howkesworth, C. J., Norry, H.J. (Eds.), *Continental Basalt and Mantle Xenoliths.* Nantwich, Shiva, pp. 230–249.

- Pearce, J. A., 1996.** Sources and settings of granitic rocks. *Episode* 9 (4), 120–125.
- Pearce, J. A., Harris, N.B., Tindle, A. G., 1984b.** Trace element discrimination diagrams for the tectonic interpretation of granitic rocks. *J. Petrol.* 25, 956–983.
- Peccerillo, A., Taylor, S. R., 1976.** Geochemistry of Eocene calc-alkaline volcanic rocks from the Kastamonu area, northern Turkey. *Contrib. Miner. Petrol.* 58, 63–81.
- Petro, W. L., Vogel, T. A. and Wilband, J. T., 1979.** Major elements chemistry of plutonic rocks from compressional and extensional plate boundaries. *Chem. Geol.*, Vol. 26, pp. 217-235.
- Pharaoh, T. C., Beckinsale, R. D and Rickard, D., (ed.), 1987.** Geochemistry and Mineralization of Proterozoic Volcanic Suite. *Geol. Soc. Special Publ.*
- Quick, J. E. 1991.** Late Proterozoic transpression of the Nabitah fault system-implications for the assembly of the Arabian Shield. *Precambrian Research* 53, 119-147.
- Robertson Group Plc., 1992.** Satellite mapping programme, final report, topographic maps; geological maps; hydrogeological maps; volcanic and earthquake risk maps; mineral and petroleum potential study: Technical Report for the Yemen Joint Project for Natural Resources.
- Robertson Group Plc., 1992.** Technical Report for the Yemeni Joint Project for Natural Resources.
- Rollinson, H. R., 1993.** Using geological Data: Evaluation, Presentation, and Interpretation. Longman Scientific and Technical, England, 352p.
- Sakran, Sh. M., 1993.** The Basement Rocks of As-Swadiyah Area, Al-Bayda District, Yemen Republic. Ph.D. Theses, Cairo Univ., 248 PP.
- Sassi, F. P., Visona, D., Ferara, G., Gatto, G. O., Ibrahim, H. A., Saida, A. A., Tonarini, S., 1993.** The crystalline basement of Northern Somalia: lithostratigraphy and sequence of events, in: Abbate E., Sagri, M., Sassi, F. P. (eds), *Geology and mineral resources of Somalia and surrounding regions*. Ist Agronomico Oltemare, Firenze reazionee monographie, 3-40.

- Shand, S. J., 1927. The eruptive rocks. D. Van Nostrand Company, New York, 360p.
- Stacey, J. S and Agar, R. A., 1985. U-Pb isotopic evidence for the accretion of a continental microplate in the Zalm region of the Saudi Arabian Shield. *Journal of the geological Society, London*, V. 142.
- Stern, R. J and Gottfried, D., 1986. Petrogenesis of late Precambrian (575-600 Ma) bimodal suite in Northern east Africa. *Contrib. Mineral. Petr.*, 92: 492-501.
- Stern, R. J., 1994. Arc Assembly and Continental Collision in Neoproterozoic East African Orogen: Implications for the consolidation of the Gondwanaland. *Annual Reviews of earth and Planetary Sciences*, 22, 319-351.
- Stoeser, D. B. and Stacey, J. S., 1988. Evolution, U-Pb geochronology and isotope geology of the Pan-African Nabitah Orogenic Belt of the Saudi Arabian Shield. In: El Gaby, S. and Greiling, R. O. (eds), *The Pan-African Tectonic evolution and economic aspects of a Late Proterozoic Orogen*. Fried Viewing Sohn Verlagsgesellschaft mb H., Braunschweig, Germany.
- Stoeser, D. B., 1985. Distribution and tectonic setting of plutonic rocks of the Arabian Shield in: Drysdall, A. R., Ramsay, C. R., Stoeser, D.B. (eds.), *felsic plutonic rocks and associated mineralization of the kingdom of Saudi Arabia: Saudi Arabian Deputy Ministry for Mineral Resources Bulletin 29*, 21-46.
- Stoeser, D. B., Camp, V. E., 1985. Pan-African Microplate Accretion of the Arabian Shield: *Geol. Soc. of Am. Bull.*, Vol. 96, PP. 817-826.
- Stoeser, D. B., Whitehouse, M. J., Agar, R. A and Stacey, J. S., 1991. Pan-African Accretion and Continental Terrains of the Arabian Shield, Saudi-Arabia and Yemen. *Trans. American Geophysical Union, EOS*, 72, No.17. PP. 299.
- Streckeisen, A. L., 1976. To each plutonic rocks its proper name. *Earth SciRev.*, Vol. 12, PP. 1-33.
- Takla, M. A., Basta, E. Z. and Shenouda, H. H., 1980. Differentiation between ortho- and para-amphibolites using trace elements. 26th Int. Geol. Congr. Paris, (Abst), 760 pp.

- Turner, S. P., Foden, J. D. and Morrison, R. S., 1992.** Derivation of some A-type magmas by fractionation of basaltic magma: an example from the Pathway Ridge, South Australia *Lithos*, 8: 151-179.
- Werner, C. D., 1987.** Ortho-paragneises of the Saxonian granulite-igneous or lithoigneous: A contribution to the geochemical diagnosis of the original rocks in high-metamorphic complex. In: Contribution to the geology of Saxonian granulite massif, by Gerstenberger, H. (ed.), 2f-Mitteilungen Nr. 133, pp. 221-250.
- Whalen, J. B., Currie, K. L., Chappell, B. W., 1987.** A-type granites: geochemical characteristics, discrimination and petrogenesis. *Contrib. Miner. Petrol.* 95, 407-419.
- Whitehouse, M. J., Windley, B. F. and Ba-Battat, M. A., 1993.** Tectonic framework and geochronology of the Southern Arabian Shield, Yemen. In Transactions of the American Geophysical Union, EOS, PP.300.
- Whitehouse, M. J., Windley, B. F., Stoesser, D. B., Al-Khirbash, S., Ba-Battat, M. A. O., Haider, A., 2001.** Precambrian basement character of Yemen and correlations with Saudi Arabia and Somalia. *Precambrian Research*, Vol.105, PP. 357-369.
- Whitehouse, M. J., Windly, B. F., Ba-Battat, M. A. O., Fanning, C. M., Rex, D. C., 1998.** Crustal evolution and terrane correlation in the eastern Arabian Shield, Yemen: geochronological constraints. *Journal of the geological Society* 155, 381-296.
- Wilson, M., 1989.** *Igneous Petrogenesis*. Unwin Hyman, London, 457pp.
- Winchester, J. A., Floyd, P. A., 1977.** Geochemical discrimination of different magma series and their differentiation products using immobile elements. *Chem. Geol.* 20, 325-343.
- Windley, B. F., Whitehouse, M. J. and Ba-Battat, M. A., 1996.** Early Precambrian Gneiss Terranes and Pan-African Island Arcs in Yemen, Crustal Accretion of the eastern Arabian Shield. *Geology*, Vol. 24, No. 2, PP. 131-134.

- Winkler, H. G. F., Boese, M. and Macropoulos, T., 1975.** Low temperature granitic melts. *N. Jb. Mineral.*, 6: 245-268.
- Workman, A. W., Fernette, G., Al-Shaybani, A. M. A., Al-Dobi, K. M., Alawi, A. M., Al-Mathabi, Y., Al-Sorori, M., Al-Thari, M. H., Al-Boraihi, S. A., and Thobhani, K., 1993.** Northeast Project Final Report: Yemen mineral sector project, a World Bank Project under international development association credit 1702/yar; Mineral Exploration Board and Watts, Griffis and McOuat Limited, Toronto, Canada, 227 p.
- Wright, J. B., 1969.** A simple alkalinity ratio and its application to questions of non-orogenic granite genesis. *Geol. Mag.*, Vol. 106, pp. 370-384.
- Zalata, A. A., Shaalan, M. B. and El-Fawal, F., 1984a.** Geology and Petrography of the Basement Rocks at the Northeastern Part of Sa'da District, Yemen Arab Republic. *Egypt. J. Geology*, Vol. 28, No. 2, PP. 257-272.
- Zalata, A. A., Shaalan, M. B. and El-Fawal, F., 1984b.** Migmatites and associated metamorphic rocks of Hayfan and Shibani As salw Areas, Yemen Arab Republic. *Egypt. J. Geology*, Vol. 28, No. 2, PP. 243-255.