REFERENCES

REFERENCES

- Amaefule, J. O., Altunbay, M., Tiab, D., Kersey, D. G., and Keelan, D. K., (1993):
 "Enhanced Reservoir Description: Using Core and Log Data to Identify Hydraulic (Flow) Units and Predict Permeability in Uncored intervals/Wells", SPE 26436, 68th Annual SPE conference, Oct. 1993, p. 1-8.
- Araktingi, U. G., Bshore, W. M., Tran, T. T. B., and Hewett, T. A., (1993): "Integration of Seismic and Well Log Data in Reservoir Modeling, Reservoir Characterization III", Edited by B. Linville, T. E. Burchfield, and T. C. Wesson, PennWell Publishing Co., 1993, p. 515-554.
- Archie, G. E., (1942): "Electrical Resistivity Log as an aid in determining some Reservoir Characteristics", trans., AIME, 1942, p. 146, 54-61.
- Beleity, A.M., (1982): "The composite standard and definition of paleo- events in the Gulf of Suez", Cairo, Egyptian General Petroleum Corporation, in 6th Exploration Conference, p. 181-198.
- Bosence, D.W.J., (1998): "Stratigraphic and Sedimentological Models of rift basins", in B.H. Purser, and D.W.J. Bosence, eds., Sedimentation and Tectonics in Rift Basins, Red Sea – Gulf of Aqaba: Chapman Hall: London, p. 9-25.
- Bosworth, W., P. Crevello, R.D. Winn Jr., and J. Steinmetz, (1998): "Structure, sedimentation, and basin dynamics during rifting of the Gulf of Suez and northwestern Red Sea", in B.H. Purser, and D.W.J. Bosence, eds., Sedimentation and Tectonics in Rift Basins, Red Sea Gulf of Aqaba: Chapman Hall: London, p. 77-96.
- Brown, R.N., (1979): "History of exploration and discovery of Morgan, Ramadan and July oil fields, Gulf of Suez, Egypt", in (title and editor unknown): Canadian Society of Petroleum Geology, Memoir 6, p. 733-7634.

- Cherif, O.H., (1972): "Some aspects of the Paleoecology of the lower Miocene of the northern part of the Gulf of Suez". Egypt, 8th Arab petrol.congr., Algiers paper 82, 1pp.
- Coates, G., et al., (1997): "A new characterization of bulk-volume irreducible using magnetic resonance", paper QQ. 38th Annual SPWLA Logging Symposium Transaction, 14 p. Also published in 1997 in DiaLog (London Petrophysical Society), v.5, no. 6, p. 9-16. Later revised and published in the Log Analyst, v. 39, no. 1, p51-63.
- Corbett, C., Solomon, G. J., Kartikay, S., Ujang, S. And Ariffin, T., (1995): "
 Application of Seismic-Guided reservoir Property Mapping to the Dulang West Field, offshore Peninsula Malaysia", SPE 30568, presented at the SPE Annual Technical Conference and Exhibition, 22-25 October, Dallas, Texas, 1995, p. 381-389.
- EGPC Stratigraphic Committee, (1964): "Oligocene and Miocene rock stratigraphy of the Gulf of Suez region". 142 p.
- Evans, A.L., (1990): "Miocene sandstone provenance relations in the Gulf of Suez: Insights into synrift unroofing and uplift history". American Association of Petroleum Geologists Bulletin, v. 74, p. 1386-1400.
- Evans, A.L., and I.W. Moxon, (1986): "Gebel Zeit chronostratigraphy: Neogene syn-rift sedimentation atop a long-lived paleohigh, in Proceedings of the 8th Exploration Conference, Cairo: Egyptian General Petroleum Corporation, p. 251-265.
- Evans, C.E., and Guerrero, E.T., (1979): "Theory and applications of capillary pressure", SPWLA, Ann. Logg.Symp., June 1979.
- Galloway, W.E., (1989): "Genetic stratiraphic sequences in basin analysis I: architecture and genesis of flooding-surface bounded depositional units".
 American Association of Petroleum Geologists Bulletin, v. 73, p. 125-142.

- Garfunkel, Z., and Y. Bartov, (1977): "The tectonics of the Suez Rift: Geological Survey of Israel Bulletin". 71, 44 pp.
- Gawthorpe, R.L., A. Fraser, and R.E. Collier, (1994): "Sequence stratigraphy in active extensional basins: implications for the interpretation of ancient basin-fills". Marine and Petroleum Geology, v.11, p. 642-658.
- Gawthorpe, R.L., and J.M. Hurst, (1993): "Transfer zones in extensional basins: their structural style and influence on drainage development and stratigraphy". Journal of the Geological Society, London, v. 150, p. 1137-1152.
- Gawthorpe, R.L., J.M. Hurst, and C.P. Sladen, (1990): "Evolution of Miocene footwall-derived coarse-grained deltas, Gulf of Suez, Egypt: Implications for exploration". American Association of Petroleum Geologists Bulletin, v. 74, p. 1077-1086.
- Gawthorpe, R.L., I.R. Sharp, J.R. Underhill, and S. Gupta, (1997): "Linked sequence stratigraphic and structural evolution of propagating normal faults".
 Geology, v. 25, p. 795-798.
- Gupta, S., J.R. Underhill, I.R. Sharp, and R.L. Gawthorpe, (1999): "Role of fault interactions in controlling synrift sediment dispersal patterns: Miocene, Abu Alaqa Group, Suez Rift, Sinai, Egypt". Basin Research, v. 11, p. 167-189.
- Hagras, M., (1976): "The distribution and nature of the Miocene sediments in the Gulf of Suez". E.G.P.C. 5th Exploration seminar. Cairo. Egypt.
- Hagras, M., and S., Slocki, (1982): "Sand distribution of the Miocene clastics in the Gulf of Suez". E.G.P.C. 6th Exploration seminar. Cairo. Egypt.
- Hand, J. L., Moritz, A. L., Jr., Yang, C-T., and Chopra, A. K., (1994):
 "Geostatistical Integration of Geological, Petrophysical, and Outcrop Data for Evaluation of Gravity Drainage Infill Drilling at Prudhoe Bay", SPE 28396,

- presented at the SPE Annual Technical Conference and Exhibition, 25-28 September, new Orleans, LA, 1994, p. 347-358.
- Heath, C.P.M., (1972): "Gulf of Suez GS 311-1 well Recommendation", GUPCO unpublished report. 4 p.
- Johann, P., Fournier, F., Souza, O., Eschard, R., and Beucher, H., (1996): "3-D Stochastic Reservoir Modeling Constrained by well and Seismic Data on a Turbidite Fieled", SPE 36501, presented at the SPE Annual Technical Conference and Exhibition, 6-9 October, Denver, CO, 1996, p. 51-66.
- Krebs, W.N., W.A. Wescott, D. Nummedal, I. Gaafar. G. Azazi, and S.A. Karamat, (1997a): "Graphic correlation and sequence stratigraphy of Neogene rocks in the Gulf of Suez". Bulletin de la Societe Geologique de France, v. 168, p. 63-71.
- Krebs, W.N., W.A. Wescott, and D. Nummedal, (1997b): "Graphic correlation and the recognition of key stratal surfaces and intervals in the sequence stratigraphy of Miocene rocks in the Gulf of Suez, Egypt", in Annual Meeting Abstracts: American Association of Petroleum Geologists and Society of Economic Paleontologists and Mineralogists, p. 65.
- Lambiase, J.J., and W. Bosworth, (1995): "Structural controls on sedimentation in continental rifts", in J.J. Lambiase, ed., Hydrocarbon Habitat in Rift Basins: Geological Society of London Special Publication 80, p. 117-144.
- Mann, K.O., and H.R. Lane, eds., (1995): "Graphic Correlation: Society of Economic Paleontologists and Mineralogists and Mineralogists Society for Sedimentary Geology". Special Publication 53, (total pages unknown).
- McClay, K.R., G.J. Nichols, S.M. Khalil, M. Darwish, and W. Bosworth, (1998):
 "Extensional tectonics and sedimentation, eastern Gulf of Suez, Egypt", in B.H.
 Purser, and D.W.J. Bosence, eds., Sedimentation and Tectonics in Rift Basins, Red
 Sea Gulf of Aqaba: Chapman Hall, London, p. 211-238.

- Miller, F.X., (1977): "The graphic correlation method in biostratigraphy, in E.G. Kauffman, and J.E. Hazel, eds., Concepts and Methods in Biostratigraphy".
 Dowden, Hutchison and Ross, Stroudsberg, PA, p.165-186.
- Mitchum, R.M. Jr., P.R., Vail, and S. Thompson III, (1977): "Seismic stratigraphy and global changes of sea level, part2, the depositional sequence as a basic unit for stratigraphic analysis", in C.E. Payton, ed., Seismic Stratigraphy Applications to Hydrocarbon Exploration: American Association of Petroleum Geologists Memoir 26. p. 53-62.
- Montenat, C., F. Orszag-Sperber, J.C. Plaziat, and Purser B.H., (1998): "The sedimentary record of the initial stages of Oligo-Miocene rifting in the Gulf of Suez and the northern Red Sea, in B.H. Purser, and D.W.J. Bosence, eds., Sedimentation and Tectonics in Rift Basins, Red Sea Gulf of Aqaba". Chapman Hall: London, p. 146-161.
 - Morley, C.K., R.A. Nelson, T.L. Patton, and S.G Munn, (1990): "Transfer zones in the East African rift system and their relevance to hydrocarbon exploration in rifts". American Association of Petroleum Geologists Bulletin, v. 74, p. 1234-1253.
 - Moretti, I., Chenet P., Colletta B., (1986): "The narrowing of the Suez rift: a combination of stretching and secondary convection".1986 EGPC conference.
 - Nelson, R.A., T.L. Patton, and C.K. Morely, (1992): "Rift-segment interaction and its relation to hydrocarbon exploration in continental rift systems". American Association of Petroleum Geologists Bulletin, v. 76, p. 1153-1169.
 - Ouda, K.H. and M. Masoud, (1993): "Sedimentation history and geological evolution of the Gulf of Suez during the late Oligocene-Miocene, in E.R. Philobbos, and B.H. Purser, eds., Geodynamics and sedimentation of the Red Sea and Gulf of Aden rift system". Geological Society of Egypt Special Publication 1, p. 47-88.

- Patton, T.L., A.R. Moustafa, R.A. Nelson, and S.A. Abdine, (1994): "Tectonic evolution and structural setting of the Suez rift", in S.M. Landon, ed., Interior Rift Basins: American Association of Petroleum Geologists Memoir 59, p. 9-55.
- Pickett, G.R., (1966): "A review of current techniques for determination of Water Saturation from Logs", JPT (Nov. 1966), 1425-33.
- Pivnik, D.A., T. Moustafa, and A. Shehata, (1998): "Modeling stratigraphic sequences in outcrop using neural networks and synthetic seismograms, Sinai Peninsula", in Abstracts, American Association of Petroleum Geologists Hedberg Research Conference, Cairo, Egypt (pages un-numbered).
- Pivnik, D.A., M. Ramzy, B.L. Steer, J. Thorseth1and Z El Sisi, (2001): "Growth of the July fault block as recorded by syntectonic sediments, Suez Rift, Egypt", in Abstracts, American Association of Petroleum Geologists Hedberg Research Conference, Cairo, Egypt (pages un-numbered).
- Prosser, S., (1993): "Rift-related linked depositional systems and their seismic expression, in G.D. Williams, and A. Dobb, eds., Tectonics and Seismic Sequence Stratigraphy". Geological Society of London Special Publication 71, p. 35-66.
- Purser, B.H., P. barrier, C. Montenat, F. Orszag-Sperber, P. Ott d'Estevou, J.C. Plaziat and E. Philobbos, (1987): "Carbonate and siliciclastic sedimentation in an active tectonic setting: Miocene of the north-western Red Sea rift, Egypt, in B.H. Purser, and D.W.J. Bosence, eds., Sedimentation and Tectonics in Rift Basins, Red Sea Gulf of Aqaba". Chapman Hall: London, p. 239-270.
- Ravnas, R. and R.J. Steele, (1998): "Architecture of marine rift-basin successions". American Association of Petroleum Geologists Bulletin, v. 82, p. 110-146.
- Reedy, G. K., and Pepper, C. F., (1996): "Analysis of Finely Laminated Deep marine Turbidites: Integration of Core and Log Data Yields a Novel Interpretation

- Model", SPE 36506, presented at the SPE Annual Techincal Conference and Exhibtion, 6-9 October, Denver, CO, 1996, p. 119-127.
- Rhine, J. M., A.B. Hassouba, L. Shishkevich, A. Shafi, G. Azzazi, H. Nashaat, A. Badawy, and A. El Sisi, (1988): "Evolution of a Miocene fan delta: a giant oil field in the Gulf of Suez, Egypt", in W. Nemec, and R.J. Steel, eds., Fan Deltas: Sedimentology and Tectonic Settings: Blackie and Sons, p. 239-250.
- Richardson, M., and M.A. Arthur, (1988): "The Gulf of Suez- northern Red Sea Neogene rift: a quantitative basin analysis". Marine and Petroleum Geology, v. 5, p. 247-270.
- Schlultz, P. S., Ronen, S., Hattori, M., Mantran, P., Hoskins, J., and Crobett, J., (1994): "Seismic-Guided Estimation of Reservoir Properties", SPE 28386, presented at the SPE Annual Technical Conference and Exhibition, 25-28 September, New Orleans, LA, 1994, p. 235-250.
- Seifert, D. and Jensen, J.L., (2000): "Object and Pixel-Based Reservoir Modeling of a Braided Fluvial Reservoir, Mathematical Geology", v. 32, No. 5, p. 581-603.
- Sellwood, B.W., and R.E. Netherwood, (1984): "Facies evolution in the Gulf of Suez area: sedimentation history as an indicator of rift initiation and development". Modern Geology, v. 9, p. 43-69.
- Schlumberger, (1981): "Well Evaluation Conference", United Arab Emirates/Qatar 1981, pp. 7-9.
- Sharp, I.R., R.L. Gawthorpe, J.R. Underhill, and S. Gupta, (2000): "Fault-propagation folding in extensional settings: Examples of structural style and synrift sedimentary response from the Suez rift, Sinai, Egypt". Geological Society of America Bulletin, v. 112, p. 1877-1899.
- Shaw, A.B., (1964): "Time in Stratigraphy. McGraw Hill". New York, 365 pp.

- Stewart, G., and M.J. Wittmann, (1979): "Interpretation of pressure response of the Repeat Formation Tester" SPE 8362 presented at the SPE Fall Metting 1979 in Las Vegas.
- Timur, A., (1967): "Pulsed nuclear magnetic resonance studies of porosity, movable fluid and permeability of sandstones", SPE 2045. SPE 42nd annual meeting preprint. Later published in 1969 in Journal of Petroleum Technology, v.21, no. 6, p. 775-786.
- Wescott, W.A., D. Nummedal, W.N. Krebs, and S.A. Karamat, (1996):
 "Depositional facies of the early synrift strata on the Sinai margin of the Gulf of Suez", in Proceedings of the 13th Petroleum Conference, Cairo: Egyptian General Petroleum Corporation, p. 297-312.
- Wescott, W.A., W.N. Krebs, P.J. Sikora, P.J. Boucher, and J. A. Stein, (1998):
 "Modern applications of biostratigraphy in exploration and production". The Leading Edge, (volume unknown), p. 1204-1210.
- Willhite, G.P, (1986): "Waterflooding: SPE Textbook Series Volume 3".
 Richardson, Texas, Society of Petroleum Engineers, Richardson, 326 p.
- Yang, C. T., Chopra, A. K., J. Chu, Huang, X., nd Kelkar, M. G., (1995):
 "Integrated Geostatistical Reservoir Description Using Petrophysical, Geological and seismic data for Yachheng 13-1 Gas Field, SPE 30566, presented at the SPE Annual Technical Conference and Exhibition, 22-25 October, Dallas, Texas, 1995, p. 357-372.
- Yang, A-P., and Gao, y., (1995): "Reservoir Characterization by Integrating Well data and seismic Attributes", SPE 30563, presented at the SPE annual Technical Conference and Exhibition, 22-25 October, dallas, Texas, 1995, p. 337-341.
- Young, M.J., R.L. Gawthorpe, and I.R. Sharp, (2000): "Sedimentology and sequence stratigraphy of a transfer zone coarse-grained delta, Miocene Suez Rift, Egypt". Sedimentology, v. 47, p. 1081-1104.