

REFERENCES

REFERENCES

Abbassy, A.S. (1977):

Diarrhoeal disorders, textbook of pediatrics 3 rd ed.
Dar El-Maaref, Cairo, PP: 150-167.

Abbassy, A.S. (1980):

Pediatric diarrhoeal disorders and dehydration
Textbook of paed., 4 th ed., P. 150.
Dar El-Maaref Alexandria Egypt.

Abbassy, A.S. (1983):

Pediatric diarrhoeal disorders and dehydration
textbook of paed. 5 th ed. Dar El-Maaref, Alexandria,
Egypt.

**Abdalla, S.; Helmy N.; El Essaily, M.; Wasser, S. and
Hirschhorn, N. (1984):**

Oral rehydration for the low birth weight baby with
diarrhoea. Lancet 2:818-9.

Abd El-Bar, E.M. (1989):

Trial of rice based oral rehydration solution in
children with acute diarrhoea. Thesis Msc. Faculty of
Medicine Cairo University.

Abd-ElMeguid, M.E. (1987):

Trial with glycine based oral rehydration solution in
children with acute diarrhoea. M.Sc. thesis in
pediatrics. Faculty of Medicine Cairo University.

Abd-El Rahman, A. (1988):

Comparative study of oral rehydration therapy and
Bismuth chalk for management of gastroenteritis in
infants. M.Sc. Thesis in ped. Al Azhar university
Supervised by Osman N.M.

Adibi, S.A. (1971):

Intestinal transport of dipeptides in man. relative importance of hydrolysis and intestinal absorption
J. Clin. Investig., 50:2266-2275.

Adibi, S.A. Fogel, M.R. and Hgarwal, R.M. (1974):

Compariosn of free amino acid and dipeptid absorption in the jejunum of sprue patients.
Gastroenterology. 67:586-591.

Adibi, S.A. (1976):

Intestinal phase of protein assimilation in man.
Am. J. Clin. Nutr. 29:205-215.

Adibi, S.A. (1980):

Role of small intestine in digestion of protein to aminoacids and peptides for transport to portal circulation. Winnick, (ed). Nutrition and gastro enterology New york, John Wiley and Sons, PP: 55-75.

Alam, A.N. Sarker, S.A. Molla, A.M. and Rahman, M.U. (1987):

Hydrolysed wheat based oral rehydration solution for acute diarrhoea. Arch. Dis. child. 62:440-444.

ALEXANDIRIA UNIVERSITY CHILDREN'S HOSPITAL REPORT (1991):

Clinical trial on the efficacy of an instant rice based oral rehydration solution on the outcome of acute diarrhoea with dehydration.

Alilundain, A. Naftalin, R.J. (1979):

Role of Ca^{++} dependent regulator protein in intestinal secretion.
Nature. 72:2284-2288.

Aly, F.A. and El Geneidy, M.M. (1982):

Epidemiology of diarrhoea; A study on diarrhoea among children under 2 years in Alexandria, Bull. High Institute of Public Health, vol. XII, No. 3
PP. 141-154.

- Anderson, I.H.; Levine, A.S. and Levitt, M.D. (1981):
Incomplete absorption of the carbohydrate in all
porpose wheat flour.
New. Engl. J. Med., 304:891-892.
- Annonymous, (1987):
Antidiarrhoeal drugs. Diarrhoeal control News leter
No. 6 spring.
- Arief, A.I. Guisado, R. (1976):
Effects on the central nervous system of hypernatrem-
ic and hyponatraemic states. Kidney, Int., 10:104.
- Ashley, D.E.C. Akierman and Helliott, (1981):
Oral rehydration therapy in the management of acute
gastrenteritis in children in Gamica. A mesterdam,
Elsevier, North Holland, P. 389-394.
- Attridge, S.R. and Rowley, D.C. (1983):
The role of the flagellum in the adherence of vibrio
cholerae. J. Infect. Dis. 147:864.
- Auriccho, S. Della pietra D. and Veqneute, A. (1967):
Studies on intestinal digestion of starch in man.
Intestinal hydrolysis of amylopectin in infants and
children. Ped. 39:853-862.
- Avital, A. Maayan, C. and Goitein, K.S. (1983):
Complication of gastro-enteritis. Ped. Intesive. Care
Unit. Hassah Univ.
Expecta Medica., sec. 7, 39, P.5.
- Baired, H.W. (1983):
Convulsive Disorders, Nelson Textbook of pediatries,
12 th ed. Sannder Co. Philadelphia P. 1531-1544.
- Baldini, M.M. Kaper, J.B. Levin, M.M. et al. (1983):
Plasmid mediated adhesion in enteropathogenic
escherichia coli. J. Ped. Gastroenterol. Nut. 2:534.
-

Baloda, S.B. Krovacek, K. Wadstrom, T. (1983):

Cytotoxic enterotoxins, and cytotoxic factors produced by salmonella enteritidis and salmonella typhimurium. Toxical. 21:785.

Barness, A.L. (1983):

Feeding of infants. In Nelson Textbook of pediatrics. 12 th ed. Sannders Co. Philadelphia P. 149.

Beeley, L. (1980):

When do patients on diuretics need potassium replacement.
Adverse drug reaction. Bulletin 84: 304-307.

Bergstrom, W.H. (1964):

Body fliuds and electrolytes
Ped. Clin. N. Am., P.11.

Bhan, K.M.; Arora, K.N.; Khoshoo, V. and Ghai, P.O. (1985):

Chronic diarrhoea in infants and children.
Indian J. Pediat. 52:481-495.

Bhargava, SK. Sachder, HPS. Das Gupta B., Baralts; Singh HP, Mohan M. (1984):

Oral rehydration solution of neonates and young infants with dehydration diarrhoea comparison of low and standard sodium content in oral rehydration solution. J. Ped. Gastroenterol. Nut. 3:500-11.

Bhargava, SK. Sachder, HPS. Das Gupta, B; Mohan, M. Singth, HP; Daralts (1986):

Oral therapy of neonates and young infants with WHO rehydration packets. a controlled trial of two sets of instructions. J. Ped. Gastroentrol. Nut. 5:416-425.

Blaser, J.M. and Reller, B.L. (1981):

Campylobacter Enteritis, New England Journal of Medicine, 305:1444-1452.

Bloom, S.R. and Polak, G.M. (1981):

Gut hormones. 2nd ed. London Chirchil Livingstone
P. 813.

Booth, I.W. and Cutting, W.A.M. (1984):

Current concepts in the mangement of acute diarrhoea
in children. Post. graduate Doctor, Middle East, 814-
24.

Booth, IW. Levine, M.M. Harries, JT. (1984):

Oral rehydration therapy in acute diarrhoea in
childhood. J. Ped. Gastroenterol. Nut. 3:491.

Booth, I. Stange, G. Murer, H. and Milla, P. (1985):

Defective jejunal brush border Na^+/H^+ exchange. A new
cause of congenital secretory diarrhoea. Lancet
I:1066-1069.

Braude, A.I. Davis, C.F. and Fierer, J. (1981):

Medical microbiology and infectious diseases.
Bacteriology of the gastro-intestinal tract.
W.B. Saunder's Co.Philadelphia, London,P. 1565-1569.

Brobeck, S.R. (1973):

Best and Taylor's pathophysiological basis of medical
practice. The williams and wilkins compnay. Baltimore
(9th ed.).

Brunetto L., A. Pearson, S.D.A. Craft, W.A. and Pedier,
S.S. (1988):

Clostridium difficile in an oncology unit, Arch. Dis.
Child, 63, 979-981.

Brunser, O.J. Espinoza and Magdalena, A. (1989):

Treatment of acute diarrhoea
Ann. Nestle, 47:15-25.

Buford L, Nichols (1978):

Management of acute diarrhoea in : Etiology, pathophysiology and treatment of acute gastroenteritis. Report of the seventy-fourth Ross conference pediatric research. Published by Ross laboratories.

Burchfield, D.J. Rawlings, D. and Hamrick, H.S. (1983):

Intissusception associated with Yersinia enterocolitica.
Am. J. Dis. Child. 137-804.

Buter, AM.; Mckhann, CF. and Gamble, JL. (1933):

Intracellular fluid loss in diarrhoeal diseases.
J. Ped. 3:84 (Quated from Harrison 1982).

Cantey, J.R. (1985):

Infectious diarrhoea. Pathogenesis and risk factors.
Am. J. Med. 78 (Suppl 6B) : 65.

CAPMAS (1989):

Central Agency from public Mobilization and statistics. infant child Mortality rates in Egypt 1980-1987 Cairo Egypt.

Casteel, H.B. and Fiedorek, S.C. (1990):

Oral rehydration therapy.
Ped. Clin. N. Am. 37, 2:295-311.

Chambers, T.L. and Steel, A.E. (1975):

Concentrated milk feeds and their relation to hypernatraemic dehydration in infants. Arch. Dis. Child. 50:610.

Chambers, T.L. (1987):

Electrolytes and water : controls and balance ed. in Fluid therapy in childhood 1st, ed. ch. 2:11. Black well scientific publications, oxford. London.

References

Chatterjee, A. Mahalanabis, D. Jalan, JN. et al. (1978):

Oral rehydration in infantile diarrhoea. Controlled trial of a low sodium glucose electrolyte solution. Arch. Dis. Child 53:284-89.

Cherry, J.D. (1981):

Complications of gastro-enteritis in: Textbook of Ped. Inf. Disease. 3rd Edit., edited by Feigin, R.D., Cherry, J.D. P.100 W.B Saunder's Co. Philadelphia.

Chessels, J.M. and Wiggles, W. (1971):

DIC as an intermediary mechanism of disease. Arch. Dis. Child, 46:253.

Chung, AW. (1948):

The effect of oral feeding at different levels on the absorption of foodstuffs in infantile diarrhoea. J. Ped. 33:1-13.

Cleary, T.G. Cleary, K.R. and Dupout, H.L. (1981):

The relationship of oral rehydration solution to hypernatraemia in infantile diarrhoea. J. Ped., 99 (5):939.

Clemmer, D.I.; Hickey, J.L.; Bridges, J.F. et al. (1960):

Bacteriologic studies of experimental air borne salmonellosis in chickens. J. Infect. Dis. 106, 197.

Cohen, P.S. Rosollo, R. Cabelli, V.J. et al. (1983):

Relationship between the mouse colonizing ability of a human fecal echerichia coli strain and its ability to bind a specific mouse colonic mucosa protein. Infect. Immun. 40-62.

Cook, G.C.C. (1979):

Comparison of absorption rates of glucose and maltose in man in vivo. Clin. Sci. 44:425-428.

Crane, R. (1962):

Hypothesis for mechanism of intestinal active transport of sugars. Fed Proc. 21:891-5.

Creutzfeld, W. (1980):

Gastrointestinal hormones.
Clinical. Gastroenterol. 9:483-503.

Cushing, H.A. and Anderson, L. (1982):

Diarrhoea in breast fed and non-breast fed infants,
Ped. 70: 6,921-25.

Cutting, W.A.M. (1979):

Viral Gastroenteritis in children.
Trop. J. of Ped., 4:16.

Cutting, W.A.M. and Langmuir, A.D. (1980):

Oral rehydration in diarrhoea: Applied pathophysiology, Transactions of the Royal society of
Trop. Med. and Hygiene, 74:1, 30-35.

Davidson, G.P. Gall, D.G. Bulter, D.G. et al. (1979):

Human rota virus enteritis induced in conventional piglets. Intestinal structure and transport.
J. Clin. Invest. 60:1402.

Davis, J. and Dobbing, J. (1981):

Scientific foundations of paediatrics, 2nd ed.,
William Heinemann medical Book, LTD. London.
P. 470-71.

Defranzo, RA. Bia, M. and Smith, D. (1983):

Clinical disorders of hyperkalaemia.
An. Rev. Med. 33:521-554.

Donowitz, M. and Welsh, M.J. (1986):

Ca^{++} and cyclic AMP in regulation of intestinal Na^{+} ,
 K^{+} and Cl^{-} transport.
Ann. Rev. Physiol. 48:135-150.

Drachman, R.H. (1974):

Salmonella G.E., Ped. Clin. N. Am. 21 (5):722-723.

Dupont, H.L. and Hornick, R.B. (1973):

Adverse effect of lomotil therapy in shigellosis
Am. Med. Assoc. 226:13, Dec. 24-31.

Editorial, (1978):

Water and sugar and salt. Lancet (ii):300.

Editorial, (1987):

Diarrhoeal control Newsletter. The role of drugs in
gastro enteritis No.6 Cairo. 3:10.

El-Abhar, A. (1985):

A controlled trial on the efficacy of rice powder
based electrolyte solution as oral therapy in acute
diarrhoea versus standard WHO solution.
M.Sc. Thesis in Pediatrics. Al-Azhar University.

El-Araby, I. (1983):

Breast feeding during diarrhoea.
Diarrhoea Control News letter 1.

El-Batwai, Y.A. (1983):

Manual of microbial infection of man, part 111, 4th
edition. Modern Egyptian press. El-Nasr Modern Book
shop, Cairo.

**El-Behairy, F.; EL-Bassousy, E.M. and EL-Diwany, K.M.
(1976):**

Gastro-enteritis in manual of pediatrics 2nd ed.
university Book center. Cairo. pp. 51-59.

El-Haggar, M.M.Y. (1984):

The study of coagulation defects and kidney functions
in infants up to 2 years old suffering from gastro-
enteritis. M.Sc. Thesis in pediatrics. Islamic girls,
Faculty of Medicine. Al-Azhar University.

El-Hamamsy, (1990):

Clinical trial on the efficacy of instant rice based oral rehydration solution on the outcome of acute diarrhoea with dehydration. M.Sc. Thesis Bab El Shar'eya Hospital. AL Azhar University.

El Mougi, M. and El Tohamy, K. (1983):

Changing pattern of attitude towards management of acute diarrhoea. Diarrhoeal Control Newsletter, No.1 Cairo.

El-Mougi, M. (1984):

Nutrition in Infancy and childhood. Diarrhoeal disorders. University Book Centre. Cairo, P. 41-43.

El-Mougi, M.; Eman, M. El-Malki, F. Abdel-Wahab, S. and Wasfi, F. (1986):

A double blind controlled clinical trial of cortical extract with vitamin B6 on the outcome of acute diarrhoea with vomiting Egypt. J. Ped. 3:165-171.

El-Mougi, M. Akad, N. Hendawy, A. (1988):

Double blind controlled clinical trial on the efficacy of metachlopramide on vomiting due to gastro enteritis. Al Azhar Medical Vo. 17.

El-Mougi, (1989a):

Report on acute diarrhoea. Bab ElSha'reya Hospital Al-Azhar University P. 14.

El Mougi, M. Hegazi, E. Younis, K. El-Malki, F. (1989b):

Controlled clinical trial on the efficacy of rice powder based oral rehydration solution on the outcome of acute diarrhoea in infants (1-4 Months). J. Trop. Ped. 35:204-205.

El-Rafie, M. (1984):

Epidemiology of diarrhoeal diseases in Egypt. Joint committee of AID, WHO UNISEF. Cairo.

El-Rafie, M. and Tawfik, L. (1984):

Epidemiology of diarrhoea diseases. Joint WHO AID evaluation comitte, NCDDP paper.

El-Rafie, M. and Hassouna (1986):

Recent morbidity and mortality statistics related to diarrhoea in Egypt 1984-1985.
Diarrhoea Control News letter No. 5 P. 3.

Fairclough, P.D. (1980):

Comparison of the absorption of two protein hydrolysate and their effect on water and electrolyte movements in human Jejunum. Gut., 21:829-834.

Fayez, K. Ghishan, (1988):

The transport of electrolytes in the gut and the use of oral rehydration solutions in: Pediatric gastroenterology 1. Ped. Clin. N. Am. 35, 1.

Feachem, G.R. (1981):

Environmental and Behavioral approaches to Diarrhoeal disease control, acute enteric infections in children New prospects for treatment and prevention. edited by T.Holms, J. Holmgren, M.H. Merson and R. Molby. Elsevier/North Holand Biomedical press PP. 289-294.

Feigin, R.D. and Stoller, M.L. (1983):

Diarrhoea in Nelson Textbook of Pediatrics 12th ed. Saunder's Co. Phaladelphia.

Feigin, R.D. (1987):

Typhoid fever. In Nelson Textbook of Ped. 13th ed. Saundr's Co. Philadelphia. P. 602-4.

Feigin, R.D. and Stoller, M.L. (1987):

Diarrhoea in Nelson Textbook of Ped., 13th ed. Saundr's Co. Philadelphia. P. 553-55.

References

Feld, G.L. Kaskei, J.F. and Schoeneman, (1988):

The Approach to fluid and electrolyte therapy in pediatrics. Adv. Ped. 35:497-536.

Feldman, G.M. and Charney, A.N. (1982):

Effect of acute respiratory alkalosis and acidosis on intestinal ion transport in vivo.
Am. J. Physiol. 245:230.

Field, M. Fordtran, J.S. Schultz, SG. (1980):

Secretory diarrhoea. Washington DC, American physiological Society.

Finberg, L. (1980):

Role of oral electrolyte glucose solution in hydration for children. J. Ped. 96, I, 51-54.

Fitzgerald, J.F. and Clark, J.H. (1982):

Chronic diarrhoea.
Ped. Clin. N. Am. 29 (1), 221-231.

Fordtran, J.S. Rector, F.C. and Carter, N.W. (1968):

The mechanism of sodium absorption in human small intestine.
J. Clin. Invest., 47:884.

Fordtran, J.S. (1975):

Stimulation of active and passive sodium absorption by sugars in the human jejunum. J. Clin. Invest. 55:728-37.

Forfar, J.O. and Arieff, G.C. (1978):

Fluid and electrolyte Textbook of Pediatrics.
(2nd ed.) Churchill Livingstone P. 233.

Fortin, J. and Parent, M.A. (1978):

Dehydration scoring system for infants
J. Trop. Ped. 24:110.

Freter, R. Allweiss, B. O'Brien, P.C.M. et al. (1981):

Role of chemotaxis in the association of motile bacteria with intestinal mucosa in vitro studies. Infect. Immun. 34:241.

Gabr, M. (1976):

Gastroenteritis in Egypt, certain epidemiological aspects, The Gazette of Egyptian Pediatric Association, 24:109-118.

Gabr, M. (1983):

Malnutrition and diarrhoeal diseases. In diarrhoea Control News letter. 1:3 Cairo.

Gamble, J.L. Fahey, KR. Appleton, J. (1945):

Congenital alkalosis with diarrhoea. J. Ped. 26:509.

Gamble, A.M. Wiese, H.F. and Hansen, S.E. (1948):

Disturbance in water and electrolytes in infantile diarrhoea. Pediatrics 1:58.

Ganon, W.F. (1981):

Intestinal absorption and secretions. Review of medical physiology 9th. ed. edited by Drawer L. Losaltos, California.

Ganong, E.F. (1979):

Review of medical physiology 9th ed., P. 388 Long medical publications losaltos, California Ibid P.391.

Gemski, P. Takeuchi, A. Washington, O. et al. (1972):

Shigellosis due to shigella dysenteriae: Relative importance of mucosal invasion versus toxin produuction in pathogenesis. J.Infect. Dis. 126:523.

Ghishan, F.K. and Wilson, F.A. (1985):

Developmental maturation of D-glucose transport by rat jejunal brush border membrane vesicles. Am. J. Physiol. 248:G87-92.

Gilman, H.R. Marquis, S.G. Miroanda, E. Vesteque, M. and Martinez, H. (1988):

Rapid reinfection of giardia lamblia after treatment in hyperendemic third world community. Lancet PP. 343, February 13.

Gracey, M. (1989):

Aetiology of diarrhoea in children. Annales Nestle. 47:1.

Gray, G.M. (1978):

Mechanisms of digestion and absorption of food in : Gastrointestinal disease pathophysiology, diagnosis, management. Philadelphia Saunders, 241-50.

Green, H.L. and Ghishan, F.K. (1983):

Excessive fluid intake as a cause of chronic diarrhoea in young children. J. Ped. 102:836.

Gryobski, J. (1982):

Chronic diarrhoea in children kalamazoo Mich. upjohn Comp. P. 122.

Grybosk, J. and Walker, W.A. (1983):

Gastrointestinal problems in infants (2nd ed.) W.B. Saunder's. Co. P. 218.

Guzman, C. Rhoad, S.M. Petri, M. et al. (1986):

Experimental rabbit rotavirus enteritis : A model of viral diarrhoea. Ped. Res. 20:30.

Halliday, K. Edmeades, R. and Shepherd, R. (1982):

Persistent post. enteritis diarrhoea in childhood. The Med. J. of Aust. Jan. 9 (1):18-20.

Hamill, P.V.V. Drized, T.A. Hohnson, CL. et al. (1979):

Physical growth: National centre for Health statistics percentiles. Am. J. Clin. Nut. 32:607-629.

Hamilton, J.R. (1983):

Major symptoms and signs of digestive tract Disorders, Nelson Textbook of Pediatrics, 12th ed. W.B. Saunders, Philadelphia, PP. 882-891.

Hamilton, J.R. (1986):

The pathogenesis of infectious diarrhoea. Gastro enterology 1:335.

Hamilton, J.R. (1987):

Important causes of digestive tract symptoms in Nelson Textbook of Ped. 13th ed. Saunder's Co. Philadelphia.

Hamilton, J.R. (1988):

Viral enteritis in : pediatric gastroenterology I. The Ped. Clin. N. Am. 35:1.

Hardaway, R.M. (1973):

Dissiminated intravascular coagulation as a possible cause of acute respiratory failure. Third Surg. Gynaec. Obst. 137:419-423.

Harries, J.T. (1982):

Ped. Gastroent. Medicine International. 1(13):606.

Harrison, HE. Jompselt, R.R. Barr, DP. (1943):

The serum potassium in two cases of sprue proc. Soc. Exp. Biol. Med. 54:314. (Quated from Harrison 1982).

Harrison, H.E. (1982):

Basis of fluid therapy in diarrhoea. In Diagnosis and management of acute diarrhoea. Ross lab. columbus, ohio Division of Abbott lab. U.S.A. PP. 54-59.

- Hassanein, F. El.Deeb, S.A. Deyab, Z. et al. (1982):**
Blood glucose level in gastro-enteritis. The Gaz of the Egyptian Pediatrics Association. 30 (192):85-87.
- Haycock, G.B. and Black, J.A. (1987):**
Acidosis and electrolyte disturbances. Pediatric. Emergencies 2nd Edition, PP. 117-142.
- Heggarty, H. Trindode, P. and Brayan, F.M. (1973):**
Hyperglycaemia in hyperosmolar dehydration. Arch. Dis. Child. 48, 740.
- Hellier, M.D. Thirumalai, C. and Holdsworth, C.D. (1976):**
The effect of amino acids and dipeptides on sodium and water absorption in man. Gut, 14:41-45.
- Helmy, O. (1984):**
Chronic diarrhoea, Faculty of Medicine, Ain Shams University (unpublished report).
- Hendrix, T. and Babyless, T. (1970):**
Digestion and intestinal secretion. Ann. Rev. Physiol. 1:32.
- Henery, K. Silver, M. Donough, O. and Brien, R. (1978):**
Causes of diarrhoea other than infectious gastro-enteritis. In current Ped. Dignosis and Treatment, 5th ed., Large Medical Publication, Losaltos. California, P. 453.
- Hirschfeld, S.S. (1983):**
Septic shock in: Nelson Textbook of Pediatrics, 12th ed. P. 272. Sunder's Co. Philadelphia.
- Hirschhorn, N.J.L. Kinzie, D.B. Sachar, R.S. (1968):**
Decrease in stool output in cholera during intestinal perfusion with glucose containing solutions. New, Engl. J. Med. July. 25:176-180.
-

Hirschhorn, N.; Cash, R.A.; Woodward, W.E. et al. (1972):

Oral rehydration therapy of apache children with acute infectious diarrhoea. Lancet. ii:15-18.

Hirschhorn, N. Kevin, M. Denny, K. (1975):

Oral glucose electrolyte therapy for diarrhoea. A mean to maintain or improve nutrition. The Am. J. Clin. Nut. 28, 189-192.

Hirschhorn, N. (1980):

The treatment of acute diarrhoea in children, ahistorical prospective. Am. J. Clin. Nut., 30:637.

Hirschhorn, N. Mahrous, H. and Tawfik, L. (1985):

The role of pharmaceuticals in treatment of acute diarrhoea in children. NCDDP-Cairo.

Hirschhorn, N. and Yossef, A. (1987):

Clinical pointers in oral rehydration therapy. Diarrhoea control News letter No.7, P.3-5.

Hoeklman, R.A. Blatman, S. Brunell, P.A. Friedman, S.B. and Seidel H.M. (1978):

Principles of pediatrics, Health care of the young. Diseases of the gastro-intertinal system. ed. 4. P. 701-725. McGraw-Hill Book Co. New York Sanfrancissco.

Hoffman, S.L. Moechtar, M.A. Simanjuntak, C.H. et al. (1985):

Rehydration and maintenance therapy of cholera patients in Jakarta: Citrate based versus bicarbonate based oral rehydration solution. J. Infect. Dis. Dec. 152 (6) P. 1159.

Holliday, M.A. and Egan, T.J. (1964):

Dehydration: Disturbance of water and electrolyte metabolism. Ped. Clin. N. Am. 11:871.

Holmberg, C. Perheentupa, J. Launiala, K. Hallmon, N. (1977):

Congenital chlroide diarrhoea.
Arch. Dis. Child. 52:255-267.

Hopfer, M. Nelson, K. Penotto, M. Isselbacker, K. (1973):

Glucose transport in isolated brush border membranes
from rat small intestine. J. Biol. Chem. 248:25-32.

Houston, L. (1970):

Hypertonic dehydration. Pros. R. Soc. Med. 63:37.

Hultonlocher, P.R. (1983):

Complications of gastroenteritis In Nelson Textbook
of Ped. 12th ed. Saundr's Co. Philadeplia P. 1593.

Hutchins, P. Wilson, C. Manly, JAE et al. (1980):

Oral solutions for infatile gastro enteritis
variations in composition. Arch. Dis. Child. 55:616-
618.

Isaacs, D. (1985):

Cryptosporidium and diarrhoea
Arch. Dis. Child. 60:608-609.

Islam, M.R. Samachi, A.R. Shmed, S.M. et a. (1984):

Oral rehydration therapy :Efficacy of sodium citrate
equals sodium bicarbonate for correction of acidosis
in diarrhoea. Gut. Aug. 25 (8):900.

Islam, M.R. (1985):

Can potassium citrate replace sodium bicarbonate and
potassium chloride of oral rehydration solution?
Arch. Dis. Child. Sept. 60 (9):852.

Izhar, M. Nuchamowitz, M. and Mirelman, D. (1982):

Adherence of shigella flexneri to guinea pig
intestinal cells is mediated by a mucosal adhesion.
Infect. Immun. 35:1110.

Jelliffe, D.B. and Jelliffe (1981):

E.F. P. Advances in international Maternal and child health vol. 1 oxford university.
Press. oxford. New York, Toronto.

Jolly, H. (1981):

Diarrhoea with otitis media. Diseases of children.
the English language Book society 4th ed. Oxford.
London, P.12.

Joseph, F. and Joseph, H. Clar, (1982):

Chronic diarrhoea. Ped. Clin. N. Am. 29:1.

Joseph, D.F. (1986):

Intestinal ion transport and diarrhoeal disease.
Am. J. Physiol. 250:1.

Junqueira, L.C. Carneiro, J. and Contopoulos N.A. (1977):

Basic Histology, 2nd ed., P. 246-297.
Lange Medical publication Losaltos, California.

Kamel, N.M. (1983):

Epidemiology of diarrhoea. Diarrhoeal Control News
letter No. I.

Kaplan, S.L. and Feigin, R.A. (1987):

Infections due to diarrheogenic E.coli. Nelson
Textbook of Ped., 13th ed. Saundr's Co.Philadelphia
P.598-99.

Kemples, H. and Silver, H. (1982):

Diarrhoeal disorders. in current perdiatics. Dignosis
and tretament 7th, ed. lang. medical publications ,
Losaltos, Caflornia P. 452.

Kerzner, B. (1981):

Jejunal absorption of short and long chain glucose
oligomers in the absence of pancreatic analyase.
Ped. Res. 15:536.

Khalifa, A.S. (1961):

Studies on electrolyte balance in poliomyelitis M.D. Thesis, Ped. Cairo University. P. 18.

Khashaba, A. and Shoheib, S. (1988):

Infatle diarrhoea and fluid therapy. Essential of pediatrics. 2nd ed. El-Madina Press. Cairo.

Khatib, H. (1986):

Acute gastroenteritis in infants. Nursing times, Apr. 23-29. 82 (17):31.

Kielmen, A. (1983):

Control of diarrhoeal disease in the community in. Proceedings of the international conference on oral rehydration therapy (ICORT): June, 7-10 Washington D.C. P. 36-39.

Kildberg, P. (1965):

Metabolic acidosis in infantile gastroenteritis physiological and therapeutic aspects. Acta. Ped.Scand. 54:155.

Kiminich, GA. Randles, J. (1980):

Evidence for an intestinal Na-sugar transport coupling stoichiometry. Biophys. Acta 596:439-444.

Klahr, S. (1984):

The kidney and body fluids in health and disease. cited in Nelson textbook of pediatrics 13th ed. P. 178 W.B. Saunder's Co. Philadelphia.

Klish, W. Putman, T. (1981):

The short gut. Am. J. Dis. Child. 135:1056.

Koopman, S.J. Turkish, J.V. and Monto, S.A. (1985):

Infant formulas and gastrointestinal illness. A.J. PH., 75,5:477-480.

Kotb, A. Moustafa, A. and Gunidy, N.F. (1983):

Clinical and practical study to assess the value of oral rehydration in the management of gastroenteritis thesis M.Sc. Faculty of Medicine Cairo university.

Laurence, F. Paul, A. Harold, E. et al. (1982):

Oral rehydration for diarrhoea. J. Ped. 101-4.

Lebenthal, E. and Lee, P. (1980):

Development of functional response in human exocrine pancreas. pediatrics 66:556-560.

Lebenthal, E. (1981):

Newborn gastrointestinal tract structure and function In: Moss A.J. (ed) Pediatrics up date review for physicians. P. 110-111, Churchill living stone Edinburgh, London.

Lebenthal, E. Heitlinger, L. Lee, P.C. et al. (1983):

Corn syrup sugars in vitro and vivo digestability and clinical tolerance in acute diarrhoea in infancy J. Ped. 103:29.

Leighton, Hill, L. (1990):

Fluid and Electrolyte therapy in. The Ped. Clin. N. Am. 37: 2.

Levine, A.S. and Levitt, M.D. (1981):

Malabsorption of starch moiety of oats, corn and potatoes. Gastroenterology, 80:1209.

Levin, M.M. and Pizarro, D. (1984):

Advances in therapy of diarrhoeal dehydration. Oral rehydration. Adv. Ped. 31:207.

Levine, D.M. (1987):

Shock. in Pediatric emergencies 2nd. ed. PP. 87-116.

Macleod, R.J. and Hamilton, J.R. (1987):

Absence of cyclic AMP mediated antiabsorptive effect in an undifferentiated jejunal epithelium. Am. J. Physiol. 252:G776-G782.

Madinson, L.L. and Mebane, D. (1964):

Clinical and experimental hypoglycaemic action of ketosis. Effects of ketones on hepatic glucose output and peripheral glucose utilization. J. Lab. Clin. Med. 63, 177.

Mahalababis, D. Wallace, C.K. Kallen, R.J. et al. (1970):

Water and electrolyte losses due to cholera in infants and small children. A recovery balance study. Ped. 45:374.

Mahalanabis, S.D. Chondhuri, A.B. and Bagchi, N.G. (1973):

Oral fluid therapy of cholera among Bangladesh refugees. Ped. 53:197.

Mahalanabis, D. Merson, M.H. and Barua, D. (1981):

Oral rehydration therapy: Recent Advances WHO. 21:245

Mahalanabis, D. and Patra, P.C. (1983):

In search of a super oral rehydration solution: Can optimum use of organic solute-mediated sodium absorption lead to the development of an absorption promoting drug? J. Diarr. Dis, Res. 1:76-81.

Mahalanabis, D. (1985):

Development of an improved formulation of oral rehydration salts (ORS) with antidiarrhoeal and nutritional properties. A "super" ORS. WHO 85.3.

Mahrous, H. (1987):

Production and distribution of oral rehydration salts. Diarrhoea Control News letter No.7, P.28.

Mallawany, M. Levin, S. Geller, M. Kittick, (1982):

Seizures associated with campylobacter enteritis. Am. J. Dis. Child. 136, P. 1028.

- Martens, H. Tobey, NA. Rollin, RE. and et al. (1985):**
Role of arachidonic acid metabolism in the stimulus secretion coupling of intestinal secretion. Gastroenterology 88:1490.
- Martorella, R. Habricht, J. and Western, K. (1975):**
Acute morbidity and physical growth in rural Guatemala children. Am. J. Dis. Child. 129, 1296-1301.
- Mata, J.L. and Mrrutia, J.J. (1979):**
Shigellosis in: Diseases of children in the subtropics and tropics, Edited by Jelliffe and J.P stanfield, 3rd ed. ELBS edition, PP. 492-498.
- Mata, L.; Murrutia, G. and Simhon, A. (1984):**
Chronic diarrhoea in children. Nestle verrey-Ravin Press New York P. 136.
- Mcclung, H.J. Beck, R.D. and Powers, P. (1980):**
The effect of akaolin-pectin adsorbant on stool losses of sodium, potassium and fat during lactose intolerance diarrhoea in rats. J. Ped. 96:769.
- Mc-Dowell, H.P. and Evans-Jones, G. (1985):**
Is gradual reintroduction of milk foods in gastroenteritis necessary? Lancet, 1:690.
- Meeuwisse, G. and Metin, K. (1969):**
Glucose galactose malaborption. A clinical study of 6 cases. Acta Ped. Scand. Suppl. 188:3-18.
- Meeuwisse, G. (1983):**
High sugar worse than high sodium in ORS
Acta Ped. Sand. 72:161-166.
- Mehta, M.N. and Subramainiam, S.C. (1986):**
Comparison of rice water, rice electrolyte solution and glucose electrolyte solution in the management of infantile diarrhoea. Lancet Apr. 12.1(8485):843.
-

Menazeh, E. (1989):

A study on rice based ORS in the treatment of diarrhoea in children. Thesis, M.D El.Zahraa Hosptial El-Azhar university.

Meneghella, J. Rosselot, J. Aguilo, C. Moncreberg, F. et al. (1960):

Infantile diarrhoea and dehydration. Ambulatory treatment in a hydration centre. Advan. Ped., 11:183.

Merson, M.H. (1987):

Cholera, in Nelson Textbook of Pediatrics 13th ed. Saunder's Co. Philadelphia P. 606.

Methews, D.M. (1975):

Absorption of peptides by mammalian intestine. In Methews D.M. and Payne, J.W. (eds). peptide transport in protein nutrition. Amesterdam and Newyork, North Holland Am. P. 61-146.

Middle Brook, J.L. and Dorland, R.B. (1984):

Bacterial toxins. Cellular mechanisms of action. Microb. Rev. 48:199.

Middleton, P.J. Abbot, G.D. Szymanski, M.T. et al. (1974):

Arbivirus acute gastroenteritis of infancy. Lancet I:1241.

Miller, R.A. (1983):

Cryptosporidium. J. of Ped. 103 (2). Aug.

Milnem (1968):

Pharmacology of amino acids. Clin. Pharmacol. Ther. 9:484-516

Ministry of Health (Egypt) (1986):

Scientific break through in the treatment of acute infantile diarrhoea. CDDP/1986.

Mohan, M. Sethi, J.S. Daral, T.S. et al. (1986):

Controlled trial of rice powder and glucose rehydrating solutions as oral therapy for acute dehydrating diarrhea in infants. J. Ped. Gastro. Nut. May-Jun. 5(3):423.

Molla, M.A.; Molla, A.M.; Sarker, A.S. et al. (1981a):

Stool electrolyte content and purging rates in diarrhoea caused by rotavirus, enterotoxigenic E.coli and v. cholerae in children. J. Ped. 98, 5:835-838.

Molla, A. Molla, AM. Sarker, S. et al. (1981b):

Absorption of macronutrients during diarrhoea due to v. cholera, E.coli, rotavirus and shigella. In: chen LC, scrimshaw NS, eds. Diarrhoea and malnutrition Interactions, mechanisms and interventions. Newyork Plenum. publishing corperation.

Molla, A. Sarka, S. Hussain, M. and Greenough, W. (1982):

Rice powder electrolyte solution as oral therapy in diarrhoea due to V. cholera and E.coli. Lancet, 12(1):1317-1319.

Molla, AM. Rahaman, M.M. Greenough, WB. III (1985a):

Mothers can prepare and use rice salt oral rehydration solution in the rural Bagladesh. Lancet, 2:539-40.

Molla, A.M. Ahmed, S.M. and Greenough, W.B. (1985b):

Rice based ORS decreases stool volume in acute diarrhoea Bull, WHO, 63, No. 4. in press; 751-56.

Molla, M.A. Molla, A. and Sarker, A.S. (1987):

The management of acute infectious diarrhoea Bailliere's clinical gastroenterology. 1 (2):377-394.

Morrison, W.; Matheson, I.; Hutchison, R.B. et al. (1983):

Salmonella gastroenteritis associated with erythema nodosum. Br. Med. J., March, 5:286.

Moustafa, S. (1984):

Cortigen B6 of no value in vomiting with acute diarrhoea. Diarrhoeas Control News Letter, 2:224.

Murphy, A. (1981):

Aetiology of viral gastroenteritis
Med. J. Aust., 2:177-162. August 22.

Murtaza, A. Zulfigar, I. Khan, A. Aperia, A. (1987):

The benefits of very early introduction of powdered rice and dried edible seeds (Dal Moong) in the oral rehydration solution during the treatment of acute infectious diarrhea of infancy. Acta Ped. Scand. 76:861-84.

Nahas, G.G.; Ligon, J.C. and Mehlman, B. (1960):

Effects of pH changes on O₂ uptake and plasma catecholamine levels in the dog. Am.J. Physiol. 198, 60-66.

Nalin, D.R.; Cash, R.A.; Islam, R. et al. (1968):

Oral maintenance therapy for cholera in adults.
Lancet, 2:370.

Nalin, D.R.; Cash, R.A. (1971):

Oral nasogastric maintenance therapy in pediatric cholera patients. J. Ped. 78:355-360.

Nalin, DR.; Levine, M.M.; Mata, L. (1978):

Comparison of sucrose with glucose in oral therapy of infantile diarrhoea, Lancet, ii:277-9.

Nalin, DR, Levine, MM.; Mata, L. et al. (1979):

Oral rehydration and maintenance of children with rotavirus and bacterial diarrhoeas. Bull, WHO 57:453-59.

Nalin, DR.; Harland, E. and Ramlae, A. (1980):

Comparison of low and high sodium and potassium content in ORS. J. Ped. 47:848-850.

Nalin, D.R. (1982):

Oral therapy of dehydration due to infantile diarrhoea. *Pediatrics* 1:60-68.

Nazir, M.; Pardede, N. and Ismail, R. (1985):

The incidence of diarrhoeal disease and diarrhoeal diseases related mortality in rural swampy low land area of south sumatra, Indonesia. *Journal of Tropical Ped.* 31: 268-272.

NCDDP (1983):

Oral rehydration therapy, the scientific and technical basis (unpublihsed report).

NCDDP (1984a):

Asignle polyelectrolyte intravenous fluid for infants with sever dehydration from diarrhoea.

NCDDP (1984b):

Magnitude of the problem of acute diarrhoea in Egypt. Scientific break throughs in the treatment of acute diarrhoea. A discussion guide for phamacists Cairo.

NCDDP (Egypt) (1985):

Recent morbidity statistics related to diarrhoea in Egypt. *Egypt. Assoc. Comm. Med.* No. 1 March.

Nelson, W.E. (1987):

Pathophysiology of body fluids and electrolytes in: *Nelson Textbook of Pediatrics* 13th ed. P. 172-190.

O'Brien, D. Laveck, G.D. Griffin, D.E. et al. (1980):

Characterization of shigella dysentriae I (shiga). Toxin purified by antishiga toxin affinity chromatography. *Infect. Immun.* 30:170.

O'Brien, D. (1982):

Fluid and electrolyte therapy: Current pediatric Diagnosis and treatment. 17th ed. Middle East edition, PP. 988-1012.

O'Brien, D. Chen, M.E. Holmes, R.K. (1984):

Environmental and human studies of vibrio cholera and para haemolyticus produce a shigella dysentrial I (shiga)-like cytotoxin. Lancet. 1:77.

Odongo, H.W.; Waswa, K.; Muttunga, S. and Molla, A. (1989):

Cereal based oral rehydration solution. Arch. Dis. Child. 64:1032.

Olson, O.N. and Finish, W.R. (1981):

Reactive arthritis associated with Yersinia enterocolitica gastroenteritis. Am. J. Gastro, 76:524.

Osman, N.M. (1988):

Fluid and electrolyte therapy. in: spot lights on pediatrics 2nd ed ElEkhllass press Cairo. The scientific book centre.

Paneth, N. (1980):

Hypernatraemic dehydration of infancy. An. Epidemiologic Review. Am. J. Dis. Child., 134:785.

Patra, F.C. Mahalanabis, D. Jalan, K.N. et al. (1982):

Is rice electrolyte solution superior to glucose electrolyte solution in infantile diarrhea? Arch. Dis. Child, 57:910-912.

Patra, F.C. Mahalanabis, D. Jalan, K.N. et al. (1984):

In search of a super solution: Controlled clinical trial of glucose oral rehydration solution in infantile diarrhoea Acta. Ped. Scand. 73:18.

Perkin, R.M. Levin, D.L. (1980):

Common fluid and electrolyte problems in the pediatric intensive care unit. Ped. Clin. N. Am. 27 (3): 567.

References

Persson, B.I. Thoren, A. Tufvesson, B. et al. (1982):

Diarrhoea in swedish infants. Aetiology and clinical appearance. Acta Ped. Scand. 71:909-913.

Pierce, N.F. J.G. Banwell, R.C. Metra, G.J. et al. (1968):

Effect of intragastric glucose electrolyte infusion upon water and electrolyte balance in ascitic cholera. Gastroenteritis 55, 3: 333-343.

Pizarro, DG. Posada, L. Mata, D. et al. (1979):

Oral rehydration of neonates with dehydration diarrhoea. Lancet, 8: 1209-1210.

Pizarro, D.; Possada, G.; Nora, V. et al. (1983a):

Oral rehydration in hyper and hyponatraemic dehydration. Am. J. Dis. Child. 137:730-734.

Pizarro, D. Posada, G. Mata, L. (1983b):

Treatment of 242 neonates with dehydrating diarrhoea with an oral glucose electrolyte solution. J. Ped. 102:153.

Plamer, DL. Koster, FT. Islam, AFMR, et al. (1977):

Comparison of sucrose and glucose in the oral electrolyte therapy of cholera and other severe diarrhoeas. N. Eng. J. Med. 297:1107-10.

Population reports series, L. No2, June (1982):

Published in English Nov. Dec. 1980, population information program, the jone Hopkins university 624 North Broadway Baltimore. Maryland 21205, USA.

Powell, D.W. (1986):

Ion and water transport in the intestine. Cited In: Andred: TE, Hoffman IF, Fanestil DD, Schultz, SG. Physiology of membrane disorders New York, plenum P.559.

Powers, G.F. (1926):

A comprehensive plan of treatment for the so called intestinal intoxication of children. Am. J. Dis. Child. 32:232. (Quated from Harrison 1982).

Raghu, M.B. Deshpande, A. and Chinin, C. (1981):

Oral rehydration of diarrhoeal diseases in children The Royalsociety of Trop. Med. Hyg. 75, 4: 552-555.

Rahman, M.M. Aziz, K.M.S.; Munshi, H.M. et al. (1982):

A diarrhoea clinic in rural Bangladesh: Influence of incidence age and sex on attendance and diarrhoeal mortality, AJPH, 72, 10:1124-1128.

Rao, M.R. Orellana, S.A. Feled, M. et al. (1982):

Comparion of the biological action of three purified heat stable enterotoxins. Effects on ion transport and gunylate cyclase activity in Rabbit ileum in vitro. Infect. Immun. 33:165.

Rao, M.C. (1985):

Toxins which activate guanylate cyclase Heat stable enterotoxin. Ciba Found Symp. 112:74-87.

Reishig, R. Olsness, S. and Biklid, K. (1981):

The cytotoxic activity of shigella toxin. Evidence for catalytic inactivation of the 60 S ribosomal subunit. J. Biol. Chem. 250:8739.

Rennels, M.B. and Levine, M.M. (1986):

Classical bacterial diarrhoea perspectives and update. Salmonella, shigella, Echerichia coli, Aeromonas and plesiomonas. Ped. Infect. Dis. 5:591.

Rivera, EF. Aliqui, GL. Tacca, A. et al. (1983):

The use 'AM" (rice water) among cases of acute gastroenteritis in philipino children. The philippine J. Ped. 32 (1):22-9.

Robson, A.M. (1983):

Parenteral fluid therapy in Nelson textbook of pediatric. 12th ed. Saunder's Co. Philadelphia PP. 234-311.

Robson, A.M. (1987):

Fluid therapy in Nelson Textbook of pediatrics (13th ed). W.B. Saunders Co. Philadelphia.

Rohde, J.E. (1981):

Therapeutic interventions in diarrhoea. Workshop on interactions of diarrhoea and Malnutrition, Held in Bellagio, Italy, 11-15 may.

Rohde, J.E. (1983):

Therapeutic interventions in diarrhoea. Food and Nutrition. Bulletin, 3, 4:34-38.

Rowland, M. Barell, R. and Whitehead, R. (1978):

Bacterial contamination in traditional Gambian weaning foods. Lancet, 1:136-8.

Rupin, H. (1980):

Absorption of short chain fatty acids by the colon. Gastro Enterology, 78:1500.

Saberi, M. and Assaee, M. (1983):

Oral rehydration of diarrhoeal dehydration
Acta, Ped. Scand. 72:1679.

Sack, R.B. Cassells, J. Mitra, R. et al. (1970):

The use of oral replacement solution in the treatment of cholera and other severe diarrhoeal disorders.
Bull WHO 43:351-60.

Sack, D.A. Choldburs, M.H. and Merson, S. (1978):

Oral hydration in rota virus diarrhoea.
Lancet, 5:223.

Sack, DA. Islam, S. Brown, KH. et al. (1980):

Oral therapy in children with cholera: a comparison of sucrose and glucose electrolyte solutions. J. Ped. 96:20-25.

Salazar, L.E. Sack, R.B. Cheawoo, E.X et al. (1986):

Bicarbonate versus citrate in oral rehydration therapy in infants with watery diarrhoea. a controlled clinical trial. J. Ped. Jan. 108 (1):55.

Sallam, S.A. Hassan, M.N. Hassab, AA. et al. (1983):

Epidemiology of diarrhoeal diseases. The Gazette of the Egyptian Pediatric Association. Jan. April. 31, 1,2: 8-12.

Samadi, A.R.; Chowdhury, A.I.; Hug, M.I. et al. (1985):

Risk factors for death in complicated diarrhoea of Children. Br. Med. J. 290:1615-1617.

Sandhu, B.K. (1982):

Oral rehydration in acute infantile diarrhoea with a glucose polymer electrolyte solution. Arch. Dis. Child. 57:152-160.

Sandle, GI, Holmes, R. and Labley, R.W. (1981):

Glucose or sucrose for oral treatment of infective diarrhoea. Lancet, 2:998.

Schreiber, D.S. black low, N.R. and Trier, J.S. (1973):

The mucosal lesion of the proximal small intestine in acute infectious non bacterial gastroenteritis. N. Eng. J. Med. 288:1318.

Schultz, S.G. (1977):

Sodium coupled solute transport by small intestine. status report Am. J. Physiol. 223:249-254.

Schultz, S.G. (1980):

Cellular models of sodium and chloride by mammalian small and large intestine in. Field M., Fordtran, S.J. and Schultz SG. (eds). Secretory diarrhoea. Bethesda. American Physiological Society P.1-9.

Sellin, JH. Desoigne, R. (1987):

Ion transport in human colon in vitro. Gastroenterology 93:441-448.

Shandling, B. (1983):

Intussusception, prolapse and procidentia of the rectum and sigmoid. Nelson Textbook of Ped. 12th ed. PP. 914-945 Saunder's Co. Philadelphia.

Shukry, A.S. Beshlawy, A. Badrawy, N. Seoud, I. et al. (1981):

Management of hematemesis in gastro-enteritis. The Gaz. Egypt. Ped. Assoc. 29 (1,2):13-17.

Shukry, S. Zaki, A.M. Dupont, L.H. et al. (1986):

Detection of enteropathogens in fatal and potentially fatal diarrhoea in Cairo, Egypt. J. Clin. Microb, 24, 6:959-962.

Shulman, R.J. Wong, W.W. Prving, C.S. et al. (1983):

Utilization of dietary cereal by young infants. J. Ped. 103:23.

Silvermon, A. (1985):

Common bacterial causes of bloody diarrhoea. Ped. Annals, 14:39-50.

Simon, S. (1987):

Shock syndromes in: Nelson Textbook of Pediatric, 13th ed. Saunder's Co. Philadelphia. PP. 217-220.

References

Smith, PI, and McCabe, RD. (1984):

Mechanism and regulation of intracellular potassium transport by the colon. Am. J. Physiol. 247:445.

Spratt, H.C. and Marks, M.J. (1980):

New concepts in viral gastroenteritis. Infection 8:48

Steinhoff, M.C. (1980):

Oral rehydration therapy for diarrhoea. letter, J. Ped. 97:515.

Stevenson, R.E. and Bowye, F.P. (1970):

Hyperglycaemia with hyperosmolal dehydration in non diabetic infants. J. Ped. 77, 5: 818.

Sutphen, J.L. Grand, R.J. and Flores, A. (1983):

Chronic diarrhoea associated with clostridium difficile in children. Am. J. Dis. Child. 137 (3):275.

Snyder, J.D. and Merson, M.H. (1982):

The magnitude of the global problem of acute diarrhoeal diseases. A review of active surveillance data Bull WHO 60:605-613.

Tripp, J. Willmers, M. and Wharton, B. (1977):

Continuing problem of child health in Britain, Lancet ii:233-236.

Wanke, C.A. Lima, A.A.M. and Guerrant, R.L. (1987):

Infectious diarrhoea in tropical and subtropical regions. Bailliere's Clin. Gastroenterol, 1,2:335-357.

Warren, P. Bishop, M.D. Martin, H. Ulshen, M.D. (1988):

Bacterial gastro enteritis. Ped. Clin. N. Am. Feb. 35 (1):71.

WHO, (1964):

Technical report series No. 288, Enteric infections report of WHO expert committee.

WHO (1979):

Clinical management of acute diarrhoea Report of a scientific working group, New Delhi, 30 October-2 November WHO/DDC/79.3.

WHO (1980a):

Programme for control of diarrhoeal disease A manual for the treatment of acute diarrhoea Geneva 6-18.

WHO (1980b):

Oral rehydration in acute diarrhoeal diseases.
WHO/C.D.D/SER/80.2

WHO (1983a):

Oral rehydration therapy: An annotated bibliography. Second edition. Washington. D.C. pan. American Health organization and WHO scientific publications No.445.

WHO (1983b):

The management of diarrhoea and use of oral rehydration therapy. a joint WHO/UNICEF statement.

WHO (1984):

Manual for treatment of acute diarrhoea CDD/SER 80.2.

WHO (1985a):

Guidelines for treatment of acute diarrhoea in children. National control of diarrhoeal disease project. Ministry of health Cairo, Egypt.

WHO (1985b):

Recent advances in research on feeding during and after acute diarrhoea. Report of scientific working group on drug development and management of acute diarrhoea (Geneva, 1-3-oct. 1984) CDD/DDM/85.2.

WHO (1988):

WHO meeting on persistent diarrhoea in developing countries WHO/CDD/88.27.

WHO (1990a):

Epidemiology of diarrhoea in reading on diarrhoea Student manual.

WHO (1990b):

Pathogenesis of protozal diarrhoea in: Readings on Diarrhoea.

Wilkins, T.D. (1987):

Role of clostridium difficile toxin in disease Gastro-enterology, 93:339.

Wilson, G. and Dick, M. (1983):

Principles of bacterology, virology and Immunology General microbiology and Immunology, 7th ed., P. 234-237. Edward Arnold. London.

Winters, R.W. (1982):

Principles of pediatric fluid therapy. 2nd ed. Boston, Little, Brown Co.

Wright EM. Van, OS. HC. Mircleff, AC (1980):

Sugar uptake by intestinal basolateral membrane vesicles. Biochim. Biophys. Acta 597:112-124.

Yalken, R.H. (1982):

Enteric adenoviruses. J. Ped. 101 (1):21-23.

Yones, K.A. (1987):

A controlled clinical trail on the efficacy of rice powder based oral rehydration solution on the outcome of acute diarrhoea in infancy 1-4 months of age. M.Sc. Thesis pediatric Al-Azhar univ.

Yunis, E.J. Atchison, R.W. and Michaels, R.H. (1975):

Adenovirus and ileocecal intussusception lab. Invest. 33:347-351.

Zaki, M.A. Dupont, H. El Alamy, A.M. et al. (1986):

The detection of entero pathogens in acute diarrhoea in a family chorot population in rural Egypt, Am. J. Trop. Med. Hyg. 35, (5): 1013-1022.

Zwi, S. Beth, Leham, B. and Kallen, B.J. (1976):

Shock lung and Respiratory infections. Afr. Med. J. 50 (42), 687-689.