



REFERENCES



REFERENCES

- Ahlberg, N.E.; Bartley, O. and Chidekel, N. (1966):*
Right and left gonadal veins. An anatomical and statistical study.
Acta. Rad., 4: 593
- Amelar, R.D. and Dubin, L. (1987):*
Right varicocelectomy in selected infertile patients who have failed to improve after previous left varicocelectomy.
Fertil. Steril., 47; 833.
- Andrawis, RI. (1993):*
Financial analysis of laparoscopic versus open varicocelectomy.
Urol. 46: 256 – 259.
- Anderson, DJ. And Hill, JA. (1988):*
Cell mediated immunity in infertility.
Am. J. Reprod. Immunol. Micobiol.; 17: 22.
- Atasis, O. and Kass, E.J. (1994):*
Testicular growth following successful varicocele correction in adolescents: comparison of artery sparing techniques with the Palomo procedure.
J. Urol., 151: 188.
- Ayodeji, O. and Baker, H.W. (1986):*
Is there a specific abnormality of sperm morphology in men with varicoceles?
Fertil. Steril., 45: 839.
- Bailey, R.W. (1991):*
Complications of laparoscopic general surgery. In: Surgical laparoscopy, edited by Zucker, K.A.
Quality Medical Publishing, PP.: 311.
- Baker, W.H.G.; Burgery, H.G.; Dekrester, D.M. et al, (1985):*
Testicular vein ligation and fertility in men with varicocele.
Br. Med. J., 291: 1678.



Barwell, R. (1885):

100 cases of varicoceles treated by the subcutaneous wire loop.

Lancet. 1: 978.

Quated from: tan et al., 1995.

Beck, EM.; Goldstein, M. (1991):

Varicocele Anatomy:

A macro-and microscopic study.

American Urological Association Annual Meeting,
Toronto.

Berci, G. and Cusheiri, A. (1986):

Complications of laparoscopy. In : Practical laparoscopy, edited by Berci, g. and Cusheiri, A. Balliere Tindall, PP.: 165.

Black, J.; Beck RO, Hickey, NC., Wndsor CWO. (1991):

Laparoscopic Surgery in the treatment of varicocele
Lancet, 338: 383.

Bloom, DA.; Guiny EJ.; Ritchey, ML. (1994):

Normal and abnormal peleviscopic anatomy at the internal. inguinal ring in boys and the vasal triangle.

Urology Dec. 44 (6): 905 – 908.

Brown, J.S.; Dubin, L.; Becker, M. et al., (1967):

Venography in the subfertile man with varicocele.

J. Urol., 98: 388.

Buch, J.P.; and Cronie, W.J. (1985):

Evaluation and treatment of the preadolescent varicocele.

Urol. Clin. N. Amer., 12: 3-12.

Buschi, AJ.; Harrison, RB.; Brendridge, AN. (1980):

Distended left renal vein:

CT/ sonographich normal variant.

Am. J. Radiol., 135: 339.



Cameron, DF.; Syndle FE.; Ross, MH. (1980):

Ultrastructural alteration in the adluminal testicular compartment in men with varicocele.
Fertil Steril. 33: 526.

Cockett, A.T.K.; Takihara, H. and Cosentino, M.J. (1984):

The varicocele.
Fertil. Steril., 41: 5.

Cohen, M.S.; Plaine, L. and Brown, J.S. (1975):

The role of internal spermatic vein plasma catecholamines determination in subfertile men with varicoceles.
Fertil. Steril. 26: 1243 – 1249.

Comhaire, F.H.; Kunnen, M.; Nahoum, C. (1981):

Radiologic anatomy of the internal spermatic veins in 200 retrograde venograms.
Int. J. Androl; 4: 379. (Abstr.)

Comhaire, F. and Kunnen, M. (1985):

Factors Affecting the Probability of conception after treatment of subfertile men with varicocele by transcatheter embolization with Bucrylate.
Fertil. Steril., 43: 781.

Comhaire, F.; Vermeulen, A. (1982):

Plasma testosterone in patients with varicoceles and sexual inadequacy. J. Clin. Endocrinol. Metab; 40; 824.

Coolsaet, BL. (1980):

The varicocele syndrome: venography determining the optimal level for surgical management.
J. Urol. 124: 833.

Cooperman, A.M. (1992):

Complications: Creative solutions. In : Laparoscopic cholecystectomy, difficult cases and creative solutions
Quality Medical Publishing, PP.: 145.



Coptcoat, M.J. (1992):

Laparoscopy in urology: perspectives and practice.
Br. J. Urol., 69: 561.

Coptcoat, M.J. and Joyce, A.D. (1993):

Laparoscopic varicocelectomy. in: Laparoscopy in urology (Part 1), edited by Coptcoat, M.J. and Joyce, A.D.
Blackwell Scientific Publications, PP. : 67.

Costabile, K.R.A.; Skoog, S. and Radowich, M. (1992):

Testicular volume assessment in the adolescent with a varicocele.
J. Urol., 147: 1348.

Curlik, M.R.; Lotfi, M.A. and Gomella, L.G. (1994):

Anesthetic considerations in laparoscopy. in: Laparoscopic urologic surgery, edited by Gomella, L.G. et al., (1st ed.).
New York, Raven Press, PP.: 85.

Dewire, D.M.; Thomas, A.J.; JR Falk, R.M. (1994):

Clinical out-come and cost comparison of percutaneous embolization and surg. ligation of varicocele.
J. Androl., 15: 385-425.

Dhabuwala, C.B.; Hamid, S. and Moghissi, K.S. (1992):

Clinical versus subclinical varicocele: improvement in fertility after varicocelectomy.

Donovan, J.F. and Winfield, H.N. (1992):

laparoscopic varix ligation.
J. Urol., 147: 77.

Dononovan, J.F. and Winfield, H.N. (1994):

Laparoscopic varix ligation.
In : Laparoscopic urologic surgery, edited by gomella, L.G. et al., (1st ed.) new York:
Raven Press, PP.: 137.



Dudai, M.; Sayfan, J.; et al., (1995):

Laparoscopic simultaneous ligation of internal and external spermatic veins for varicocele.

J. Urol., 153 : 704.

Dubin, L. and Amelar, R.D. (1970):

Varicocele size and results of varicocelectomy in selected subfertile men with varicoceles.

Fertil. Steril., 21: 606.

Enquist, E.; Stein, B.S. and Sigman, M. (1994):

Laparoscopic versus subinguinal varicocelectomy: A comparative study.

Fertil. Steril., 61: 1092.

Etriby, A.A.; Ibrahim, A.A. and Mahmoud, K.Z. (1975):

Subfertility and varicocele 1: Venogram demonstration of anastomosis sites in subfertile men.

Fertil. Steril., 26: 1013.

Fahlenkamp, D.; Steinmann, J.; Lenk, S.A. et al., (1994):

Experience with 173 cases of laparoscopic varicocelectomy.

J.Urol., 151: 1078 A.

Farris, B.L.; Fenner, D.K.; Jacob, W.H. and thomason, A.M. (1981):

Seminal characteristics in the presenc of varicocele as compared with those of expectant fathers and prevasectomy men.

Fertil. Steril., 35: 325-327.

Fawcett, DW. (1975):

Ultrastructure and function of Sertoli cell.

In Greep, RO; and Astwood, EB (eds):

Handbook of Physiology, Sec. 7, Baltimore, Williams and Wilkins; P. 21.



- Flati, G.; Porowska, B.; Flati, D. and Carboni, M.C. (1990):*
Microsurgical Treatment of Varicocele Selecting
Most appropriate shunt.
Urol., 35: 121.
- Fuse, H.; Okumura, A.; Sakamoto, M. et al., (1996):*
Laparoscopic varicocele ligation.
Int. Urol. Nephrol., 28 (1): 91.
- Gaur, D.D. (1992):*
Laparoscopic operative retroperitoneoscopy: Use of a
new device.
J. Urol. 148: 1137 – 1139.
- Gebauer, A.; Antes, G.; Staehler, G. (1982):*
Diagnosis and differential diagnosis of varicocele by
ultrasound in varicocele and male infertility.
In: Jecht, EW and Zeiter, E (eds) recent advances in
diagnosis and therapy, New York. PP. 132.
- Glezerman, M.; Rakowszczyk, M.; Lunenfeld, B. et al., (1976):*
Varicocele in oligospermic patients: Pathophysiology
and results after ligation and division of the internal
spermatic vein.
J. Urol., 115 : 565.
- Goldstein, D.S. and Winfield, H.N. (1994):*
Laparoscopic instrumentation. In: Laparoscopic Urologic
Surgery, edited by Gomella, L.G.; et al., (1st ed.).
New York, Raven Press, PP. 21.
- Goldstein, M.; Gilbeert, B.R.; Dicker, A.P. et al., (1992):*
Microsurgical inguinal varicocelectomy with delivery of
the testis: an artery and lymphatic sparing technique.
J. Urol., 148: 1808.
- Gomella, L.G.; Lotfi, M. A. and Bagley, D. (1992):*
The use a self-cleaning laparoscope in minimally
invasive surgery.
J. Minimally invasive therapy, 1: 401.



Gomella, L. G. and Strup, S.E. (1993):

History of laparoscopy: Urology's perspective.
J. Endo., 7:1.

Gomella, L.G. and Albala, D.M. (1994):

Perioperative laparoscopic preparation.
In : Laparoscopic Urologic Surgery, edited by Gomella,
L.G. et al., New York, Raven Press, PP.: 17

Gonzales, R.; Reddy, P. and Narayan, P. (1983):

Comparison of Doppler examination and retrograde
spermatic venography in the diagnosis of varicocele.
Fertil. Steril., 40; 96.

Goldstein, M. And Eid, JF. (1989):

Elevation of intratesticular and scrotal skin surface
temperature in men with varicocele.
J. Urol.; 142: 743.

**Goldstein, M.; Gilbert, BR.; Dicker, A.; Dwosh, J. and Gnecco, C.
(1990):**

Intra operative venography and lowering of the
recurrence rate.
Fertil. Steril. 35: 244.

Golomb, J.; Nurit, V.; Homonnai, ZT.; Braf, Z.; Yust, I. (1986):

Demonstration of antispermatozoal antibodies in
varicocele related infertility with and enzyme linked
immunosorbant assay (ELISA).
Fertil. Steril.; 45: 397.

Gooding, GA.; Leonhard, W.; Stein, R. (1987);

Testicular cysts: US findings.
Radiology; 163: 537. (Abstr).

Grant, JCB (1962):

Anatomy of the inguino-scrotal region.
Grant's Atlas of Anatomy.
The williams and Wilkins Co. Baltimore. PP. 154.



Gray's Anatomy (1992):

Anatomy of the inguino-scrotal region.

Williams PL and KDyson M (eds):

37th edition, Churchill livingstone, medical division of Longman U.K.

PP. 666, 726 – 731, 1201 – 1210.

Greenberg, S.H.; Lipshultz, L.I.; Morganroth, J. et al., (1977):

The use of the doppler stethoscope in the evaluation of varicoceles.

J. Urol., 117: 606.

Grillo, Lopez, A.J. (1971):

Primary right varicocele.

J. Urol.: 105 : 540.

Gunning, J.E. (1977):

History of laparoscopy. In : Laparoscopy, edited by Phillips.

J.M. and corson, S.L. Baltimore:

Williams and Wilkinks, PP.: 6-16.

Haans, L.C.; Laven, J.S.; Mali, W.P. et al., (1991):

Testis volumes, semen quality and hormonal patterns in adolescents with and without a varicocele.

Fertil. Steril., 56: 731.

Hagood, P.G.; Mehan, D.J.; Worischeck, J.H.; et al., (1992):

Laparoscopic varicocelectomy: Preliminary report of a new technique

J. Urol., 147: 73.

Halden, W. and White, R.I. (1987):

Outpatient embolotherapy of varicocele.

Urol. Clin. North Am., 14: 137.

Hargreave, T.B. (1993):

Varicocele- A clinical enigma.

Br. J. Urol., 72: 401.



Harrison, RM.; Lewis, RW.; Roberts, JA. (1986):

Pathophysiology of varicocele in non human primates:
long-term seminal and testicular changes.
Fertil. Steril.; 45: 500.

Hasson, H.M. (1974):

Pen laparoscopy: a Report of 150 cases.
J. Reprod. Med., 12: 234.

Hinman, F. Jr. (1993):

The testes and adnexae: structure and function. In : Atlas
of urosurgical anatomy, edited by Hinman, F. Jr.
Philadelphia, London, Toronto, montreal, Sydney, tokyo:
W.B. Saunders Co., PP.: 484.

Hirokawa, M.; Matsushita, k.; Iwamoto, T. et al., (1993):

Assessment of Palomo's operative method for infertile
varicocele.
Andrologia, 25: 47.

Hirsh, A.V.; Keellett, M.J.; Robertson, G. et al., (1980 a):

Doppler flow studies, venography and thermography in
the evaluation of varicoceles of fertile and subfertile
men.
Br. J. Urol., 52: 560.

Hirsh, A.V.; Cameron, K.M.; Tyler, J.P. et al., (1980 b):

The Doppler assessment of varicoceles and internal
spermatic ven reflux in infertile men.
Br. J. Urol., 52: 50.

Hollinshead, W.H. and Rosse, C. (1985):

The inguinal and femoral canals; the scrotum, the applied
anatomy of hernia. In : textbook of anatomy, edited by
ollinshead, W.H. and Rosse, C. (4TH edition),
Philadelphia, New York, London:
Harper and Row Co., PP.: 627.

Howards, S.S. (1984):

Varicocele.
Fertil. Steril., 41: 356.



Howards, S.S. (1990):

Varicocele: Adolescent. In : Common problems in infertility and impotence, edited by Rajfer, J., Chicago, London.

Year Book Medical Co., PP. : 60.

Huckins, C.; Hellerstein, DK. (1991):

Development of the testis and establishment of spermatogenesis, in Lipshultz

Li and Howard SS (eds):

Infertility in the male, Mosby year Book, Boston. PP. 45.

Hudson, RW, Terez, Marrero, RA.; Crawford, VA. (1985):

Hormonal parameters of men with varicocele before and after varicocelectomy.

Fertil. Steril.; 43: 905.

Hudson, R.W. (1988):

The Endocrinology of varicoceles.

Fertil. Steril., 49 : 199.

Hulka, J.F. (1985):

Complicaitons. In: Textbook of laparoscopy, edited by Hulka, J.F.; orlando, Florida:

Grune and Stratton, PP.: 119.

Ibrahim, A.A.; Awad, H.A.; El-Hagger, S. and Mittawy, B.A. (1977):

Bilateral testicular biopsy in men with varicocele.

Fertil. Steril., 28: 663-667.

Inman, F. Jr. (1995):

Normal surgical anatomy.

In: Atlas of surgical mangagement of male infertility, edited by Thomas, A.J. and nagler, H.M., New York, Tokyo:

Igaku-Shoin Co., PP.: 9.

Ito, H.; Fuse, H.; Minagawa, H. (1982):

Internal spermatic vein prostaglandins in varicocele patients.

Fertil. Steril., 37: 218.



Ivanissevich, O (1960):

Left varicocele due to reflux. Experience with 4,470 operative cases in forty-two years.
J. Int. Cell. Surg., 34: 742-744.

Jacobaeus, HC. (1911):

Kurze ubersich ubeer meine Erfahragen.
Quoted after Srg. Clin. North Am: 72: 997

Jarow, J.P.; Assimos, D.G. and Pittaway, D.E. (1993):

Effectiveness of laparoscopjic varicocelectomy.
Urol., 42: 544.

Jeyendran, RS.; Van der ven, H.H. and Gravo, B.G. (1984):

Development of an assay to assess the functional integrityof human sperm membrane and its relationship to other semen characteristics.
J. Reprod. Fertil., 70: 219.

Johns, A. (1993):

Perforation of the inferior epigastric vessels. In : complications of laparoscopy and hysteroscopy, Oxford, London and Edinburgh:
Blackwell Scientific Publishing, PP.: 38.

Johnson, KE. (1991):

Histology and cell biology, 2nd edition: chap. 24, PP. 295-302.
The National Medical series of independent study,
Williams and Wilkins, Baltimore.

Johnsen, S.G. and Agger, P. (1978):

Quantitative evaluation of testicular biopsies before and after operation for varicocele.
Fertil. Steril., 29: 58.

Kass, E.J. and Belman, A.B. (1987):

Reversal of testicular growth failure by varicocele ligation.
J. Urol., 137: 475.



Kass, E.J.; Chandra, R.S. and Belman, A.B. (1987):

Testicular histology in the adolescent with a varicocele.
Pediatrics, 79: 996.

Kass, E.J.; Freitas, J.E. and Bour, J.B. (1989):

Adolescent varicocele: Objective indications for treatment.
J. Urol., 142: 579.

Kass, E.J.; Freitas, J.E.; Salisz, J.A. et al., (1993):

Pituitary gonadal dysfunction in adolescents with varicocele. Urol., 42: 179.

Kass, E.J. and Marcol, B. (1992):

Results of varicocele surgery in adolescents: a comparison of techniques.
J. Urol., 148: 694.

Kaufman, S.L., Kadir, S.; Barth, K.H. (1983):

Mechanism of recurrent varicocele after balloon occlusion or surgical ligation of the internal spermatic vein.
Radiology, 147: 435. (A

Kass, E.J.; Freitas, J.E.; Salisz, J.A. et al., (1993):

Pituitary gonadal dysfunction in adolescents with varicocele.
Urlogy, 42: 179.

Kass, E.J. and Marcol, B (1992):

Results of varicocele surgery in adolescents: A comparison of techniques.
J. Urol., 148 : 694.

Kaufman, S.L.; Kadir, S.; Barth, K.H. (1983):

Mechanism of recurrent varicocele after balloon occlusion or surgical ligation of the internal spermatic vein.
Radiology, 147: 435.



- Kavoussi, L.R.; Sosa, R.E. and Capelout, C. (1992):**
Complications of laparoscopic surgery.
J. Endourol., 6 (2): 95.
- Klaiber, E.L.; Broverman, D.M. and Vogel, W. (1980):**
Increased incidence of testicular varicocele in cigarette smokers.
Fertil. Steril., 34: 64-65.
- Klein, SR. (1991):**
Endoscopic Surgery, 1st edition, Mosby Year Book Inc. St. Louis.
Ch. 4, PP. 86.
- Kondoh, N.; Koh, E. and Matsui, T. (1990):**
Improvement of semen characteristics after surgical repair of bilateral varicocele as compared to unilateral varicocele patients.
Arch. Androl., 24: 61.
- Kormano, M.; Kadhanpaa, K.; and Tahti, E. (1970):**
Thermography of varicocele.
Fertil. Steril., 21: 558-564.
- Kozminski, M.; Gomella, L.G.; Stone, N.N. et al., (1992):**
Laparoscopic urologic surgery outcome assessment.
J. Urol., 147: 245 A.
- Last, RJ. (1990):**
Anatomy regional and applied, 8th edition, Churchill Livingstone, London.
Chapter 5 part 1, PP. 305-307.
- Leeson, CR.; Leeson, TS.; Paparo, AA. (1985):**
The male reproductive system,
In Leeson, TS.; Leeson TS and Paparo AA (eds):
Textbook of histology.
WB Saunders Company, Philadelphia; PP. 492.



Lenk, S.; Fahlekamp, D.; Glied, V.; Lindeke, A. (1994):

Comparison of different methods of treating
varicocele (Abstr.).
J. Urol., 137 : 716.

Lewis, E.L.; (1950):

The Ivanssevich Operation.
J. Urol., 63: 165-167.

Lewis, E.L.; Rasor, M.O. and Overstreet, J.W. (1985):

Measurement of human testicular consistency by
tonometry.
Fertil. Steril., 43: 911.

Lich, R.J. and Howerton, L.W. (1979):

Anatomy and surgical approach to the urogenital tract
in the male.
In : Urology, edited by Campbell, M.F. and Harrison,
J.H., Philadelphia, London, Toronto.
W.B. Saunders Co, PP.: 31.

Lipshultz, L.I. and Corriere, J.N. (1977):

Progressive testicular atrophy in the varicocele
patients.
J. Urol., 117 : 175.

Lipshultz, L.I. and Corriere, J.N. (1985):

Measurement of human Testicular consistency by
tonometry.
Fertil. Steril., 43: 911.

Loffer, F.D. and Pent, D. (1977):

Statistics. In : laparoscopy, edited by Phillips, J.M.
Williams and Wilkins, PP.: 242.

Lotfi, M.A.; Kozminski, M. and Gomella, L.G. (1993):

Complications of laparoscopy: Prevention and
management.
AUA update series, X11-31 : 242.



Lund, L.; Rasmussen, H.H. and Ernst, E. (1993):

Asymptomatic varicocele testis.

Scand. J. Urol. Nephrol., 27: 395-398.

Lynch, W.J.; Badenoch, D.F. and McAnena, O.J. (1993):

Comparison of laparoscopic and open ligation of the testicular vein.

Br. J. Urol., 72: 796.

Lyon, R.P.; Marshall, S. and Scott, M.P. (1982):

Varicocele in childhood and adolescence: Implications in adulthood infertility?

Urol., 19: 641.

MacLeod, J. (1965):

Seminal cytology in the presence of varicocele.

Fertil. Steril., 16: 735 - 757.

Macleod, J. (1969):

Further observation on the role of varicocele in human male infertility.

Fertil. Steril., 20: 545.

Marks, J.L.; McMahon, R. and Lipshultz, L.I. (1986):

Predictive parameters of successful varicocele repair.

J. Urol., 136: 609.

Marsman, J.W.P. (1985):

Clinical versus subclinical varicocele: venographic findings and improvement of fertility after embolization.

Radiology, 155: 635.

Matsuda, T.; Horii, Y.; Higashi, S. et al., (1992):

Laparoscopic varicocelectomy: A simple technique for clip ligation of the spermatic vessels.

J. Urol., 147: 636.

Matsuda, T.; Horii, Y. and Yoshida, O. (1993):

Should the testicular artery be preserved at varicocelectomy?

J. urol 149: 1357.



McChare, R.D. and Rbaire, B. (1983):

Relationship of varicocele size to testicular volume and to the effect on varicocelelectomy outcome. Presented at the Annual Meeting of the American Urological Association, Las Vegas. (abstract 504).

McClure, R.D.; Khoo, D.; Javri, K. et al., (1991):

Subclinical varicocele: The effectiveness of varicocelelectomy.
J. Urol., 145: 789.

McMinn, R.H.M. (1990):

Abdomen.
In : Last's Anatomy, regional and applied, edited by McMinn, R.H.M. (8th ed.), Edinburgh, London, Melbourne, New York:
Churchill Livingstone Co., PP.: 295.

Mehan, D.J. (1996):

Laparoscopic varicocelelectomy.
In: Urologic laparoscopic surgery, edited by Parra, R.O., New York:
McGraw- Hill Co., PP.: 87.

Meisel, C. (1982):

The Doppler technique for the diagnosis of varicocele.
In: Varicocele and male infertility., recent advances in diagnosis and Therapy, edited by Jecht, E.W. and Zeitler, E., Springer- Verlag, Berlin, New York.
PP: 78-91.

Mieusset, R.; Bujan, L.; Mondinat, LA. (1987):

Association of scrotal hyperthermia with impaired spermatogenesis in infertile men.
Fertil. Steril., 48: 1006.

Mischinger, H.J.; Clomb, T.; Rauchenwald, M. et al., (1994):

Laparoscopic procedure for varicocelelectomy.
Br. J. Urol., 74: 112.



Morag, B.; Rubinstein, Z.J. and Goldwasser, B. (1984):

Percutaneous venography and occlusion in the management of spermatic varicocele.
Amer. J. Roentgen., 143: 635 – 638.

Moreno, J.G.; Lofti, M.A.; Gomella, L.G. et al., (1994):

Gasless laparoscopic varicocele ligation.
J. Urol., 151: 457 A.

Murray, RR. Jr.; Mitchell, SE.; Kadir, S. (1986):

Comparison, of recurrent varicocele anatomy following surgery and percutaneous balloon occlusion.
Urol. 135: 286.

Nadel, S.N.; Hutchins, G.M.; Albertson, P.C. (1984):

Valves of internal spermatic vein: potential for misdiagnosis of varicoceles by venography.
Ertil. Steril., 41: 479.

Maftulin, B.N.; Samnels, S. and Lewis, E.(1991):

Semen quality in varicocele patients is characterized by tapered sperm cells.
Fertil. Steril. 56: 149-151.

Nagler, HM.; Zippe, CD. (1991):

Varicocele: Current concepts and treatment.
In: Lipshultz LI. Howards SS (eds): Infertility in the male.
New York: Churchill Livingstone; 2nd edition. P. 313.

Nagao, RR.; Plymate, SR.; Berger, RE. (1986):

Comparison of gonadal function between fertile and infertile men with varicoceles.
Fertil. Steril.; 46: 930.

Narayan, P.; Gonzales, r.; Amplatz, K. (1980):

Varicocele and male subfertility.
Presented at the American Fertility Society, Houston, Texas.
Quaoted after Winfield et al., Urology laparoscopic surgery. J. Urol 146: 941.

- Netto, N.R.; JR.; Lemos, G.C.; Degoes, G.M. (1977):*
 Varicocele relation between anoxia and
 hypospermattogenesis
 Int. J. Fertil., 22: 147 (Absstr.)
- Nobles, A. (1991):*
 Image production and visualizaton systems.
 Endoscopic surgery, 49; 61-92.
- Nord, H.J. (1987):*
 Technique of laparoscopy.
 Gastroenterologic endoscopy.
 24: 693 – 700.
- Nord, H.J. (1992):*
 Complications of laparoscopy.
 Endoscopy, 25: 693.
- Palomo, A., (1949):*
 Radical cure of varicocele by a new technique:
 Preliminary report
 J. urol., 61: 604-607
- Palomo, A. (1977):*
 Trocar and needle injuries.
 In : Laparoscopy, edited by Phillips, J.M.
 Williams and Wilkins, PP.: 236.
- Peng, CH.; Tomashefsky, P.; Nagler, HM. (1990):*
 The Cofactor effect: varicocele and infertility.
 Fertil. Steril. 54: 143.
- Pentecoast, M.P. and Curtis, E.M. (1981):*
 Laparoscopy. In: gynecologic surgery: errors,
 safeguards, salvage, edited by Ridley, J.H.
 Williams and Wilkins, PP.: 135.
- Poppas, D.P.; Gomella, L.G. and Ernest Sosa, R. (1994):*
 Basic laparoscopy: Pneumoperitoneum and trocar
 placement.
 In: Taparoscopic urologic surgery, edted by gomella,
 L.G. et al., (1st ed.)
 New York, Raven Press, PP.: 75.



Ralph, D.J.; Timoney, A.G.; Parker, C. et al., (1993):

Laparoscopic varicocele ligation.

Br. J. Urol., 72: 230.

Reitelman, C.; Burbige, K.A.; Sawczuk, L.S. et al., (1987):

Diagnosis of surgical correction of the pediatric varicocele.

J.Urol., Partz, 138: 1038.

Rodriguez, Rigau, L.J.; Smith, K.D. and Steinberger, E. (1978):

Relationship of varicocele to sperm output and fertility of male partners in infertile couples.

J. Urol., 120: 691 – 694.

Rodriguez, Rigau, L.J.; Smith, K.D. and Steinberger, E. (1981):

Varicocele and the morphology of spermatozoa.

Fertil. Steril., 35: 54-57.

Ross, L.S. and Ruppman, N. (1993):

Varicocele vein ligation in 565 patients under local anaesthesia: A long term review of technique, results and complications in light of proposed management by laparoscopy.

J. urol., 149: 1361.

Rothman, L.P.; Newmark, M. and Karson, R. (1981):

The recurrent varicocele: A poorly recognized problem

Fertil. Steril., 35: 552.

Russell, LD. (1981):

Observations on the interrelationships of Sertoli cells at the level of the blood-testis barrier: Evidence for formation and resorption of Sertoli-Sertoli tubulobulbar complexes during the spermatogenic cycle of the rat.

Am. J. Anat., 155: 259.

Salgarello, G.; Cagossi, M.; Salgarello, T.L. et al., (1990):

Transvenous sclerotherapy of the gonadal veins for treatment of varicocele: Long term results.

Angiology, 41: 427.



Sayfan, J.; Adam, Y.; Loffer, Y. (1980):

A New Entity In Varicocele Subfertility:
The "cremasteric reflux".
Fertil. Steril., 33: 88.

Sayfan, J.; Soffer, Y. and Orda, R. (1992):

Varicocele treatment: Prospective randomized trial of
three methods.
J. Urol., 148: 1447.

Saypol, D.C. (1981):

Varicocele.
J. Androl., 2: 61.

Saypol, D.C.; Lipshultz, L.I. and Howards, S.S. (1983):

Varicocele.
In: Infertility in the male., edited by Lipshultz, L.I. and
Howards, S.S.; Churchill Livingstone, New York.
PP: 299-313.

Schlesinger, M.H.; Ilene, M.D.; Wlets, F. et al., (1994):

Treatment outcome after varicocelectomy: A critical
analysis. In: The urologic clinics of North America,
edited by Lipshultz, L.I., Philadelphia, London,
Toronto:
W.B. Saunders Co., vol. 21 (3), PP.: 517.

Seyferth, W.; Jecht, E.; Zeitler, E. (1981):

Percutaneous sclerotherapy of varicoceles.
Radiology, 139: 335.

Shafik, A. (1973):

Venous plexuses of the spermatic cord. Anatomy and
role in varicocele.
Urologia. 40; 419-122.

Shafik, A.; Bedeir, G. (1980):

Venous tension patterns in cord veins.
In normal and varicocele individuals.
J. Urol.; 123: 383.



Shafik, A. (1992):

Extraperitoneal Laparoscopic Lymphadenectomy in prostatic cancer: A preliminary report of a new approach.

J. Endourol. 6: 113-116.

Soper, N.J. (1993):

Laparoscopic general surgery-past, present and future. Surgery, 113: 1.

Steckel, J.; Dicker, A.P. and Goldstein, M. (1993):

Relationship between varicocele size and response to varicoelectomy.

J. Urol., 149: 769.

Stellat, T.A. (1992):

History of laparoscopic surgery.

Surg. Clin. N. Am., 72: 997.

Stephens, J.D. and O'Shaughnessy, E.J. (1968):

Hypothermia and its relationship to varicocele and intrascrotal temperature.

Fertil. Steril., 19: 110-117.

Stewart, B. H. (1974):

Varicocele in infertility: Incidence and results of surgical therapy.

J. Urol., 112: 222-223.

Szabo, R. and Kessler, R. (1984):

Hydrocele following internal spermatic vein ligation.

J. Urol., 132: 924.

Takahara, H.; Cosentino, M.J. and Cockett, A.T.K. (1983):

Significance of a new orchidometer in andrology clinic testicular atrophy in varicocele patients and recovery after varicoelectomy. Presented at the Annual Meeting of the American Urological Association. Las Vegas (abstract 503).

Tan, S.M.; NG.; F.C.; Ravintharan, T.; Lim, P.H.C. et al., (1995):

Laparoscopic varicocelectomy: technique and results.
Br. J. Urol., 75: 523.

Thomas, A.J. and Geisinger, M.A. (1990):

Current management of varicoceles.
Urol., Clin. N. Am., 17: 893.

Tierney, W.J.; Daly, I.W.; Abbatiello, .R. (1979):

The effect of prostaglandins FIA and on spermatogenesis.
Int. J. fertil., 24: 206. (abstr.)

Tinga, D.J.; Jager, S.; Kremer, J. and Mensink, H.J. (1984):

Factors related to semen improvement and fertility after varicocele operation.
Fertil. Steril., 41: 404-410.

Turek, P.J. and Lipshultz, L.I. (1995):

The varicocele controversies.

- I. Etiology and pathophysiology.
- II. A.U.A.; XIV-13: 106.

Wahlstrom, H.E. (1993):

Laparoscopy and bowel injuries.
In : Complications of laparoscopy and hysteroscopy,
oxford, London and edinburgh:
Blackwell Scientific Publishing, PP. 81.

Wheatley, J.K.; Fajman, W.A.; Witten, F.R. (1982):

Clinical experience with the radio-isotope varicocele scan as a screening methods for the detection of subclinical varicocele.
J. Urol.; 128: 57.

Wheatley, J.K.; Bergman, W.A.; Green, B. et al., (1991):

Transvenous occlusion of clinical and subclinical varicoceles
Urol., 37: 362.



Wiley, G.G. (1985):

Varicocele and puberty. The critical factor?
Br. J. urol., 57: 194.

Williams, P.L.; Warwick, R.; Dyson, M. et al., (1989):

Angiology, lateral visceral branches of the aorta,
hepatic portal system.
In: Gray's anatomy, 37th ed., edinburgh, London,
Melbourne, New York:
Churchill Livingstone Co., PP: 210 & 774.

Winfield, H.N.; Donovan, J.F.; See, W.A. et al., (1991):

Urological laparoscopic surgery.
J. Urol., 146: 941.



Wosnitzer, M.; Roth, JA. (1983):

Optical magnification and Doppler ultrasound probe
for varicocelectomy.
Urol., 22: 24.

Wright, J. and goldstein, M. (1994):

Ligation of the testicular artery during microsurgical
varicocelectomy: Incidence and implications.
J. Urol., 151: 141 A.

Wuernschimmel, E.; Lipsky, H.; Noest, G. (1995):

Laparoscopic varicocele ligation: a recommendable
standard procedure with good long term results.
Eur- Urol. 27 (1): 18-22. (Abstr.).

Yavetz, H.; Levy, R.; Papo, J. et al., (1992):

Efficacy of varicocele embolization versus ligation of
the left internal spermatic vein for improvement of
sperm quality.
Int. J. Androl., 15: 338.

Zorgniotti, A.W. and MacLeod, J. (1973):

Studies in temperature, human semen quality and
varicocele.
Ferti. Steril., 24: 854-863.