

REFERENCES

REFERENCES

- Abdou, I.A.; Ali, H.E. and Basioni, A.B. (1967):**
Nutritional deficiencies, goitre, dental caries and parasitic infestation among school children in rural and urban areas of Asyut and Aswan Governorates. Bull Nutr. Inst. III.
- Adachi, S.; Moriwaki, H. and Muto, Y. (1991):**
Reduced retinoid content in hepatocellular carcinoma with special reference to alcohol consumption. Hepatology; 14 (5): 776-80.
- Alexandrov, V.A.; Bessalov, V.G.; Boone, C.W.; Kelloff, G.J. and Malone, W.F. (1991) :**
Study of postnatal effects of chemopreventive agents on offspring of ethylnitrosourea-induced transplacental carcinogenesis in rats. Influence of retinol acetate. Cancer Lett; 60 (2) : 177-84.
- Amedee-Manesme, O.; Furr, H.C. and Olson, J.A. (1984):**
The correlation between liver vitamin A concentration in micro-(needle biopsy) and macrosamples of human liver specimens obtained at autopsy. Am. J. Clin. Nutr., 39: 315-9.
- Amedee-Manesme, O.; Hanck, A. and Therasse, J. (1987):**
Vitamin A relative dose response test: validation by intravenous injection in children with liver disease. Am. J. Clin. Nutr., 46: 286-9.
- Anonymous (1976):**
Vitamin and mineral products.
Labeling and Composition regulations. Fed. Regist., 41: 46156-76.
- Anonymous (1982):**
Masked hypervitaminosis A and liver injury. Nutr. Rev., 40: 303-5.

Anzano, M.A.; Lamb, A.J. and Olson, J.A. (1979):

Growth, appetite, sequence of pathological signs and survival following the induction of rapid, synchronous vitamin A deficiency in the rat.
J. Nutr., 109: 1419-31.

Anzano, M.A.; Olson, J.A. and Lamb, J.A. (1980):

Morphologic alterations in the trachea and the salivary gland following the induction of rapid synchronous vitamin A deficiency in the rat.
Am. J. Pathol.; 98: 717-32.

Ariens, E.J. and Simonis, A.M. (1982):

General principles of nutritional toxicology.
In: Hathcock, J.N., ed. Nutritional toxicology. Vol. 1
New York: Academic Press, 17-80.

Arrieta, A.C.; Zaleska, M.; Stutman, H.R. and Marks, M.I. (1992) :

Vitamin A levels in children with measles in long Beach, California.
J. Pediatr; 121 (1) : 75-8.

Arthur, F.D. (1991) :

Vitamins and trace mineral disorders.
In Schaffer and Avery's Diseases of the Newborn, 6th ed. Taeusch HW, Ballard RA, & Avery ME (Eds). W.B. Saunders company : P. 728-48.

Arthur, P.; Kirkwood, B.; Ross, D.; Morris, S.; Gyapong, J.; Tomkins, A. and Addy, H. (1992) :

Impact of vitamin A supplementation on childhood morbidity in northern Ghana.
Lancet; 339 (8789) : 361-2.

Awadalla, M.A.; Hussein, L.A. and Salem, M. (1979):

Study of fasting vitamin A and tolerance response in common parasitic infestations among Egyptian children
Nutr. Rep. Inter., 19 (5) : 627-33.

Baeckert, P.A.; Green, H.L. and Fritz, L. (1988):

Vitamin concentrations in very low birth weight infants given vitamins intravenously in a lipid emulsion: Measurement of vitamins A, D and E and riboflavin.
J. Pediatr., 113: 1057-65.

Barltrop, D. (1992) :

Nutrition : The vitamins, vitamin A (retinol).
In Forfar and Arneil's Textbook of Paediatrics, 4th ed. Campbell AGM and McIntosh N (Eds).
Longman Group, UK limited : P. 1266-7.

Barness, L.A. (1992) :

Nutrition and nutritional disorders: Vitamins, vitamin A deficiency.
In Nelson Textbook of Pediatrics, 14th ed. Behrman RE, Kliegman RM, Nelson WE and Vaughan VC (Eds). W.B. Saunders Co. P. 134-6.

Bates, C.J.; Liu, D.S. and Fuller, N.J. (1985):

Susceptibility of riboflavin and vitamin A in breast milk to photodegradation and its implications in the use of banked breast milk in infant feeding.
Acta Pediatr. Scand, 74: 40-4.

Bauernfeind, J.C. (1980):

The safe use of vitamin A.
A report of the International Vitamin A consultative Group (IVACG). Washington, DC: Nutrition Foundation.

Bergen, H.; Furr, H.C. and Olson, J.A. (1981):

Synthesis and characterization of 20 $^2\text{H}_3$ -retinyl acetate.
Fed. Proc., 40: 838.

Bhatia, J. and Ziegler, E.E. (1983):

Retinol-binding protein and prealbumin in cord blood of term and preterm infants.
Early Hum. Dev., 8 (2): 129-33.

Blomhoff, R.; Rasmussen, M. and Nilsson, A. (1985):

Hepatic retinol metabolism: distribution of retinoids, enzymes and binding proteins in isolated rat liver cells.
J. Biol. Chem., 260: 13560-5.

Blomhoff, R.; Green, M.H.; and Norum, K.R. (1992) :

Vitamin A : Physiological and biochemical processing
Annu Rev Nutr; 12 : 37-57.

Brabin, L. (1992) :

The cost of successful adolescent growth and development in girls in relation to iron and vitamin A status.
Am. J. Clin. Nutr; 55 (5) : 955-8.

Brandt, R.B.; Mueller, D.G. and Schroeder, J.R. (1978):

Serum vitamin A in premature and term neonates.
J. Pediatr., 92: 101-4.

Brozek, J. (1970):

The measurement of body composition.
Historical perspective. In: MF Montagu. A Handbook of Anthropometry. Springfield, Illinois, Charles, C. Thomas Publisher: 78-120.

Bulux, J.; Carranza, E.; Solomons, N.; Sokoll, L. and Castaneda, C. (1992) :

Studies on the application of the relative dose response test for assessing vitamin A status.
Am. J. Clin. Nutr; 56 (3) : 543-7.

Burnett, D. and Bradwell, A.R. (1980):

The origin of plasma proteins in human amniotic fluid : the significance of alpha-1-antichymotrypsin complexes.
Biol. Neonat., 37: 302-7.

Butte, N.F. and Calloway, D.H. (1982):

Proteins, vitamin A, carotene, folacin, ferritin and zinc in Navago maternal and cord blood.
Biol. Neonate., 41: 273-8.

Carpenter, T.O.; Pettifor, J.M. and Russell, R.M. (1987):

Severe hypervitaminosis A in siblings: evidence of variable tolerance to retinol intake.
J. Pediatr. 111: 507-12.

Carpo, J.D.; Barry, B.E.; Gehr, P. et al. (1982):

Cell number and cell characteristics of the normal human lung.
Am. Rev. Respir. Dis., 125: 740-5.

Chang, S.J. (1990):

Antimicrobial proteins of maternal and cord sera and human milk in relation to maternal nutritional status
Am. J. Clin. Nutr; 51 (2): 183-7.

Charlton, V. (1986):

Nutritional supplementation of the growth retarded fetus: Rationale, theoretical considerations, and in vivo studies.
In Milunsky A., Friedman E., Gluck, L. (Eds): Advances in Perinatal Medicine, New York, Plenum Press; 5:1-42.

Charlton, V. (1991) :

Fetal growth : Nutritional issues.
In Schaffer and Avery's Diseases of the Newborn, 6th ed. Taeusch HW, Ballard RA, and Avery ME (Eds). W.B. Saunders Co. : P. 59-65.

Chytil, F. (1992) :

The lungs and vitamin A.
Am. J. Physiol; 262 (5) : 517-27.

Chytil, F. and Haq, R. (1990) :

Vitamin A mediated gene expression.
Crit. Rev. Eukaryot. Gene Expr; 1 (1) : 61-73.

Cohn-Addad, N.; Bollinger, R. and Chou, J. (1988):

Vitamin A deficiency and pulmonary oxygen toxicity :
morphometric studies in the murine lung.
Pediatr. Res; 23: 76-80.

Coutsoudis, A.; Zwane, M.; Coovadia, H.M. and Gouws, E.
(1992) :

Dietary intake of vitamin A in African preschool
children in Umlazi, South Africa.
Int. J. Vitam. Nutr. Res; 62 (1) : 3-8.

Cozzi, F. and Wilkinson, A.W. (1969):

Intrauterine growth rate in relation to anorectal and
oesophageal anomalies.
Arch. Dis. Child., 44: 59.

Crosby; Munm and Furth (1954):

Drabkin: photometry and spectrophotometry. In:
Glasser, ed., "Medical Physics".
Armed Forces Med. J., 5: 593.

Crouch, J.B. and Rubin, L.P. (1991) :

Nutrition : Infant diets.
In Manual of Neonatal Care, 3rd ed. Cloherty JP and
Stark AR (Eds). Little, Brown Co : P. 535-44.

Dacie, J.V. and Lewis, S.M. (1975):

Practical Hematology. 5th ed.
Churchill-Livingstone.

Dancis, J.; Levitz, M.; Katz, J.; Wilson, D. Blaner, W.S.
and Goodman, D.S. (1992) :

Transfer and metabolism of retinol by the perfused
human placenta.
Pediatr. Res; 32 (2) : 195-9.

Daulaire, N.M. (1992) :

Childhood mortality after high dose vitamin A.
BMJ; 304 (6838) : 1381.

Dencker, L.; Gustafson, A.L.; Annerwall, E.; Bush, C. and Eriksson, U. (1992) :

Retinoid-binding proteins in craniofacial development.

J. Craniofac. Genet. Dev. Biol; 11 (4) : 303-14.

De Ruyter, M.G. and De Leenheer, A.P. (1978):

Biosynthetic studies on monolipids and mannoproteins of normal and vitamin A depleted hamster livers.

Biochem. Biophys Acta; 409: 342.

Devlin, T.M. (1986):

Fat-soluble vitamins-vitamin A. In Textbook of Biochemistry with Clinical Correlations, 2nd ed., Medical Publications, New York, Chichester, Brisbane, Toronto, Singapore, 26 (13): 964-7.

Dogra, S.C.; Khanduja, K.L. and Sharma, R.R. (1982):

Effect of vitamin A deficiency on the levels of glutathione and glutathione-S- transferase activity in rat lung and liver.

Experientia; 38: 903-4.

Dogra, S.C.; Khanduja, K.L. and Sharma, R.R. (1983):

Effect of vitamin A deficiency on pulmonary and hepatic protective enzymes in rat.

Acta Vitaminol Enzymol., 5: 47-52.

Donoghue, S.; Richardson, D.W. and Sklan, D. (1982):

Placental transport of retinol in sheep.

J. Nutr., 112: 2197-203.

Dostalova, L. (1982):

Correlation of the vitamin status between mother and newborn at delivery.

Dev. Pharmacol. Ther., 4: 45-7.

Doumas, B.T.; Watson, W.A. and Biggs, H.G. (1971):

Albumin-standards and measurement of serum albumin with bromocresol green.

Clin. Chim. Acta., 31: 87.

Dubowitz, L. and Dubowitz, V. (1970):

Clinical assessment of gestational age in the newborn infant.
J. Pediatrics., 77 (1): 1-10.

Dudas, I. and Czeizel, A.E. (1992) :

Use of 6.000 IU vitamin A during early pregnancy without teratogenic effect.
Teratology; 45 (4) : 335-6.

Edes, T.E. and McDonald, P.S. (1991):

Retinol and retinol-binding protein in lung cancer screening.
Cancer Detect. Prev.; 15 (5): 341-4.

El Naggar, B.; Gaafar, S. and Allam, H. (1981):

Study of the absorption of vitamin A oily preparation among school pupils from the rural.
Internat. J.V.T. Nutr. Res., 51: 42-5.

El Naggar, B. and Hussein, L. (1982):

Hematological effects of vitamin A deficiency among Egyptian pupils from the rural.
The Egypt J. Haematol., 7: 179-86.

El Shamy, A.; El Hussein, S. and Salem, S.I. (1989):

Vitamin A status in Egyptian rural children and its relationship to anemia.
Bull Nutr. Inst. Cairo, Egypt; 9: 39-51.

Evans, K. and Hickey-Dwyer, M.U. (1991):

Cleft anterior segment with maternal hypervitaminosis A.
Br. J. Ophthalmol., 75 (11): 691-2.

Fahmi, S. (1979):

Malnutrition among school children in Egypt.
Nutrition and Health in Egypt, with special reference to mother and children. Cairo, October : 20-22.

Farouk, S. (1979):

The nutrition status of Egyptian child during a quarter of century (1952-1977). Workshop on Nutrition and Health in Egypt, with special reference to mother and children. Cairo, October: 20-2.

Fenichel, G.M. (1993) :

Idiopathic intracranial hypertension (pseudotumor cerebri).

In Clinical Pediatric Neurology-A Signs and Symptoms Approach, 2nd ed. Fenichel GM (Ed.). W.B. Saunders Co : P. 111-2.

Ferrando, R. (1992) :

Vitamin A : risks for the consumer.
Int. J. Vitam. Nutr.; 67 (2) : 115-9.

Findlay, G.M. and Mackenzie, R.D. (1922):

The bone marrow in deficiency diseases.
J. Pathol., 25: 402.

Fisher, S.; Adison, M. and Jacobec, S. (1983):

The effect of in vivo ethanol exposure upon in vitro placental uptake of amino acids in the non-human primate.
Pediatr. Res., 17: 704-7.

Flores, H. and Araujo, C.R.C. (1978):

Liver stores of vitamin A in infants of preschool children decreased in Recife.
Abstracts, XI International Congress of Nutrition.
Rio de Janeiro: Brazilian Nutrition Society: 197.

Frank, L. (1985):

Effects of oxygen on the newborn.
Fed. Proc., 44: 2328-34.

Frank, L. and Groeclose, E.E. (1984):

Preparation for birth into an O₂-rich environment: the antioxidant enzymes in the developing rabbit lung.
Pediatr. Res., 18: 240-4.

Frankel, T.L.; Seshadri, M.S.; McDowall, D.B. and Cornish, C.J. (1986):

Hypervitaminosis A and calcium-regulating hormones in the rat.
J. Nutr., 116: 578-87.

Frisancho, A.R. (1981):

New norms of upper limb fat and muscle areas for assessment of nutritional status.
Am. J. Clin. Nutr., 34: 2540.

Gamble, J.G.; and Ip, S.C. (1985):

Hypervitaminosis A in a child from megadosing.
J. Pediatr. Orthop., 5: 219-21.

Gebre-Medhin, M. and Vahlquist, A. (1984):

Vitamin A nutrition in the human fetuses: a comparison of Sweden Ethiopia.
Acta Paediatr. Scand., 73: 333-40.

Ghoneimy, M.A. (1986):

Vitamin A and Carotene contents of blood serum in the inhabitants of the city of Zagazig and the surrounding rural areas, amongst the apparently healthy adults.
M.Sc., Banha Faculty of Med.

Giacchia, G.P. (1984):

Concentration of serum prealbumin and retinol-binding proteins during pregnancy.
South Med. J., 77 (10): 1261-3.

Gijbels, M.J.; Ham, F.; Bennekum, A.M.; Hendrickes, H.F. and Roholl, P.J. (1992):

Alterations in cytokeratin expression precede histological changes in epithelia of vitamin A-deficient rats.
Cell Tissue Res., 268 (1) : 197-203.

Goodman De W.S. (1979):

Vitamin A and retinoids: recent advances. Introduction, background, and general overview.
Fed. Proc., 38: 2501-3.

Gossel, T.A. and Wuest, J.R. (1982):

Vitamin megadoses and toxicity.
US Pharm., 7: 48-52, 54.

Goswami, U.C. and Dutta, N.K. (1991) :

Vitamin A-deficient diet and its effects on certain haematological parameters.
Int. J. Vitam. Nutr. Res; 61 (3) : 205-9.

Graham, S.; Hellmann, R. and Harshall, J. (1991):

Nutritional epidemiology of postmenopausal breast cancer in western New York.
Am. J. Epidemiol., 134 (6): 552-66.

Green, H.L.; Moore, C. and Phillips, B. (1986):

Evaluation of a pediatric multiple vitamin preparation for total parenteral nutrition. II. Blood levels of vitamins A, D and E.
Pediatrics, 77: 539-47.

Green, H.L.; Smith, R.; and Pollack, P. (1991):

Intravenous vitamins for very-low-birth-weight infants.
J. Am. Coll. Nutr., 10 (4): 281-8.

Green, M.W.; Uhl, L. and Green, J.B. (1985):

Multicompartmental model of vitamin A kinetics in rats with marginal liver vitamin A stores.
J. Lipid Res., 26: 806-18.

Green, T. and Ford, H.C. (1986):

Intracellular binding proteins for retinol and retinoic acid in early and term human placentas.
Br. J. Obstet. Gynecol., 93: 833-8.

Grigoeva, M.P.; Fateeva, E.M. and Gmoshinskaia, M.V. (1991):

Contents of vitamins A, E and beta-carotene in human milk depending on the character of maternal nutrition
Vopr. Pitan, (1): 27-30.

Gross, T. (1989):

Maternal and placental causes of intrauterine growth retardation.
A practical approach. Chicago, year Book: 57-67.

Gueri, M.; Jutsum, P. and Knight, P. (1977) :

The arm circumference at birth and its relations to other anthropometric parameters.
Arch. Latinoamer. Nutr.; 27 (4) : 403-10.

Gutcher, G.R.; Lax, A.A. and Farrell, P.M. (1984):

Vitamin A losses to plastic intravenous infusion devices and an improved method of delivery.
Am. J. Clin. Nutr., 40: 8-13.

Guthrie, H.A. (1989) :

Fat-soluble vitamins: vitamin A.
In Introductory Nutrition, 7th ed., C.V. Mosby Co., S.T. Louis. Toronto, London, P. 234-49.

Guzman, J.J. and Caren, L.D. (1991) :

Effects of prenatal and postnatal exposure to vitamin A on the development of the murine immune system.
Life Sci.; 49 (20) : 1455-62.

Haq, R.W. and Chytil, F. (1988):

Retinoic acid rapidly induces lung cellular retinol-binding protein mRNA levels in retinol deficient rats
Biochem. Biophys Res. Commun; 156: 712-6.

Harris, C.C.; Sporn, M.B. and Kaufman, D.G. (1972):

Histogenesis of squamous metaplasia in hamster tracheal epithelium caused by vitamin A deficiency of benzopyrene ferric oxide.
J. Natl. Cancer Inst., 48: 743-61.

Hartline, J.L. and Zachman, R.D. (1976):

Vitamin A delivery in total parenteral nutrition solution.
Pediatrics; 58: 448-551.

Hathcock, J.N.; Hattan, D.G.; Jenkins, M.Y.; McDonal, J.T. and Wilkening, V.L. (1990) :

Evaluation of vitamin A toxicity.
Am. J. Clin. Nutr., 52: 183-202.

Hay, W.W. Jr. (1985):

Nutrition of the fetus and premature.
Perinatal Neonatal., 4: 19-29.

Hendriks, H.F.J.; Verhoofstad, M.M. and Brouwer, A. (1985):

Perisinusoidal fat-storing cells are the main vitamin A storage sites in rat liver.
Exp. Cell Res., 160: 138-49.

Hendricks, K.M. (1990) :

Nutritional Assessment.
In Manual of Pediatric Nutrition, 2nd ed. Hendricks KM and Walker WA (Eds). B.C. Decker Inc. Toronto, Philadelphia : P. 1-58.

Henry, R.J. (1964):

Total Protein-Colorimetric method.
Clinical Chemistry, Harper and Row Publishers, New York P. 181.

Herrera, M.G.; Nestel, P.; El-Amin, A.; Fawzi, W.W.; Mohamed K.A. and Weld, L. (1992) :

Vitamin A supplementation and child survival.
Lancet; 340 (8814) : 267-71.

Hicks, V.A. and Olson, J.A. (1981):

The biliary excretion of radioactive metabolites of retinol as a function of liver reserves of vitamin A.
Fed. Proc., 40: 837.

Hodges, R.E.; Sauberlich, H.E. and Canham, J.E. (1978):

Hematopoietic studies in vitamin A deficiency.
Am. J. Clin. Nutr., 31: 876-85.

Howells, D.W.; Haste, F. and Rosenberg, D. (1986):

Investigation of vitamin A nutrition in pregnant
British Asians and their infants.
Hum. Nutr. Clin. Nutr., 40: 43-50.

Hurley, L. (1980):

Nutritional influences on embryonic and fetal development: Fat-soluble vitamins, water-soluble vitamins, major mineral elements, trace elements.
In Hurley L: Developmental Nutrition Englewood Cliffs NJ, Prentice Hall: PP. 125-227.

Hussein, L.; El Shawarby, O.; El Naggar, B. and Abdelmegid, A. (1988):

Serum vitamin A and carotene concentrations among Egyptian fullterm neonates in relation to maternal status.
Int. J. Vitam. Nutr. Res., 58 (2): 139-45.

Hussein, L. and El-Tohamy, M. (1989):

Effect of supplementation with vitamin A or plant carotenes on plasma retinol levels among young Egyptian males.
Int. J. Vitam. Nutr. Res., 59 (2): P. 229-33.

Hustead, V.A.; Gutcher, G.R. and Aderson, S.A. (1984):

Relationship of vitamin A (retinol) status to lung disease in the preterm infant.
J. Pediatr., 105: 610-5.

Hustead, V.A.; Greger, J. and Gutcher, G.R. (1988):

Zinc supplementation and plasma concentration of vitamin A in preterm infants.
Am. J. Clin. Nutr., 47: 1017-21.

Ibrahim, K.; Hassan, T.J. and Jafarey, S.M. (1991):

Plasma vitamin A and carotene levels in maternal and cord blood.

Asia Oceania J. Obstet. Gynaecol., 17 (2): 159-64.

Ijsselmuiden, C.B.; Hansen, J.D.; Glatthaar, I.; De Swardt, R.; Jaques, P.H. and Ellin, J.B. (1992) :

Vitamin A, childhood mortality, foresight and epidemiology.

S. Afr. Med. J.; 81 (4) : 182-3.

Ismadi, S.D. and Olson, J.A. (1982):

Dynamics of the fetal distribution and transfer of vitamin A between rat fetuses and their mother.

Int. J. Vitam. Nutr. Res., 52: 111-19.

Iyengar, L. and Apte, S.V. (1972):

Nutrient stores in human fetal livers.

Br. J. Nutr., 27: 313-7.

Jacobson, H.N. (1975):

Weight and weight gain in pregnancy. In: Barness LA, Pitkin RM, eds. Clinics in perinatology. Philadelphia WB Saunders: 233-6.

Jansson, L. and Nilsson, B. (1983) :

Serum retinol and retinol-binding protein in mothers and infants at delivery.

Biol. Neonate.; 43 (5-6) : 269-71.

Jayasekera, J.P.; Atukorala, T.M. and Seneviratne, H.R. (1991):

Vitamin A status of pregnant women in five districts of Srilanka.

Asia Oceania J. Obstet. Gynaecol., 17 (3): 217-24.

Jetten, A.M.; Rearick, J.J. and Smits, H.L. (1986):

Regulation of differentiation of airway epithelial cells by retinoids.

Biochem. Soc. Trans., 618: 930-3.

Jonxis, J.H. (1991) :

Vitamin A requirement during pregnancy and lactation.
Ned. Tijdschr. Geneeskde; 135 (26) : 1164-5.

Kartasasmita, C.B.; Rosmayudi, O. and Somantri, E.S. (1991):

Vitamin A and acute respiratory infections.
Paediatr. Indones, 31 (1-2): 41-9.

Keusch, G.T. (1990) :

Vitamin A supplements-too good not to be true.
New England J. Med.; 323 (14) : 985-7.

Khashaba, A. and Shoheib, S. (1993) :

Physical examination of the newborn.
In Essentials of Pediatrics, 2nd ed. Khashaba A and
Shoheib S (Eds). El-Madina Press : P. 10-4.

Kizer, K.W.; Fan, A.M. and Bankowska, J. (1990):

Vitamin A a pregnancy hazard alert.
West. J. Med., 152 (1): 78-81.

Knekt, P.; Aromaa, A. and Maatela, J. (1991) :

Serum micronutrients and risk of cancers of low
incidence in Finland.
Am. J. Epidemiol; 134 (4) : 356-61.

Koskinen, T.; Valtonen, P. and Lehtovaara, I. (1986):

Amniotic fluid retinol concentrations in late
pregnancy.
Biol. Neonate., 49: 81-4.

Koussoulakos, S. and Anton, H.J. (1991) :

Vitamin A-a probe in the study of growth, different-
iation and morphogenesis.
Izv. Akad. Nauk. SSSR. Biol.; 4 : 485-507.

Krugman, R.D. (1992):

Nutrition and nutritional disorders.
Review of Pediatrics, 4th ed. W.B. Saunders Company:
P. 15.

Kuhn, C. (1982):

The cytology of the lung: ultrastructure of the
respiratory epithelium and extracellular lining
layers. In: Farrell, P.M. ed. Lung development:
biological and clinical perspectives.
New York: Academic Press, 1: 27-55.

Lammer, E.; Chen, D. and Holar, R. (1985):

Retinoic acid embryopathy.
N. Engl. J. Med., 313: 837-41.

Landicho, B.; Lechtig, A. and Klein, R.E. (1985):

Anthropometric indicators of low birth weight.
J. Trop. Pediatr., 31: 301-5.

Lawson, E.E. and Stiles, A.D. (1987):

Vitamin A therapy for prevention of chronic lung
disease.
J. Pediatr., 111: 247-8.

Lev, R. and Orlic, D. (1973):

Uptake of protein in swallowed amniotic fluid by
monkey fetal intestine in utero.
Gastroenterology; 65: 60-8.

Lewis, J.M.; Bodansky, O. and Lillienfeld, M.C.C. (1974):

Supplements of vitamin A during pregnancy: their
effect on the levels of vitamin A and carotene in the
blood of mother and of newborn infants.
Am. J. Dis. Child., 73: 143-50.

Linusson, E.E.; Sanjur, D. and Erickson, E.C. (1974):

Validating the 24 hour recall method as a dietary
survey tool.
Arch. Latinom. Nutr., 24: 277.

Malina, R.M. Habieht, J.P. and Martorell, R. (1975):

Head and chest circumferences in rural Guatemalan ladino children: birth to seven years of age.
Am. J. Clin. Nutr., 28: 1061-70.

Mancini, G.; Carbonara, A.O. and Heremans, J.F. (1965):

Immunochemical quantitation of antigens by single radial immunodiffusion.
Immunochem., 2: 235.

Marcus, D.F.; Turgeon, P. and Aaberg, T.M. (1985) :

Optic disc findings in hypervitaminosis A.
Ann. Ophthalmol., 17: 397-402.

Martorell, R.; Yarbrough, C. and Malina, R.M. (1975):

The head circumference/ chest circumference ratio in mild-to-moderate protein calorie malnutrition.
J. Trop. Pediat. Environ. Child Hlth., 21: 203-7.

Martorell, R.; Yarbrough, C. and Leehtig, A. (1976):

Upper arm anthropometric indicators of nutrition status.
Am. J. Clin. Nutr., 29: 46-53.

Mayatepek, E.; Leichsenring, M.; Ahemd, H.M.; Laryea, M.D. and El-Karib, A.O. (1991):

Vitamin A supplementation in malnourished sudanese children.
Int. J. Vitam. Nutr. Res; 61 (3) : 268-9.

McKenna, M.C.; Robison, W.G. and Bieri, J.G. (1983) :

Cellular localization of vitamin A in rats given total parenteral nutrition (TPN) solutions intravenously or orally.
J. Nutr., 3: 1176-86.

McLaren, D.S.; Oomen, H.A. and Escapini, H. (1979):

Ocular manifestations of vitamin A deficiency in man.
Bull World Health Org., 34: 357-61.

Metcoff, J.; Costiloe, J.P.; Crosby, W. et al. (1981) :

Maternal nutrition and fetal outcome.
Am. J. Clin. Nutr., 34 (Suppl. 4): 708-21.

Metz, A.L.; Walser, M.M. and Olson, W.G. (1985):

The interaction of dietary vitamin A and vitamin D
related to skeletal development in the turkey poult.
J. Nutr., 115: 929-35.

Miller, D.R. and Hayes, K.C. (1982) :

Vitamin excess and toxicity.
In. Hathcock JN, ed. Nutritional toxicology. New York
Academic Press, 1: 81-133.

Miller, H. and Hassanein, K. (1971) :

Diagnosis of impaired fetal growth in newborn infants
Pediatrics, 18 (4): 511-22.

Miller, H. and Jekel, J. (1989) :

Malnutrition and growth retardation in newborn
infants.
Paediatrics, 83: 443-4.

**Mills, J.L.; Tuomilehto, J.; Yu, K.F. Colman, N.; Blaner,
W.S.; Koskel, P. and Rundle, W.E. (1992) :**

Maternal vitamin A levels during pregnancies
producing infants with neural tube defects.
J. Pediatr; 120 (6) : 918-9.

Mitchell, A.A. (1992) :

Oral retinoids. What should the prescriber know
about their teratogenic hazards among women of child
bearing potential?
Drug Saf.; 7 (2) : 79-85.

Mitchell, G.V.; Young, M. and Seward, C.R. (1973):

Vitamin A and carotene levels of a selected population
in metropolitan washington, DC.
Am. J. Clin. Nutr., 25: 992-7.

Mochizuki, M.; Maruo, T. and Masuko, K. (1984):

Effect of smoking on fetoplacental maternal system during pregnancy.
Am. J. Obstet. Gynecol., 149: 413-20.

Montreewasuat, N. and Olson, J.A. (1979):

Serum and liver concentrations of vitamin A in Thai fetuses as a function of gestational age.
Am. J. Clin. Nutr., 32: 601-6.

Moon, R.C. and Hri, L.M. (1984):

Retinoids and cancer. In: Sporn MB, Roberts AB, Goodman DS, eds. The retinoids.
New York: Academic Press, 14: 327-72.

Moore, K. (1971):

Vitamin A transfer from mother to offspring in mice and rats.
Int. J. Vitam. Nutr. Res., 41: 301-6.

Moore, K. (1988):

The fetal period in Moore KL (Ed.): The developing human, 4th ed.
Philadelphia W.B. Saunders Company: 87-103.

Morre, D.M. (1992) :

Intracellular actions of vitamin A.
Int. Rev. Cytol; 135 : 1-38.

Moskowitz, S.R.; Periera, G.R. and Spitzer, A. (1982):

Retinol binding protein levels in premature infants: effects of nutrient intake.
Pediatr. Res., 16: 301A (abstr).

Mukono, I.S.; Matsuo, M.; Komura, M. and Nakamura, H. (1992) :

Higher serum retinol-binding protein concentration in Indonesian neonates in Surabaya than Japanese neonates in kobe.
Biol. Neonate; 60 (3-4) : 163-7.

Nathanail, L. and Powers, H.J. (1992) :

Vitamin A status of young Gambian children :
biochemical evaluation and conjunctival impression
cytology.
Ann. Trop. Paediatr; 12 (1) : 67-73.

National Research Council (1989) :

Recommended dietary allowances.
10th ed. Washington, DC: National Academy Press.

Navarro, J.; Causse, M.B. and Desquilbet, N. (1984):

The vitamin A status of low birth weight infants and
their mothers.
J. Pediatr. Gastroenterol. Nutr., 3: 744-8.

Neel, N.R. and Alvarez, J.O. (1990):

Chronic fetal malnutrition and vitamin A in cord
serum.
Eur. J. Clin. Nutr., 44: 207-12.

Neeld, J.B. and Pearson, W.N. (1963):

Macro-and micromethods for the determination of serum
vitamin A using TFA.
J. Nutr., 74: 454.

Okabe, T.; Yorifuji, H. and Yamada, E. (1984):

Isolation and characterization of vitamin A storing
lung cells.
Exp. Cell. Res., 154: 125-35.

Olson, J.A. (1978):

Evaluation of vitamin A status in children.
World Rev. Nutr. Diet., 31: 130-4.

Olson, J.A. (1979):

Liver vitamin A reserves of neonates, preschool
children and adults dying of various causes in
salvador, Brazil.
Arch. Latinoam. Nutr., 29: 521-45.

Olson, J.A. (1982):

New approaches to methods for assessment of nutritional status of the individual.
Am. J. Clin. Nutr., 35: 1166-8.

Olson, J.A. (1983):

Adverse effects of large doses of vitamin A and retinoids.
Semin Oncol., 10: 290-3.

Olson, J.A. (1984):

Vitamin A. In: Maclin L. J. ed. Handbook of vitamins, nutritional, biochemical, and clinical aspects. New York: Marcel Dekker, Inc: 1-43.

Olson, J.A. (1987):

Recommended dietary intakes (PDI) of vitamin A in humans.
Am. J. Clin. Nutr., 45: 704-16.

Olson, J.A. (1989):

Provitamin A function of carotenoids: the conversion of β -carotene into vitamin A.
J. Nutr., 119: 105-8.

Oraby, H.A.; Galal, O.; Salem, S.L. and El Shamy, A. (1986):

Vitamin A status in rural population and its relationship to iron-deficiency anemia. Ph.D. Nutrition. Faculty of Home Economics, Helwan University, Egypt.

Panth, M.; Shatrugna, V. and Yasodhara, P. (1990):

Effects of vitamin A supplementation on hemoglobin and vitamin A levels during pregnancy.
Br. J. Nutr., 64 (2): 351-8.

Papagaroufalis, C.; Megreli, C.; Hagjigeorgi, C. and Xanthou, M. (1991) :

A trial of vitamin A supplementation for the prevention of intraventricular hemorrhage in very low birth weight neonates.
J. Perinat. Med.; 19 (1) : 382-7.

Parkinson, C.E. and Tan, J.Y. (1982):

Vitamin A concentration in amniotic fluid and maternal serum related to neural tube defects.
Br. J. Obstet. Gynecol., 89: 935-9.

Pasantes-Morales, H.; Wright, C.E. and Gaull, G.E. (1984):

Protective effect of taurine, zinc, and tocopherol on retinol-induced damage in human lymphoblastoid cells.
J. Nutr., 114: 2256-61.

Peeples, J.M.; Carlson, S.E.; Werkman, S.H. and Cooke, R.J. (1991):

Vitamin A status of preterm infants during infancy.
Am. J. Clin. Nutr., 53 (6): 1455-9.

Pinnock, C. (1991) :

Vitamin A.
Nurs. J. India; 82 (11) : 307-8.

Pitkin, R.M. (1979) :

Fetal ingestion and metabolism of amniotic fluid protein. In: Vissec HKA, ed. Nutrition and metabolism of the fetus and infant. The Hague: Martinus Nijhoff Publishers, 29-41.

Pitt, G.A.J. (1981):

The assessment of vitamin A status.
Proc. Nutr. Soc., 40: 173-8.

Rahmathulla, L. (199) :

Effect of receiving a weekly dose of vitamin A equivalent to the recommended dietary allowances among preschool children on mortality in south India.
Indian J. Pediatr; 58 (6) : 837-47.

Raica, N.; Jr. and Scott, J. (1972):

Vitamin A concentration in human tissues collected from five areas in the United States.
Am. J. Clin. Nutr.; 25 : 291-6.

Raubenstine, D.A.; Ballantine, T.V. and Greecher, C.P. (1990):

Neonatal serum protein levels as indicators of nutritional status : normal values and correlation with anthropometric data.
J. Pediatr. Gastroenterol Nutr.; 10 (1) : 53 - 61.

Rietz, P.; Vuilleumier, J.P. and Weber F. (1973):

Determination of the vitamin A bodypool of rats by an isotope dilution method.
Experientia; 29: 168.

Rizk, M.K.; Hussein, A.A.; El-Shazly, A.N.; Selim, L.A. and Mansour, M.M. (1992) :

Ocular manifestations in malnutrition.
Thesis, submitted for partial fulfillment of the Master Degree in Pediatrics.
Benha Faculty of Medicine, Zagazig University.

Rosa, F.W.; Wilk, A.L. and Kelsey, F.O. (1986) :

Teratogen update: vitamin A congeners.
Teratology; 33 (3): 355-64.

Rosenfeld, W.; Evans, H. and Concepcion, L. (1984):

Prevention of bronchopulmonary dysplasia by administration of bovine superoxide demutase in preterm infants with respiratory distress syndrome.
J. Pediatr., 105: 781-5.

Russell, R.M.; Boyer, J.L. and Lagheri, S.A. (1974):

Hepatic injury from chronic hypervitaminosis A resulting in portal hypertension and ascites.
N. Engl. J. Med., 291: 435-40.

Sasanow, S.R.; Spitzer, A.R. and Pereira, G.R. (1986):

Effect of gestational age upon prealbumin and retinol binding protein in preterm and term infants.
J. Pediatr. Gastroenterol. Nutr., 5 (1): 111-5.

Sauberlich, H.E.; Hodges, R.E. and Wallace, D.L. (1974):

Vitamin A metabolism and requirements in the human studied with the use of labeled retinol.
Vitam. Horm., 32: 251.

Shah, R.S. and Rajalakshmi, R. (1984) :

Vitamin A status of the newborn in relation to gestational age, body weight, and maternal nutritional status.
Am. J. Clin. Nutr., 40: 794-800.

Shah, R.S. and Rajalakshmi, R. (1987) :

Liver stores of vitamin A in human fetuses in relation to gestational age, fetal size and maternal nutritional status.
Br. J. Nutr., 58: 181-9.

Shah, R.S. and Rajalakshmi, R. (1988) :

Studies on human fetal tissues-I. Fetal weight and tissue weights in relation to gestational age, fetal size and maternal nutritional status.
Indian. J. Pediatr; 55 (2) : 261-7.

Sharm, A.; Lewandoski, J.R. and Zimmerman, J.J. (1990):

Retinol inhibition of in vitro human neutrophil superoxide anion release.
Pediatr. Res., 27: 574-9.

Shenai, J.P.; Stahlman, M.T. and Chytil, F. (1981):

Vitamin A delivery from parenteral alimentation solution.
J. Pediatr., 99: 661-3.

Shenai, J.P.; Chytil, F. and Stahlman, M.T. (1985):

Vitamin status of neonates with bronchopulmonary dysplasia.
Pediatr. Res., 19: 185-8.

Shenai, J.P.; Kennedy, K.A. and Chytil, F. (1987):

Clinical trial of vitamin A supplementation in infants susceptible to bronchopulmonary dysplasia.
J. Pediatr., 111: 269-77.

Shenai, J.P.; Kennedy, K.A. and Jhaveri, A. (1990):

Plasma vitamin A and retinol-binding protein in premature and term neonates.
J. Pediatr., 116: 611-5.

Sherman, D.R.; Liloyd, R.S. and Chytil, F. (1987):

Rat cellular retinol-binding protein: cDNA sequence and rapid retinol dependant accumulation of mRNA.
Proc. Natl. Acad. Sci. USA; 84 (10): 3209-13.

Shirali, G.S.; Oelberg, D.G. and Mehta, K.P. (1989):

Maternal-neonatal serum vitamin A concentrations.
J. Pediatr. Gastroenterol. Nutr., 9 (1): 62-6.

Silverman, S.H. and Lecks, H.I. (1982):

Protein-calorie deficiency and vitamin indiscretion in an atopic child who developed hypervitaminosis A.
Clin. Pediatr. (Phila); 21: 172-4.

Simpson, K.L. (1983):

Relative value of carotenoids as precursors of vitamin A.
Proc. Nutr. Soc., 42: 7-17.

Sivakumar, B. (1991) :

Improved methods for determining vitamin A status.
Indian J. Pediatr; 58 (4) : 426-9.

Skare, K.L.; Schnoes, H.K. and Deluca, H.F. (1982):

Biliary metabolites of all-trans retinoic acid in the rat: isolation and identification of a novel polar metabolite.
Biochemistry; 21: 3308-18.

Sklan, D.; Shalit, I. and Lasebnik, N. (1985):

Retinol transport proteins and concentrations in human amniotic fluid, placenta, and fetal and maternal sera.
Br. J. Nutr., 54: 577-83.

Smith, A.H. (1982):

Relationship between vitamin A and lung cancer.
Natl Cancer Inst. Monogr; 62: 165-6.

Smith, F.R. and Goodman, D.S. (1976):

Vitamin A transport in human vitamin A toxicity.
N. Engl. J. Med., 294: 805-8.

Smithells, R.; Sheppard, R. and Schorah, C.J. (1981):

Apparent prevention of neural tube defects by periconceptual vitamin supplementation.
Arch. Dis. Child; 56: 911-8.

Smithells, R.; Sheppard, R. and Wild, J. (1989):

Prevention of neural tube defect recurrences in yorkshire: Final report.
Lancet, 2: 498-9.

Socol, M.; Manning, F. and Murata, Y. (1982):

Maternal smoking causes fetal hypoxia: Experimental evidence.
Am. J. Obstet. Gynecol., 142: 214-8.

Sommer, A.; Katz, J. and Tarwotjo, I. (1984):

Increased risk of respiratory disease and diarrhea in children with pre-existing mild vitamin A deficiency.
Am. J. Clin. Nutr., 40: 1090-5.

Sporn, M.B. and Roberts, A.B. (1983):

Role of retinoids in differentiation and carcinogenesis.
Cancer Res., 43: 3034-40.

Sporn, M.B.; Roberts, A.B. and Goodman, D.S. (1984):

The retinoids.
New York : Academic Press, Vol. I and II.

Staab, D.B.; Hodges, R.E. and Metcalf, W.K. (1984):

Relationship between vitamin A and iron in the liver.
J. Nutr., 114: 840-4.

Stänge, L.; Carlstrom, K. and Eriksson, M. (1978):

Hypervitaminosis A in early human pregnancy and malformations of the central nervous system.
Acta. Obstet. Gynecol. Scand, 57: 289-91.

Surken, R.A. and Phelps, D.L. (1987):

New strategies for the prevention of bronchopulmonary dysplasia.
Clin. Perinatol., 14: 599-620.

Takahashi, Y.I.; Smith, J.E. and Goodman, D.W.S. (1977):

Vitamin A and retinol binding protein metabolism during fetal developmental in the rat.
Am. J. Physiol., 233: 263-72.

Torma, H. and Vahlquist, A. (1986):

Uptake of vitamin A and retinol binding protein by human placenta in vitro.
Placenta, 7: 295-305.

Tyler, H.A.; Day, M.J. and Rose, H.J. (1990) :

Vitamin A and Pregnancy.
Lancet; 337 (8732) : 48-9.

Udomkesmalee, E.; Dhanamitta, S.; Sirisinha, S.; Banjong, O.; Charoenkatkul, S. and Tuntipopipat, S. (1992) :

Effect of vitamin A and zinc supplementation on the nutriture of children in Northeast Thailand.
Am. J. Clin Nutr; 56 (1) : 50-7.

Underwood, B.A. (1984):

Vitamin A in animal and human nutrition. In Sporn MB, Roberts, SB, Goodman DS, eds. The retinoids.
Vol. 1. Orlando, FL: Academic Press, Inc: 281-392.

Underwood, B.A. (1986):

The safe use of vitamin A by women during the reproductive years.
Washington, DC: International Life Sciences Institute Nutrition Foundation.

US Department of Agriculture (1984):

Composition of foods.
Agriculture Handbook 8, Washington, DC: US Government Printing Office.

Varma, R.N. and Beaton, G.H. (1972):

Quantitative aspects of the urinary and fecal excretion of radioactive metabolites of vitamin A in the rat.
Can. J. Physiol. Pharmacol., 50: 1026-37.

Vobecky, J.S.; Vobecky, J. and Shpacott, D. (1982):

Biochemical indices of nutritional status in maternal cord, and early neonatal blood.
Am. J. Clin. Nutr., 36: 630-42.

Wake, K. (1980):

Perisinusoidal stellate cells, their related structure in and around the liver sinusoids, and vitamin A storing cells in extrahepatic organs.
Int. Rev. Cytol., 66: 303-53.

Wallingford, J.C.; Milunsky, A. and Underwood, B.A. (1983):

Vitamin A and retinol binding protein in amniotic fluid.
Am. J. Clin. Nutr., 38: 377-81.

Walters, B.N. and Gubbay, S.S. (1981):

Tetracycline and benign intracranial hypertension.
Br. Med. J. 282: 19-20.

WHO (1982):

Control of vitamin deficiency and xerophthalmia.
Tech. Rep. Ser. No. 692.

Woodruff, C.W.; Latham, C.B. and James, E.P. (1986):

Vitamin A status of preterm infants: the influence of feeding and vitamin supplements.
Am. J. Clin. Nutr., 44: 384-9.

Woodruff, C.W.; Latham, C.B. and Mactier, H. (1987):

Vitamin A status of preterm infants: correlation between plasma retinol concentration and retinol dose response.
Am. J. Clin. Nutr., 46: 985-8.

Worthington-Roberts, B. (1985):

Nutrition deficiencies and excesses. Impact on pregnancy, Part 2.
J. Perinatol., 5: 12-21.

Yassai, M.B. and Malek, F. (1989):

Newborns vitamin A in relation to sex and birth weight.
J. Trop. Pediatr., 35 (5): 247-9.

Yates, J. (1988):

The genetics of fetal and postnatal growth.
In: Cockburn F. (Ed.): Fetal and Neonatal Growth, New York, John Wiley and Sons: 1-10.

Zachman, R.D. (1988):

Effect of oxygen exposure on newborn rabbit lung and liver retinol stores.
Int. J. Vitam. Nutr. Res., 58: 17-21.

Zachman, R.D. (1989):

Retinol (vitamin A) and the neonate: special problems of the human premature infant.
Am. J. Clin. Nutr., 50: 413-24.

Zachman, R.D.; Kakkad, B. and Chytil, F. (1984):

Perinatal rat lung retinol (vitamin A) and retinyl palmitate.
Pediatr. Res., 18: 1297-9.

Zeitlin, M.F.; Megawangi, R.; Kramer, E.M. and Armstrong, H.C. (1992) :

Mothers' and children's intakes of vitamin A in rural Bangladesh.
Am. J. Clin. Nutr; 56 (1) : 136-47.