

REFERENCES

- Abd Al-Aziz AM , Elbostany EA, Abd Allah N, Attia HR (2001):** Serum leptin and some immunological aspects in obesity. JAC. 12; 1:117-133.
- Alden JF, (1997):** Gastric and jejunoileal bypass: A comparison in the treatment of morbid obesity. Arch Surg 112; 799-804.
- Allen J.W, Coleman M.G and Fielding G.A (2001):** Lessons learned from laparoscopic gastric banding for morbid obesity : Am J Surg 182:10-14.
- Atkinson R.L. (1989):** Low and very low calorie diets. Medical clinics of North America 73; 1:203-211.
- Atkinson R.L (1996):** Role of nutrition planning in the treatment of obesity Endocr Metab Clin North Am 25; 955-959.
- Baum MR, Leibel RL (1998):** Physiology and body weight regulation, relevance to the aetiology of obesity in children. Journal of pediatrics. 101; 525-538.
- Balsiger BM, Poggio JL, Mai J, et al (2000):** Ten and more years after vertical banded gastroplasty as primary operation for morbid obesity. J Gastrointest Surg 4; 598-605.
- Baron RB (1998):** Obesity ; Nutritional & Metabolic disorders, in Current medical diagnosis and treatment , 37th ed. Krupp M.A.(ed), Chap. 29, Lange Medical publications, California ; 1161-1164.
- Bellachew M, Legrand M, Vincent V, et al (1994):** Laparoscopic adjustable gastric banding, World J Surg 22; 955-963.
- Bray G.A. (1989).** Classification and evaluation of the obesities. Medical clinics of North America 73; 1: 161-181.
- Bray G.A (1998):** Obesity, In: Harrison's textbook of principles of internal medicine. Anthony S. Fauci, Eugene Braunwald, Kurt J. Isselbacher, Jean D. Wilson, Joseph B. Martin, Dennis L. Kasper, Stephen L. Hauser and Dan L. Longo (eds.) 75, 14th edition, McGraw-Hill Company, New York ; 454-462.

Bray GA (1999): Classification and evaluation of obesity. In Handbook of obesity, Bray GA, Bouchard C, James WPT (eds):. New York, Marcel Dekker ; 835-846.

Brolin R.E, Kehner A.H., Gorman J.H. and Cody R.P (1992): Long limb gastric bypass in the superobese. Ann Surg 215 ; 4 : 387-395.

Brolin R.E., Robertson L.B., Kenler H.A. and Cody R.P (1994): Weight loss and dietary intake after vertical banded gastroplasty and Roux-en-Y gastric bypass. Ann Surg 220; 782-790.

Brolin RE; Gorman H, Gorman RC. et al (1998): Prophylactic iron supplementation after Roux-en-Y gastric bypass: A prospective, double-blind, randomized study. Arch Surg 133 ; 740-744.

Brolin RE (2000): Complications of surgery for severe obesity. Prob in Gen Surg 17; 55-61.

Brolin RE (2001): Gastric bypass. Surg Clin North Am. 73 ; 5: 1077-1097.

Bruce DS. (2000). Laproscopic Bariatric Surgery. Surg Clin North Am 80 ; 4: 1235-1267.

Buckwalter JA, Herbst CA (1988): Leaks occurring after gastric bariatric operations Surgery 103; 156-160.

Bump RC, Sugerman HJ, Fanti JA, et al (1992): Obesity and lower urinary tract function in women: Effect of surgically induced weight loss. Am J Obstet Gynecol 167; 392-399.

Byrne TK (2001): complication of surgery for obesity surg Clin North Am 73 ; 5: 1181-1195.

Campos C.T., Buchwald H. and Boudages H (1996): Surgery for obesity, in text of digestive tract surgery, Richard H. Bell, Layton F.Rikkers and Michael W. Mullholland (eds.), Ch.. 10, Lippincott-Raven Publisher, Philadelphia ; 281-294.

Capella JF (1996): staple disruption and marginal ulceration in gastric by pass procedures for weight reduction obes. Surg. 6 ; 44-51.

Capella JF, Capella RF (1996): The weight reduction operation of choice: Vertical banded gastroplasty or gastric bypass. *Am J Surg* 171; 74-79.

Chung RS, Anderson RP, (1987): Gastric adaptive changes following experimental gastroplasty. *J Surg Res* 43; 264-270.

Clark M.L, (1999): Nutrition, in textbook of clinical medicine, Parveen Kumar and Michael dark (eds.), Ch3, 4th edition, Saunders W.B. Company, Edinburgh; 207-210.

Cucchi SG. Pories WJ, MacDonald EK, et al (1995): Gastrogastic fistulas: A complication of a divided gastric bypass surgery. *Ann Surg* 221; 387-391.

Dachtler J, Johnston D, Halstead J.C. and King R.F.GJ (1999): Partial ileal resection for hypercholesterolemia in patients undergoing surgery for obesity. *British J Surg* 86; 1256-1258.

DeMarea EJ, (2001): Laparoscopic adjustable silicone gastric by pass surg *Clin North Am* 73 ; 5: 1129-1145.

DeMaria EJ, Sugarman HJ, Kellum JM (2001): High failure rate following laparoscopic adjustable silicone gastric banding for treatment of morbid obesity. *Ann Surg* 223; 809-818.

DeMarea EJ, sugarman HJ, Kellum JM, and Wolfe L, (2002): Results of 281 consecutive total laparoscopic Roux- en-Ygastric by pass to treat morbid obesity, *Ann Surg* 235; 5: 640-647.

Dempster p, and Aitkans S (1995): A new air displacement method for the determination of human body composition : *Med Sci Sports Exercise.* 27 ; 1692-1697.

De Waele B, Reynaert H, urbain D. Willems G.(2000): Intragastric balloons for preoperative weight reduction. *Obes Surg* 10; 58-60.

De wit 1999: laparoscopic gastric banding in obesity , *Ann J Surg* 230; 6: 801-807.

Doherty C, Maher JW, Heitshusen DS, (1998): Prospective investigation of complication , reoperative and sustained weight loss and adjustable gastric

banding device for treatment of morbid obesity . J Gastrointest Surg 2; 102-108.

Doherty C, (2001): Vertical banded gastroplasty surg Clin North Am 73 ; 5: 1097-1113.

El Damaty SI (1994): Prevalence and socio-behavioral risk factors of overweight and obesity. MD thesis in public health, Faculty of Medicine, Ain Shams university.

Epstein LH, Valoski AM, Wing RR, McCurlay J (1994): ten years outcomes of behavioral family – based treatment for obese children . JAMA 264 ; 2519-2523.

Eric JD, (2001): Laparoscopic Adjustable Silicon Gastric Banding . Surg Clin North Am 81; 5: 1129-1144.

Eric JD, Harvey JS, Jill GM, Ren BS, James MD, John MK , Wolfe L, Richard AS, and Mary A (2001). High Failure Rate After Laparoscopic Adjustable Silicon Gastric Banding for Treatment of Morbid Obesity. Ann. Surg 233; 6: 809-818.

Ersek RA (1989). Serial suction lipectomy. Surg. Clin. North. Am In plastic Surgery 116; 107-118

Evans J.D. and Scott M.H.. (2001). Intra-gastric balloon in the treatment of patients with morbid obesity. Br. J. Surg 88; 1245 –1248.

Flancbaum LF. Choban PS, Bradley LR, et al,(1997): Changes in measured energy expenditure after Roux-en-Y gastric bypass for clinically severe obesity. Surg 122; 943-949.

Flier J.S (2001): obesity : In Harrison's text book ; principles of internal medicine Isselbacher KJ, Braunwald E and Wilson J (eds) "15th" edition 1; 479-486.

Fobi MAL, Lee H, Holness R, et al, (1998): Gastric bypass operation for obesity. World J Surg 22; 925-935.

Forsell P, Hellers G.(1984): The Swedish Adjustable Gastric Banding (SAGB) for morbid obesity: Nine-years experience and a 4-years follow-up of patients operated on with a new adjustable band. *Obes Surg* 7; 345-351.

Foster D.W, (1992): Eating disorders; obesity, anorexia nervosa, and bulimia nervosa. In: *William's textbook of Endocrinology*, Jean D. Wilson and Daniel W. Foster (eds.), Ch.25, 3rd edition. Saunders W.B. Company, Philadelphia; 1335-1363.

Fox S.I, (1996): Regulation of metabolism. In: *Textbook of human physiology*. Stuart Ira Fox (eds.), Ch 19, 5th edition. Brown W.C. publishers . Boston ; 578-591.

Frier B.M., Truswell A.S., Sheperd J., De Looy A. and Jung R. (1999): Diabetes mellitus, and nutritional and metabolic disorder. In: *Davidson's, principles and practice of medicine* ,Christopher Haslett, Edwin R.Chilvers, John A.A. Hunter and Nicholas A. Goon (eds.), Ch. 7,18th edition, Churchill livingstone, Edinburgh ; 526-531.

Ganong W.F, (1997): Central regulation of visceral function. In: *Review of Medical Physiology.*, William F. Ganong (ed.), Ch.14, 16th edition, Appleton and Lange, Norwalk ; 213-215.

Garrow J.S, (1996): Obesity. In: *Oxford textbook of medicine* , Weatherall DJ. Edmgham J.G.G. and Warriell D.A. (eds). *Clin.I0*, 3rd edition oxford University press , Oxford 1; I30I-I3I3.

Gazet J.C,(1996): Surgical treatment of obesity , Recent advances of surgery , edited by , Johnson and Taylor (EDS) 12 ; 19: 199-214 .

Geliebter A,(1990):Gastric balloon to treat obesity , *Am J Clin Nutr* 51 ; 584-588.

Gerliebter A, Melton PM, McCray RS, Gage D, Heymsfield SB, Abiri M et al., (1991). Clinical trial of silicon –rubber gastric balloon to treat obesity *Int J Obes* 15; 159-66.

Gianetta E, Adami GJ, Friedman D,(1987): Protein malnutrition after biliopancreatic diversion . Int J Obes. 11:50-51.

Gokhan S, Arner B, Atkinoson RL Spiegelman BM. (1997) : Differential regulation of the P80 tumor necrosis factor receptor in human obesity and insulin resistance. Journal of diabetes 46; 451-456.

Goran MI. (1998): Measurement issues related to studies of childhood obesity Journal of pediatrics 101; 3: 505-518.

Grace DM, (1992) : The demise of horizontal gastropasty. Prob Gen Surg 9 ; 260-265.

Gray D.S., (1989): Diagnosis and prevalence of obesity Med Clin North Am 731; 1-12.

Grazer FM.(1990): Abdominopisty, Mc-Cathy, plastic surgery 6; 26-29.

Green field , LJ . (1994): Principles of surgery, 6th ed., in chief symor. I. Schwartz McGraw . Hill inc York , London . Venous and lymphatic disease; 989-1015 .

Griffen WO, Young L, Stevenson CC, (1977): A prospective comparison of gastric and jejunoileal bypass procedures for morbid obesity Ann Surg 186; 500-509.

Griffen WO (1992): Bariatric surgery in the 1990s. Advances in Surgery 25; 99-117.

Grundy SM (1991): Gastrointestinal surgery for severe obesity: NIH Consensus Development Conference Panel. Ann Intern Med 115; 956-961.

Guyton AC (1991): Endocrinology , metabolism and temperature regulation , obesity and starvation, in textbook of medical physiology, edited by Guyton A.C., W B. Saunders comp., Philadelphia , 8th ed ; 759-767

Guyton AC and Hall J.E,(1997): Dietary balances, regulation of feeding, obesity and vitamins. In Textbook of human physiology and mechanism of disease, Arthur C. Guyton and John E. Hall (eds.), Ch.48,6th edition , Saunders W.B. Company, Philadelphia ; 583-586.

Hadvary P, Lengsheld H, Walter H,(2000) : inhibition of pancreatic lipase in vitro by the covalent inhibitor tetrahydrolipostatin. *Biochem J* 256; 357-361.

Harmlen VV Eriksson P, Arner P et al (1998) ; leptin secretion from subcutaneous and visceral adipose tissue in women . *Journal of diabetes* 47; 913-919

Heniford T., Matthews B.D., Sing R.F et al (2000): Initial results with a stapled gastrojejunostomy for the laparoscopic Isolated roux-en-Y gastric bypass . *Am J surg* 179; 476 -481.

Higa KD, Boone KB, et al (2000): Laparoscopic Roux-en-Y gastric bypass for morbid obesity: Technique and preliminary results of our first 400 patients. *Arch Surg* 135; 1029-1033.

Hirsch J, Fried SK and Edens Nk (1989): The fat cell, *Med Clin North Am* 73:83.

Hodge A.M and Zimmet AC (1994): The epidemiology of obesity. In *Bailliere's clinical endocrinology and metabolism*. Caterson LD. (ed.), Ch.5, Bailliere Tindall. London. 8 ; 3: 577-583.

Hunstad JP. (1996): Body Contouring in the obese patients. *Clin plast Surg* 33; 117.

Jeanine A.B, Morphy L, Frager H. D et al (1997): visceral fat and race-dependent health risks in obese non diabetic premenopausal women : *Journal of diabetes* 46; 456-462.

Johnston D. and Sue-Ling H (1995): Surgical management of morbid obesity .*Essential surgical practice* , Cuschieri A, Giles RG, and Mossa RA. (eds), 3 rd ed., 2 , 69; 1036 -1044

Jung. RT. and Cuschieri A. (2000): Obese patients. *Essential Surgical practice*. (eds.). A Cuschieri RJC Steel and Ar Mossa. 4th edition, Volume 1, module 9; 227 -240.

Karl J.G. (1989): Surgical treatment of obesity. *Med clin of North Am* 73; .1: 251-265.

Kellum JM, Kuemmerle JF, O'Dorisio TM, et al (1990): Gastrointestinal hormone response to meals before and after gastric bypass and vertical banded gastroplasty. *Ann Surg* 211; 763-771.

Kissebah AH, Freedman DS and Peiris AN (1989): Health risks of obesity. *Med Clin North Am* 73; 1 : 111-138.

Kissebah AH, Krakower GR (1994): Regional adiposity and morbidity. *Physiol Rev* 74; 761-811.

Klauer J. and Aronne L.J (2002): Managing overweight and obesity in women. *clinical obstetric and gynecology journal* 45; 4:1080-1088

Klein JA (1993). Tumescence technique for local anesthesia improves safety in large volume liposuction. *PRS*; 992: 1085.

Klein S (2001): Medical treatment of obesity. *surg Clin North Am* 73; 5: 1025-1039.

Kolanowski J (1997): Surgical treatment for morbid obesity. *Br Med Bull.* 53; 433-438.

Kral J.G (1989): Surgical treatment of obesity, *Med Clin. Of North Am* 73; 1: 251-265

Kral JG (2001): morbidity of severe obesity. *surg Clin North Am* 73; 5: 1039-1063.

Kuzmak AI and Burak E (1993): Myth or reality? Impressions from serial upper. gastrointestinal sense in silicone gastric banding patients. *Obes Surg* 3; 57-62.

Laws HL, Piantadosi S (1981): Superior gastric reduction procedure for morbid obesity: A prospective randomized trial. *Ann Surg* 193; 334-340.

Linner J (1994): Surgery for morbid obesity. New York, Springer-Verlag, 84; 75-78.

Lohman TG (1996) : Applicability of body composition technique and constants for children and youths. *Exercise sports Sci. Rev* 14; 235-257.

Macgregor A (1999): The story of surgery of obesity , www.Asbs.Org.

Macintyre I.M.C. and Johnstone J.M.S (1995): Surgery of stomach and duodenum, in: Farquharson's textbook of operative surgery, Rantoul R.F.(ed.), Ch.17, 8th edition, Churchill Livingstone, Edinburgh ; 367-401.

Mann CV (1992): The small and large intestines. In: Baily and Love's text book of short practice of surgery, Mann C.V. and Russell R.C.G. (eds.). Ch.49 21st edition. Chepman and Hall Medical, London; 1125-1167.

Marceau P, Hould FS, Lebel S, Marceau S, Biron S (2001): Mal absorptive obesity surgery surg Clin North Am 73 ; 5: 1113-1129.

Marceau P, Mould PS, Simard S, et al (1998): biliopancreatic diversion with duodenal switch . World J Surg 22; 947-954.

Mason EE, Ito CC (1967): Gastric bypass in obesity. Surg Clin North Am 47; 1345-1354.

Mason E.E.(1986): Gastric reduction for obesity. In : Textbook of surgery of the stomach and duodenum. Loyd M. Nyhas and Christopher Wastell (eds.), Ch.29,4th edition, Little, Brown Company, Boston; 809-825.

Mason E.E (1992): Gastric surgery for morbid obesity, surgical clinics of North America 72; 2: 501-513.

Mason EE, Printen KJ, Blommers TJ. et al (1971): Gastric bypass in morbid obesity. Am J Clin Nutr 33; 395-405.

Mason E.E (1981): Surgical treatment of morbid obesity , Ann J Surg 26; 39-57.

Mason E.E., Cornelius D. and Maher J.W (1995): Gastric reduction for obesity. in: textbook of surgery of the esophagus, stomach and small intestine, Christopher wastell, Lloyd M. Nyphus and Philip E. Donahue, Ch.51, 5 edition. Little and Brown Company, Boston; 677-690.

Mathew B., Singr, Delege M, etal (2000): Initial results with stapled gastrojejunostomy. For the laparoscopic Roux –en-y gastric by pass Am J Surg 179 ; 476-481.

Mazess RB, Barden HS, Bisek JP, Hasnson J (1990): Dual-energy X-ray absorptiometry for total body and regional bone mineral and soft tissue composition Am J Clin Nutr 51; 1106-1112

Menguy R (1990): Morbid obesity, Maingot's Abdominal Operations, seymour I Schwartz and Harold Ellis.(ed) Vol. 1,9th edition, Appleton century, crofts Nor Malk, connectiut 34; 771-790.

Nehoda H, Weiss H, Labeck B. et al (2001): Results and complications after adjustable gastric banding in a series of 250 patients Am J surg 181; 12-15

Nguyen NT, Ho HT, Palmer S, et al (2000): A comparison of laparoscopic versus open gastric bypass for morbid obesity. J Amer Coll Surg. 191; 149-155.

Ninh TN, Charles G, Jhon R, Andres A, Carol JC, Steven JL and Bruce M (2001): Laparoscopic Versus Open Gastric Bypass: A Randomized Study of Outcomes , Quality of Life and Costs. Ann Surg 234; 3: 279-291.

O'Leary JP (1982): Partition of the lesser curvature of the stomach, in morbid obesity. Surg Gynecol Obstet 85; 154-159.

Overbo KK, Hatlebakk JG, Viste A, et al (1999): Gastroesophageal reflux in morbidly obese. patients treated with gastric banding or vertical banded gastroplasty. Ann Surg. 228:51-58.

Pietrobbli A, formica C and Wangz H (1996): Dual-enegy x-ray absorptiometry body composition model : review of physical concepts. Am J physiol 34; 941-951.

Pi-Synyer X.F (2000): Obesity. In Cesil textbook of medicine, Lee Goldman and Claude J. Benett (eds.), Ch. 228,21st edition , Saunders W.B. Company, Philadelphia; 1155-1162.

Pories J.W (1997): The surgical approach to morbid obesity , Biological basis of modern surgical practice ,edited by , Sabiston CD.,14th edition 2; 851 -866.

Regnault P, Daniel R (1984): Thigh and buttock deformities after classical techniques. Clin Plast Surg 11; 405-413.

Ren C, Patterson E, Gagner M(2000): Early results of laparoscopic biliopancreatic diversion with duodenal switch: A case series of 40 consecutive patients. *Obes Surg* 10; 514-523.

Ross R, Degnone D, Jones HJP (2000): Reduction in obesity and related comorbid conditions after diet induced weight loss or exercise induced weight loss in men. *Ann Intern Med* 133; 92-103.

Sagar P.M (1995): Surgical treatment of morbid obesity. *British Journal of Surgery* 82; 732-739.

Salmon AC, Thompson W R (1992) : Surgery for morbid obesity an overview *Am J Surg* 75; 10: 489:492.

Schauer PR and Ikramuddin S (2001). Laparoscopic Surgery for Morbid obesity. *Surg. Clin. Of North Am.* Vol. 81. No.5. October. P.1145.

Scheen A.J., Desai C. and Lefebvre P.J (1994): Therapy for obesity-today and tomorrow. In: *Baillieres clinical endocrinology and metabolism*. Caterson I.D. (ed.) 10; 8 3: 705-727.

Schirmer B.D(2000): Laparoscopic bariatric procedures, in: *Mastery textbook of endoscopic and laparoscopic surgery*. Stephen W. Eubanks, Lee L. Swannstrom, Nathaniel J. Soper and Michael Leonard (eds.), Ch.6, Lippincott Williams and Wilkins, Philadelphia ; 220-230.

Scopinaro N, Adami GF, Marinari CM, et al (1989): Biliopancreatic diversion. *World J Surg* 22; 936-946.

Scopinaro N, Gianetta E, Adami GF (1996): Biliopancreatic diversion for obesity at eighteen years *Surg* 119; 261-268.

Scopinaro N, Adami GF, Marinari GM (1998): Biliopancreatic diversion . *world J Surg* 22; 936-946.

Segal K.R., and Pi-Sunyer X.F (1989): Exercise and obesity. *Med Clinic North Am* 73 ; 1 : 217-228.

Shiftman ML, Sugerman HJ, Kellum, JM, et al (1993): Gallstone formation in patients with morbid obesity: Relationship to body weight, weight loss and

gallbladder bile cholesterol solubility. *Int J Obes in Relat Metab Disord* 17; 153-158.

Spirito P, Bellone P, Harris KM, et al (2000): Magnitude of left ventricular hypertrophy and risk of sudden death in hypertrophic cardiomyopathy. *N Engl J Med* 342; 1778-1785.

Sugerman HJ (1990): Evolution of gastric procedures for morbid obesity in Oomura Y, editor progress in obesity research –London : Jhon Libbey Co.,597.

Sugerman HJ (1995): Prophylactic ursodeoxy-cholic acid prevents gallstone formation following gastric bypass induced rapid weight loss A multicenter placebo controlled randomized double blind prospective trial. *Am J Surg* 169; 91-97.

Sugerman HJ (1997): Morbid obesity. In : Maingott's textbook of abdominal operation. Michal J. Zinner Seymour I. Schwartz, Harold Ellis, Saterley W. Ashly and David W. Mcfadden (eds.), Ch. 33,10th edition, Appleton and Lange, USA; 1057-1077.

Sugerman H.J, Felton W.L, Sismanis A et al (1999): gastric surgery for pseudo tumor cerebri associated with severe obesity , *Annals of surgery* 229; 5: 634-642.

Sugerman HG (2001): Effect of increased intra abdominal pressure in severe obesity surg. *Clin. North Am* 73; 5: 1063-1077.

Sugerman H, Windsor A, Bessos M and wolf M. (1997): Abdominal pressure, sagittal abdominal diameter and obesity comorbidity *J Int Med*; 241:71.

Sugerman HL Felton WL III, Sismanis A, et al (1999): Gastric surgery for pseudotumor cerebri associated with severe obesity. *Ann Surg* 229; 634-642

Sugennan HJ, Sugerman EL, Wolfe L, et al (2001): Risks/benefits of gastric bypass in morbidly obese patients with severe venous stasis disease. *Ann Surg* 234; 41-46.

Sung RYT, Lau P, Yu CW, Lam PKW , Nelsson EA (2001): Measurements of body fat using leg to leg bio impedance, Arch J Dis Child. 85 ; 263-267.

Teimourian B (1989): Complication associated with suction lipectomy. Clinics in plas Surg 16 ; 385-392.

Tretbar LL, Taylor TL Sifers EC (1976): Weight reduction: gastric plication for morbid obesity J Kans Med Soc 77; 488-452.

Wadden A., and Foster D., (2000): Behavioral treatment of obesity. Med Clin North Am 84; 2: 441-461.

Wadden TA, serwar DA , Womble LG, et al (2001): psychological aspect of obesity and obesity surgery surg Clin North Am 73; 5: 1001-1025.

walsh BT, (2001): Eating disorders. In Harrison's text book ; principles of internal medicine Isselbacher KJ, Braunwald E and Wilson J (eds) "15th" edition 1; 479-486

Weintraub M. and Bray G (1989): Drug treatment of obesity Med Clin North. Am 73; 1:237 - 247.

Weiss H.G, Nehoda H, Laback B et al (2001) : Treatment of morbid obesity with laparoscopic adjustable gastric banding affects esophageal motility : Am J surg 180; 479-483.

Wilkinson LH, Peloso OA (1981): Gastric (reseivoir) reduction for morbid obesity Arch Surg 116; 602-605.

Winton, E., Clark, D and Edlmann R (1995): Social anxiety, fear of negative evaluation and the detection of negative emotional in others. Behavior Research and the Therapy 33; 193-196.

Witgrove AC, clark GW (1996): Laparoscopic gastric bypass, Roux-en-Y, technique and results in 75 patients with 3-30 months follow up: Obes Surg 6; 500-504.

Wittgrove Ac, Clark GW (2000): Laparoscopic gastric bypass, Roux-en Y 500 patients. Technique and results. With 3-60 month follow –up obesity Surg 10; 233-239.

Zang Y, Proenca P, Maffei M, et al (1994): Positional cloning of the mouse obese gene and its human homologue. *Nature* 372; 425-432.