

#### **XIV- REFERENCES**

## REFERENCES

**Albin, C. and Rifikin, H. (1986):**

*The diabetic state, In: The skin in diabetes, Edited by J. E. Jelinek, Lea & Febiger, Philadelphia, P. 1.*

**Al-Fouzan, A. and El-Ramly, M. (1987):**

*Lichen planus actinicus: A clinical, histological and immunofluorescent study; J. of the Kuwait Med. Association 21(3): 183-190.*

**Allen, G. E. (1969):**

*Diabetes Mellitus and the skin, Practitioner, 203: 189.*

**Alteras, I. and Staryt, E. (1979):**

*Prevalence of Pathogenic fungi in the toe-webs and toe nails of diabetic patients. Mycopathologia, 367: 157.*

**Andrew, J.M. (1987):**

*Instructions in the case of the feet for diabetic patients; Medicographia, Vol. 9: 2, 27-30.*

**Artis, W.M.; Fountain, J.A.; Delcher, H.K. et al., (1982):**

*A mechanism of susceptibility to mucormycosis in diabetic ketoacidosis; Transferrin and iron availability, Diabetes 31: 1104-1114.*

**Bagdade, J.D. (1976):**

*Infection in diabetes. Postgraduate Med., 59: 160.*

**Bagdade, J.D.; Nielson, K.; Root, R. and Bulger, R. (1970):**

*Host defence in diabetes mellitus: The heckless phagocyte during poor control and ketoacidosis; diabetes; 19(1): 364.*

**Bagdade, J.D.; Root, R.K. and Bulger, R.J. (1974):**

*Impaired leukocyte function in patient with poorly controlled diabetes. Diabetes, 23: 9.*

**Bahra, M. and Canalis, R.F. (1986):**

*Necrotizing Fasciitis (streptococcal gangrene) of the face. Arch. Otolaryngol 105: 648-651.*

**Baird, J.D.; Edwards, C.R.W. and Irvine, W.J. (1986):**

*Diabetes Mellitus: In: Principles and practice of Medicine. edited by John Mackod, 14<sup>th</sup> edition. Churchill Livingstone endocrine & Metabolism. P. 457-487.*

**Bakker, J. (1980):**

*Dehyperbare-Zuurstof behandeling van nekrotische huidgangreen (necrotiserende fasciitis en progressief bacterieel gangreen). Ned. Tijdschr. Geneesk. 124: 2164-2170.*

**Barik, R. and Lubach, D. (1987):**

*Skintags: Localization and Frequencies according to sex and age, dermatologica, 174: 180-183.*

**Baran, R. and Dawber, R.P.R. (1984):**

*Physical signs. In: Diseases of the nails and their management. Oxford: Blackwell Scientific Publication, 47-72.*

**Baranda, L. (1986):**

*Facial erythema & Edema in a Diabetic Man; Arch. Dermatol, 122, 3, 329-334.*

**Barth, J.H.; NG, L.L.; Wojnarowska, F. and Dawber, R.P.P. (1988):**

*Acanthosis nigricans, insulin resistance, and cutaneous virilism; B.J.J. of dermatol. 118, 613-619.*

**Barthelemy, H.; Mouduit, G.; Kanitakis, J.; Cambazard, F. and Thivolet, J. (1986):**

*Lipoid proteinosis with pseudomembranous conjunctivitis; J. Am. Acad. Dermatol. 14: 367-371.*

**Batra, V.K.; Gaiha, M. and Gupta, P.S. (1982):**

*Mucormycosis in a diabetic post. grad. Med. J. 58: 781.*

**Baver, M. and Levan, N.E. (1970):**

*Diabetic dermonangiopathy. Aspectrom including pigmented pretibial patches and necrobiosis lipoidica diabeticorum. Br. J. Dermatol* 1970; 83: 528-535.

**Bowen, J.R. (1982):**

*Subcutaneous, granuloma annulare in identical twins. Delmed J.* 1982; 54: 509-512.

**Beacom, R.; Kennedy, L.; Carson, D. and Campbell, S.J. (1991):**

*Contractures in type I (insulin-dependent) diabetes. Diabetologia;* 21: 503.

**Berger, W. (1987):**

*What is the advantage of combining oral hypoglycemic agents; Medicographia; Vol. 9 No. 1: 32-34.*

**Berger, M.; Berchtold, P. (1985):**

*Insulin transport and action at target cells. In: Joslin's Diabetes Mellitus; 12th edition; edited by: Alexander Marble, Leo. P. Krall; Robert. F. Pradley, A. Richard. Christlieb & J. Stuart Soeldner; Lea & Febiger, Philadelphia. 1985, Chapter 6 pp 82-103.*

**Bernstein, J.E. (1983):**

*Reduced threshold to suction-Induced blister formation in insulin dependent diabetes, J. Am. Acad. Dermatol., 8:790-791.*

**Bernstein, J.E.; Swift, R.M.; Soltani, K. and Larincy, A.L. (1982):**

*Antipruritic effect of opiate antagonist, naloxone hydrochloride. J. of Inv. Dermatol., 78, 82.*

**Bessman, A.N. and Wanger, W. (1975):**

*Nonclostridial gas gangrene, Report of 48 cases and review of the literature, JAMA, 223: 958.*

**Binkley, G.W. (1970):**

*The skin in diabetes In: Diabetes mellitus: Theory and Practice.*  
 Edited by M. Ellenberg and H. Rifkin. New York, McGraw Hill Book  
 co., P. 786.

**Birkenhead, L.C.O.F. (1958):**

*Observations on carotenemia. Am. Intern. Med., 48: 219-227.*

**Black, M.M. (1986):**

*Lichen planus and lichenoid eruptions; In: Textbook of Dermatology*  
*(4th edition) ed by Arthur Rook, D.S. wilkinson, F.J.G. Ebling,*  
*et al., Black well Scientific Publication S. Oxford, London,*  
*Edinburgh, Boston; Chapter 42, P. 1671.*

**Bleehen, S.S. (1988):**

*Disorders of pigmentaiton, Medicine 49, 1: 2035-2029.*

**Boulton, A.J.M. (1987):**

*Instructions in the care of the feet fo diabetic patients; Medico-*  
*graphia, Vol. 9. 2: 27-30.*

**Bourland, A. and Pirard, C. (1982):**

*Dermatological. Complications of diabetes; Medicographia, Vol.*  
*4: No. 2: 22.*

**Bowder, P.E.; Wood, E.J. and Cunliffe, W.J. (1983):**

*COMparison of prekeratin and keratin polypeptides in normal and*  
*psoriatic human epidermis, Biochemica, Biophysica Acta, 743,*  
*172.*

**Brand, A. and Brody, N. (1981):**

*Keratotic papules in chronic renal disease. Cutis, 28: 637-639.*

**Branom, W.T., Jr; Hyman, A.B.; Rubin, Z. (1963):**

*Chancriform pyoderma. Arch. Dermatol. 87: 736.*

**Braverman, I.M. (1984):**

Ultra structural abnormalities of microvasculature and elastic fibres in the skin of juvenile diabetes, *J. Invest. Dermatol.*, 82: 270-274.

**Buchingham, B.A. et al. (1984):**

Scleroderma-like changes in insulin-dependent diabetes mellitus: clinical and biochemical studies. *Diabetes Care*; 7: 163-169.

**Buechner, S.A.; Winkelmann, R.K. and Banks, P.M. (1983):**

(Identification of T-Cell subpopulations in Granuloma annulare) *Arch. Dermatol.*, 119: 125-128.

**Burge, S.M. and Dawber, R.P.R. (1984):**

Common disorders of the nails, congenital and acquired conditions; *Post. grad. Doctors*; Sep, 558-560.

**Burkhart, C.G. (1981):**

Perforating folliculitis. An appraisal of its pathogenesis. *Int. J. Dermatol.*, 20: 597-599.

**Burton, J.L. and Ebling, F.J.G. (1986):**

Disorder of connective tissue; text book of dermatology; pp 1816-1817; 4th edition; edited by Arthur Rook, D.S. Wilkinson and R.H. Champion, et al., Black well scientific publications Oxford, London Edinburgh. Boston Paloalto Melbourne. Chapter 49.

**Cahill, G.F. (1985):**

Current concept of diabetes. In: *Joslin's Diabetes mellitus*, 12th edition. edited by; Alexander Marble, Leo. P. Krall, (Robert F. Bradley, A. Richard Christlieb and J. Stuart Soledner) Lea & Febiger, Philadelphia, 1985; Chapter 1; p. 3.

**Camerini-Davalos, R.A.; Velasco, C.; Glasser, M. and Blood Worth, J.M.B. Jr. (1983):**

Druginduced reversal of early diabetic microangiopathy. *N. Eng. J. Med.*, 309: 1551-1556.

**Camisa, C. (1988):**

*Vesicobullous systemic lupus erythematosus; J. Am. Acad. Dermatol;*  
18: 93-100.

**Campbell, G.D. and McKechnie, J. (1961):**

*Recent observations on Zulu and Natal Indian diabetics in Durban.*  
*South Afr. Med. J.* 35: 1008-1011.

**Canliffe, W.J. (1986):**

*Necrobiotic disorder 1687-1697 Text book of dermatology. (Fourth edition) Edited by Arthur Rook; D.S. Wilkinson; F.J.G. Ebling; R.H. Champion and J.L. Bortan. Black well Scientific Publications Chapter 43.*

**Caputo, R.; Monti, M.; Berti, E. and Gasparini, G. (1986):**

*Normolipemic Eruptive cutaneous xanthomatosis; Arch Dermatol;*  
122: 1294-1297.

**Caro, I. (1984):**

*Familial lichen Planus; Arch. Dermatol;* 120: 577-578.

**Casto, M.; Dobozy, A. and Simon, N. (1988):**

*Study of phagocytic function with a quantitative nitroblue-tetrazolium (NBT) reduction test in diabetes mellitus. Arch. Dermatol. Res.,* 268: 283.

**Chandler, J.R. (1968):**

*Malignant external otitis. Laryngoscope,* 78: 1257.

**Chandler, J.R. (1977):**

*Malignant external otitis: further considerations. Ann otol. Rhinol.* 86: 417.

**Clark, C.V.; Pentland, B.; Ewing, D.J. and Clarke, B.E. (1984):**

*Decreased skin wrinkling in diabetes mellitus. Diabetes Care;*  
7: 224-227.

**Clark, W.H.; Yip, S.Y. and Tolman, M.B. (1988):**

*The histogenesis of dermoepidermal separation in D.H., Obstracted, Clin. Res., 1968, 61: 433.*

**Clayton, R. (1988):** *Non-ulcerated Lesions of the Legs; Medicine; 50, 2: 2069-2071.*

**Cluff, L.E.; Reynolds, R.C.; Page, D.L. and Breckenridge, J.L. (1968):**

*Staphylococcal bacterimea and altered Rast resistance. Ann. Intern. Med. 69: 859.*

**Cochran, R.J.; Tucker, S.B. and Wilkin, J.K. (1983):**

*Reactive perforating collagenosis of diabetes mellitus and renal failure. Cutis, 31: 55-58.*

**Cohen, L. (1981):**

*Observation on carotenemia. Ann. Int. Med., 48: 219-227.*

**Colbunder, R.; Matthys, F.; Neutijens, F. and Verselder, R. (1984):**

*Synergistic bacterial gangrene caused by a group A B-Haemolytic streptococcus and a staphylococcus aureus; Dermatologica 168: 150-151.*

**Cole, G.W.; Headley, J. and Skowsky, R. (1983):**

*Scleredema diabeticorum: A common and distinct. Cutaneous manfes-tation of diabetes mellitus, Diabetic care, 6: 189-192.*

**Conizares, O. (1982):**

*Bacterial infections of the skin; In: A manual of dermatology for developing countries; 1st edition edited by orlando conizares; Oxford Medical Publication. Chapter 4 P. 67.*

**Contstantine, V.S. and Carter, V.H. (1968):**

*Kyrle's disease. Arch. Dermatol. 97: 625-639.*

**Cormane, R.H. et al., (1971):**

*Br. J. Dermatol 85, 531.*

**Cudworth, A.G.; Bodansky, H.J.; Cudworth, A.G. and Bodansky, H.J. (1982):**  
*Complications of Diabetes Mellitus; 2nd* edited by Harnykeen &  
 John Jarrett; Edward Arnald, 1982; P. 12.

**Cunliffe, W.J. (1986):**

*Necrobiotic disorders 1687-1697 Text book of dermatology. (editors)*  
 Arther Rook-Dis. Wilkinson-F.J.G. Ebling-R.L.T. Champion-and  
 J.L. Burton. 4th edition (Blackwell scientific Publications.  
 Oxford London EdinburgBoston-Palo Alto Melbourne. Chapter 43.

**Cunningham, S.R.; Maureenwalsh, R.; Matthews, R.F. and Burrows, D. (1987):**  
*Kyrle's disease; J. Am. Acad. Dermatol, 16: 117-123.*

**Curth, H.O. (1966):**

*Psoriasis and diabetes mellitus. Arch. Klin. Exp. Dermatol.,*  
 227: 240-247.

**Curtis, A.C. and Shulak, B.M. (1965):**

*Scleredema adultorum Arch. Dermatol, 92: 526-541.*

**Cuschieri, A.; Giles, G.R. and Moossa, A.R. (1982):**

*Essential gas gangrene, tetaneos, chronic Bacterial and fungal*  
*infection; Page 71: in Essential surgical practice; Co. Wright.*  
*PS.G. Bristol London Boston.*

**Cunliffe, W.J. (1986):**

*(Necrobiotic disorder) Text book of dermatology edited by Arthur*  
*Rook, D.S. Wilkinson, F.J.G. Ebling, R.H. Champion, and J.L.*  
*Burton, 4th* edition. P. 1690 Blackwell Scientilic Publications.

**Dahl, M.V. (1981):**

*Clinical Immuno dermatology. Chicago, Year book Medical.*  
*Publishers, Inc., pp. 171-176.*

**Danno, K.; Ghatnoto, H.; Imamura, S. and Ofuji, S. (1982):**

*Assessment of anti-stratum Corneum antibody titres in pustalosis*  
*palmaris et plantaris; Br. J. Dermat, 107, 183-188.*

**Davies, M.G. and Greaves, M.W. (1981):**

The current status of histamine receptors in human skin: Therapeutic implications. *Br. J. Dermatol* 104: 601-606.

**Dawber, R.P.R. and Barani, R. (1986):** The nail, In: *Textbook of dermatology; 4th edition; edited by Arthur Rook D.S. Wilkinson, F.J.G. Ebling, R.H. Champion and J.E. Burton, black well. S.P.* Chapter 54; pp. 2068-2069.

**Delbridge, L.; Ellis, C.S.; Robertson, K. and Lequesne, L.P. (1985):**

Non-enzymatic glycosylation of keratin from the stratum corneum of the diabetic foot.; *Br. J. of Dermatology*; 112: 547-554.

**Derman, S.T. and Portland, O.R. (1986):**

*Am. Acad. J. of dermatology*, Vol. 14 No. 3 (A review of Pruritus).

**Deweese, D.D. and Saunders, W.H. (1982):**

The affections of external ear: In *textbook of otolaryngology*; Page 107-108; Sixth edition, edited by David D Deweese & William H. Saunders; the C.V. Mosby Company St. Louis. Toronto. London.

**Ditgel, J. (1968):**

Functional microangiopathy in diabetes mellitus. *Diabetes*, 17: 388-397.

**Dobson, R.L. and Abele, D.C. (1985):**

Bacterial. Infection of the skin, In: *The practice of Dermatology* edited by Richard L. Dobson & Donald C. Abele; Harper & Row, Publisher London. Mexico City, Sao Paulo Sydney Chapter 16 P. 209.

**Domonkos, A.N.; Arnold, H.L. and Richard, O. (1982):**

(disturbances of pigmentation) *Andrew's Diseases of the skin*, seventh edition, P. 1057 edited by Anthony N. Domonkos, et al., W.B. Saunders Company.

**Donovan, J.C. and Rowbotham, J.L. (1985):**

Foot lesions in diabetic patients: Cause, Prevention and treatment; In: *Joslin's diabetes; 12th edition*. Edited by, Alexander Marble; Leop. Krall, Robert F. Bradley; A. Richard Christlieb, and Stuart,

**Dorffele, J. (1932):**

*Histogenesis of multiple idiopathic hemorrhagic sarcoma of kaposi.*  
Arch. Dermatol. Syph.; 26: 608-634.

**Duhault, J.; Ravel, D.; Duhault, J. and Ravel, D. (1985):**

*Insulin secretion, A system of multiple types of regulation;*  
Medicographia; 7, 2: 30.

**Dunnigan, M.G. (1979):**

*Unusual clinical manifestations of diabetes mellitus.* Practitioner,  
222: 321-330.

**Eaglstain, W.H. and Wolf, E.K. (1982):**

*Erythrasma,* In: *Current Dermatological Therapy.* Edited by S.  
Maddin. Philadelphia, W.B. Saunders Co.,

**Edmonds, M.E. (1985):**

*The diabetic foot.,* Medicine; 13, 2: 551-553.

**Binarsoon, K.; Hard, S.; Leijd, B. and Neumann, E. (1978):**

*Intracutaneous herniation of fat in connection with microangio-*  
*pathia diabetica,* Acta Med. Scand., 204: 137-139.

**Elder, G.H. (1977):**

*Semin Hematol* 14: 227.

**Elliot, W.J. (1983):**

*Earlobe crease and coronary artery disease 1000 patients and*  
*review of the literature.* Am. J. Med. 75: 1024-1032.

**El-Mofty, A.M. and El-Mofty, M. (1980):**

*Vitiligo,* Int. J. Dermatol., 19: 237-244.

**Epstein, O. (1984):**

*Lichen planus and Liver disease.* Br. J. Dermatol. 111: 473-475,  
1984.

**Epstein, J.H. et al. (1973):**

*Arch. Dermatol* 107, 689.

**Feinglos, M.N. and Jegasothy, B.V. (1979):**

*Insulin allergy due to zinc. Lancet* 1: 122.

**Feingold, D.S. (1982):**

*J. Am. Acad. Dermatol*; 6: 289.

**Feingold, K.R. and Elias, P.M. (1987):**

*Endocrine-skin interaction. Cutaneous manifestations of pituitary disease, Thyroid, calcium disorders, and diabetes; J. of Am. Acad. Dermatol*; Vol. 17, No. 2: 928-940.

**Feldman, W.E.; Hedaya, E.O. and Brien, M. (1980):**

*Skin abscess Caused by C. albicans; Unusual presentation of C. albicans, disease. J. Clin. Microbiol.* 12: 44-45.

**Fitzcharles, M.A.; Duby, S. and Wadell, R.W. et al., (1984):**

*Limitation of joint mobility (cheiroarth ropathy) in adult non-insulin-dependent diabetic patients. Ann Rheum Dis.* 43: 25-257.

**Fitzgerald, M.G.; Gaddie, R. and Malins, J.M. et al., (1962):**

*Alcohol sensitivity in diabetics receiving chlorpropamide. Diabetes* 11: 40.

**Fleishmajer, R. and Lara, J.V. (1965):**

*Scleredema, A histochemical and biochemical study. Arch. Dermatol*; 929: 643-652.

**Fleischmajer, R. and Nedwich, A. (1973):**

*Am. J. Med.* 54: 11.

**Fleischmajer, R.; Nedwich, A.; Rames, E. and Silva, J. (1969):**

*Hyalinosis et mucosac: A histochemical staining and analytical biochemical study. J. Invest Dermatol*; 52: 495-503.

**Fleming, M.G. and Simon, S.I. (1986):**

Cutaneous Insulin Reaction resembling Acanthosis Nigricans, Arch. Dermatol; 122; 9: 1054-1065.

**Flier, J.S. (1985):**

Metabolic importance of acanthosis nigricans. Arch. Dermatol; 121: 193-194.

**Foster, D.W (1983):**

Diabetes mellitus, In: Harrison's Principles of internal medicine (Ed. by R.G. Petersdorf, R.D. Adams, E. Bruwald, K.J. Isselbacher, J.B.; Martin and J.D. Witson) 10 edition, P. 663 McGraw-Hill Book Company, New York.

**Foster, D.W. (1986):**

Diabetes mellitus In: Harrison's principle of internal medicine, 10<sup>th</sup> edition, edited by Braun wold, Iffelbacher, Petersdorf, Wilson, Martin and Faesci, Student edition middle east and Africa, P. 662.

**Franchimont, C.; Pierard, G.; Lucky, A.S. et al., (1982):**

Angioplasic. Necrolytic migratory erythema: Unique association of necrolytic migratory erythema, extensive angioplasia, and high molecular weight glucagon-like polypeptide. Am. J Dermatopath. 4: 485-495.

**Freeman, H.P.; Olunwole, S.P. and Dye, G.G. (1981):**

Necrotizing Fasciitis. Am. J. Surg. 142: 377-383.

**Freinkel, R.K. (1982):**

The skin in diabetes: In Diabetes Mellitus and obesity; P 751; edited by Bernard N. Brodoff. & Sheldon J. Bleicher, Williams and wilkins; Baltimore London Chapter 81.

**Friedman, S.; Fox, J.B. and Albert, H.L. (1986):**

(Gronoloma annulare arising in herpes zoster Scors) J. Am. Acad. Dermatol. 14: 764-770.

**Friedman, S.J. and Winkelmann, (1987):**

(Familial granuloma annulore), *J. Am. Acad. Dermatol.* 1987, 16: 600-605.

**Gelfarb, M. and Hyman, A.H. (1962):**

*Multiple noduli Cutanei*, *Arch. Dermatol*; 89: 14.

**Geneser, P. (1986):**

*The digestive system*; In: *Textbook of Histology*; Munksgaard, Copenhagen, Chapter 18, pp. 469-477.

**Gilgor, R.S. (1986):**

*Cutaneous infections in Diabetes Mellitus in: The skin in Diabeted Mellitus.* edited by J.E. Jelinek, Lea Fibiger, Philadelphia 1986, Chapter 6: 111-129.

**Giordano, J.A. and Phillips, J. (1980):**

*Malig. Extemal otitis, Now a medical problem. D iabetic care*, 3: 611.

**Gmerek, D.E. and Alancowan, Br. J. of dev. (1983):**

*Bombesin-a central mediator of pruritus* Page 239.

**Goldstein, N.; Tuajon, C.U. and Lessin, L. (1986):**

*Carbundes caused by condida albicans*; *J. Am. Acad. Dermatol*; Vol. 14: No. 3: March 511-512.

**Goodman, J.I. (1966):**

*Diabetic anhidrosis (letter)* *Am. J. Med.*, 41: 831-835.

**Gould, I.M.; Gray, R.S.; Urbaniak, S.J.; Elton, R.A. and Duncan, L.J.P. (1985):**

*Uitiligo in diabetes mellitus*: *Br. J. Dermatol*, 113: 153-155.

**Graff, R. (1968):**

*DissucSION*; *Arch. Dermatol*, 98: 320.

**Greene, R.A. and Scher, R.K. (1987):**

Nail changes associated with diabetes mellitus; *J. Am. Acad. Dermatol*; 16: 1015-1021.

**Grimm, J.J. (1987):**

Diabetes & sport; *Medicographia* Vol. 9, No. 2: 31-33.

**Grossman, M.E.; Bickers, D.R.; Poh-Fitzpatrick, M.B. et al., (1979):**

Porphyria cutanea tarda. *Am. J. Med.* 67: 277.

**Guyton, A.C. (1985):**

Adrenocortical Hormones, Insulin, and Glucagon. In: *Guyton Anatomy and physiology*. Edited by Guyton, A.C., Saunders college publishing Philadelphia, New York, Chicago, 1985: Chapter 46 pp. 750-656.

**Habif, T.P. (1985):**

Clinical dermatology: A color Guide to Diagnosis and Therapy; ed by Thomas P. Habif. Th C.V. Mosby Company st. Louis. Toronto, Princeton, Chapter 8, P. 145.

**Halimi, D. (1985):**

Inhibitors of albose veductase and degenerative complications of diabetes (*Medicographia Aview of diabetes*) 7: 2-8.

**Balliday, J.W. and Powell, L.W. (1986):**

Medicine (Hoemochromatosis) 1186-1187 *Medicine international* No. 29.

**Hamill, R.; Oney, L.A. and Crane, L.R. (1983):**

Successful therapy for Rhinocerebral Mucormycosis with Associated bilateral Brain Abscess. *Arch. Int. Med.*; 143: March.

**Hamilton, D.V. and COuld, D.D. (1985):**

Generalized pruritus as a presentation of idiopathic haemochromatosis *Br. J. of Dermatology*. 112: 629.

**Hanke, C.W. et al., (1979):**

*J. Am. Acad. Dermatol*, 1: 413.

**Hanna, W.; Friesen, D.; Combardier, C.; Gladman, D. and Hanna, A. (1987):**  
*Pathologic features of diabetic thickskin; J. AM. Acad. Dermatol,*  
 16: 546-553.

**Harding, Rains, A.J. and Ritchie, H.D (1975):**

*The tests and the scrotom; In: Short practice of surgery; p.p.*  
 1264-1265; 16<sup>th</sup> edition edited by A.J. Harding Rains & H. Davis  
 Ritchie with chapter by Geoffrey Knight, William Cleland, Michael,  
 A.R. Freeman & Peter. F. Philip; by H.K. Lewis, and Co. Limited  
 London Chapter 55.

**Hay, R.J. (1983):**

*Fungal skin diseases; Postgraduate Doctor, November; 576-584.*

**Heigh, I.M.; PULford, K.A.; Ramachers, P.C.S. and Lane, .B. (1985):**

*Psoriasis: Manifestations of an intact. Monolayer basal cell*  
*differentiation compartement inspite of hyperproliferation; Br.*  
*J. of Dermatol; 113: 53-64.*

**Heilbron, B. and Normasax (1986):**

*Scleredema in an infant: Arch. Dermatol, 122: 1417-1419.*

**Houston, J.T.; Hurley, J.V. and Whittingham, S. (1976):**

*The contracting fibroblast as a clue to dupuytren's contracture.*  
*Hand; 8: 10.*

**Highet, A.S. (1988):**

*Pruitus and urticaria; Medicine; Vol. 49; Part 1; Jan. P. 2005.*

**Hirschmann, J.V. (1982):**

*Superficial infections, Abscess; In: The merch manual; 4<sup>th</sup> edition;*  
*Mercksharp and Dohme Research Laboratories Divission of merck*  
*and Co., Inc. Rahway, N.J., 1982. Chapter 3. P. 41.*

**Hoefling, K.K. and Schroster, A.L. (1980):**

*Dermatoimmunopathology of scabies. J. Am. Acad. Dermatol., 3:*  
 237-240.

**Holzberg, M. and Walker, H.K. (1984):**

Terry's nails: Reviewed definitions and new correlations. *Lancet*.  
1: 896-899.

**Hood, A.F.; Hardegen, G.L. and Zarate, A.R. et al., (1982):**

Kyrle's disease in patients with chronic renal failure, *Arch. Dermatol*, 118: 85-88.

**Huff, C.J. (1988):**

Antiviral treatment in chicken pox & H. Zoster; *J. Am. Acad. Dermatol*, 204-206.

**Huntley, A.C. (1986):**

Cutaneous manifestations in Diabetes: General Considerations In: *The Skin in diabetes*; edited by J.E. Jelinek, Lea. Febiger. Philadelphia 1986. Chapter 2. P. 23.

**Ingram, J.T. (1951):**

Ward epidemic from Norwegian scabies. *Br. J. Dermatol*, 63: 311.

**Ingram, G.J.; Scher, R.K. and Lally, E.V. (1987):**

Reflex sympathetic dystrophy following nail biopsy. *J. Am. Acad. Dermatol*; 16: 253-256.

**Ive, A. (1988):**

Scalyscalp disorders; *Medicine*; 50, 2: 2051-54.

**Janevicius, R.V.; Hamm, S.E. and Batt, M.D. (1982):**

Necrotizing fasciitis. *Surg Gynecol obst.*: 154: 97-102.

**Jefferson, L.G.; Marteau, T.M. and Baum, J.D. (1985):**

*Medicine*, Vol. 2: No. 13: January 1985: Management of diabetes in childhood, pp. 563-565.

**Jegasothy, B.V. (1986):**

Cutaneous complications of Diabetic treatment. In: *The skin in diabetes*, ed by J.E. Jeline Lea & Febiger; Philadelphia, 1986, Chapter 12, pp. 217-226.

**Jelinek, J.E. (1970):**

*The skin in diabetes Mellitus: Cutaneous manifestations, Complications and associations. In Year Book of Dermatology. Edited by Kopf AE, Andriad, E. Chicago, Year Medical Publishers, P. 5.*

**Jelinek, J.E. (1986):**

*The skin in diabetes: ed. by J.E. Jelinek, Lea & Febiger, Philadelphia; 1986.*

**Johnson, J.E. (1970):**

*Infection and diabetes. In: Diabetes Mellitus: Theory and Practice. Edited by M. Ellenberg and H. Rifkin, New York, McGraw-Hill Book Co. 1970, P. 739.*

**Jolly, H.W. and Carpenter, C.L. Jr. (1969):**

*Oral glucose tolerance studies in necurrent trichophyton rubrum infections, Arch. Dermatol; 100: 26.*

**Jones, H. (1988):**

*Acne vulgaris; Medicine; 50, 2: 2044-2047.*

**Keen, H. and Jarrett, J. (1981):**

*Management of diabetes; Medicine; Vol. 1; No. 8; Aug. 1981 P. 330-333.*

**Kennedy, C. (1988):**

*Scaly dermatosis Medicine; 49: 1; 2012-2017.*

**Kennedy, L. et al. (1982):**

*Limited joint mobility in type I. Diabetes mellitus. Post-grad. Med. J. 58: 481-484.*

**Kenneth, R.; Feingold and Elias, P.M. (1987):**

*Endocrine-skin Interaction-cutaneous manifestations of pituitary disease, thyroid, calcium disorders, and diabetes. J. Am., Acad. Dermatol; 1987, 17, 2: 930.*

**Kinson, J. and Nattrass, M. (1985):**

Biochemistry, aetiology and natural history In: *Caring for the diabetic patient*; edited by John M. Malins; Churchill Living stores, Edinburgh London Melbourne & new york, 1984; Chapter 2.

**Kjellman, O.; Henricksen, C.O.; Berghagen, N. and Andersson, B. (1970):**

Oral. Conditions in 105 Subjects with insulin treated diabetes-sevnsk Tandlak, Tid, 63: 99-110.

**Kogo, M. and Tango, T. (1988):**

Clinical features and course of type A and B Vitiligo: Br. J. Dermatol, 118: 223-228.

**Koh, M.S. et al., (1983):**

Serum B-glocuronidase activity in human diabetes mellitus, granuloma annulare and necrobiosis lipoidica. Clin. Expert Dermat, 8: 299-304.

**Kohn, R.R.; Cerami, A. and Marnier, V.M. (1984):**

Callagen aging in vitro by nonenzymatic glycosylation and browning. Diabetes, 33: 57-59.

**Kohner, E.M.; Watkins, P.J. and Kenn, H. (1981):**

Caomplication of D.M., Medicine 1, 8: 1981.

**Kovary, P.M.; Vakilzadeh, F. and Macher, E. (1981):**

Monoclonal gammopathy in scleredema Arch. Dermatol., 117: 536-539.

**Kozak, G.P. and Krall, L.P. (1985):**

Disorders of the skin in diabetes; Joslin's diabetes, P. 780 12<sup>th</sup> edition, edited by Alexander Marble, Leo. P. Krall, Robert F. Bradley (A. Richard Christlieb, and J. Stuart Soeldner) Lea & Febiger, Philadelphia. Chater 38.

**Krall, I.P. andZorrilla, E. (1971):**

Disorders of skin in diabetes. In: Joslin's Diabetes Mellitus. 11<sup>th</sup> ed. Edited by A. Marble, P. White, R.F. Brudley, and L.P. Kral, Philadelphia, Lea & Febiger 1971, pp. 653-665.

**Kranz, K.R.; Reed, O.M. and Grimwood, R.E. (1986):**

*Necrotizing fasciitis associated with porphyria; J. Am. Acad. Dermatol 14: 361-367.*

**Kressel, B.; Szegezyk, C.; Tuazon, C.U. (1978):**

*Early clinical recognition of disseminated candidiasis by muscle and skin biopsy. Arch. Intern. Med. 138: 429-433.*

**Krans, H.M.J. (1987):**

*Endocrin. Control of carbohydrate Metabolism; Medicographia, 9, 1: 18-21.*

**Laukkanen, A.; Praki, J.E.; Vaatainen, N.O.; Korhonen, T. and Naukkarinen, A. (1986):**

*(Neorobiosis lipoidica: Clinical and immunofluorescent study) Dermatologia 172: 89-92.*

**Lawrence, J.R. and Dunnigan, M.G. (1979):**

*Diabetic (insulin) aedema. Br. Med. J. 18(2): 445.*

**Leach, R.D. (1986):**

*Pilonidal Sinus; Post graduate doctor; 9, 2: 121-124.*

**Lebrum, A.H. (1984):**

*The mechanism of nutrient induced insulin release. Medicographia; 6, 1: 5-7.*

**Ledingham, I.; Tehrani, M. (1975):**

*Diagnosis, clinical course and treatment of acute dermal gangrene, Br. J. Surg. 62: 364-372.*

**Lefrock, J.L. and Molavi, A. (1982):**

*J. Antimicrob Chemother; 9 (Supp A) 183.*

**Lehrer, R.I. et al., (1980):**

*Mucormycosis; Ann. Int. Med., 93: 93.*

**Leichter, S.B. (1986):**

Glucagonoma: An edocrin Neoplasm with a unique Dermatoses-Necrolytic Migratory Erythema. In: *The Skin in Diabetes*; Edited by J.E. Jelinek; Lea & Febiger. Philadelphia 1986. CHapter 8 pp 143-153.

**Lemlich, G.; Schwan, L. and Lebwohl, M. (1987):**

Kaposi's Sarcoma and acquired Immunodeficiency syndrome, *Am. Acad. J. of Dermatol*; 16: 319-325.

**Lepord, B.J. and Sela, D.V. (1983):**

Value of bacteriology and seriology in diagnosis of *N. Fasciitis*. *Br. J. Dermatol*. 109, 37.

**Lernmark, A. (1985):**

Cause of insulin-dependent diabetes, *Jan*, 2, 13: 535-538.

**Leslie, R.D.G. (1985):**

Presentation and diagnosis of Diabetes mellitus; *Medicine* 2, 13: 529-534.

**Lever, W.F. and Schaumburg-Lever, G. (1983):**

*Histopathology of the skin*, 7th edition; New York, Lippincott & Crowell Publisher, 1983.

**Levin, M.E. (1986):**

The diabetic foot, In: *The Skin in Diabetes*: Edt by J.E. Jelinek, Lea & Febiger Philadelphia 1986, Chapter 4, pp. 73-93.

**Lichtenstein, J.R.; Babb, E.J. and Felsner, B.P. (1981):**

Porphyria cutanea tarda in patient with chronicrenal failure on hemodialysis: *Br. J. of Dormat*. 104, 575.

**Lovie, T.J.; Bartlett, J.C.; Tally, F.P. and Gorbach, S.L. (1976):**

Aerobic and anaerobic bacteria in diabetic footulcers. *Ann. Int. Med.* 85: 461.

**Lowe, N.J.; Cudworth, A.G.; Clough, S.A. and Bullen, M.F. (1976):**

Carbohydrate metabolism in lichen planus. *Br. J. Dermatol.* 95: 9-13.

**Lundbeak, K. (1957):**

Stiff hand in long-term diabetes. *Acta. Med. Scand.*, 158: 445-451.

**Lunding, A.; Engstrom-Laurent, A.; Hallgren, R. and Michaelsson, G. (1985):**

Circulating hyaluronate in psoriasis: *Br. J. Dermatol.* 112: 663-671.

**Ma, A. and Medinica, M. (1983):**

Response of generalized granuloma annulore to high dose Nicotinamide; *Arch. Dec. 1983*, 119: 836-839.

**Mackie, R.M. (1986):**

Tumours of the skin; In: *Textbook of dermatology; 4th edition*, ed by Arthur Rook, D.S. Wilkinson, F.J.G. Ebling, et al., Black well Scientific Publ., P 2390.

**Majewski, B.B.J.; Koh, M.S.; Barter, S. and Rhodes, E.L. (1982):**

Increase footor VIII related antigen in necro brosis lipoidica and wide spread granuloma-annulore without associated diabetes. *Br. J. Dermatol.* 107: 641-645.

**Malinia, L. and Lim, C.K. (1988):**

Manifestations of hamilial porphynia cutanea tarda after child Birth; *Br. J Dermat.* 118; 243-245.

**Maltsby-Baltzer, I.; Mobacken, H. and Olling, S. et al. (1978):**

Neutrophil granulocytefunction in pustulosis palmoplantar. *Acta Derm. Venerol.* 58: 494-496.

**Mandel, E.H.; Ores, R.O. and Siragusa, R.J. (1974):**

The incidence of Diabetes mellitus in patients with tinea versicolor. *J. Nat. Med. Assoc.*, 66: 198.

**Marm, R. (1982):**

*Nail dystrophy due to diabetic neuropathy. Br. Med. J.* 1982, 284: 1445.

**Marm, R.J. and Peacock, J.M. (1977):**

*Hand infections in patients with diabetes mellitus. J. Trauma,* 17: 376.

**Margolis, J. and Broadric, B. (1974):**

*Sclerodema and diabetes mellitus. J. Am. Geriatr. Soc.,* 22: 544-546.

**Martin, M.M. (1965):**

*Involvement of autonomic nerve fibres in diabetic neuropathy. Lancet,* 264: 560-565.

**Mehregan, A.H. and Coskey, R.J. (1968):**

*Perforating folliculitis, Arch. Dermatol.,* 97: 294-399.

**Meltzer, P. and Kelemen, G. (1959):**

*Rhizomycosis osteomyelitis of the temporal bone, mandible and Zygoma. Laryngoscope,* 69: 1300.

**Meyer, L.J. and Zone, J.J. (1987):**

*Familial incidence of dermatitis herpetiformis J. Am. Acad. Dermatol,* 17: 643-647.

**Millard, L.G. (1988):**

*Irritable papular rashes; Medicine,* 49, 1: 2007-2011.

**Miller, J.D. (1983):**

*The importance of early diagnosis and surgical treatment of necrotizing fasciitis. Surg. Gynecol Obstet.* 157: 197-200.

**Millikan, L.B.; Galen, W.K.; Gwirtzman, G.B.; Horwitz, S.N.; Landow, R.K.; Nesbitt, L.; Roth, H., Sefton, J. and Day, R.M. (1988):**

*Neotigine Cream 1% versus econazole cream 1% in the treatment of tinea cruris and tinea corporis; J. Am. Acad. Dermatol* 18: 52-56.

**Mohtemam, M.F. and Williams, D.R.R. (1984):**

(Localized granuloma annulare is associated with insulin-dependent diabetes mellitus). *Br. J. of Dermatology* 111, 325-329.

**Molenaar, D.M.; Palumbo, P.J.; Wilson, W.R. et al., (1976):**

Leucocyte chemotaxis in diabetic patients and their non diabetic first-degree relatives; *Diabetes* 25 (supp 2): 880-883.

**Molinatti, G.M. and Amoroso, D.A. (1987):**

Gian Michele Molinatti and Dott. Antonio Amoroso (1987); The genetics of diabetes; *Medicographia*; 9: 2, 8-11.

**Monk, B.E.; Pembroke, A.C.; Cheong, B. and Jones, D.B. (1981):**

Skin problems chronic active hepatitis. *Lancet* 2: 1045.

**Monk, B.E.; Pembroke, A.C. and Vollum, D.I. (1983):**

Scleredema of Buschke and diabetes mellitus. A report of two cases. *Clin. Exp. Dermatol.*, 8: 389-391.

**Montes, L.F.; Dobson, H.; Dodge, B.G. and Knowles, W.R. (1969):**

Erythrasma and diabetes mellitus *Arch. Dermatol.* 99: 674-680.

**Moore, M.R. and Brodie, M.J. (1985):**

The porphyrias, *Medicine*, 14: 2.

**Moore, M.R. and Goldberg, S.A. (1986):**

Newer Aspects of Porphyria: *Saudi Med. J.* Vol. 7, No. 6.

**Moossa, A.R. (1984):**

The Pancrease; In: *Surgical Anatomy*; 6th edition, edited by chester B. McVay; W.B. Saunders company, Philadelphia, Landon, Toronto, Mexicocity, Riode Janeiro 1984, Chapter 72 pp. 1074-1079.

**Moschella, S.L. and Hurley, H.J. (1985):**

*Dermatology*, 1761-1785, edition 2, Philadelphia, WB. Souders Co.

**Moscola, R.F. (1970):**

*The oral manifestations of diabetes. A review NY Dent. J., 36: 139-142, 1970.*

**Moy, L.S.; Moy, R.L.; Matsuoka, L.Y.; Ohoto, A. and Vitto, J. and Proteinosis, L. (1987):**

*Ultrastructural and biochemical studies: J. Am. Acad. Dermatol. 16: 1193-1201.*

**Muggeo, M. and Bonora, E. (1987):**

*Nervous system and insulin secretion; Medico graphia; 9, 1: 11-14.*

**Muller, S.A. and Winkelmann, R.K. (1966):**

*Necrobiosis lipoidica diabeticorum. Aclincal and Pathological investigation of 171 Cases. Arch. Dermatol., 93: 272-281.*

**Nakoyama, H.; Nihara, N. and Shimao, S. (1986):**

*Perineural xanthoma; Br. J. of Dermatol 115, 715-720.*

**Nigam, P.K.; Sharma, L.; Agrawal, J.K.; Singh, G. and Khurana, S.K. (1987):**

*Glucose tolerance studies in lichen planus; Dermatologica. 175: 284-289.*

**Nolan, C.M.; Beaty, H.N. and Bagdade, J.D. (1978):**

*Further characterization of the impaired bactericidal function of granulocytes in patients with poorly controlled diabetes. Diabetes, 27: 889.*

**Nordlund, J.J. (1987):**

*Hypopigmentation, Vitiligo and Melanoma. Arch. Dermatol, 123: 1005-1008.*

**Nordby C.A.; Pelachyk, J.M. and Burnkams, T.K. (1987):**

*Large sepelele-like tready and thready antinuclear antibody pattern as marker for different clinical presentations in lupus enythematosus; J. Am. Acad. Dermatal 17: 427-33.*

**Norton, L.A. (1986):**

Yellow nail syndrome controlled by vitamin E. Therapy; J. of Am. Acad of Dermatology, 15, 4, 1: 715-716.

**Ohnishi, Y.; Miyoshi, Y. and Fujitas (1978):**

Localised cutaneous amyloidosis in diabetics. J. JPN. Diabetics Sac., 21: 589-596.

**Ohyama, K. et al. (1982):**

Arch. Dermatol; 118, 679.

**Oppenheim, M. (1930):**

Quoted by: Jelinek, G. E. (1986); The skin in diabetes, edited by G. E. Jelinek, Necrobiosis lipoidica diabeticorum., Lea & Febiger, Philadelphia, P. 33.

**Ortonne, J.P.; Mosher, D.B. and Fitzpatrick, J.B. (1983):**

Vitiligo and other hypomelanosis of hair & skin. Newyork, Plenum Publishing corp., pp. 198-204.

**Oseid, S. (1973):**

Studies in congenital generalized lipodystrophy (seip-Berardinelli syndrome). I. Development of diabetes. Acta. Endocrin., 72: 475-494.

**Osterby, R. (1975):**

Early phases in the development of diabetic glomerulopathy. A quantitative electron microscopic study. Acta Med. Scand. (Suppl.), 574: 1-82.

**Osterby, R. (1983):**

Basement membrane morphology in diabetes mellitus. In: Diabetes Mellitus: Theory and practice. 3rd ed. Edited by M. Ellenberg and H. Rifkin. New York, Medical examination Publishing Co., Inc.

**Packer, R.H.; Fields, J.P.; King, L.E. Jr. (1984):**

*Granuloma annulore. in Herpes Zoster Scars. Cotis 34: 177-179.*

**Pajarre, R. and Alavaikko, M. (1973):**

*Ryrie's disease, Acta dermatol Veneriol; 54: 505-508.*

**Palestin, R.F.; Millins, J.L.; Spigel, G.T. and Schroeter, A.L. (1980):**

*Skin manifestations of pentazocine abuse. J. Am. Acad. Dermatol., 2: 47-55.*

**Paltzik, R.L. (1980):**

*Bollosis eruption of diabetes mellitos Bullosis diabeticorum Arch. Dermatol., 116: 475-476.*

**Palumbo, P.J.; Elveback, L.R. and Whisnant, J.P. (1979):**

*Neurologic complicaitions of diabetes mellitus: Transient ischemic attack, stroke and peripheral neuropathy. In: Advances in Neurology, Vol. 19. Edited by B.S. Shoenberg. New York, Raven Press.*

**Parker, C.M.; Hankle, C.W.; Madura, J.A. and Liss, E.C. (1984):**

*Glucagonoma syndrome: case reportand literature review J. Dermatol Surg. Oncol; 10:: 884-889.*

**Parr, J.H.; Ramsay, I.D.; Keeling, P.W.B.; Thompson, R.P.H. and Mallinson, C.N. (1985):**

*Glucagonoma without Cut. manifestations. Post. Grad. Med. J. 61: 737-738.*

**Pasquail, R.; Fabbri, R.; Venturoli, S. et al., (1986):**

*Effect of weight lossand antiandrogenic therapy on sex hormone blood vessels and insulin resistance in obsese patients with polycystic ovaries. Am. J. Obst. Gynecol., 154: 139-144.*

**Patterson, J.W. (1984):**

*The perforating disorders. J. Am. Acad. Dermatol., 10: 561-581.*

**Paul, J. (1988):**

*The red face; Medicine; 50: 2, 2048-2051.*

**Peterson, C.M. (1982):**

*Proceedings of a conference on non enzymatic glycosylation and browning reactions. Diabetes, 31: suppl. 3, 1.*

**Petrozzi, J.W. and Warthan, T.L. (1974):**

*Malignant external otitis. Arch. Dermatol, 110: 258.*

**Pfeiffer, E.E. and Dolderer, M. (1987):**

*Etiopathogenesis of type II diabetes; Medicographia, 9, 1: 22-25.*

**Pietri, A. and Raskin, P. (1981):**

*Cutaneous complications of chronic continuous subcutaneous insulin infusion therapy. Diabetic care, 44: 624.*

**Pillsburg, H.C. and Fischer, N.D. (1977):**

*Rhinocerebral mucormycosis Arch. Otolaryngol., 103: 600.*

**Pindborg, J.J. (1986):** Disorders of the oral cavity and lips, In: *Textbook of dermatology, 4th edition, ed by: Arthur Rook, D.S. Wilkinson; et al., Blackwell scientific publications: Oxford London Edinburgh, Boston; Chapter 55: P. 2098.*

**Pipeleer, D. and Van Derwinke, M. (1986):**

*Pancreatic B cell possess defence, mechanisms against cellspecific toxicity. Proc. Natl. Acad. Sci. USA; 83: 5267-5271.*

**Pipeleers, D. (1987):**

*Destruction of pancreatic. B-cells in insulin-dependent diabetes; Medicographia; 9, 1: 15-17.*

**Podolsky, S. (1971):**

*Lipoatrophic diabetes and miscellaneous conditions related to diabetes mellitus I: Joslin's Diabetes Mellitus. 11th ed. Edited by A. Marble, P. White, R.F. Bradley, and L.P. Krall. Philadelphia, Lea & Febiger.*

**Podolsy, S. (1980):**

*The diabetic lipodystrophies, In: The skin in diabetes edited by J.E. Jelinek, Lea & Febiger Philadelphia, 1986, Chapter, 11; P. 203-212.*

**Pye, R.J.; Black, M. and Weismann, K. (1986):**

*Metabolic and Nutritional disorders, text book of dermatology, 4th edition, Edited by Arthur Rook. Di. Swilkins. on F.J.G. Ebling. R.H. Champion. J.L. Burton, Black well scientific Publications. Oxford, London, Edinburg, Boston. Chapter 62, pp. 2271-2341.*

**Raque, C.J. and Wood, M.G. (1986):**

*Connective tissue nevus. Dermatofibrosis lenticularis disseminata with osteopoikilosis. Arch. Dermatol. 102: 390-396.*

**Rayfield, E.J. et al., (1982):**

*Infections and diabetes: The case horglucose control. AM. J. Med., 72: 439.*

**Rea, W.J. and Wyrick, W.J. (1970):**

*Necrotizing fasciitis, Ann. Surg. 172: 957-964.*

**Rinder, H.M.; Murphy, G.F. (1984):**

*Eccrine duct involvement by H.Zoster; Arch. Dermatol. Vol. 120.*

**Rios, M.S. (1987):**

*Extrapancratic effects of sulfonyl ureadrugs, Medicographia, Vol. 9, No. 1, 1987, 27-31.*

**Rippon, J.W. (1982):**

*Medical Mycology, 2nd edition, philadelphia, WB Saunders Co., PP. 615-640.*

**Robert, S.O.B. and Higher, A.S. (1986):**

*Bacterial infections, In: Textbook of Dermatology; 4th edition edited by Arthus Rook, D.S. Wilkinson, F.J.G. Ebling, R.H. Champion, and J.L. Burton, Blackwell Scientific PUplications, Oxford, London. Edinburgh. Chapter, 21 P. 752.*

**Robert S.O.B. and Weismann, K. (1986):**

*The skin in systemic disease In: Textbook of dermatology, 4th edition, edited by Arthur Rook; D.S.; Wilkinson; F.J.G. Ebling. et al., Black well Scientific publications chapter 63 pp. 2358-2359.*

**Robson, M.C. (1970):**

*A new look at diabetes mellitus and infection Am. J. Surg. 120: 681.*

**Rook, A. (1975):**

*Major problems in Dermatology. Philadelphia, WB Saunders, Co. Vol. 4, D.H., Alexander J.O (Sectioned), pp 11-30.*

**Rosenbloom, A.L. et al., (1981):**

*Limited joint mobility in childhood diabetic mellitus indicates increased risk for microvascular disease. N. Eng. J. Med., 305: 191-194.*

**Rosenbloom, A.L.; Silverstein, J.H.; Riley, W.J. and McLaren, N.K. (1983):**

*Limited joint mobility in childhood diabetes: Family studies. Diabetes Diabetes care, 6: 370.*

**Rouse, T.M.; Melancon, M.A. and Schalte, W.J. (1982):**

*Necrotizing fasciitis: A preventable disease; surgery, 92: 765-770.*

**Rowell, N.R. (1984):**

*Clin. Exp. Dermatol. 9, 217.*

**Rudy, A. and Cohen, M.M. (1938):**

*The oral aspects of diabetes mellitus. N. Eng. J. of Med., 219: 503-508.*

**Rundles, R.W.W. (1945):**

*Diabetic Neuropathy. General review with report of 125 cases, Medicine, 24: 111-160.*

**Schulze, H.J.; Riitten, A.; Mahrle, G. and Steigleder, G.K. (1987):**

*Initial lesions of H.I.V. related Raposi's sarcoma a histological, Immuno histochemical and ultra structural study. Arch. Dermatol Research; 279: 499-503.*

**Schwartz, S.; Shines, G.T.; Frank, C.; Sponcer and Store, E.H. (1981):**

*Infections: In Preinciples of sugrcry; 4th eiditon, edited by seymour. L. Schwartz, G. Tom. SHires, Franks, spencer, and Edward H. Storer: McGraw-Hill book Company, New York, St. lois, Sanfransies Chapter 5: pp. 170.*

**Sen, P. and Louria, D.B. (1983):**

*Infection s complicaitons in the elderly diabetic patient, Geriatrics, 38(2): 63.*

**Shambool, K. and Burns, H. (1983):**

*Malignant external otitis in a young diabetic patients. J. Laryngol otol, 97: 247.*

**Shapiro, R.S.; Samorodin, C.; Hood, A.P. and Baltimore, M.D. (1987):**

*Jur. of Am. Acad. Dermatol. Vol. 16 No. 5 Part 2 (Pruritis as presenting sign of acquired immunodeficiency syndrome (1115-117)).*

**Sheldon, W.H. and Baurer, H. (1949):**

*The development of the acute inflammatory response to experimental cutaneous mucormycosis in normal and diabetic robbits. J. Exp. Med., 110: 845.*

**Shrank, A.B. (1985):**

*Skin disorders of the foot., post-gr doctors, Jan, 6-10.*

**Seibold, J. (1982):**

*Digital sclerosis in children with insulin-dependent diabetes mellitus. Arthrities Rheum., 25: 1357-1361.*

**Sibbald, R.G. and Schachter, R.K. (1984):**

*The skin and Diabetes Mellitus., Int. J. of Dermatol; 9: 567-584.*

**Silva, G.E.; Capita-Mor, M.M. and Decarvalho, I. (1981):**

*Necrobioses Lipoidique Perforante. Ann. Dermatol-venerea* 108: 891-981.

**Smith, S.B.; Harrist, T.J.; Murphy, G.P.; Halperin, A.J.; Newell, J.B.; Fallon, J.T.; Fine, J.D. and Mihm, M.C. (1984):**

*Lincear IgA Bullous Dermatosis in D.H.; Arch. Dermatol;* 120: 324-328.

**Solomon, A.R. (1988):**

*New diagnostic tests for H. Simplex and Varicella Zoster infections; J. Am. Acad. Dermatol,* 18: 218-221.

**Somerville, D.A. and Lancaster-Smith, M. (1973):**

*The aerobic cutaneous microflora of diabetic subjects, Br. J. Dermatol,* 89: 395.

**Spring, M. and Cohen, B.D. (1966):**

*Dupuytren contracture; awarming of diabetes? (Abstr.). Diabetes* 15: 547.

**Starpoole, P.W. (1984):**

*The glucogonoma syndrome. Clinical features, diagnosis and treatment. End Review.,* 2: 347.

**Stankler, L. (1975):**

*Deficiency of circulating IgA and IgM in adult patients with lichen planus. Br. J. Dermatol.,* 93: 25-26.

**Stower, J.M. (1985):**

*General management of diabetes in adults; Medicine; Vol. 2, No. 13, Jan. 1985, P. 542-545.*

**Tehrani, M. and Ledingham, I. (1977):**

*Neorotizing fasciitis. Post grad. Med. J.* 53: 237-242.

**Ternant, F.S.; Remmers, A.R. and Perry, J.E. (1968):**

*Primary renal candidiasis. Arch. Intern. Med. 122: 435-440.*

**Thalassinou, N.S. (1987):**

*Education a diabetic in self-monitoring, Medicographia, Vol. 9, No. 1: 14-15.*

**Thaler, M.P.; Fukugamu, L.; Indue, N.; Grant, D.L. and Epstein, W.L. (1978):**

*Two trisurea-mercaptoethanol extractable polypeptides found uniquely in scales of patients with psoriasis. J. of Investing Dermat; 70: 38.*

**Thompson, K.V.A. and Halliday, R. (1983):**

*Gerontology 29, 73.*

**Tortora, G.J.; Anagnostokos, N.P. (1987):**

*The Digestive system. In: Prinaples of Anatomy and physiology, 5th edition, Harper international edition, chapter 24, pp. 609-611.*

**Tompkins, R.R. and Hill, C. (1977):**

*Skin tags and Diabetes; Arch. Dermatol; 113: 1463.*

**Tomford, J.W.; Whittlesey, D.; Ellner, J.J. and Tomaskefski, J.F. Jr (1980):**

*Invasire primary cutaneous phycomycosis in diabetes leg ulcers. Arch. Surg, 115: 770.*

**Traisman, H.S.; Traisman, E.S.; Marr, T.J. and Wise, J. (1979):**

*Joint contractures in patients with juvenile diabetes and their siblings. Diabetes care, 1: 360-361.*

**Tuazon, C.U.; Perez, A.; Kishaba, T. and Sheagren, J.N. (1972):**

*Staphylococcus aureas among insulin-injection diabetic patients. JAMA, 231: 1272.*

**Ueharra, M.; Fujigaki, T. and Hayashi, S. (1980):**

Glucose tolerance in pustulosis palmaris et plantaris. Arch. Dermatol., 116: 1275-1276.

**Unge, G. and Torling, G. (1978):**

Treatment of diabetic Necrobiosis with dipyridamole (letter). N. Engl. J. Med.; 298: 1033.

**Vanderloos, T.L.J.M.; Lambrecht, E.R. and Lambers, J.C.C.A (1987):**

Glucagonoma. J. of Am. Acad. Dermatol; 16: 468-272.

**Venencie, P.Y.; Powell, F.C.; Su, W.P.D. and Perry, H.O. (1966):**

Scleredema a review of 33 Cases, J. Am. Acad. Dermatol, 11: 128-134.

**Venencie, P.Y. and Dicken, C.H. (1984):**

The yellow nail syndrome; report of five cases. J. Am. Acad. Dermatol. 10: 187-191.

**Verbrou, J. (1981):**

Erosive candidiasis of the scalp, followed by the appearance of black hair after 40 years. Br. J. Dermatol. 105: 595-598.

**Verbo, V.J. (1984):**

Necrolytic migratory erythema associated with an islet-cell tumour of the pancreas. Dermatologia, 163: 189.

**Way, L.W. (1985):**

Hand surgery In: Current surgical . Diagnosis and treatment, seventh edition; edited by Lawrence. W. Way, Lange Medical. Publications, Chapter 46 P. 1080.

**Weintraub, L.R.; Demis, D.J.; Contrad, M.E. et al. (1965):**

Iron excretion by the skin in selective localization of iron in epithelial cells. AM. J. Pathol. 46: 121-127.

**Young, R.J.; Hannan, W.J.; Frier, B.M.; Steel, J.M. and Duncan, L.J.P. (1984):**

*Diabetic lipohypertrophy Delay, Insulin Absorption, Diabetes Care, 7: 479-80.*

**Young, R.J.; Steel, J.M.; Frier, B.M. and Duncan, L.J.P. (1981):**

*Insulin injection sites in diabetes-neglected area. Br. Med. J. 283-349.*

**Yue, D.R. et al. (1983):**

*The thermal stability of collagen in diabetic rats: Correlation with severity of diabetes and nonenzymatic glycosylation. Diabetologia, 24: 282-285.*

**Yuen, C.T.; Easton, B.; Misch, K.J. and Rhodes, E.L. (1982):**

*Increased activity of serum amine oxidases in granuloma annulare, necrobiosis lipoidica and diabetes, Br. J. of Dermatol 116: 643-644.*

**Zaky, D.A. et al. (1976):**

*Malignant external otitis; Asever form of otitis in diabetic patients. Am. J. Med., 61: 298.*

**Zijdenbos, L.M.; Starink, T.M. and Spronk, C.A. (1985):**

*Ulcerative lichen planus with associated sicca syndrome and good therapeutic result of skin grafting. J. Am. Acad. Dermatol. 13: 667-668.*

**Zimmet, P. (1987):**

*The epidemiology of diabetes mellitus: a global perspective; Medicographia, 9, 1: 4-6.*

**Zimmet, P.; King, H.; Serjeantson, S. and Kirk, R. (1986):**

*The Genetics of Diabetes Mellitus; Aust. NZ. J. Med. 16: 419-424.*