

REFERENCES

Alfke K, Straube T, Dorner L, Mehdorn HM, and Jansen O: Treatment of Intracranial Broad-Neck Aneurysms with a New Self-Expanding Stent and Coil Embolization. **AJNR Am J Neuroradiol** 25:584–591, 2004.

Andaluz N, Van Loveren HR, Keller JT, Zuccarello M: Anatomic and clinical study of the Orbitopterional approach to anterior communicating artery aneurysms. **Neurosurgery** 52:1140-1149, 2003.

Austin G, Fisher S, Dickson D, Anderson D, Richardson S: The significance of the extracellular matrix in intracranial aneurysms. **Ann Clin Lab Sci** 23:97-105, 1993.

Badjatia N, Topcuoglu MA, Pryor JC, Rabinov JD, et al: Preliminary Experience with Intra-Arterial Nicardipine as a Treatment for cerebral Vasospasm. **AJNR Am J Neuroradiol** 25:819–826, 2004.

Bailes JE, Spetzler RF: Management, morbidity and mortality of poor grade aneurysm patients. **J Neurosurg**, 72: 559-566, 1990.

Baldi S, Hounayer C, Piotin M and Moret J : Balloon assisted coil placement in wide-neck bifurcation aneurysms by use of a new, compliant balloon microcatheter. **AJNR**; 24: 1222-1225, 2003.

Ballard J, Kreiter KT, Claassen J, et al: Risk factors for continued cigarette use after subarachnoid hemorrhage. **Stroke** 34: 1859-1863, 2003.

Barrow DL, Reinser A: Natural history of intracranial aneurysms. **Neurosurgery**, 40: 3-39, 1993.

Bassi P, Bandera R, et al.: Warning signs in subarachnoid hemorrhage: A cooperative study. **Acta Neurol**, 84: 277-281, 1991.

Batjer, H.H.; Chander, J.P. and Getch, G. et al.: Intracerebralaneurysm. In: Rengachary, Ellenberg RG (eds). **Principles of Neurosurgery**; 115-235, 2005.

Baumgartner RW, Transcranial color-coded duplex sonography. *J Neurol* 246:637–647, 1999.

Bendok BR, Hanel RA, Hopkins LN: Coil Embolization of intracranial aneurysms. *Neurosurgery*, 52: 1125-1130, 2003.

Benitez RP, Silva MT, Klem J, Venznedaroglu E, Rosenwasser RH: Endovascular occlusion of wide-necked aneurysms with a new intracranial Microstent (Neuroform) and detachable coils. *Neurosurgery*, 54 (6): 1-11, 2004.

Berge J: Treatment of wide neck aneurysms with Trufill DCS detachable coils and stent protection. *Interventional Neuropathology*; 9: 141-152, 2002.

Bouthillier A, Van Loveren HR, Keller JT: Segments of the internal carotid artery: A new classification. *Neurosurgery*, 38: 425-433, 1996.

Byrne JV, Guglielmi G: Intracranial aneurysms: Symptomatology, endovascular treatment: packing with the Guglielmi detachable coils. In Byrne JV. Guglielmi G, (eds). *Endovascular treatment of intracranial aneurysms*, Springer Verlag. Berlin-Heidelberg: 1-166, 1998.

Canton, G.; Levy, D.L. and Lasheras, J.C.: Changes in the intra-aneurysmal pressure due to hydrocoil embolization. *AJNR*; 26: 904-907, 2005.

Capo H, Kupersmith MJ, et al: The clinical importance of the inferolateral trunk of internal carotid artery. *Neurosurgery* 28: 733. 1991.

Cekirge HS, Saatci I, Firat MM, Balkanci F, et al.: Placement of mechanically detachable spiral coils in the endovascular treatment of intracranial aneurysms. *Vascular and Interventional Radiology*; 7: 75-79, 1996.

Chiang VL, Gailloud P, Murphy KJ: Routine intraoperative angiography during aneurysm surgery. *J Neurosurg* 96:988–992, 2002.

Cloft HJ and Kallames DF: Cerebral aneurysms perforations complicating therapy with Guglielmi detachable coils: A Meta analysis. *AJNR*; 23: 1706-1709, 2002.

Cloft HJ, Jensen ME, Kallmes DF and Dion JE : Arterial dissections complicating cerebral angiography and cerebrovascular interventions. *AJNR*; 21: 541-545, 2000.

Cloft JH, Joseph GJ, Tong FC, et al.: Use of three dimensional Guglielmi detachable coils in the treatment of wide-necked cerebral aneurysms. *AJNR*; 21: 1312-1314, 2000.

Cottier JP, Pasco A, Gallas S., et al. : Utility of balloon assisted Guglielmi detachable coiling in the treatment of 49 cerebral aneurysms: A retrospective multicenter study. *AJNR*; 22: 345-351, 2001.

Courtheoux P, Tournade A, Sengel C, et al.: Saccular intracranial aneurysms: endovascular treatment with mechanical detachable spiral coils. *Radiology*; 202: 481-486, 1997.

Day A, Gaposchkin CG, Rivet DJ, Dacey RG et al: Spontaneous fusiform middle cerebral artery aneurysms: characteristics and a proposed mechanism of formation. *J Neurosurg* 99: 228-240, 2003.

De Braekeleer M, Pérusse L, Cantin L, Bouchard JM, Mathieu J. A study of inbreeding and kinship in intracranial aneurysms in the Saguenay Lac-Saint-Jean region (Quebec, Canada). *Ann Hum Genet.* 60:99-104, 1996.

Deutsch L.: Anatomy and angiographic diagnosis of extracranial and intracranial vascular disease. In Rutherford RB (ed), *Vascular surgery*, Philadelphia, WB Saunders; P.1744-1749, 2000.

Dion JE, Duckwziler GR, Hyhy KP, et al.: Progressive suppleteness pursil catheter: a new tool for superselective angiography and embolization. *AJNR*; 10: 1068-1070, 1989.

Doerfler A, Wanke I, Egelhof T, et al.: Aneurysmal rupture during embolization with Guglielmi detachable coils: Causes, management, and outcome. *AJNR*; 22: 1825-1832, 2001.

Doerfler A, Wanke I, Egelhof T, Stolke D, et al: Double-stent method: therapeutic alternative for small wide-necked aneurysms Technical note. *J Neurosurg* 100:150–154, 2004.

Donauer E, Henkes H, Reif J, Fuhrmann S, et al.: Intracranial aneurysms: The surgical and endovascular approach. In Lanzer P, Topol EJ (eds). Pan vascular medicine, integrated clinical management. Berlin Heidelberg, New York, Springer Verlag. 70: 1155-1216, 2002.

Drake CG, Hunt WE, Sano K, et al. Report of World Federation of Neurological Surgeons Committee on a Universal Subarachnoid Hemorrhage Grading Scale. *J Neurosurg*;68:985–6, 1988.

Eckard DA, O’Boynick DL, McPherson CM, Eckard VR, Han P, Batnitzky S: Coil occlusion of the parent artery for treatment of symptomatic peripheral intracranial aneurysms. *AJNR*, 21: 137-142, 2000.

Ellamushi HE, Grieve JP, Kitchen ND, et al: Risk factors for the formation of multiple intracranial aneurysms. *J Neurosurg* 94:728–732, 2001.

Fabini GCA, Arteriola – Fortuny I: Epilepsy after craniotomy for intracranial aneurysm; *lancet*, 1:1299-1300, 1980.

Fiorella D, Albuquerque F, Han P, McDougall CG: Preliminary experience using the Neuroform stent for the treatment of cerebral aneurysms. *Neurosurgery*, 54, 1: 1-13, 2004.

Fischer, E.: Die Lageabweichungen der vorderen hirnarterie im gefassbild. *Zentralbl Neurochir*; 3: 300-313, 1994.

Flamm ES: Cerebral aneurysms at the bifurcation of the internal carotid artery , **Rengachary SS, Wilkins RH :** *Neurosurgical Operative Atlas* , Printed in the United States of America ,published by The American Association of Neurological Surgeons , Vol. 1,Ch. 10 , pp 95-105 , 1993 .

Friedman AH : Pre-and postoperative management of a patient with a ruptured aneurysm , **Wilkins RH, Rengachary SS:** *Neurosurgery* , printed in the United State of America , published by McGraw-Hill Co., Vol. 5 , Ch. 219 , Pp 2261-2270 ,1996 .

Gailloud P, Oishi S, Carpenter J, Murphy KJ: Three-Dimensional Digital Angiography: New Tool for Simultaneous Three-Dimensional Rendering of Vascular and Osseous Information during Rotational Angiography. **AJNR Am J Neuroradiol** 25:571–573, 2004.

Gibo, H.; Lenkey, C. and Rhoton, A.L.Jr.: Microsurgical anatomy of the supraclinoid portion of the internal carotid artery. *J Neurosurgery*; 55: 560-574, 1981.

Given CA, Burdette JH, Elster AD, Williams III DW: Pseudo-Subarachnoid Hemorrhage: A Potential Imaging Pitfall Associated with Diffuse Cerebral Edema. **AJNR Am J Neuroradiol** 24:254–256, 2003.

Goddard AP, Raju PJ, Gholkar A: Does the method of treatment of acutely ruptured intracranial aneurysms influence the incidence and duration of cerebral vasospasm and clinical outcome? **J Neurol Neurosurg Psychiatry** 75:868–872, 2004.

Gray's Anatomy.: Chapter 10, Cardiovascular system edited by Giorgio Gabella, Carotid system of arteries, Edition38; P. 15:13-29, 1995.

Greenberg MS: Outcome assessment; Hand book of neurosurgery, 31:861-863, 2006.

Griffiths PD, Wilkinson ID, Mitchell P, Patel MC, et al: Multimodality MR Imaging Depiction of Hemodynamic Changes and Cerebral Ischemia in Subarachnoid Hemorrhage. **AJNR Am J Neuroradiol** 22:1690–1697, 2001.

Halbach VV, Down CF, Higashida RT, et al.: Endovascular treatment of mural type vein of Galen malformation. *J Neurosurg*, 55:74-80, 1998.

Han MH, Kwon OK, Yoon CJ, Kwon BJ, et al. : Gas generation and clot formation during electrolytic detachment of Guglielmi detachable coils. *AJNR*; 24: 539-544, 2003.

Henkes H, Fisher S, Weber W, Miloslavski E, Felber S, Brew S, Kuehne D: Endovascular Coil Occlusion of 1811 intracranial aneurysms: Early angiographic and clinical results . *Neurosurgery*, 54: 268-285. 2004.

Hilal SK, Khandji AG, Chi TL, Stein BM, Bello JA, Silver AJ, Schumacher KJ: Synthetic fiber-coated platinum coils successfully used for the endovascular treatment of arteriovenous malformations, aneurysms, and direct arteriovenous fistulas of the CNS. Presented at the meeting of Radiological Society of North America, Chicago, Illinois. November 27-December 2, 1988.

Hoh BL, Cheung AC, Rabinov JD, Pryor JC, et al: Results of a prospective protocol of computed tomographic angiography in place of catheter angiography as the only diagnostic and pretreatment planning study for cerebral aneurysms by a combined neurovascular team. **Neurosurgery** 54:1329-1342, 2004.

Horie N, Takahashi N, Furuichi S, et al: Giant fusiform aneurysms in the middle cerebral artery presenting with hemorrhages of different origins. Report of three cases and review of the literature. **J Neurosurg**, 99:391-396, 2003.

Howington JU, Kutz SC, Wilding GE, et al: Cocaine use as a predictor of outcome in aneurysmal subarachnoid hemorrhage **J Neurosurg** 99:271-275, 2003.

Iihara K, Murao K, Sakai N, Shindo A, et al: Unruptured paraclinoid aneurysms: a management strategy. **J Neurosurg** 99:241–247, 2003.

Imaizumi T, Chiba M, Honma T, Niwa J: Detection of Hemosiderin Deposition by T2*-Weighted MRI after Subarachnoid Hemorrhage. **Stroke** 34:1693-1698, 2003.

Inagawa T: Dissection from Fundus to Neck for Ruptured Anterior and Middle Cerebral Artery Aneurysms at the Acute Surgery. **Acta Neurochir** (Wien) 141: 563±570, 1999.

Islak C, Kocer N, Albayram S, Kizilkilic O, et al.: Bare stent graft technique: A new method of endoluminal vascular reconstruction for the treatment of giant and fusiform aneurysms. **AJNR**; 23: 1589-1595, 2002.

Ito K, Hongo K, and Kakizawa Y, Kobayashi S: Three-Dimensional contrast medium-enhanced computed tomographic cisternography for preoperative evaluation of surgical anatomy of intradural paraclinoid aneurysms of the internal carotid artery technical note. **Neurosurgery** 51:1089-1093, 2002.

Jafar JJ, Russell SM, Woo HH: Treatment of giant intracranial aneurysms with saphenous vein extracranial- to- intracranial bypass grafting: indications, operative technique, and results in 29 patients. **Neurosurgery** 51:138-146, 2002.

Jayakrishnan VK, White PM, Aitken D, et al: Subtraction Helical CT Angiography of Intra- and Extracranial Vessels: Technical Considerations and Preliminary Experience. **AJNR Am J Neuroradiol** 24:451–455, 2003.

Johnston SC, Higashida RT, Barrow DL, Caplan LR, et al: Recommendations for the Endovascular Treatment of Intracranial Aneurysms A Statement for Healthcare Professionals from the Committee on Cerebrovascular Imaging of the American Heart Association Council on Cardiovascular Radiology. **Stroke** 33:2536-2544. 2002.

Juvela S, Poccas M, Heiskanen O: Natural history of unruptured intracranial aneurysms: a long term follow up study. **J Neurosurg**, 79: 174-182, 1993.

Kallmes DF, Fujiwara NH: New expandable hydrogel-platinum coil hybrid device for aneurysms embolization. **AJNR**; 23: 1580-1588, 2002.

Kaminogo M, Hayashi H, Ishimaru H, Morikawa M, et al: Depicting Cerebral Veins by Three-Dimensional CT Angiography before Surgical Clipping of Aneurysms. **AJNR Am J Neuroradiol** 23:85–91, 2001.

Kangasniemi M, Makela T, Koskinen S, Porras M: Detection of intracranial aneurysms with two dimensional and three-dimensional multislices helical computed tomography angiography. **Neurosurgery** 54:336-341, 2004.

Karamessini MT, Kagadis GC, Petsas T, Karnabatidis D, et al: CT angiography with three-dimensional techniques for the early diagnosis of intracranial aneurysms. Comparison with intra-arterial DSA In addition, the surgical findings. **European Journal of Radiology** 49: 212–223, 2004.

Kato Y, Sano H, Dindorkar K, Abe M, et al :Treatment of unruptured intracranial aneurysms – A clinicopathological correlation, **Acta Neurochir (Wien)** 143:681-687, 2001.

Kerber C, Knox K, Hecht ST, Buxton RB: Flow dynamics in the human carotid bulb. *International Journal of Neuroradiology*, 2: 422-429, 1996.

Kim JM, Romano A, Sanan A, et al: Microsurgical anatomic features and nomenclature of the paraclinoid region. **Neurosurgery** 46:670-682, 2000.

Klimo P, Kestle JW, MacDonald JD, and Schmidt RH: Marked reduction of cerebral vasospasm with lumbar drainage of cerebrospinal fluid after subarachnoid hemorrhage. **J Neurosurg** 100: 215-224, 2004.

Klisch J, Weyerbrock A, and Spetzger U, Schumacher M: Active Bleeding from Ruptured Cerebral Aneurysms during Diagnostic Angiography: Emergency Treatment. **AJNR Am J Neuroradiol** 24:2062–2065, 2003.

Klopfenstein J, Kim LJ, Erfan IM, Hott JS, et al: Comparison of rapid and gradual weaning from external ventricular drainage in patients with aneurysmal subarachnoid hemorrhage: a prospective randomized trial. **J Neurosurg** 100:225–229, 2004.

Krex D, Rohl H, Konig IR, et al: Tissue inhibitor of metalloproteinases -1,-2, and -3 polymorphisms in a white population with intracranial aneurysms. **Stroke** 34: 2817-2821, 2003.

Krex D, Schackert K, and Schackert G: genesis of cerebral aneurysms. **Acta Neurochir (Wien)** 143:429-449, 2001.

Lafuente J, Williams M: Ruptured intracranial aneurysms: the outcome of surgical treatment in experienced hands in the period prior to the advent of endovascular coiling. **J Neurol Neurosurg Psychiatry** 74:1680–1684, 2003.

Laidlaw JD, Siu KH: Poor-grade aneurysmal subarachnoid hemorrhage: Outcome after treatment with urgent surgery. **Neurosurgery** 53:1275-1282, 2003.

Lanzino, G. and Kassell, N.F. et al.: Double-blind, randomized vehicle-controlled study of high-dose tirilazad mesylate in women with aneurysmal subarachnoid hemorrhage. Part II. A cooperative study in North America. **J Neurosurg**; 90: 1018-1024, 2006.

Lasjaunias P: Indications and objectives in the treatment of Brain Arteriovenous Malformations. In Berenstein A, Lasjaunias P (eds). **Surgical Neuroangiography**, volume 4, endovascular treatment of cerebral lesions, Springer, Verlag, Berlin Heidelberg.: 107-188, 1998.

Lawton MT: Spetzler-Martin Grade III arteriovenous malformations: Surgical results and a modification of the Grading scale. **Neurosurgery**, 52: 740-749, 2003.

Lee, L.A. and Lam, M.A.: Anaesthesia for patients with intracranial aneurysms. In: Le Roux PD, Winn HR, Newell DW (eds). **Management of cerebral aneurysms**. Philadelphia, WB Saunders; 531-546, 2004.

Le Roux PD, Newell DW, Win HR: Imaging of intracranial and subarachnoid hemorrhage; **Management of cerebral aneurysms**, 16:211-232, 2004.

Lindsay KW, Teasdale GM: Observer Variability in assessing the clinical features of subarachnoid hemorrhage. **J Neurosurg**, 58: 57-62, 1983.

Liu JK, Tenner MS, Gottfried ON, Stevens EA, et al: Efficacy of multiple intraarterial papaverine infusions for improvement in cerebral circulation time in patients with recurrent cerebral vasospasm. **J Neurosurg** 100:414–421, 2004.

Louw, D.F.; Asfora, W.T. and Sutherland, G.R. et al.: Brief history of aneurysm clips. **Neurosurg Focus**; 11(2), 2001.

Lubicz B, Gauthier JY, Leclerc X, Lejeune JP, Pruvo JP: Giant aneurysms of the internal carotid artery: endovascular treatment and long-term follow-up . **Neuroradiology** 45: 650–655, 2003.

- Macdonald RL, Stoodley M, and Weir B:** Intracranial Aneurysms. *Neurosurgery Quarterly* 11(3):181–198, 2001.
- Malisch TW :** Aneurysms rupture during GDC treatment: Optimizing the rescue strategy. *AJNR*; 21: 1372-1373, 2000.
- Massoud TF, Guglielmi G, Vinuela F, Duckwiler GR:** Endovascular treatment of multiple aneurysms involving the posterior intracranial circulation. *AJNR*, 17: 549-554, 1996.
- Mitchell P, Wilkinson ID, Hoggard N, et al:** Detection of subarachnoid haemorrhage with magnetic resonance imaging. *J Neurol Neurosurg Psychiatry* 70:205–211, 2001.
- Mizutani T, Kojima H, Asamoto S, and Miki Y:** Pathological mechanism and three-dimensional structure of cerebral dissecting aneurysms. *J Neurosurg* 94:712-717, 2001.
- Mohamed M, Heasely D C, Yagmurlu B, and Yousem DM:** Fluid-Attenuated Inversion Recovery MR Imaging and Subarachnoid Hemorrhage: Not a Panacea. *AJNR Am J Neuroradiol* 25:545–550, 2004.
- Molyneux, A.J.; Kerr, R.S.C. and Yu, L.M. et al.:** International Subarachnoid Aneurysm Trial (ISAT) of neurosurgical clipping versus endovascular coiling in 2134 patients with ruptured intracranial aneurysms: A randomized comparison of effects on survival, dependency, seizures, rebleeding, subgroups, and aneurysm occlusion. *Lancet*; 366: 809-817, 2005.
- Molyneux, A.J.; Cekirge, S. and Saatci, I. et al.:** Cerebral Aneurysm Multicenter European Onyx (CAMEO) trial: Results of a prospective observational study in 20 European centers. *AJNR*; 25: 39-51, 2004.
- Moret J, Cognard C, Pierot L, Boulin A, Weill A, Toevi M, Castaings L, Rey A:** Intracranial aneurysms ,Endovascular treatment with mechanical detachable spirals in 60 Aneurysms. *Radiology*, 202: 783-792, 1997.
- Moro N, Katayama Y, Kojima J, et al:** Prophylactic Management of Excessive Natriuresis with Hydrocortisone for Efficient Hypervolemic Therapy after Subarachnoid Hemorrhage. *Stroke* 34:2807-2811, 2003.

Murayama Y, Vinuela F, Tateshima S, Song JK and Wallace P: Bio absorbable polymeric material coils for embolization of intracranial aneurysms: A preliminary experimental study. *J. Neurosurgery.*; 94: 454-463, 2001.

Nakagawa and Hashi k: The incidence and treatment of asymptomatic unruptured cerebral aneurysms.*J.Neurosurg*; 65:938-941, 1994.

Nanda A, Vannemreddy PS, Polin RS, Willis BK. Intracranial aneurysms and cocaine abuse: analysis of prognostic indicators. *Neurosurgery* 46: 1063-7, 2000.

Nelson N : A versatile, steerable, flow-guided catheter for delivery of detachable balloons. *AJNE*; 11: 657-658, 1990.

Nelsor PK and Levy DI: Balloon assisted coil embolization of wide-necked aneurysms of the internal carotid artery: Medium term angiographic and clinical follow up in 22 patients. *AJNR*; 22: 19-26, 2001.

Netter FH: Cerebral vasculature. In Dalley AF, Myers AH, Nether FH, (eds). *Atlas of clinical anatomy*, New York, Churchill Livingstone: 130-140, 1997.

Niimi Y, Berenstein A, et al.: The cavernous sinus comprehensive text; 12: 155-176, 2000.

Ohkuma H, Suzuki S, Kikkawa T, Shimamura N: Neuroradiologic and Clinical Features of Arterial Dissection of the Anterior Cerebral Artery. *AJNR Am J Neuroradiol* 24:691–699, 2003.

Okahara M, Kiyosue H, Yamashita M, Nagatomi H, et al: Diagnostic Accuracy of Magnetic Resonance Angiography for Cerebral Aneurysms in Correlation With 3D–Digital Subtraction Angiographic Images a Study of 133 Aneurysms. *Stroke* 33:1803-1808.2002.

Osborn AG, Davis WL, Jacobs J: Cerebral vasculature: Normal anatomy and pathology. In Osborn AG, Maack J (eds). *Diagnostic Neuroradiology*, St. Louis. Mosby-Year Book, Inc. 1994.

Osborn AG: Intracranial aneurysms. In: Brant-Zawadski M, Drayer B (eds). Core curriculum course in neuroradiology. Part I: Vascular lesions and degenerative disease. American society of Neuroradiology, Chicago, IL, April 21-22, 1995.

Osborn AG: Normal Gross and Angiographic anatomy of the craniocervical vasculature. In Osborn AG, Jacobs JM, Mack J, Guillman LA, (eds). Diagnostic cerebral Angiography, 2nd edition, Philadelphia, Lippincot Williams and Wilkins, b: 3-240, 1999.

O'shaughnessy B, Salehi SA, Mindea SA: and huntbatjer, H., Selective cerebral revascularization as an adjunct in the treatment of giant anterior circulation aneurysms. **Neurosurg Focus** 14 (3): Article 4, 2003.

Padolecchia R, Guglielmi G, Pugloili M et al.: Role of electrothrombosis in aneurysms treatment with Guglielmi detachable coils. **AJNR**; 22: 1757-1760, 2001.

Petitti DB, Sidney S, Bernstein A, Wolf S, Quesenberry C, Ziel HK: Stroke in users of low-dose oral contraceptives. **N Engl J Med** 335:8-15, 1996.

Piotin M, Iijima A, Wada H and Moret J: Increasing the packing of small aneurysms with complex-shaped coils, **AJNR**; 24: 1446-1448, 2003.

Ponce FA, Albuquerque FC, McDougall CG, et al: Combined endovascular and microsurgical management of giant and complex unruptured aneurysms. **Neurosurg Focus** 17 (5):E11, 2004.

Proust F, Debono B, Hannequin D, Gerardin E, et al: Treatment of anterior communicating artery aneurysms: complementary aspects of microsurgical and endovascular procedures. **J Neurosurg** 99:3-14, 2003.

Qu F, Aiyagari V, Cross 111 DT, Dacey Jr RG, Diringer MN: Untreated subarachnoid hemorrhage: who, why, and when? **J Neurosurg** 100: 244-249, 2004.

Rabinstein AA, pichelmann MA, Friedman JA, et al.: Symptomatic vasospasm and outcomes following aneurysmal subarachnoid hemorrhage: a comparison between surgical repair and endovascular coil occlusion. **J Neurosurg** 98:319-325, 2003.

Raymond R, Salazkin I, Georganos S, Guilbert F, Desfaits AC et al: Treatment of experimental wide neck aneurysms: Comparison of results using coils and cyanoacrylate with the assistance of an aneurysms neck bridge device. *AJNR*; 23: 1710-1716, 2002.

Rasmussen JS, Schulz M, Kristensen SR, and Bjerre P: Delayed neurological deficits detected by ischemic pattern in the extracellular cerebral metabolites in patients with aneurysmal subarachnoid hemorrhage. *J Neurosurg* 100: 8-15, 2004.

Rhoton AL Jr: Aneurysms. *Neurosurgery*, 51: 21-158, 2004.

Rhoton AL: The supratentorial arteries. *Neurosurgery*, 51: 53-120, 2002.

Roberts, G.A. and Dacey, R.G.Jr.: General techniques of aneurysm surgery. In: Le Roux PD, Winn HR, Newell DW (eds). *Management of cerebral aneurysms*. Philadelphia, WB Saunders; 37: 563-582, 2004.

Roos YB, Dijkgraaf MG, Albrecht KW, Beenen LF, Groen RJ, De Haan RJ, Vermeulen M: Direct costs of modern treatment of aneurysmal subarachnoid hemorrhage in the first year after diagnosis. *Stroke*: 33: 1595-1599, 2002.

Rosen DS, and Macdonald RL: Grading of subarachnoid hemorrhage: modification of the world federation of neurosurgical societies scale on the bases of data for a large series of patients. *Neurosurgery* 54:566-576, 2004.

Ruigrok YM, Rinkel GE, Algra A, et al: Characteristics of intracranial aneurysms in patients with familial subarachnoid hemorrhage. *Neurology*. 62:891–894, 2004.

Saatci I, Cekirge S, Ciceri EFM, Mawad HE, et al.: CT and MRI imaging findings and their implications in the follow up of patients with intracranial aneurysms. *AJNR*; 24: 567-578, 2003.

Sakata N , Takebayashi S , Kojima M , Masawa N , et al : Different roles of arteriosclerosis in the rupture of dissecting aneurysms. *Histopathology* 38, 325-337. 2001.

Samson D, Batjer HH, Bowman G, et al: A clinical study of the parameters and effects of temporary arterial occlusion in the management of intracranial aneurysms. **Neurosurgery** 34: 22–29, 1994.

Satoh T, Onoda K, and Tsuchimoto S: Intraoperative Evaluation of Aneurysmal Architecture: Comparative Study with Transluminal Images of 3D MR and CT Angiograms. **AJNR Am J Neuroradiol** 24:1975–1981, 2003.

Sbeih I, Tamas LB, Olaoire SA: Epilepsy after operations of aneurysms; **Neurosurgery**, 19:784-788, 1991.

Schievink WI: Intracranial aneurysms .**The New England J. of medicine**. N1, V 336, PP 28-40, 1997.

Schievink WI, Katzmann JA, Piepgras DG, Schaid DJ Alpha-1-anti-trypsin phenotypes among patients with intracranial aneurysms. **J Neurosurg**; 84:781-784, 1996.

Sengupta RP: Surgical management of anterior cerebral and anterior communicating artery aneurysms , Schmidek , H.H., Operative neurosurgical techniques , published by W.B. Saunders Company , Printed in United State of America , Vol 2, Ch. 87 , Pp 1181-1204 ,2000.

Sheridan M, Pichard JD: Surgical management of anterior communicating artery aneurysms. Kaye AH, and Black PM: **Operative neurosurgery** (78) 955-966, 2000.

Sloan MA, Alexandrov AV, Tegeler CH, Spencer MP, et al: Assessment: Transcranial Doppler ultrasonography Report of the - Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology. **NEUROLOGY** 62:1468–1481, 2004.

Soliman E: Causes and classification of intracranial aneurysm; **Cerebral aneurysm**, 2:31-50, 2003.

Spetzler RF, Ferreira MT, and Erfan IF, et al: Microsurgical anatomy of the anterior cerebral circulation: part 1. The infraclinoid internal carotid artery. **Barrow Neurological institute** Vol 18, No. 2, 2002.

Spetzler RF, Koos WT, Richling B et al.: Color atlas of micro neurosurgery; volume 2, 1997.

Stenhouse LM, Knight R G, Longmore B E, Bishara S N: Long-term cognitive deficits in patients after surgery on aneurysms of the anterior communicating artery; *J Neurol Neurosurg Psychiatry*, 54:909 – 914, 1990.

Stein, S.C.: Brief history of surgical timing: Surgery for ruptured intracranial aneurysms. *Neurosurg Focus*; 11(2), 2001.

Stiefel MF, Heuer GG, Abrahams JM, ET a: the effect of nimodipine on cerebral oxygenation in patients with poor-grade subarachnoid hemorrhage. *J Neurosurg* 101:594–599, 2004.

Studley MT, Robinson RH and Howe JF: Delayed thromboembolic events 9 weeks after endovascular treatment of anterior communicating artery aneurysm. *AJNR*; 23: 975-977, 2002.

Suarez, J.I.; Tarr, R.W. and Selman, W.R.: Aneurysmal subarachnoid hemorrhage. *The New England Journal of Medicine*; 354: 387-396, 2006.

Sugahara T, Korogi Y, Nakashima K, Hamatake S, et al: Comparison of 2D and 3D Digital Subtraction Angiography in Evaluation of Intracranial Aneurysms. *AJNR Am J Neuroradiol* 23:1545–1552, 2002.

Takaishi Y, Yamashita H, and Tamaki N: Cadaveric and Clinical Study of Endoscope-assisted Microneurosurgery for Cerebral Aneurysms Using Angle-type Rigid Endoscope. *Kobe J. Med. Sci.* 48, 1/11, 2002.

Tang G, Michael CC, Dion JE, and Barrow DL: Intraoperative angiography during aneurysm surgery: a prospective evaluation of efficacy. *J Neurosurg* 96: 993-999, 2002.

Tateshima S, Vinuela F, Villablanca JP, et al: Three-dimensional blood flow analysis in a wide-necked internal carotid artery–ophthalmic artery aneurysm. *J Neurosurg* 99:526–533, 2003.

Taylor CL, Yuan Z, Selman WR, Ratcheson RA, and Rimm AA: Cerebral arterial aneurysm formation and rupture in 20,767 elderly

patients: hypertension and other risk factors. **J Neurosurg**; 83:812-819, 1995.

Toftdahl DB, Torp-Pedersen C, Engel UH, Strandgaard S, Jespersen B: Hypertension and left ventricular hypertrophy in patients with spontaneous subarachnoid hemorrhage. **Neurosurgery** 37:235-239, 1995.

Tosaka M, Okajima F, Hashiba Y, et al: Sphingosine 1-Phosphate Contracts Canine Basilar Arteries in Vitro and In Vivo Possible Role in Pathogenesis of Cerebral Vasospasm. **Stroke** 32:2913-2919, 2001.

Treggiari - Venzi MM, Suter PM, Romand JA: Review of medical prevention of vasospasm after aneurysmal subarachnoid hemorrhage: A problem of neurointensive care. **Neurosurgery** Vol. 48, 2, 249-262, 2001.

Turk AS, Rappe AH, Villar F, et al.: Evaluation of the trispan neck bridge device for the treatment of wide-necked aneurysms. **Stroke**; 32: 492-497, 2001.

Turjman F, Pirot L, Flandroy P, Berge J, Vallée JN, Bracard S: Selective endovascular treatment of intracranial aneurysms using Micrus Microcoils: preliminary results in a series of 78 patients. **J Neuroradiol**, 29:114-121, 2002.

Turner CL, Kirkpatrick PJ, Detection of intracranial aneurysms with unenhanced and echo contrast enhanced transcranial power Doppler. **J Neurol Neurosurg Psychiatry** 68:489–495, 2000.

Vallee JN, Pierot L, Bonafe A, et al: Endovascular Treatment of Intracranial Wide- Necked Aneurysms Using Three-Dimensional Coils: Predictors of Immediate Anatomic and Clinical Results. **AJNR Am J Neuroradiol** 25:298–306, 2004.

Wanke I, Doerfler A, Schoch B, et al.: Treatment of wide-necked intracranial aneurysms with a self-expanding stent system: initial clinical experience. **AJNR**; 24: 1192-1199, 2003.

Vanninen R, Manninen H and Ronkainen A: Broad based intracranial aneurysms: Thrombosis induced by stent placement. **AJNR**; 24: 263-266, 2003.

Villablanca JP, Jahan R, Hooshi P, Lim S, et al: Detection and Characterization of Very Small Cerebral Aneurysms by Using 2D and 3D Helical CT Angiography. **AJNR Am J Neuroradiol** 23:1187–1198, 2002.

Wardlaw JM, White PM. The detection and management of unruptured intracranial aneurysms. **Brain** 123(pt 2):205-21, 2000.

Weir B: Unruptured intracranial aneurysms: a review. **J Neurosurg** 96: 3-42, 2002.

Willinsky RA, Taylor SM, Farb RI, et al.: Neurologic complications of cerebral angiography: Prospective analysis of 2899 procedures and review of the literature. **Neuroradiology**; 227: 522-528, 2003.

Wintermark M, Uske a, Chalaron M, Regli L, et al: Multislice computerized tomography angiography in the evaluation of intracranial aneurysms: a comparison with intra-arterial digital subtraction angiography **J Neurosurg** 98:828–836, 2003.

Workman MJ, Cloft HJ, Tong FC, Dion JE, et al. : Thrombus formation at the neck of cerebral aneurysms during treatment with Guglielmi detachable coils. **AJNR**; 23: 1568-1576, 2002.

Yalamanchili K, Rosen Wasser R H, Thomas J E et al.: Frequency of cerebral vasospasm in patients treated with endovascular occlusion of intracranial aneurysms; **AJNR**, 19:553-558, 1998.

Yasargil MG: Microsurgical anatomy of the basal cisterns and vessels of the brain. **Micro neurosurgery**, 54-143, 1984.

Yasargil, M.G.: Microneurosurgery (operative anatomy). George Thieme Verlag, New York; 1: 54-165, 1984.

Zipfel GJ AND Dacey RG: Update on the management of unruptured intracranial aneurysms. **Neurosurg Focus** 17 (5):E2, 2004.

Zubillaga AF, Guglielmi G, Vinuela F, Duckwiler GR: Endovascular occlusion of intracranial aneurysms with electrically detachable coils: correlation of aneurysm neck size and treatment results. **AJNR**, 15(5): 815-820, 1994.

REFERENCES