

REFERENCES

- 1) Sherlock S. Anatomy and physiology of the biliary tract. In diseases of the liver and biliary system (5th edition), pp 699-702, Blackwell scientific publications Oxford, 1975.
- 2) Funch-Jensen P. Sphincter of Oddi motility. Acta chir scand suppl. 1990; 553 : 5-12.
- 3) Nahrwold DL . Chronic cholecystitis and cholelithiasis . In Textbook of surgery - The biological basis of modern surgical practice - Sabiston DC (14th. Edition) pp 1057-1058 , WB Saunders: Philadelphia , 1991 .
- 4) Pitt HA , Mcfadden DW , Gadacz TR . Agent for gall stone dissolution . Am J Surg. 1987 ; 153 : 233-246 .
- 5) Bernhoft RA, Pellegrini CA, Motson RW, Way LW. Composition and morphologic and clinical features of common duct stones . Am J Surg 1984; 148: 77-85.
- 6) Saharia PC, Zuidema GD, Cameron JC. Primary common duct stones. Ann Surg 1978; 185: 598-604.
- 7) Cameron JC. Invited commentary. World J Surg 1978; 2: 470-1.
- 8) Allen B, Shapiro H, Way LW. Management of recurrent and residual common duct stones. Am J Surg 1981; 142: 41-7.
- 9) Madden JL. Primary common duct stones. World J Surg 1978; 2: 465-9.
- 10) Wosiewicz V, Shenk J, Sabiniski F, Schmack B. Investigation of common duct stones. Digestion 1983; 26: 43-52.

- 11) Whiting MJ, Watts JM. Chemical composition of common bile duct stones. *Br J Surg* 1986; 73: 229-232.
- 12) Allen B, Bernhoft R, Blankaert N, et al. Sludge is calcium bilirubinate associated with bile stasis. *Am J Surg* 1981; 141: 51-6.
- 13) Soloway RD, Trotman BW, Ostrow JD. Pigment gallstones. *Gastroenterology* 1977; 72: 167-82.
- 14) Rogers AL, Farha GJ, Beamer RL, Chang FC. Incidence and associated mortality of retained common bile duct stones. *Am J Surg* 1985; 150: 690-693.
- 15) Frazee RC, Van Heerden JA. Cholecystectomy with concomitant exploration of the common bile duct. *Surg Gynecol Obstet* 1989; 168: 513-516.
- 16) Menzies D, Motson RW. Operative common bile duct imaging by operative cholangiography and flexible choledochoscopy. *Br J Surg* 1992; 79: 815-817.
- 17) Einstein DM, Lapin SA, Ralls PW, Halls JM. The insensitivity of sonography in the detection of choledocholithiasis. *Am J Radiol* 1984; 142: 725-8.
- 18) Panson P, Partanen K, pikkarainen P, Achava E, Pirinen A, Jonatuinen E. Ultrasonography, C.T and E.R.C.P in the diagnosis of choledochal stones. *Acta Radiol* 1992; 33: 53-6.
- 19) Mitchell SE, Clark RA. A comparison of computed tomography and sonography in choledocolithiasis. *Am j Radiol* 1984; 142: 729-33.

- 20) Kullman E, Borch K, Tarpila E, Leidberg G. Endoscopic retrograde cholangiopancreatography (E.R.C.P) in patients with jaundice and suspected biliary obstruction. *Acta Chir Scand* 1984; 150: 657-63.
- 21) Eubanks B, Martinez C, Mehigan D, Cameron J. Current role of intravenous cholangiography. *Am J Surg* 1982; 143: 731-3.
- 22) Goodman MW, Ansel HJ, Vennes J, Silvis S. Is intravenous cholangiography still useful ?. *Gastroentrology* 1980; 709: 642-5.
- 23) Shehadi W, Tonillo G. Adverse reactions to contrast media. *Radiology* 1980; 137: 299-302.
- 24) Joyce WP, Keana R, Burke GJ et al. Identification of common bile duct stones in patients undergoing laparoscopic cholecystectomy. *Br J Surg* 1991; 78: 1174-6.
- 25) Shivley EH, Wieman TJ, Adams AL, Romines RB. Operative cholangiography. *Am J Surg* 1990; 159: 380-4.
- 26) Lillemoe KD, Yeo CJ, Talomini MA, Wang BH, Pitt HA, Godacz TR. Selective cholangiography. Current role in cholecystect. *Ann Surg* 1992; 215: 669-74.
- 27) Pascale MD, Nanta RJ. Selective Vs routine use of intraoperative cholangiography. *Arch Surg* 1989; 124: 1041-2.
- 28) Pernthaler H, Sandbichler P, Schmid TH, Margreitter R. Operative cholangiography in elective cholecystectomy. *Br J Surg* 1990; 77: 399-400.

- 29) Bogokowsky H, Slutzki S, Zaidenstein L, Halpern Z, Negri M, Abramsohn R. Selective operative cholangiography. *Surg Gynecol & Obstet* 1987; 164: 124-6.
 - 30) Hicken NF, McAllister AJ. Operative cholangiography as an aid in reducing the incidence of "overlooked" common bile duct stones: a study of 1293 choledochotomies. *Surgery* 1964; 55: 753-8.
 - 31) Lygidakis NJ. Operative risk factors of cholecystectomy-choledochotomy in the elderly. *Surg Gynecol & Obstet* 1983; 157: 15-19.
 - 32) Clavien PA, Sanabria JR, Mentha G et al. Recent results of elective open cholecystectomy in a north american and a european center-comparison of complications and risk factors. *Ann Surg* 1992; 216: 618-26.
 - 33) Andren-Sandberg A, Alinder A, Bengmark S. Accidental lesions of the common bile duct at cholecystectomy: pre and per-operative factors of importance. *Ann Surg* 1985; 201(3): 328-33.
 - 34) McSherry Ck. Cholecystectomy: the gold standard. *Am J Surg* 1989; 158: 174-8.
 - 35) Blumgart LH, Kelly CJ, Benjamin IS. Benign bile duct stricture following cholecystectomy: critical factors in management. *Br J Surg* 1984; 71: 836-43.
 - 36) Pixley F, Mann J. Dietary factors in the aetiology of gallstones: a case control study. *Gut* 1988; 29: 1511-15.
-

- 37) Jorgensen T. Abdominal symptoms and gallstone disease: an epidemiological investigation. *Hepatology* 1989; 9:856-60.
 - 38) Rhind JA, Watson L. Gallstone dyspepsia. *Br Med J* 1968; 1: 32.
 - 39) Gunn A, Keddi N. Some clinical observations on patients with gallstones. *Lancet* 1972; ii: 239-41.
 - 40) Ros E, Zambon D. Post cholecystectomy symptoms. A prospective study of gallstone patients before and two year after surgery. *Gut* 1987; 28: 1500-4.
 - 41) Gervin AS, Fischer RP. Simple technique for operative assessment of retained stones in the common bile duct. *Surg Gynecol Obstet* 1983; 155: 251-2.
 - 42) Menzies D, Motson RW. Percutaneous flexible choledochoscopy-a simple method of retained common bile duct stone removal. *Br J Surg* 1991; 78: 959-60.
 - 43) Burhenne HJ. Percutaneous extraction of retained common bile duct stones: 661 patients. *Am J Roentgenol* 1980; 134: 888-98.
 - 44) Lygidakis NJ. Choledochotomy for biliary lithiasis: T-tube drainage or primary closure. Effects on postoperative bacteraemia and T-tube bile infection. *Am J Surg* 1983; 146: 254-6.
 - 45) Jones SA, Steedman RA, Keller TB, Smith LL. Transduodenal sphincteroplasty (not sphincterotomy) for biliary and pancreatic disease. *Am J Surg* 1969; 118: 292-306.
 - 46) Lygidakis NJ. Prospective randomised study of recurrent choledocholithiasis. *Surg Gynecol Obstet* 1982; 155: 679-84.
-

- 47) MacIver MA. An instrument for visualising the interior of the common bile duct at operation. Preliminary note. *Surgery* 1941; 9: 112-14.
- 48) Shore JM, Lippman HN. A flexible choledochoscope. *Lancet* 1965; i: 1200-1.
- 49) Matsumoto S, Tanaka M, Yoshimoto M, Miyazaki K, Ikeda S, Nakayama F. Electrohydraulic lithotripsy of intrahepatic stones during choledochoscopy. *Surgery* 1987; 102: 852-6.
- 50) Ell CH, Lux G, Hochberger J, Muller D, Demling L. Laser lithotripsy of common bile duct stones. *Gut* 1988; 29: 746-51.
- 51) Dayton MT, Conter R, Tompkins RK. Incidence of complications with operative choledochoscopy. *Am J Surg* 1984; 147: 139-45.
- 52) Kappas A, Alexander Williams J, Keighly MRB, Watts GT. Operative choledochoscopy. *Br J Surg* 1979; 66: 177-9.
- 53) Dofferholff ASM, Bom VJJ, de Vries-Hospers et al. Patterns of cytokines, plasma endotoxin, plasminogen activator inhibitor and acute phase proteins during the treatment of severe sepsis in humans. *Crit Care Med* 1992; 20: 185-92.
- 54) Petersson B, Wernerman J, Waller SO, von der Decken A, Vinnars E. Elective abdominal surgery depresses muscle protein synthesis and increases subjective fatigue: effects lasting more than 30 days. *Br J Surg* 1990; 77: 796-800.

- 55) Stahl WM. Acute phase protein response to tissue injury. Crit Care Med 1987; 15: 545-50.
- 56) Hakenson E, Rutberg H, Jorfeldt L, Mortensson J. Effects of the extradural administration of morphine or bupivacaine on the metabolic response to upper abdominal surgery. Br J Anaesth 1985; 57: 394-9.
- 57) Essen P, McNurlan MA, Wernerman J, Vinnars E, Garlick PJ. Uncomplicated surgery, but not general anaesthesia decreases muscle protein synthesis. Am J Physiol 1992; 262: E253-E260.
- 58) Watters JM, Bessy PQ, Dinarello CA, Wolff SM, Wilmore DW. Both inflammatory and endocrine mediators stimulate host response to sepsis. Arch Surg 1986; 121: 179-90.
- 59) Deitch EA. The role of intestinal barrier failure and bacterial translocation in the development of systemic infection and multiple organ failure. Arch Surg 1990; 125: 403-4.
- 60) Sapolski R, Rivier C, Yamamoto G, Plotsky P, Vale W. Interleukin-1 stimulates the release of hypothalamic corticotrophin-releasing factor. Science 1987; 238: 522-4.
- 61) Parry-Billings M, Baigrie RJ, Lamont PM, Morris PJ, Newsholme EA. Effects of major and minor surgery on plasma glutamine and cytokine levels. Arch Surg 1992; 127: 1237-40.
- 62) Schulze S, Sommer P, Bigler D et al. Effect of combined prednisolone, epidural analgesia and endomethacin on the systemic response after colonic surgery. Arch Surg 1992; 127: 325-31.
-

- 63) Mealy K, Gallagher H, Barry M, Lennon F, Traynor O, Hayland J. Physiological and metabolic responses to open and laparoscopic cholecystectomy. *Br J Surg* 1992; 79: 1061-4.
 - 64) Joris J, Cigarini I, Legrand M et al. Metabolic and respiratory changes after cholecystectomy performed via laparotomy or laparoscopy. *Br J Anaesth* 1992; 69: 341-5.
 - 65) Way LW, Bhoyrul S, Mori T. Principles of instrumentation. In fundamentals of laparoscopic surgery (1st edition) pp: 13-78, Churchill livingstone: New york 1995.
 - 66) Hall TJ, Donaldson DR, Brennan TG. The value of laparoscopy under local anaesthesia in 250 medical and surgical patients. *Br J Surg* 1980; 67: 751-3.
 - 67) Sherwood R, Berci G, Austin E, Morgensten L. Minilaparoscopy for blunt abdominal trauma. *Arch Surg* 1980; 115: 672-3.
 - 68) East MC, Steele PRM. Laparoscopic incisions at the lower umbilical verge. *Br Med J* 1988; 296: 753-4.
 - 69) Gupta SP. Positioning the Veress needle. *Br J Surg* 1989; 76: 381.
 - 70) Dunn DC, Watson CJE. Disposable guarded trocar and cannula in laparoscopic surgery: a caveat. *Br J Surg* 1992; 79: 927.
 - 71) Sigel B, Golub RM, Loiacono LA et al. Technique of ultrasonic detection and mapping of abdominal wall adhesions. *Surg Endosc* 1991; 5: 161-5.
-

- 72) Ferzli GS, Massad A, Ozuner G, Worth MH. Laparoscopic exploration of the common bile duct . Surg, Gynecol & Obstet 1992;174: 419-21.
- 73) Petelin J. Laparoscopic approach to common duct pathology. Am J Surg 1993;165:487-91.
- 74) Cotton P, Williams C. Basic endoscopic equipment. In Practical gastrointestinal endoscopy (4th edition) pp: 1-11, Blackwell science: Oxford 1996.
- 75) Rossos PG, Kortan P, Haber G. Selective common bile duct cannulation can be simplified by the use of standard papillotome. Gastrointest Endosc 1993; 39: 67-9.
- 76) Dowsett JF, Varia D, Hatfield RW et al. Endoscopic biliary therapy using the combined percutaneous and endoscopic technique. Gastroenterology 1989; 96: 1180-6.
- 77) Leung JWC, Banez VP, Chung SCS. Precut (needle knife) papillotomy for impacted common bile duct stone at the ampulla. Am J Gastroenterol 1990; 85: 991-3.
- 78) Chung SCS, Leung JWC, Leong HT, Li AKC. Mechanical lithotripsy of large common bile duct stones using a basket. Br J Surg 1991; 78: 1448-50.
- 79) Birkett DH. Biliary laser lithotripsy. Surg Clin N Am 1992; 72: 641-54.
- 80) Ell C, Lux G, Hochberger J, Muller D, Demling L. Laser lithotripsy of common bile duct stones. Gut 1988; 29: 746-51.
-

- 81) Ponchon T, Gagnon P, Valette PJ, Henry L, Chavaillon A, Thieulin F. Pulsed dye laser lithotripsy of bile duct stones. *Gastroenterology* 1991; 100: 1730-6.
- 82) Hixson LJ, Fenenerly MB, Jaffee PE, Pulju JH, Pally SL. peroral cholangioscopy with intracorporeal electrohydraulic lithotripsy for choledocholithiasis. *Am J Gastroenterol* 1992; 87: 296-9.
- 83) Leung JWC, Chung SSC. Electrohydraulic lithotripsy with peroral choledochoscopy. *Br Med J* 1989; 299: 595-8.
- 84) Ponchon T, Martin X, Barkun A, Mestas JL, Chavallion A, Boustiere C. Extracorporeal lithotripsy of bile duct stones using ultrasonography for stone localization. *Gastroenterology* 1990; 98: 726-32.
- 85) Bland KI, Jones RS, Maher JW et al. Extracorporeal shockwave lithotripsy of bile duct calculi. *Ann Surg* 1989; 209: 743-55.
- 86) Sauerbruch T, Stern M. Fragmentation of bile duct stones by extracorporeal shock waves. A new approach to biliary calculi after failure of routine endoscopic measures. *Gastroenterology* 1989; 96: 146-52.
- 87) Gilchrist AM, Ross B, Thomas WEG. Extracorporeal shockwave lithotripsy for common bile duct stones. *Br J Surg* 1997; 84: 29-32.
- 88) Palmer KR, Hoffman AF. Intraductal mono-octanoin for the direct dissolution of bile duct stones: experience in 343 patients. *Gut* 1986; 27: 196-202.

- 89) Neoptolemos JP, Hall C, O'Connor, Murray WR, Carr-Loke DL. Methyl-tertbutyl-ether for treating bile duct stones: the British experience. *Br J Surg* 1990; 77: 32-5.
- 90) Swobodnik W, Baumgaertel H, Janowitz P, Fuchs S, Ditschuneit H. Dissolution of calcified gall bladder stones by treatment with methyl-hexyl ether and urea-EDTA. *Lancet* 1988; 2: 216.
- 91) Leung JWC, Cotton PB. Endoscopic nasobiliary catheter drainage in biliary and pancreatic disease. *Am J Gastroenterol* 1991; 86: 389- 94.
- 92) The Southern Surgeons Club. A prospective analysis of 1518 laparoscopic cholecystectomies. *New Eng J Med* 1991; 324: 1073- 8.
- 93) Paterson-Brown S, De Beax A, Greig JD, Garden OJ. Laparoscopic cholecystectomy. In *Principles and practice of surgical laparoscopy* (1st edition), pp 67-77, WB Saunders: London, Philadelphia, Toronto, 1994.
- 94) Hosking SW, Li AR. common bile duct stones. In: "Recent advances in surgery". 16: pp:105-119. Edited by Taylor I and Johnson CD. Churchill livingstone: London, 1993.
- 95) Miller RE, Kimmelstiel FM, Winkler WP. Management of common bile duct stones in the era of laparoscopic cholecystectomy. *Am J surg*. 1995; 169: 273 - 276.
- 96) Roush TS, Traverso LW. Management and long term follow-up of patients with positive cholangiograms during laparoscopic cholecystectomy. *Am J surg*. 1995; 169: 484 - 487.

- 97) Brain GG . Upper gastrointestinal endoscopy . In : “ Maingot’s abdominal operations ”. pp 158 . Edited by Schwartz SI , Ellis H . Appleton and Lange . East Norwalk , 1990 .
- 98) Birkigt HG , Lassner CS , Porter VK . Preoperative ultrasonic of common bile duct stones and its importance to surgical management . Acta Clin Hung . 1989 ; 30(3) : 171-7 .
- 99) Neuhaus H , Feussner H , Ungeheuer A , Hoffman W , Siewert R , Classen M . Prospective evaluation of the use of endoscopic retrograde cholangiography prior to laparoscopic cholecystectomy . Endoscopy . 1992 ; 24 : 745 - 9 .
- 100) Majoice CB , Reeders JW , Scott TE . Primary sclerosing cholangitis ; a modified classification of cholangioscopic findings . Am J R . 1991 ; 157 : 495 - 7 .
- 101) Baillie J , Cairus S, Cotton P. Endoscopic management of choledocholithiasis during pregnancy . Surgery . 1990 ; 171 : 1 - 4 .
- 102) Hagege H , Berson A , Rode J . Association of juxtapapillary diverticula with choledocholithiasis but not with cholecystolithiasis . Endoscopy . 1992 ; 24 : 248 - 51 .
- 103) Boender JA , Nix AJ , Ridder MA , Buren HR . Endoscopic sphincterotomy and biliary drainage in patients with cholangitis due to common bile duct stones . Am J Gastroentology . 1995 ; 90 : 233 - 8 .
- 104) Farrell RJ , Noonan N , Keeling WN . Endoscopic papillotomy : Novel approach to difficult cannulation . Gut . 1996 ; 39 : 36 - 8 .

- 105) Sivak MV . Endoscopic management of bile duct stones . Am J Surg . 1989 ; 158 : 228 - 240 .
 - 106) Devier J , Motte S, Dumanceau LN . Septicemia after endoscopic retrograde cholangiopancreatography . Endoscopy . 1990 ; 22 : 72 - 5 .
 - 107) Cotton PB . Endoscopic management of bile duct stones (apples and oranges) . Gut . 1984 ; 25 : 587 - 97 .
 - 108) Cotton PB . Removing duct stones without sphincterotomy . Gastrointest. Endosc. 1993 ; 39 : 312 - 5 .
 - 109) Staritz M , Ewek A , Meyer-zum S. Endoscopic papillary balloon dilatation for the treatment of common bile duct stones and papillary stenosis . Endoscopy . 1983 ; 15 : 197 - 8 .
 - 110) Chung YI , Yoshiaki O , Masao T . Treatment of common bile duct stones using mechanical , electrohydraulic and extracorporeal shock waves . Endoscopy . 1991 ; 23 : 176 - 180 .
 - 111) Liguery CL , Lennon J . Intracorporeal electrohydraulic shock wave lithotripsy of common bile duct stones . Endoscopy . 1987 ; 237 - 40 .
 - 112) Cotton PB , Kozarek R , Brun CL. Endoscopic laser lithotripsy of large bile duct stones . Gastroenterology . 1990 ; 99 : 1128 - 33 .
 - 113) Saverbruch T , Stern M , Banes VP . Fragmentation of bile duct stones by extracorporeal shock waves. Gastroenterology . 1989;96:146-52.
 - 114) Kenneth GJ , Geenen JE , Rege RV . Treatment of non-extractable common bile duct stones with the combination urso-deoxycholic acid plus endoprosthesis . Gastrointest. Endosc. 1993 ; 39 : 528 - 31 .
-

- 115) Rustgi AK , Schapiro RH , Stefan H . Biliary stents for common bile duct stones . *Gastrointest. Endosc. Clin. North Am* . 1991 ; 1:79-91 .
- 116) Neoptalemos JP , London NJ , Carr-locke DL . Assessment of main pancreatic duct integrity by E.R.C.P in patients with acute pancreatitis . *Br J surg* . 1993 ; 80 : 94 - 99 .
- 117) Pasanen PK , Partanen PI , Alhava AE . Ultrasonography , CT and E.R.C.P : In diagnosis of choledochal stones . *Acta Radiologica* . 1992 ; 33 : 53 - 6 .
- 118) Lo SK , Avonish P, Mori K . Treatment of endoscopic sphincterotomy induced hemorrhage . *Gastrointest. Endosc.* 1993;436-8.
- 119) Ellis H . Choledocholithiasis . In : “ Maingot’s abdominal operations” (9th ed.). Schwartz SI , Ellis H , Husser WC . pp : 1431 - 50, Appleton & Lange , Norwalk : USA , 1990 .
- 120) Sherman S, Gottlieb K , Lehaman GA . Therapeutic biliary endoscopy . *Endoscopy* . 1994 ; 26 : 93 - 112 .
- 121) Clements WD , Erwin HP , Rowlands JR , Halliday IS . Biliary decompression in obstructive jaundice . *Gut* .1996 ; 38 : 925 - 31 .
- 122) Sackier JM . Laparoscopic cholecystectomy . In : “Minimally invasive surgery”. (Eds.) by Hunter JG , Sackier JM . pp : 213 , McGraw-Hill, Inc. : New York , 1993 .
- 123) Kullman E, Borch K , Lindstrom E , Svanvik J , Anderberg B . Management of bile duct stones in the era of laparoscopic cholecystectomy : Appraisal of routine operative cholangiography and endoscopic treatment . *Eur J surg* . 1996 ; 162 : 873 - 80 .

- 124) Rothlin M , Schlumpf R , Largiader F . Laparoscopic sonography . An alternative to routine intraoperative cholangiography ? . Arch Surg . 1994 ; 129 : 694 - 700 .
- 125) Asbun HJ , Rossi RL . Techniques of laparoscopic cholecystectomies . In : Surgical Clinics of North America . Rossi (ed) . pp : 755 . Saunders Co. 1994 .
- 126) Shedid N , Rezk M , Taha E, Mokhtar M , Abdel Hakim M , Ali MM , Kamal MA . Laparoscopic cholecystectomy : Difficulties and complications in 300 cases . J of Tropical Med. 1995 ; 4(1) : 160 - 4 .
- 127) Miller K , Holbling N , Hutter J . Laparoscopic cholecystectomy for patients who have had previous abdominal surgery . Surg Endosc. 1993 ; 7 : 400 - 3 .
- 128) Cuschieri A . The difficult cholecystectomy . In : "Laparoscopic biliary surgery". (Ed) by Cushieri A , Berci G . pp : 10 . Oxford , Blackwell Scientific Publications . London . 1992 .
- 129) Lee CL, Wu CH , Chen TR . Prospective study of abdominal ultrasonography before laparoscopic cholecystectomy . J Clin Gastroenterol . 1993 ; 16 : 113 - 6 .
- 130) Berci G , Sackier JM , Paz-Partlow MH . A new endoscopic treatment for symptomatic gall bladder disease with laparoscopic cholecystectomy . Gastrointest. Endosc. Clin North Am. 1991 ; 1 : 191 - 203 .
-

- 131) Fried GM , Borkun JS , Sigman HH . Factors determining conversion to laparotomy in patients undergoing laparoscopic cholecystectomy . Am J Surg . 1994 ; 167 : 35 - 41 .
- 132) Buess G , Mentges B , Gutt C . Laparoscopic micro-surgical cholecystectomy in gall stone disease . Surg. Endosc . 1990 ; 55 - 58 .
- 133) Berggren U , Zethraeus N , Arvidsson D , Haglund U , Jonsson B . A cost-minimization analysis of laparoscopic cholecystectomy versus open cholecystectomy . Am J Surg . 1996 ; 172 : 305 - 10 .
- 134) Wolff BG . Elective colon and rectal surgery without nasogastric decompression : A prospective randomized trial . Ann Surg. 1989 ; 209 : 670 .
- 135) Monson JR . Cholecystectomy is safer without drainage: The results of a prospective randomized clinical trial . Surgery.1991;109:740.
- 136) Shea JA , Haeley MJ , Berlin JA , Clarke JR , Malet PF , Staroscik RN , Schwartz JS , Williams SV . Mortality and complications associated with laparoscopic cholecystectomy . Ann Surg. 1996 ; 224 (5): 609 - 20 .
- 137) Woods MS , Traverso LW , Kozarek RA , Tsao J , Rossi RL , Gough D , Donohue JH . Characteristics of biliary tract complications during laparoscopic cholecystectomy : A multi-institutional study . Am J Surg . 1994 ; 167 : 27 - 34 .
- 138) Cotton PB . Endoscopic retrograde cholangiopancreatography and laparoscopic cholecystectomy . Am J Surg. 1993 ; 165 : 474 - 8 .

- 139) Lorimer JW , Lauzon J , Fairfull-Smith RJ , Yelle JD .
Management of choledocholithiasis in the time of laparoscopic
cholecystectomy . Am J Surg. 1997 ; 174 : 68 - 71 .
- 140) Stoker ME . Common bile duct exploration in the era of
laparoscopic cholecystectomy . Arch Surg. 1995 ; 130 : 265 - 9 .
- 141) Hawes RH , Cotton PB , Vallon AG . Follow up 6-11 years after
duodenoscopic sphincterotomy for stones in patients with prior
cholecystectomy . Gastroenterology . 1990 ; 98 : 1008 - 12 .
- 142) Abd-EL Hakim MA , Kabil S. Calculus obstructive jaundice Two-
steps management : Endoscopic sphincterotomy and extraction of
common bile duct stones followed by laparoscopic cholecystectomy .
New Egypt J Med . 1994 ; 10 (1) : 266 - 70 .