

References

REFERENCES

- *Alexander, H.C.; Hendler, R.S.; Seymour, N.E. and Shires, G.T. 3rd (1997):*
Laparoscopic treatment of gastroesophageal reflux disease.
Am. J. Surg., 17 (5): 434-40.
- *Andre, A.D.; Mark, A. and Hoffmann, M.S. (1993):*
Gastroesophageal reflux in children.
Pediat. clin. North Am. 40, (6): 1233-1251.
- *Anvari, M.; Allen, C. and Born, A. (1995):*
Laparoscopic Nissen fundoplication is a satisfactory alternative to long term omeprazole therapy.
Br. J. Surg. 82: 938-942.
- *Attwood, S.E.; Balles, A. and Barlow, A.P. (1993):*
The role of intragastric and intraesophageal alkalinization in the pathogenesis of complications in Barret's columnar - lined lower oesophagus.
Gut, 34: 11-5.
- *Awad, W.; Csendes, A.; Braghetto, I.; Yarmuch, J.; Loehnert, R.; Burdiles, P.; Diaz, J.C.; Schutte, H. and Maluenda, F. (1997):*
Laparoscopic highly selective vagotomy technical considerations and preliminary results in 199 patients with duodenal ulcer or gastroesophageal reflux disease.
World J. Surg. 21 (3): 261-9.

- **Aye, R.W.; Mazza, D.E. and Hill, L.D. (1997):**
Laparoscopic Hill repair in patients with abnormal motility.
Am. J. Surg., 173(5): 379-82.

- **Baigrie, R.J.; Watson, D.I.; Myers, J.C. and Jamieson, G.G. (1997):**
Outcome of laparoscopic Nissen fundoplication in patients with disordered pre-operative peristalsis.
Gut, 38(3): 381-5.

- **Bancewicz, F. and Mughal, P.Z (1991):**
Gastroesophageal reflux disease.
Gastroenterol. Clin. North. Am., 20 : 293-302.

- **Baraham, C.P.; Gotely, D.C. and Mills, A. (1995):**
Esophageal acid clearance in patients with severe reflux oesophagitis.
Br. J. Surg., 82: 333-337.

- **Bartlett, D.W.; Evans, D.F. and Smith, B.G. (1997):**
Oral regurgitation after reflux provoking meals, a possible cause of dental erosion?
J. Oral. Rehabil., 24: 102-8.

- **Behar, J.; Brand, D.L. and Brown, F.C. (1975):**
Cimetidine in the treatment of gastroesophageal reflux.
Gastroenterol., 70 : 441 - 4.

- **Bell, N.J.V.; Burget, D.; Howden, C.W.; Wilkinson, J. and Hunt, R.H. (1992):**
Appropriate acid suppression for the management of gastroesophageal reflux disease.
Digest. 51: 59-67.
- **Bendiksen, A.; Bender, L. and Wulff, K. (1997):**
Gastroesophageal reflux and "nearmiss" sudden infant death syndrome (Abstract).
Ugeskr. Laeger. 159(18): 2717-8.
- **Bentz, L.; Hootkin, L. and Marguiles, F. (1975):**
A comparison of clinical measurements of gastroesophageal reflux.
Gastroenterol., 69:11-5.
- **Berezin, S.; Medow, M.S.; Glassman, M. and Newman, L.J. (1989):**
Use of the intra-esophageal acid perfusion test in provoking non-specific chest pain in children.
J. Pediatr., 115: 705-9.
- **Bernard, D.L.; Edstwood, I.R. and Martin, D. (1979) :**
Esophageal symptoms, manometry and histology before and after antireflux surgery. A long term follow up study.
Gastroentrol., 76 : 1393-8.
- **Berumelhof, R.; Smout, A.J.; Schyns, M.W.; Brozwner, P.W.; Akkermans, L.M. and Jansen, A. (1990):**
Prospective evaluation of the effects of Nissen fundoplication on gastroesophageal reflux.
Surg. Gynaecol. Obsete., 171:115-16.

- **Bittner, H.; Myers, W. and Brazer, S. (1994):**
Lparoscopic Nissen fundoplication operative results
and short term follow up.
Am. J. Surg. 167: 193-200.
- **Bleshman, M.H.; Banner, M.P. and Hohnson, R.C. (1978):**
Inflammatory polyp and fold.
Radiol.,28:589-95.
- **Boix, O.J. and Canols, J. (1976):**
Maturation of lower esophageal sphincter.
J. pediatr surg., 11: 749 - 51.
- **Boyce, H.W. (1997):**
Therapeutic aproach to healig esophagitis.
Am. J. gastroenterol 92: (4) : 22-29.
- **Bremner, C.G (1988):**
The management of columnar lined oesophagus. In :
Surgery of the esophagus. Ed. by Jamieson G.G. 10th
ed. Churchill livingstone, Edinburgh.
pp. 273-331.
- **Bryan, F.M. and Wain, J.C. (1994):**
Benign esophageal stricture. In : Oxford Textbook of
surgery, Ed. by peter J. Morris, R. A. and Malt, A.
Vol II Oxford Univerisity Press Inc. Oxford, New
York, Tokyo.
pp 879-881.

- **Brzana, R.J. and Koch, K.L. (1997):**
Gastroesophageal reflux disease presenting with intractable nausea.
Ann. Intern. Med., 126 (9): 704-7.

- **Burns, T.W. and venturatos, S.G (1985) :**
Esophageal motor function and response to acid perfusion in patients with symptomatic reflux esophagitis.
Dig. Dis. Sci. 30 : 520 – 8.

- **Cadiere, G.B.; Himpens, J.; Rajan, A.; Muls, V.; Lemper, J.C.; Bruyns, J.; Urbain, D. and Ham, H. (1997):**
Laparoscopic Nissen fundoplication: laparoscopic dissection technique and results.
Hepatogastroenterol. 44(13): 4-10.

- **Callard, J.; De Gheldere, C. and Dekock, M. (1994):**
Laparoscopic antireflux surgery: what is real progress.
Surg., 115: 173-81.

- **Clement, D. and Hiebert, C.D. (1991) :**
Diagnostic studies in the evaluation of the oesophagus.
In : Sakelford's surgery of the alimentary tract. Vol. I.
Ed. By Orringer, M.B. and Zudima, G.D. 3rd ed. WB Saunders Comp. Ltd. Philadelphia, London, Toronto.
pp 104-126.

- **Collin-Jones, D.G. (1993):**
Safety of lansoprazole.
Aliment. Pharmacol. Ther., 7: 56-60.

- **Corallo, J.; Vicari, F. and Forestier, S., (1993):**
Lansoprazole in treatment of acute reflux esophagitis.
Gastroenterol, 104:58-63.
- **Coster, D.D.; Bower, W.H.; Wilson, V.T.; Brebrick, R.T. and Richardson, C.L. (1997):**
Laparoscopic partial fundoplication versus
laparoscopic Nissen Rosetti fundoplication.
Surg. Endosc., Laparosc. 11(6): 625-31.
- **Cranford, C.A.; Sutton, D.; Sadek, S.A.; Kennedy, N. and Cuschieri, A. (1987):**
New physiological methods of evaluating esophageal
transit.
Br. J. Surg., 74 : 411-15.
- **Cunningham, E.T. and Swankenko, P.F. (1990) :**
Central neural control of esophageal motility: A review.
Dysphagia, 5: 35-38.
- **David, B. and Skinner, M.D. (1991):**
Hiatal hernia and gastroesophageal reflux. In :
Textbook of surgery: The Biological basis of modern
surgical practice, Ed. By Sabiston, D.C. 14th ed., WB
Saunders Comp. Ltd., Philadelphia, London, Toronto.
PP156-184.
- **David, W.; Adden, M.F. and Zinner, M.J. (1995):**
Benign disease of the oesophagus.
Br. J. Surg. 82 : 177 – 90.

- *DeMaria, E.J.; Siuta, M.; Widmeyer, J. and Zfass, A.M. (1997) :*
Laparoscopic Nissen fundoplication for severe gastroesophageal reflux disease.
Gastroenterol. 112:85-93.
- *DeMeester, T.R. (1993):*
Barrett's oesophagus.
Surg., 113:239-45.
- *DeMeester, T.R. and Attwood, S.E.A. (1989) :*
Nissen fundoplication for gastroesophageal reflux disease.
Ann. Surg., 209: 9-13.
- *DeMeester, T.R.; Bonavina, J.; Jasocne, C.; Cortney, V.J. and Skinner, B.D. (1990):*
Chronic respiratory symptoms and occult gastroesophageal reflux, a prospective clinical study and results of surgical therapy.
Ann. Surg., 211:337-42.
- *DeMeester, T.R.; Bonavina, J. and Nissen, A.M. (1986):*
Nissen Fundoplication for gastroesophageal reflux disease. Evaluation of primary repair in 100 consecutive patients.
Ann. Surg. 204: 9-20.
- *Demeester, T.R.; Johnson, L.F. and Jaseph, G. J. (1976) :*
Patterns of gastroesophageal reflux in health and disease.
Ann. Surg., 184 : 459 – 470.

- **Dent, J. (1976):**
A new technique for continuous pressure measurement.
Gastroenterol., 71: 263-69.

- **Dent, J.; Holloway, R.H.; Touli, J. and Dodds, W.J. (1991):**
Mechanisms of lower oesophageal sphincter incompetence in patients with symptomatic gastroesophageal reflux.
Gut, 32: 1020-8.

- **Deschamps, C. (1997):**
Failure of antireflux surgery: causes and management.
J. Thorac. Cardiovasc. Surg. 113 (3) : 545-51

- **Devault, K.R. and Castell, D.O. (1995):**
Guidelines for the diagnosis and treatment of gastroesophageal reflux disease. Practice Parameters Committee of the American College of gastroenterology.
Arch. Intern. Med., 155(20): 2165- 73.

- **Devault, K.R. and Castell, D.O. (1994):**
Current diagnosis and treatment of gastroesophageal reflux disease.
Mayo Clin. Proc., 69: 867-876.

- **Dodds, W.J.; Stewart, E.T. and Hodges, D. (1983):**
Movement of the oesophagus associated with respiration and peristalsis.
J. Clin. Invest., 52:1-4.

- **Donald, O.; Castell, M.D.; Brian, T. and Johnston, M.D. (1996):**
Gastroesophageal reflux disease.
Arch. Fam. Med., 5 :210-23.
- **Earlam, R. (1976):**
Mechanism preventing reflux. Gastroesophageal junction. In: Clinical tests of esophageal function .
Ed.by Earlam, R. 1st ed. Crosby Lockwood, London.
PP : 31-43.
- **Edward, D.A.M. (1982):**
Anti-reflux mechanism, its disorders and consequences.
Clin. Gastroenterol., 83:479 - 84.
- **Eliska, O. (1973) :**
Phreno-esophageal membrane and its role in the development of hiatal hernia.
Acta. Anta. (Basel), 86:137-41.
- **Euler, A.R.; Murdock, R.H. and Wilson, T.H. (1991):**
Ranitidine is effective in healing of erosive oesophagitis.
Gastroenterol., 100: 57-61.
- **Feldman, M.; Harford, W.V. and Fisher, R.S. (1993):**
Treatment of reflux esophagitis resistant to H₂ receptor antagonists with lansoprazole.
Am. J. Gastroenterol., 88: 1212-1217.

- **Ferguson, M.K. and Little, A.G. (1988):**
Angina like chest pain associated with high amplitude peristaltic contractions of the oesophagus.
Surg., 104:713 - 7.
- **Feussner, H.; Welser, H.F.; Libermann, M. and Siewe, J.R. (1988):**
Intestino-oesophageal reflux.
Ann. Surg., 207: 665-9.
- **Fitzgerald, J.M.; Allen, C.J.; Craven, M.A. and Newhouse, M.T. (1989) :**
Chronic cough and gastroesophageal reflux.
Con. Med. Assoc. J., 140:520-23.
- **Fleshler, B. (1992):**
Esophagitis and hiatus hernia. Ed by Edgar 1st ed In:
Clinic. gastroenterol. 93 : 165-179.
- **Fonkalsrud, E.W.; Foglia, R.P.; Ament, E.; Berquist, W. And Varag, J. (1989):**
Operative treatment for the gastroesophageal reflux syndrome in children.
J. pediatr. Surg., 24:525-31.
- **Freston, J.W. (1993):**
Future prospects for proton pump inhibitors.
Aliment pharmacol. Ther. 7: 68-75.
- **Fuschs, K.; DeMeester, T.R. and Albertucci, M. (1987):**
Specificity of objective diagnosis of gastroesophageal reflux disease.
Surg., 102:575-8.

- **Galmiche, J.P. and Scarpignato, C. (1994):**
Functional investigation in esophageal diseases. In:
Frontiers in gastrointestinal research. Basel Karger
Comp. Ltd. U.S.A. Vol22.
pp : 71- 108.
- **Garnett, W.R. (1993):**
Efficacy, safety and cost issues in managing patients
with gastroesophageal reflux disease.
Am. J. Hosp. Pharm., 50: 11-18.
- **Gary, L.D. and DeMeester, T.R. (1993):**
Outcome effect of adherence to operative principles of
Nissen fundoplication by multiple surgeons.
Am. J. Surg., 166 (1) : 105-13.
- **Ghillebert, G.; Demeyere, A.M.; Janssens, J. and
Vantrappen, G. (1995):**
How well can quantitative 24 hour intraesophageal pH
monitoring distinguish various degrees of reflux
disease ?
Dig. Dis. Sci., 40 (6) : 1317 –24.
- **Gillen, P.; Keeling, P. and Byn, P.J. (1988):**
Implications of duodenogastric reflux in pathogenesis
of Barrett's oesophagus.
Br. J. Surg., 75:540-47.
- **Godberg, H.I.; Dodds, W.J.; Gees, S.; Montgomery, C. and
Zboralske, F. (1996):**
Role of acid and pepsin in acute experimental
esophagitis.
Gastroenterology. 104: 223-230.

- **Gotely, D.C.; Ball, D.E.; Owen, R.W. and Williamson, R.C.N. (1992):**
Evaluation and surgical correction of oesophagitis after partial gastrectomy.
Surg., 111: 29-36.
- **Gottfried, M.R.; McClane, S.A. and Boyte, H.W. (1989):**
Incomplete intestinal metaplasia in the diagnosis of columnar lined oesophagus (Barrett's oesophagus).
Am. J. Clin. Pathol., 92:741 - 4.
- **Gould, D.M. and Barnhard, H.J. (1957):**
Concepts of lower esophageal sphincter and function.
Am. J. Med. Sci., 1:233-36. Q. from : Ismail, J.; Bancewicz , J. and Barlow, J. (1995) : Yield pressure, anatomy of the cardia and gastro-oesophageal reflux.
Br. J. Surg. 82: 943-947.
- **Guarner, V. (1989):**
The posterior fundoplasty in the treatment of gastroesophageal reflux.
Surg. Gynaecol. Obstet., 170: 451 -6.
- **Gustafsson, M. and Tibbling, L. (1997):**
The effect of edrophnium chloride induced chest pain on esophageal blood flow and motility.
Scand. J. Gastroenterol., 32(2): 104-7.
- **Halpern, L.M.; Jolly, S.T.; Tunnel, W.P.; Johnson, D.G. and Staling, C.E. (1991):**
The mean duration of gastroesophageal reflux during sleep as an indicator of respiratory symptoms from gastroesophageal reflux in children.
J. Pediatr. Durg., 26:685-8.

- **Hanrhan, T.O.; Marples, M. and Bancewicz, J. (1990):**
Recurrent reflux and wrap disruption after Nissen fundoplication, detection, incidence and timing.
Br. J. Surg., 77:545-61.
- **Havu, N. (1986):**
Enterochromaffin-like cell carcinoids of gastric mucosa in rats after life - long inhibition of gastric secretion.
Digest., 35 (1): 41-55.
- **Helm, J.E.; Dodds, W.J. and Pek, L.R. (1984):**
Effect of esophageal emptying and saliva on clearance of acid from esophagus.
N. Engl. J. Med., 310:294 - 9.
- **Hewson, E.G.; Ott, D.J.; Dalton, C.B. and Chen, Y.M. (1990):**
Manometry and radiology: complementary studies in the assessment of esophageal motility disorder.
Gastroenterol., 98:626-31.
- **Hewson, E.G.; Sinclair, J.W.; Dalton, C.B. and Richer, J.E. (1991):**
Twenty four hour esophageal pH monitoring. The most useful for evaluating non-cardiac chest pain.
Am. J. Surg., 90: 576-83.
- **Higgs, B. (1965):**
A study of the anatomy of human esophagus with special reference to the gastroesophageal sphincter.
J. Surg. Res., 5:503-8. Ismail, J.; Bancewicz, J. and Barlow, J. (1995): Yield pressure, anatomy of the cardia and gastro-oesophageal reflux.
Br. J. Surg. 82: 943-947.

- Hill, L.D. (1977):

Progress in the surgical management of hiatal. Hernia
World J. Surg., 1:425-32.

- Hill, L.D and Kraemer, S.J. (1992) :

Does modern technology belong in gastro intestinal surgery ? A step from subjective perception to objective information.

World. J.Surg., 16 : 341-2.

- Hinder, R.A. (1993):

Laparoscopic fundoplication. In: current techniques in general surgery. Ed. by Condon, R.E. 2nd ed. Milwaukee Wisconsin Lawrence Della Corte Publications, U.S.A.

pp : 11-27.

- Hinder, R.A.; Filipi, C.; Wetscher, G.; Neary, P. and De-Meester, T. (1994):

Laparoscopic Nissen fundoplication is an effective treatment for gastrophageal reflux disease.

Ann. Surg. 220: 472-83.

- Hirsch, W.; Presis, M. and Kedar, R. (1997):

Color coded Doppler ultrasound in diagnosis of gastroesophageal reflux.

Clin. Pediatr., 209(1): 6-10.

- Hogan, W.J. (1990):

Gastroesophageal reflux disease: an update on management.

J. Clin. Gastroenterol., 91: 21-28.

- **Hogan, W.J. and Dodds, W.J. (1989):**
Gastroesophageal reflux disease. In : Gastrointestinal disease, pathophysiology, diagnosis and management. Ed. by Sleisenger, L. Fordtran, B. 3rd ed. W.B. Saunders Co., Philadelphia, London, Toronto. pp : 594-615.
- **Holloway, R.A. and Orenstein, S.R. (1991):**
Gastroesophageal reflux disease in adults and children. Baillier's clinic. gastroenterol.5 (2): 371-402.
- **Holloway, R.H.; Downton, J.; Mitchil, B. and Dent, J. (1989):**
Effect of cisapride on post-prandial gastroesophageal reflux.
Gut, 30:1187-90.
- **Holloway, R.H.; Hongo, M. and Beger, K. (1985):**
Gastric distension: mechanism for postprandial gastroesophageal reflux.
Gastroenterol., 83:779-82.
- **Howden, C.W. (1997):**
Optimizing the pharmacology of acid control in acid-related disorders.
Am. J. gastroenterol. 92 (4) : 17-21.
- **Hunter, J.; Trus, T.; Branum, G.; Waring, P. and Wood, W. (1996):**
Aphysiologic approach to laparoscopic fundoplication for gastroesophageal reflux disease.
Ann. Surg., 223: 682-7.

- **Hurbert, J.S.; Werner, D.M. and Kaver, M.B. (1994):**
Alkaline gastroesophageal reflux assessment by ambulatory esophageal aspiration and pH monitoring.
Am. J. Surg., 167 :186-192.

- **Inauen, W.; Emde, C.; Weber, B.; Armstrong, D.; Bettschen, H.U.; Huber, T.; Scheurer, U.; Blum, A.L.; Halter, F. and Merki, H.S. (1993) :**
Effect of ranitidine and cisapride on acid reflux and esophageal motility in patients with reflux esophagitis : a 24 hour ambulatory combined pH and manometry.
Gut, 34 : 1025 – 31.

- **Ing, A.J. and Breslin, A.B. (1997):**
The patient with chronic cough.
Aust. Med. J. 166(9): 491-6.

- **Ismail, T.; Bancewicz, J. and Barlow J. (1995):**
Yield pressure anatomy of the cardia and gastroesophageal reflux.
Br. J. Surg., 82: 943-947.

- **Isolaure, J.; Ioustarinen, M.; Viljakk, M. and Keyrilainn, O. (1997):**
Long term comparison of antireflux surgery versus conservative therapy for reflux oesophagitis.
Ann.Surg., 225: 295-9.

- **Jamieson, G.; Watson, D.; Britten- Jones, R. and Anvari, M. (1994):**
Laparoscopic Nissen fundoplication.
Ann. Surg. 220: 137-45.

- **Jewett, T.C. and Waterson, D.J. (1975):**
Surgery of hiatal hernia in children.
J. Pediatr. Surg., 10: 757-63.
- **Joelsson, B.E.; DeMeester, T.R. and Skinner, D.B. (1982):**
The role the esophageal body in anti-reflux mechanism.
Surg., 92 : 417-19.
- **Johanson, W.; Hagen, J.; DeMeester, T.R.; Kauer, W. and Ritter, M. (1996):**
Outcome of Respiratory symptoms after antireflux surgery on patients with gastroesophageal reflux disease.
Arch. Surg. 131 (5): 489-492.
- **Johanson, D.G. (1991):**
Gastroesophageal reflux. In : Common problems in pediatric surgery. Ed. by Grosfeld J.L. 1st ed. St. Louis Mosby-Year Book Inc., Sedney, Tokyo, Boston.
pp :169-174.
- **Johanson, L.F.; Harmon, J.W. and Leewood, F. (1986):**
Experimental oesophagitis in rabbit mode.
Clin. Gastroenterol. 87 : 26-31.
- **John, J.; Meehan, L. and Keith, E. (1997):**
The learning curve associated with laparoscopic anti-reflux surgery in infants and children.
J. Pediatr. Surg., 32 (3): 426-429.
- **Johnson, R. And Demeester, T.R. (1974):**
Ambulatory 24h.Ph monitoring in diagnosis of GERD.
Am. J. Gastoentrol. 62 : 325-332.

- Jolley, S.G. (1992):

Current surgical consideration in gastroesophageal reflux disease in infancy and childhood.

Surg. Clin. Nor. Am., 72: 1365-1391.

- Jones, R. and Lydeard, S. (1989):

Prevalence of symptoms of dyspepsia in the community B.M.J., 298: 30-32.

- Jordan, P.H.; Jr. And Thornby, J. (1997):

Parietal cell vagotomy performed with fundoplication for esophageal reflux.

Am. J. Surg., 173 (4) : 264 – 9.

- Kaminski, D.L.; Codd, J.E. and Sigmund, M.D. (1977):

Evaluation of the use of the median arcuate ligament in fundoplication for reflux esophagitis.

Am. J. Surg., 134: 724-31.

- Kasapidis, P.; Xynos, E.; Mantides, A.; Chrysos, E.; Demonakou, M.; Nikolopoulos, N. and Vassilakis, J.S. (1993) :

Difference in manometric and 24-hour ambulatory pH metry between patients with and without endoscopic or histological esophagitis in gastroesophageal reflux disease.

Am. J. Gastroentrol 88 (11) : 1893-99.

- Katz, P.O.; Knuff, T.E. and Benjamin, S.P. (1986):

Abnormal esophageal pressure in reflux esophagitis: Cause or effect.

Am. J. Gastroentrol 81 : 744-46.

- **Kenneth, R.M.D.; Devalut, and Donald, O. (1994):**
Current diagnosis and treatment of gastroesophageal reflux disease.
Mayo Clin. Proc., 69 : 813-8.

- **Kuster, E.; Ros, E. and Toledo – pimentel, V. (1994):**
Predictive factors of the long term outcome in gastro - esophageal reflux disease: Six years follow up of 107 patients.
Gut, 35: 8-14.

- **Lambeck, W. and Hacki, T. (1997):**
Voice disorder and bulimia.(Abstract).
H.N.O., 45(1): 36-9.

- **Landreneau, R.J.; Marshall, J.R.; McClelland, R.N.; Curtis J.J.; Johson, J.A. and Hazelrigg, S.R. (1991):**
New surgical approach to complicate gastroesophageal reflux disease: transthoracic parietal cell vagotomy.
Ann. Thorac. Surg., 51: 128-34.

- **Laufer, I. (1982):**
Radiology of oesophagitis.
Radiol. Clin. North Am., 20: 687-91.

- **Lerche, (1950) :**
THE esophagus and pharynx in action.
Surg. Gynecol. Obstet. 11:419-31. Q. from: Ismail, T.; Bancewicz, J. and Barlow J. (1995):Yield pressure anatomy of the cardia and gastroesophageal reflux.
Br. J. Surg., 82: 943-947.

- **Liebermann D.M. Luescher, M.; Ruedi, T.P. and Allgower, F. (1987):**

Medical therapy for chronic reflux oesophagitis; long term follow up.

Arch. Intern. Med., 147: 1717-20.

- **Liebermann, D.M. and Geisdorefer, L. (1991):**

The transition of striated into smooth muscle precisely known? In: Primary motility disorders of the oesophagus: 450 Questions-450 answers. Ed. by Giuli, R.; McCallum, R.W. and Skinner, D.B., 1st ed. PP. 108-12.

- **Lin, S.; Ke, M.; Xu, J. and Kahrilas, P.J. (1994):**

Impaired esophageal emptying in reflux disease.

Am. J. Gastroenterol., 89: 1003-1006.

- **Listrud, S. and Horkins, J. (1958) :**

Anatomy of the diaphragm.

Surg. Gynecol. Obstet. 19 : 216-23. Q. from: Ismail, T.; Bancewicz, J. and Barlow J. (1995): Yield pressure anatomy of the cardia and gastroesophageal reflux.

Br. J. Surg., 82: 943-947.

- **Little, A.G. and Skinner, D.B. (1986):**

The management of Zenker's diverticula, cricopharyngeal myotomy and diverticulopexy. In: Current controversies in thoracic surgery. Ed. by Levitsky, S. and Kille, C.L. W.B. Saunders Company, Philadelphia, London, Toronto. pp : 311-316.

- **Loustarinen, M. (1993):**
Nissen fundoplication for reflux esophagitis. Long term clinical and endoscopic results on 109 of 127 consecutive patients.
Ann. Surg. 217: 329-337.

- **Lundell, L.R. (1994) :**
The knife or the pill in the long-term treatment of gastroesophageal reflux disease ?
Yale. J. Biol. Med., 67 (3-4) : 233-46.

- **Madani, S. and Tolia, V. (1997):**
Gynecomastia with metoclopramide use in pediatric patients.
Clin. Gastroenterol., 98(2): 79-81.

- **Mathew, G.; Watson, D.I.; Mayers, J.C.; Holloway, R.H. and Jamieson, G.G. (1997) :**
Esophageal motility before and after laparoscopic Nissen fundoplication.
J. Article, 84 : 1465-9.

- **Mattox, H.E.; Richter, J.E. and Sinclair, J.W. (1992):**
Gastroesophageal pH step up inaccurately locates proximal border of lower oesophageal sphincter.
Dig. Dis. Sci., 37: 1185-91.

- **McMenn, R.M.H. (1990) :**
The esophagus. In : Last's anatomy, Regional and Applied. Ed. by McMenn., R.M.H. 8th ed. Churchill livingstone.
pp : 277, 334.

- **Mittal, P.K. and Fisher, M.J. (1990):**

Electrical and mechanical inhibition of crural diaphragm during transient lower esophageal sphincter relaxation in patients with reflux esophagitis.

Gastroenterol. 95: 593-97.

- **Mittal, P.K.; Lang, R.C. and McCallum, R.W. (1987):**

Identification mechanism of delayed esophageal acid clearance in subjects with hiatus hernia.

Gastroenterol., 92:130-37.

- **Moody, F.G.; Carey, L.C.; Jones, R.S.; Kelly, K.A. and Skinner, D.B. (1986):**

Reflux esophagitis and hiatus hernia. In : Surgical treatment of digestive disease. Ed. by Moody, F.G.; Carey, L.C.; Jones, R.S.; Kelly, K.A. and Skinner, D.B. 1st ed. Year Book Medical Publishers, Inc., Chicago.

pp : 149-156.

- **Narbona, B.A. (1995):**

The Narbona sling repair of gastroesophageal reflux. In : Surgery of esophagus, stomach and small intestine. Ed. by Philipe, E.; Tomas, J.L. and Thor, K.B. 5th ed., Vol. I. Little Brown Comp. Ltd., Boston.

pp : 196-209.

- **Nehra, D., Watt, P.; Pye, J.K. and Beynon, J. (1997):**

Automated esophageal reflux sampler, a new device used to monitor bile acid reflux in patients with gastroesophageal reflux disease.

J. Med. Eng. Technol., (1): 1-9.

- **Oglesby, J.E. (1975) :**
The gastroesophageal sphincter.
Surg., 60 : 123-5.
- **Ogorek, C.P. and Fisher, S.R. (1989):**
Detection and management of gastroesophageal reflux disease.
Gastroenterol. Clin. Nor. Am., 18 (2) :293.
- **Okuyama, H.; Urao, M.; Starr, G.A.; Drongowski, R.A.; Coran, A.G. and Hirschl, R.B. (1997) :**
A comparison of the efficacy of pyloromyotomy and pyloroplasty in patients with gastroesophageal reflux and delayed gastric emptying.
J. Pediatr. Surg. 32(2): 312-20.
- **Orlando, R.C. (1997):**
The pathogenesis of gastroesophageal reflux disease: the relationship between epithelial defense, dysmotility and acid exposure.
Am. J. Gastroenterol. 92 (4): 3-7
- **Orringer, M.B. (1991):**
Complication of oesophageal surgery. In : Sakelford's surgery of the alimentary tract. Vol. I. Ed. By Orringer, M.B. and Zudima, G.D. 3rd ed. WB Saunders Comp. Ltd. Philadelphia, London, Toronto. pp 213 - 38.
- **Pace, F.; Santalucla, F.; Bianchi, L. and Porro, G. (1991):**
Natural history of gastroesophageal reflux disease without esophagitis.
Gut, 32: 845-848.

- **Patti, M.; Arcerito, M.; Pellegrini, C.; Tong, J. and Way, L. (1995):**
Minimally invasive surgery for gastroesophageal reflux disease.
Ann. Surg. 170: 614-618.
- **Paul, K.; Shlesinger, A. and Tomas, J.L. (1995):**
pH testing esophageal disease In : Surgery of esophagus, stomach and small intestine. Ed. by Philipe, E.; Tomas, J.L. and Thor, K.B. 5th ed., Vol. I. Little Brown Comp. Ltd., Boston.
pp : 111-121.
- **Payne, W.S.; Traster, V.F. and Pairlero, P.C. (1987):**
Reflux oesophagitis.
Surg. Clin. Nor. Am., 67:443-56.
- **Pearson, F.G. and Henderson, R.D. (1976):**
Long-term follow-up of peptic strictures managed by dilatation, modified, Collis gastroplasty and Belsey hiatus hernia repair.
Surg., 80: 396-407.
- **Pellegrini, C.A.; DeMeester, T.R. and Johson, L.F. (1979):**
Gastroesophageal reflux and pulmonary aspiration: Incidence, functional abnormality, and results of surgical therapy.
Surg., 86: 110-119.
- **Peters, J.H. and DeMeester, T.R. (1997) :**
Gastroesophageal reflux and hiatal hernia. In : Maingot's Abdominal operations., vol., (2) : (ed.) by Zinner, M.J.; Schwartz, S.I. and Ellis, H., 10th ed. U.S.A., U.K. and Australia : Appleton and lange A Simon and Schuster Co.
pp 787-842.

- **Peters, J.H. and DeMeester, T.R. (1993):**
Gastroesophageal reflux.
Surg. Clin. North Am., 73 (6) : 1119-41.

- **Philipe, E., Atsunobu, M. and Aklooshi, M. (1995):**
Endoscopic examination including dye endoscopy In :
Surgery of esophagus, stomach and small intestine.
Ed. by Philipe, E.; Tomas, J.L. and Thor, K.B. 5th ed.,
Little Brown Comp. Ltd., Boston.
pp : 93-103.

- **Pitcher, D.E.; Curet, M.J. and Martin, D.T.(1994):**
Successful management of severe gastroesophageal
reflux disease with laparoscopic Nissen
fundoplication.
Am. J. Surg. 168: 547-59.

- **Postlethwait, W. (1987):**
Surgical anatomy of the esophagus. In : Surgery of
esophagus. Ed. by Posthwait, W. 1st ed. Appleton,
Century Craforts. New York.
pp : 1-17.

- **Price, M.R.; Janik, J.S.; Wayne, E.R.; Janik, J.E.; Martinez,
L.A. and Burrington, J.D. (1997):**
Modified Nissen fundoplication for reduction of
fundoplication failure.
J. Pediatr. Surg. 32(2): 324-7.

- **Putnam, P.E. (1997):**
Gastroesophageal reflux disease in the children.
(Abstract).
Semin. Speech. Long. 18(1): 25- 38.

- Rains, R.J. and Mann, C.V. (1988) :

The esophagus. In. Bailyt love's short practice of surgery 20th ed. Ed. By Rains, R.J. and Mann, C.V. H.K. lewis comp. Ltd. London.
pp : 827-54.

- Ramil, S. and Thor, K.B. (1995):

Pathophysiology of gastroesophageal reflux disease and Stockholm repair. In : Surgery of esophagus, stomach and small intestine. Ed. by Philipe, E.; Tomas, J.L. and Thor, K.B. 5th ed., Vol. I. Little Brown Comp. Ltd., Boston.
pp : 183-195.

- Richter, J.E. (1992):

Surgery for reflux disease reflection of a gastroenterologist.
N. Eng. J. Med. 326: 825-7.

- Richter, J.E. (1996) :

Typical and atypical presentation of gastroesophageal reflux disease. The role of esophageal testing in diagnosis and management.
Gastroentrol. Clin. North Am. 25(1) : 75-102.

- Richter, J.E. (1997):

Long-term management of gastroesophageal reflux disease and its complications.
Am. J. Gastroenterol. 92 (4): 30-35.

- ***Richter, J.E. and Castell, D.O. (1982):***
Gastroesophageal reflux: Pathogenesis, diagnosis and therapy.
Ann. Intern. Med., 97: 93-103.

- ***Richter, J.E.; Hewson, E.D.; Sinclair, J.W. and Dalton, C.B. (1991):***
Acid perfusion test and 24 hour oesophageal pH monitoring with symptom index. Comparison of tests for oesophageal acid sensitivity.
Dig. Dis. Sci., 36:565-73.

- ***Rodney, J.M. and Cedric, B. (1995):***
Complications of reflux disease including Barrett's esophagus. In : Surgery of esophagus, stomach and small intestine. Ed. by Philipe, E.; Tomas, J.L. and Thor, K.B. 5th ed., Vol. I. Little Brown Comp. Ltd., Boston.
pp : 173-182.

- ***Rokkas, T. and Sladen, G.E. (1988) :***
Ambulatory esophageal pH recording in gastroesophageal reflux : Relevance to the development of esophagitis.
Am. J. Gastroentrol. 83 : 629-632.

- ***Rose, E.; Pugol, A. and Bordas, J. (1986):***
Sucralfate in refractory reflux esophagitis.
Abstracts of eight world congress of gastroenterology, Sao Paolo.
pp : 9.

- ***Salamo, J.A.; Letho, V.P. and Myllarneimi, H.S. (1990):***
Morphological alterations in the tryptic oesophagitis
an experimental light microscopic and scanning and
transmission electron microscopic study in rabbits.
J. Surg. Res., 49: 14-9.

- ***Samelson, S.L.; Weiser, H.F. and Bombeck, C.T. (1983):***
A new concept in the surgical treatment of
gastroesophageal reflux.
Ann. Surg., 197:259-63.

- ***Sanders, S.W.; Tolman, K.G.; Greski, P.A.; Jennings, D.E.;
Hoyos, P.A.; Page, J.G. (1992):***
The effects of lansoprazole, a new H^+ , K^+ - ATPase
inhibitors, on gastric pH and serum gastrin.
Aliment. Pharmacol. Ther., 6: 359-72.

- ***Saraswat, V.A.; Dhiman, R.k.; Mishra, A. and Naik, S.R.
(1994) :***
Correlation of 24-hr esophageal pH patterns with
clinical features and endoscopy in gastroesophageal
reflux disease.
Dig. Dis. Sci. 39 (1) : 199-205.

- ***Savary, M. And Miller, G. (1978):***
The esophagus. In: Atlas of Endoscopy Ed. by savary,
M. And Miller, G. 1st ed gassmar comp., Switzerland.
Pp 37-61.

- ***Scherer, L.R. and Grosfeld, G.L. (1995):***
Congenital disease of the foregut sphincters. In :
Surgery of esophagus, stomach and small intestine.
Ed. by Philipe, E.; Tomas, J.L. and Thor, K.B. 5th ed.,
Vol. I. Little Brown Comp. Ltd., Boston.
pp : 160-172.

- **Schlatter, J.L.; Saulnier, J.L. (1997):**
Bethanicol chloride oral solutions: sability and use in infants.
Ann. Pharmaco. Ther., 31(3): 294-6.
- **Schnell, T.G.; Sontage, S.J. and Chejfec, G. (1992):**
Adenocarcinoma arising in tongues or short segment of Barrett's esophagus.
Dig. Dis. Sci., 37: 137-41.
- **Sharma, P.; Sampliner, R.E. and Camargo, E. (1997):**
Normalization of oesophageal pH with high dose of proton pump inhibitor therapy does not result in regression of Barrett's oesophagus.
Am. J. Gastroenterol., 92(4): 582-5
- **Shirazi, L.; Schuize, K. and Spoer, T.R. (1987):**
Long term following for treatment of complicated chronic reflux esophagitis.
Arch. Surg., 122:548-53.
- **Silverstein, F.E.; Tytgat, G.N.J. (1987):**
The esophagus. In : Atlas of gastro-intestinal endoscopy. Ed. by Silverstein, F.E.; Tytgat, G.N.J. 3rd ed. W.B. Saunders, Comp. Ltd. Philadelphia, London, Toronto.
pp : 2.1-2.22.
- **Singh, S.; Adamopoulos, A.; Taylor, R.H. and Colin-Jones, D.G., (1992) :**
Esophageal motor function before and after healing of esophagitis.
Gut, 23 : 1590-96.

- ***Singh, S.; Taylor, R.H. and Colin-Jones, D.; (1994) :***
Esophageal motor dysfunction and acid exposure in reflux esophagitis are more severe if Barrett's Metaplasia is present.
Am. J. Gastroenterol., 89 (3) : 349-65.

- ***Skandalakis, J.E.; Gray, S.T. and Rower, J.S. (1983):***
Anatomical complication in general surgery. Ed. by Skandalakis, J.E.; Gray, S.T. and Rower, J.S. 1st ed. McGraw Hill Book Company, New York.
pp : 156-184.

- ***Smith, J.L.; Opekom, A.R.; Larkal, E. and Graham, D.Y. (1989):***
Sensitivity of esophageal mucosa to pH in gastroesophageal reflux disease.
Gastroenterol., 96:683-7.

- ***Smout, A.J.P.M. (1992) :***
Ambulatory monitoring of esophageal pH and pressure. In : The esophagus. Ed. by Castell, D.O. 4th ed. Little Brown Comp. Ltd., Boston.
pp : 160 – 177.

- ***Spechler, S.J. and Goyal, P.K. (1986):***
Barrett's esophagus.
N. Engl. J. Med., 31(5):362-71.

- ***Spencer, C.M., and Foulds, D. (1994):***
Lansoprazole: a reaprasial of its pharmacodynamic and pharmacokinetic properties, and its therapeutic efficacy in acid related disorders.
Drugs, 48: 1-27.

- **Stein, H.J. and DeMeester, T.R. (1992):**
Who benefits from anti-reflux surgery.
World J. Surg. 16: 313-19.

- **Stein, H.J.; DeMeester, T.R. and Hinder, R.A. (1992):**
Physiological testing and surgical management of
function foregut disorders.
Surg. 112 : 79-83.

- **Stein, H.J.; Eybasch, E.P.; DeMeester, T.R.; Smyrk, T.C. and
Attwoods, E.A. (1990):**
Circadian esophageal motor function in patients with
gastroesophageal reflux disease.
Surg., 108:769-72.

- **Stevens, M.B.; Hookman, P.; Siegel, C.L. (1982):**
A peristalsis of the oesophagus in patients with
connective tissue disorders and Raynaud's
phenomenon.
N. Engl. Med. J., 279: 1218-20.

- **Sutphen, J.L. (1990):**
Pediatric gastroesophageal reflux disease.
Gastroenterol. Clin. North. Am., 19: 617-629.

- **Taylor, T.V. (1995):**
Gastroesophageal reflux disease.
Br. J. Surg., 82: 579-81.

- **Trus, T.L. and Hunter, T.G. (1997):**
Minimally invasive surgery of the esophagus and
stomach.
Am. J. Surg., 173(3): 242-55.

- **Tytgat, G.N.J. and Nio, G.Y. (1987):**
The medical therapy of reflux oesophagitis.
Baillieres Clin. Gastroenterol., 1: 791-5.
- **Tytgat, G.N.J.; Nicolos, J. and Reman, F.G. (1990):**
Efficacy of different doses of cimetidine in treatment
of reflux esophagitis.
Gastroenterol., 99: 629-32.
- **Vander- Salm, T.J. (1984):**
Gastroesophageal reflux. In : Manual of clinical
problems in surgery. Ed. by Culler, B.S.; Dodson,
T.F.; Silva, W.E. and Vander-Salm T.J. 6th ed. Little
Brown Comp. Ltd., Boston.
pp : 91-103.
- **Verlinden, M. (1989):**
The role for gastrointestinal prokinetic agents in the
treatment of reflux esophagitis.
Aliment. Pharmacol. Ther., 3: 113-31.
- **Vincent, M.E. and Robbins, A.H. (1995):**
Radiology of Barrett's esophagus. In: Barrett's
esophagus, pathophysiology, diagnosis and
management. Ed. by Spechler, S.J. and Goyal, P.K.
2nd ed. Elsevier science publishing comp. Inc. New
York
PP : 91-104-23.

- **Vitale, G.C.; Cheadle, W.G.; Sadek, S. and Cuschieri, A. (1984) :**
Computerized 24-hr ambulatory esophageal pH monitoring and esophagogastroduodenoscopy in reflux patients.
Ann. Surg. 200 : 724-8.
- **Walsh, J.K.; Farrel, M.K. and Keenan, W.J. (1981):**
Gastroesophageal reflux in infants: relation to apnea.
J. Pediatric., 99: 197-9.
- **Waring, J.P.; Eastwood, T.F.; Austin, J.M.; Sanowski, R.A. (1989):**
The immediate effects of cessation of cigarette smoking on gastroesophageal reflux.
Am. J. Gastroenterol., 84:1076-78.
- **Watson, D.; Jamieson, G.; Gevitt, G. and Mitchell, P. (1995):**
Paraesophageal hiatus hernia an important complication of laparoscopic Nissen fundoplication.
Br. J. Surg. 82: 521-23.
- **Weerts, J.; Dallemagne, B. and Hamoir, E. (1993):**
Laparoscopic Nissen fundoplication : Detailed analysis of 132 patients.
Surg. Lapaeosc Endosc; 3: 359-64.
- **Wetscher, G.L.; Profonter, C.; Gadenstortter, M.; Perdikis, G.; Glasser, K. and Hinder, R.A. (1997):**
Medical treatment of gastroesophageal reflux disease does not prevent the development of Barrett's metaplasia and poor esophageal body motility.
Langenbecks Arch. Chir., 382(2): 95-9.

- **Wilkinson, J.M.; Euinton, H.A.; Smith, L.F.; Bull, M.J. and Thorpe, J.A. (1997):**
Diagnostic dilemmas in dysphagia aortica.
Eur. J. Cardiothoracic. Surg. 11(2): 222-7.
- **Williams, P.L.; Warwik, R.; Dyson, M. and Banniste, L.H. (1989):**
Alimentary system. In : Gray's anatomy. Ed. by Williams, P.L.; Warwik, R.; Dyson, M. and Banniste, L.H. 37th ed., Churchill livingstone, Edinburgh.
pp : 1683 –1813.
- **Williamson, W.A.; Ellis, F.H. and Gibb, S.B. (1990):**
Effect of anti-reflux operation on Barrett's mucosa.
Ann. Thorac. Surg., 49:537-41.
- **Zaninotto, G.; DeMeester, T.R. and Bremner, C.G. (1989):**
Esophageal function in patient with induced strictures and its relevance to surgical treatment.
Ann. Thorac. Surg., 47: 362-5.
- **Zaninotto, G.; DeMeester, T.R. and Schizer, W. (1988):**
The lower esophageal sphincter in health and disease.
Am. J. Surg., 155:104-111.