

REFERENCES

- ABDEL KHALEK, M. L.; TAKLA, M. A.; SEHIM A.; HAMIMI, Z. and EL MANAWI, A. W. (1992).** Geology and tectonic evolution of Wadi Beitan area, South Eastern Desert, Egypt. *Geology of Arab world*, Cairo Univ., 369-394p.
- ABDEL MONEM, A. A. and HURLEY, P. M. (1979).** U-Pb dating of zircons from psammitic gneisses, Wadi Abu Rusheid-Wadi Seikat area, Egypt. *Institute of Applied Geol., Jeddah, Bull. 3, 2*, 65-70 p.
- AKAAD, M. K. and EL RAMLY, M. F. (1960).** Geological history and classification of the basement rock of the Central Eastern Desert of Egypt. *Geol. Surv. Egypt, paper No. 9*, 24 p.
- AKAAD, M. K. and NOWEIR, A. M. (1969).** Lithostratigraphy of the Hammamat-Umm Seleimat district, Eastern Desert, Egypt. *Nature*, 223, 284-285p.
- AKAAD, M. K.; EL GABY, S. and HABIB, M. S. (1973).** The Barud gneisses and the origin of the grey granite. *Bull. Fac. Sci., Assiut Univ.*, 2, 55-69 p.
- AKAAD, M. K. and NOWEIR, A. M. (1980).** Geology and lithostratigraphy of the Arabian Desert orogenic belt of Egypt between Lat. 25° 35' and 26° 30' N. *Bull. Inst. Applied Geol., King Abdul Aziz Univ., Jeddah*, 3 (4), 127-135p.
- ALI, M. M.; EL RAMLY, M. F. and KABESH, M. L. (1983).** Analyses of the Egyptian rocks, Part 1 : Igneous rocks. *Geol. Surv. Egypt, Paper No. 66*.
- ALI, M. M. and MOSTAFA, M. M. (1984).** Major chemistry statistics characterizing common igneous rocks of Egypt. Ninth International Congress for Statistics, Computer Science, Social and Demographic Research. Ain Shams Univ., Cairo.
- BALL, J. (1912).** The geology of South Eastern Desert, Egypt. *Surv. Dept.*, 394 p.
- BARKER, F. (1979).** Trondhjemite-definition, environment and hypothesis of origin. In: F. Barker (edt.), " Trondhjemite, dacite and related rock ". Elsevier, Amsterdam, 1-12 p.

BASS, M. N.; MOBELRY, Y.; RHODES, J. M.; SHIN, C. S. and CHURCH, S. D. P. (1973). Volcanic rocks cored in the Central Pacific. Leg. 17, D. S. D. P. Tran. Am. Geophys. Union, 54, 991-995 p.

BERNAU, R.; DARBYSHIRE, D. P. F.; FRANZ, D.; HARMS, U.; HUTH, A.; MANSOUR, N.; PASTEELS, P. and SHADELMEIER (1987). Petrology, geochemistry and structural development of the Bir Safsaf-Aswan uplift, Southern Egypt. J. Afr. Earth Sci., 6, 79-90 p.

CAHEN, L.; SNELLING, N. J.; DELHAL, J. and VAIL, J. R. (1984). The geochronology and evolution of Africa. Clarendon Press, Oxford, 512 p

COLEMAN, R. G. (1977). Ophiolites ancient oceanic lithosphere? . Springer-Verlag., Berlin, Heidelberg.

CONDIE, K. C. (1973). Archaean magmatism and crustal thickening Geol. Soc. Am. Bull, 84, 2981-2992 p.

CONDIE, K. C. and HUNTER, D. R. (1976). Trace elements geochemistry of Archaean granitic rocks from Barberton region, South Africa. Earth Planet, Sci. Lett. 29, 389-400 p.

DIXON, T. H. (1981). Age and chemical characteristics of some Pre-Pan African rocks in the Egyptian Shield. Precambrian Res., 14, 113-119 p.

EL AMAWY, M. A. (1991). Structural and development of Wadi Beitan-Wadi Rahaba area, South Eastern Desert. Scientific Journal of Faculty of Science Menoufia Univ., Vol. 5, 293-334 p.

EL GABY, S. (1983). Meatiq mantled gneiss dome. Proc. 5th. Int. Conf. Basement Tectonics, Cairo (Abst.).

EL GABY, S. (1994). Geology and tectonic framework of the Pan-African Orogenic belt in Egypt. 2nd intern. Conf. On the geology of Arab World, Cairo Univ. (Abs.), 66-68p.

EL GABY, S. and AHMED, A. A. (1980). The Feiran-Solaf gneiss belt, SW Sinai, Egypt. Inst. of Applied Geol., King Abdul Aziz Univ., Jeddah, Bull. 3, 4, 95-105 p.

EL GABY, S.; EL NADY, O. M. and KHUDEIR, A. M. (1984). Tectonic evolution of the basement complex in the Central Eastern Desert of Egypt. Geol. Rundschau, 73, 1019-1036 p.

EL GABY, S.; LIST, F. K. and TEHRANI, A. A. (1988). Geology, evolution and metallogenesis of the Pan-African belt in Egypt. In: S. El Gaby and R. O. Greiling (eds.), "The Pan-African belt of northeast Africa and adjacent areas". Freidr. Vieweg and Shon, Braunschweig, Wiesbaden, 17-58p.

EL GHAWABY, M. A. (1993). Role of structural deformation in controlling copper occurrence in Abu Swayel region, Egypt. Proc. Intern. Conf. On Basement Tectonics, Oslo, Norway, 165-172p.

EL MANHARAWY, M. A. (1977). Geochronological investigations of some basement rocks in the Central Eastern Desert, Egypt, between Lat. 25° and 26° North, Unpubl. Ph. D. thesis. Cairo Univ., Egypt, 211p.

EL RAMLY, M. F. (1972). A new geological map for the basement rocks in the Eastern and southwestern Desert of Egypt, Scale 1:1000.000. Ann. Geol. Surv. Egypt, 2, 1018 p.

EL RAMLY, M. F.; GREILING, R.; KRONER, A. and RASHWAN, A. A. (1984). On the tectonic evolution of the Wadi Hafafit area and environs, Eastern Desert of Egypt. Bull. Fac. Earth Sci., King Abdul Aziz Univ., Jeddah, 6, 113-126p.

EL RAMLY, M. F.; GREILING, R.O.; RASHWAN, A.A. and RAMSY, A. H. (1993). "Explanatory note to accompany the geological and structural maps of Wadi Hafafit area, Eastern Desert of Egypt". Geol. Survey of Egypt, Cairo, Paper No. 68, 53 p.

EL SHARKAY, M. A. and BASSYOUNY, M. W. (1972). Calc-silicate minerals in contact with Batoga granite. South Eastern Desert, Egypt, Bull. Fac. of Sci., Cairo Univ., 44, 21-285 p.

EL SHARKAWY, M. A. and EL BAYOUMI, R. N. (1979). The ophiolites of Wadi Ghadir area, Eastern Desert, Egypt. Ann. Geol. Surv. Egypt, 9, 125-135p.

EL SHAZLY, E. M. (1964). On the classification of the Precambrian and other rocks of magmatic affiliation in Egypt. Proc. 22nd. Int. Geol. Congr., New Delhi, 10, 88-101p.

EL SHAZLY, E. M.; FARAG, I. A. and BASSYOUNI, F. A. (1965). Contribution to the geology and mineralization of Abu Swayel area, Egypt. J. Geol., 9, 45-67p.

EL SHAZLY, E. M.; FARAG, I. A. and BASSYOUNI F. A. (1969). Contribution to the geology and mineralization at Abu Swayel area, E. D., Part II: Abu Swayel copper-nickel deposits, Egypt. J. Geol., 13, 1-14 p

EL SHAZLY, E. M.; HASHAD, A. H.; SAYYAH, T. A. and BASSYOUNI, F. A. (1973). Geochronology of Abu Swayel area, South Eastern Desert, Egypt. J. Geol., 17, 1-18 p.

EL SHAZLY, E. M.; BASSYOUNI, F. A. and ABDEL KHALEK, M. L. (1975). Geology of the greater Abu Swayel area, Eastern Desert, Egypt. J. Geol., 19, 1-41p.

EL SHAZLY, E. M.; ABDEL KHALEK, M. L. and BASSYOUNI, F. A. (1979). Structure of the greater Abu Swayel area, South Eastern Desert Egypt. Bull. Fac. Sci. Cairo Univ., Cairo, Egypt., 48, 339-340 p.

ENGEL, A. E., DIXON, T. H. and STERN, R. J. (1980). Late Precambrian evolution of Afro-Arabian crust from ocean arc to Craton. Bull. Geol. Soc. An., 91, 699-706 p.

FLOYD, P. A. and WINCHESTER, J. A. (1975). Magma type and tectonic discrimination using immobile trace elements. Earth Planet, Sci. Lett., 27, 211-218p.

GARSON, M. S. and SHALABY, M. (1976). Precambrian-lower Paleozoic plate tectonic and metallogenesis in the Red Sea region. Geol. Assoc. Canada, special paper No. 14, 573-596p.

GASS, I. G. (1977). Evolution of the Pan-African crystalline basement in NE Africa and South Arabia. J. Geol. Soc. London, 134, 129-138p.

GASS, I. G. (1979). Evolutionary model for the Pan-African crystalline basement. Inst. Appl. Geol. (Jeddah). Bull. 3, Vol., 11-20p.

GASS, I. G. (1981). Pan-African (Upper Proterozoic) Plate tectonic of the Arabian Nubian Shield. In: A. Kroner (ed.), "Precambrian plate tectonics". Amsterdam, El Sevier, 387-405p.

GINDY, A. R. (1954). The plutonic history of Aswan area, Egypt. Geol. Mag., 91, 484-496p.

GREENWOOD, H. R.; HADLY, D. G.; ANDERSON, R. E.; FLECK, R. J. and SCHMIDT, D. L. (1976). Late Proterozoic cratonization in Southwestern Saudi Arabia. Phil. Trans. Roy. Soc. London, 280(A), 517-527P.

GREILING, R. O. (1987). Direction of Pan-African thrusting in the Eastern Desert of Egypt derived from lineation and strain data. In : G. Matheis and H. Schandelmeier (eds.), "Current Research in African Earth Sciences". Balkema, Rotterdam, 83-86p.

GREILING, R. O.; KRONER, A. and EL RAMLY, M. F. (1984). Structural interference patterns and their origin in the Pan-African basement of the Southeastern Desert of Egypt. In: A. Kroner; R. O. Greiling (eds.). "Precambrian tectonic illustrated". Schweizerbart Verlag., Stuttgart, 401-412p.

GREILING, R. O.; KRONER, A.; EL RAMLY, M. F. and RASHWAN, A. A. (1987). Structural relationships between the Southern and Central parts of the Eastern Desert of Egypt: Details of a fold and thrust belt. In : S. El Gaby and R. O. Greiling (eds.), "The Pan-African Belt of Northeast Africa and Adjacent Areas". Fried. Vieweg and Sohn, Wiesbaden, 121-146 p.

HARRIS, N. B. D.; HAWKEWORTH, C. J. and RIES, A. C. (1984). Crustal evolution in Northeast and East Africa from model Nd ages. Nature, 309, 773-776 p.

HASHAD, A. H. and HASSAN, M. A. (1979). On the validity of an ensimatic island arc cratonization model to the evolution of the Egyptian Shield. Ann. Geol. Surv. Egypt. 9, 70-80 p.

HUME, W. F. (1934). Geology of Egypt Vol. II, The fundamental Precambrian rocks of Egypt and Sudan, Part I, The metamorphic rocks. Geol. Surv. Egypt, 300 p.

HUNTING GEOLOGY AND GEOPHYSICS LTD.(1967). Assessment of the mineral potential of the Aswan region, U. A. R., Photogeological survey, 138 p.

HUSSEIN, A.A. A.; ALI, M. and EL RAMLY, M. F. (1982). A proposed new classification of the granites of Egypt. J. Volcanol. Geotherm. Res., 14, 187-198p.

IRVEN, T. N. and BARAGAR, W. R. A. (1971). A guide to the chemical classification of the common volcanic rocks. Can. J. Earth Sci., 8, 523-548p.

JAMES, R. S. and HAMELTON, D. I. (1969). Phase relations in the system Na Al SiO₃ - K Al Si₃O₈ - Ca Al₂ Si₂O₈ - SiO₂ at 1 kilobar water vapour pressure. Contr. Mineral. Petrol., 21, 111-141p.

KLEEMAN, A. W. (1965). The origin of granitic magmas. J. Geol. Soc. Australia, 12, 35-52 p.

KLERKS, J. (1980). Age and metamorphic evolution of the basement complex around Gabel EL Uweinat. In: M. J. Salem and M. T. Busyowil (eds.), "The geology of Libya", 3, 901-906 p.

KLERKS, J. and DEUTSCH, S. (1977). Resultants Preliminaires obtenus Par la methode Rb/Sr pur large des formations Precamberiennes de la region d'Uweinat (Libya). Mus. Roy. Afr. Centr. Dept. et Min-Rapp. Ann, 83-94p.

KRONER, A. (1984). Late Precambrian plate tectonics and orogeny: A need to redefine the term (Pan-African). In : J. Klerkx and J. Michot (eds.), "African Geology". Musee Afr. Cent. Tervuren, 23-28 p.

KRONER, A. (1985). Ophiolites and the evolution of tectonic boundaries in late Proterozoic Arabian-Nubian shelf of NE Africa and Arabia. Precambrian Res., 27, 277-300 p.

KRONER, A.; GREILING, R.; REISCHMANN, T.; HUSSEIN, I. M.; STERN, R. J.; DURR, S.; KRUGER, J. and ZIMMER, M. (1987). Pan-African crustal evolution in the Nubian segment of Northeast Africa. An. Geophys. Union, Sp. Publ., 17, 235-257p.

KRONER, A.; REISCHMANN, T.; WUST, H. J. and RASHWAN, A. A. (1988). Is there any Pre-Pan African (> 950 Ma) basement in the Eastern

Desert of Egypt?. In: S. El Gaby and R. O. Greiling (eds.), "The Pan-African belt of Northeast Africa and adjacent areas". Freidr. Vieweg and Sohn, Braunschweig, 95-119 p.

KUNO, H. (1966). Lateral variation of basalt magma type across continental margins and island arcs. Bull. Volcanol., 29, 195-222 p.

LE MAITRE, R. W. (1976). The chemical variability of some common igneous rocks. J. Petrol., 17, 4, 589-637p.

LUTH, W. C.; JAHNS, R. H. and TUTTLE, O. F. (1964). The granite system at pressures of 4 to 6 kilobars. J. Geophys. Res., 69, 759-773p.

MAC DONALD, G. A. (1968). Composition and origin of Hawaiian Lavas. Mem. Geol. Soc. Am., 116, 477-522p.

MANKEI, P.; KRONER, A.; STERN, R. J.; MANTON, W.; MANSOUR, M. and RASHWAN, A. A. (1987). Geochemistry, age and tectonic setting of pan-African Meta-igneous rocks from the Wadi Allaqi region, Egypt and Sudan. Abst., 14th Coll. Afr. Geol., 84-85 p.

MENEISY, M. Y.; EL KALIOUPY, B. A. and EL ALFY, Z. S. (1986). Petrogenesis and geochronology of the granitic intrusions of Gabal Kulyiet and Seiga, South Eastern Desert, Egypt. Qatar Univ. Sci. Bull., 6, 287-315 p.

MIYASHIRO, A. (1975). Classification, characteristics and origin of ophiolites. J. Geol., 83, 249-281 p.

MIYASHIRO, A. and SHIDO, F. (1975). Tholeiitic and calc-alkaline series in relation to the behaviors of titanium, vanadium, chromium and nickel. Am. J. Sci., 275, 265-277 p.

NASSIM, G. L. (1943). The thermodynamic metamorphism of the district of Abu Swayel copper Mine. Un-published Master Science Thesis, Cairo University, Cairo, Egypt.

NOWEIR, A. M. (1965). Geology of Umm Hombos-Umm El Seneyat district, Eastern Desert, Egypt. Unpublished M. Sc. Thesis, Assiut University, Egypt.

NOWEIR, A. M. (1965) Geology of the Umm Hombos-Umm EL Seneyat district, Eastern Desert, Egypt. Unpublished M. Sc. Thesis, Assiut University, Egypt.

NOWEIR, A. M. and EL SHARKAWY, M.A. (1979) The Umm Had-Umm Effeien metamorphic aureole, Central Eastern Desert, Egypt. Bull. Fac. of Sci, Cairo University, 51-2, 285-301 p

NOWEIR, A. M.; SEWIFI, B. M. and ABUEL ELA, A. M. (1990). Geology, petrology, geochemistry and petrogenesis of the Egyptian younger granites. Qatar. Univ. sci. Bull., 10, 363-393p.

NOWEIR, A. M.; and EL AMAWY, M. A, (1996). Geochemistry, metamorphic aureole and structural analysis of Deneibet EL Quleib Pluton and its environ, Wadi Allaqi district, South Eastern Desert, Egypt Annals Geol. Surv. Egypt, (In Press).

O' CONNOR, J. T. (1965). A classification of quartz-rich igneous rocks based on feldspar ratios. U. S. Geol. Surv. Prof. Paper No. 525-B, 79-84p.

PEARCE, J. A. and GALE, G. H. (1977). Identification of ore-deposition environment from trace elements geochemistry of associated igneous host rock. In: Volcanic Processes in Ore Genesis. Inst. Min. and Metallurgy Geol. Soc. London, Spec. Publ., 7, 14-24p.

PEARCE, J. A. (1980). Geochemical evidences for the gneisses and eruptive setting of lavas from Tethyan ophiolites. Proc. Inter. Ophiolite Sym. Nicosia, Cyprus, Geol. Surv. Cyprus Bull., 261-272p.

PEARCE, J. A. ; NIGEL, B.W. and ANDREW. G. T. (1984). Trace elements discrimination diagrams for tectonic interpretation of granitic rocks. J. Petr., Vol. 25, 956-983p.

PETRO, W.L.; VOGEL, T. A. and WILBAND, J. T. (1979). Major element chemistry of plutonic rocks from the Kastamonu area, Northern Turkey. Contrib. Mineral. Petrol., 38, 63-81p.

PHILLIPS, F. C. (1960). The use of stereographic projection in structural geology. Second Edition, Edward Arnold Publishers, London. 84p.

PRICE, N. J. ; and COSGROVE, J. W. (1989). Analysis of geological structures, Cambridge Univ. Press, Cambridge, 487.

RAGAB, A. GH., and EL SHIMI, A. M. (1994). On the origin of volcanogenic foreland molasse sediment in Wadi Allaqi, Thirty Second Annual meeting, 1p.

RAGAB, A. GH. ; DARDIER, A. A.; ABDEL NABY, H. H. and ABDEL WAHED, A. A. (1994). Sedimentary basement assemblage in Pan-African collisions zones. Eastern Desert, Egypt. Sedimentology of Egypt, 2,31-22p.

RIES, A. C.; SCHACKELTON, R. M. ; GRAHAM, R. H. and FITCHES, W. R. (1983). Pan-African Structures, ophiolites and melange in the Eastern Desert of Egypt, a traverse at 26°N. J. Geol. Soc. London, 140,75-95p.

RINGWOOD, A. E. (1974). The Petrologic evolution on island arc system. J. Geol. London, 13,183-204p.

ROCCI, G.(1965). Essai d' interpretation des mesures geochronologiques a structure de l' quest African Sci. Terre., 10, 461-479p.

ROSTAL, R. H. (1910). The Skiddaw granite and its metamorphism. Q. J. Geol. Soc. London, 66,41-116p.

SABET, A. H. (1961). Geology and mineral deposits of Gabal El Sebaei area, Red Sea Hills, Egypt, U. A. E. Ph. D. Thesis. Leiden state Univ. the Neitherlands, 188p.

SABET, A. H.; EL GABY, S. and ZALATA, A. A. (1972). Geology of basement rocks in the northern part of EL Shayeb and Safage sheets Eastern Desert. Ann. Geol. Surv. Egypt, 2,111-128p.

SADEK, M. F. (1995). Geology, Geochemistry and structure of Gabel EL Moqsim area and environs, S. E. D., Egypt. Unpublished Ph. D. Thesis, Ein Shams University.

- SHACKLETON, R. M. (1986).** Precambrian collision tectonic in Africa In: Coward, M. P. and Ries A, C. (Eds.), "Collision tectonics" Geol. Soc. London, Spec. Publ., 19,329-349p.
- SHACKLETON, R. M.; RIES, A. C.; GRAHAM, R. H. and FITCHES, W. R. (1980).** Late Precambrian Ophiolite melange in the Eastern Desert of Egypt. Nature, 285,472-474p.
- SHAND, S. J. (1951).** The eruptive rocks. John Wiley, New York.
- SHAPIRO, L. (1975).** Rapid analysis of Silicate, Carbonate and phosphate rocks. Bull. U.S. Geol. Surv., Washington, D. C., 20402,70p.
- SHIMRON, A. E. (1984).** Evolution of the Kid group, Southeastern Sinai Peninsula: thrusts, Melanges and implications for accretionary tectonics during the late proterozoic of the Arabian-Nubian Shield, Geology, 12,242-247p.
- STERN, E. J. (1981).** Petrogenesis and tectonic Setting of late Precambrian ensimatic volcanic rocks, Central Eastern Desert, Egypt. Precambrian Res., 16,195-230p.
- STERN, R. J. and HEDGE, C. E. (1985).** Geochronologic and isotopic constrains on late Precambrian crustal evolution in the Eastern Desert,
- STRECKEISEN, A. (1976).** Classification and nomenclature of plutonic rocks. Geol. Rd. sch., 63, 773-785p.
- STURHIU, N. C.; SULTAN, M. and BATIZA, R. (1938).** Geology and origin of Meatiq dome. Egypt. A Precambrian metamorphic core complex? . Geology, 11, 72-76p.
- TAKLA, M. A. ; BASTA, F. F. and EL MAGABY, A. M. (1987).** Opaque Mineralogy of Wadi Ghadir Precambrian rocks, South Eastern Desert. Abst., Egypt. 25th Ann. Meeting. Geol. Soc. Egypt., 12-19p.
- TAYLOR, W. A. G. ; EL HAZZAZ, Y. A. H. and RASHWAN, A. A (1993).** An Outline of the tectonic framework for the Pan-African Orogeny in the vicinity of Wadi Umm Ralan area, South Eastern Desert, Egypt. In : Torweihe and Schandelmeier (eds.)" Geoscientific Research in Northeast Africa" Balkema, Rotterdam, 31-34p.

THORONTON, C.P. and TUTTLE, O. F. (1960). Chemistry of igneous rocks, Part I: Differentiation index. Am. J. Sci., 228,664-684p.

TILLEY, C. E. (1924). Contact metamorphism in the Comrie area of the Perthshire Highlands. Q. J. Geol. Soc. London, 80, 22-71p.

TURNER, F. J. and WEISS, L. E. (1963). Structural analysis of metamorphic tectonics. Mc. Graw Hill Book Company. Inc. New York, 515p.

TURNER, F. J. (1981). Metamorphic Petrology: Mineralogical, field and tectonic aspects. Hemisphere Publishing Corporation, New York.

TUTTLE, O. F. and BOWEN, N. L. (1958). Origin of granites in the light of experimental Studies in the system Na Al Si₃O₈- KAl Si₃O₈- Ca Al₂ Si₂O₈ H₂O. Geol. Soc. Am. Mem., 74p.

VAIL, J. R. (1983). Pan-African crustal accretion in Northeast African. J. Afri. Earth Sci., 1, 285-294p.

WHITE, A. J. R. and CHAPPELL, B.W. (1983). Granitoid types and their distribution in the Lachlan fold belt, Southeastern Australia. Geol. Soc. Am. Man., 159, 21-34p.

WINKLER, H. G. F. (1974) and (1979). Petrogenesis of metamorphic rocks. Springer- Verlag.

WRIGHT, J. B. (1969). A simple Alkalinity ratio and its application to question of non-orogenic granite genesis. Geol. Mag., 106, 370-348p.

WUST, H. J. TOOT, W. ; KRONER, A. ; REISCHMANN, T. and RASHWAN, A. A. (1987). Isotopic constrains on the evolution of Pan-African crust in the Eastern Desert of Egypt by single grain zircon and Whole rock dating. Abstr. Ath. Coll. Afr. Geol. 93-95p.