

REFERENCES

REFERENCES

- Abbott, G.T.; Bucknall, R.C.; Whitehouse, G.H. (1991):**
Osteoarthritis associated with distal interphalangeal joint involvement in rheumatoid arthritis.
Skeletal Radiol., 20: 495-497.
- Agarwal, A.K.; Peppelman, W.C.; Kraus, (1992):**
Recurrence of cervical spine instability in rheumatoid arthritis following previous fusion.
J. Rheumatol., 9: 1364-1370.
- Ailard, S.A.; Muirden, K.D.; Maini, R.N. (1991):**
Correlation of histopathological features of pannus with patterns of damage in different joints in rheumatoid arthritis.
Ann. Rheym. Dis., 50: 278.
- Aitchenson, C.T.; Pebles, C.; Joslin, F. (1992):**
Characteristics of antinuclear antibodies in rheumatoid arthritis.
Arch. Rheum., 26: 562.
- Akeson, W.H.; Amiel, D.; Abel, M.F. (1987):**
Effect of immobilisation on joints.
Clinical Orthop., 214: 28-37.
- Alvaro-Gracia, J.M.; Zvaifler, N.J.; Firestein, G.S. (1990):**
Cytokines in chronic inflammatory arthritis.
J. Clin. Invest., 86: 1790.
- Arnett, F.C.; Edworthy, S. and Block, D.A. (1988):**
The 1987 Revised ARA criteria for classification of RA.
Arth. Rheum., 31: 315.
- Aubert, J.P.; Mattei, J.P.; Legre, R.; Roux, H. and Magalon, G. (1994):**
Rupture of the tendons of the hand and wrist in rheumatoid arthritis.
J. Chir. Paris, 420-402.
- Bacon, P.A. (1993):**
Rheumatoid arthritis. In: McCarty DJ. Koopman WJ (eds): arthritis and Allied conditions, 12th ed. Philadelphia, Lea and Febiger, PP. 811-840.

- Boki, K.A.; Drosis, A.A.; Tzioufas, G.A.; Lanchburg, J.S.; Panayi, G.S.; Moutsopoulos, H.M. (1993):**
Examination of HLA-DR4 as a severity marker for rheumatoid arthritis in Greek patients.
Ann. Rheum. Dis., 52: 517.
- Brewerton, D.A. (1994):**
Hand deformities in rheumatoid disease.
Ann. Rheum. Dis., 16: 183.
- Brooks, P. and Lee, G. (1997):**
The therapy of rheumatic diseases.
Clin. Rheumatol., 389-414.
- Bruno, D. and Fornage, M.D. (1989):**
Soft-tissue changes in the hand in rheumatoid arthritis, evaluation with ultrasonography.
J. Radiology, 173: 735-737.
- Bruno, D.; Francois, S. and Matthew, R. (1985):**
Ultrasound examination of the rheumatoid hand.
Radiology, 155: 785-788.
- Buzas, E.I.; Hollo, K.; Rubliczky, L.; Garzo, M.; Nyirkos, P.; Glant, T.T. (1993):**
Effect of pregnancy on proteoglycan-reduced progressive polyarthritis in BALB/c mice remission of disease activity.
Clin. Exp. Immunol., 94: 252.
- Calin, A.; Elswood, J.; Klouda, P.T. (1989):**
Destructive arthritis, rheumatoid factor, and HLA-DR4: susceptibility versus severity, a case control study.
Arthritis Rheumatism., 32: 1221.
- Cervini, C.; Avaltroni, D.; Pirani, O.; Tittare, E. and Grassi, W. (1992):**
Sonography of the metacarpophalangeal joints in rheumatoid arthritis.
Br. J. Rheumatology, 224.
- Chain, K.F. and Lim, P.A.C. (1997):**
Rehabilitation in rheumatic diseases.
Clinical Rheumatol., 443-453.

- Change, L.W.; Gowans, J.D.D. and Milender, L.H. (1992):**
Entrapment neuropathy a complication of rheumatoid arthritis.
Arthritis Rheum., 16: 460.
- Chin, J.E.; Winterrowd, G.E.; Krzesicki, R.F.; Sanders, M.E. (1990):**
Role of cytokines in inflammatory synovitis, the coordinate regulation of intracellular adhesion molecule 1 and HLA class I and class II antigens in rheumatoid synovial fibroblasts.
Arthritis Rheum., 33: 1776.
- Clayton, M.L. and Ries, M.D. (1991):**
Functional Hallux rigidus in the rheumatoid arthritis.
Clin. Orthop., 271: 233-238.
- Cole, B.C.; Griffiths, M.M. (1993):**
Triggering and exacerbation of autoimmune arthritis by the Mycoplasma superantigen.
Arthritis Rheum., 36: 994.
- Collins, D.N.; Barnes, C.L.; Fitz Randolph, R.L. (1991):**
Cervical spine instability in rheumatoid patients.
Clin. Orthop., 272: 127-135.
- Condemni, J.; Barnett, E.V. and Atwater, E.C. (1995):**
The significance of antinuclear factors in rheumatoid arthritis.
Arth. Rheum., 8: 1080.
- Copper, N.S. (1993):**
Pathology of rheumatoid arthritis.
Med. Clin. North American, 52: 3.
- Cosgrove, D. (1992):**
Ultrasonol, general principles.
Diagnostic Radiology 2nd edition, 65-77.
- DeFlaviis, L.; Scaglione, P.; Nessi, R.; Ventura, R. and Calori, G. (1988):**
Ultrasonography of the hand in rheumatoid arthritis.
Acta. Radiology, 29: 457-460.

DeJager, J.P. and Fleming, A. (1984):

Shoulder joint rupture in rheumatoid arthritis.
Ann. Rheum. Dis., 43: 503-504.

Dixon, A.J. (1991):

The rheumatoid foot. In: Modern trends in Rheumatology,
by Hill, A.G. 2nd ed. PP. 158-173. London: Bulterworths.

Dunne, J.U.; Carson, D.A. and Spiegelberge, H.L. (1995):

IgA rheumatoid factor in serum of patients with rheumatoid
arthritis.
Ann. Rheum. Dis., 38: 161.

Edmonds, P.J. (1997):

Radiological finding in R.A.
Clinical Rheumatology, 52: 95.

Edward, D. and Harris, Jr. (1997):

Clinical feature of rheumatoid arthritis.
Textbook of Rheumatology, 5th ed., 898-926.

Felming, A.; Crown, J.M. and Corbett, M. (1993):

Early rheumatoid disease.
Ann. Rheum. Dis., 35: 357.

Felson, D.T.; Zhang, Y.; Anthony, J.M. (1992):

Weight loss reduces the risk of symptomatic knee
osteoarthritis woman.
Ann. Intern. Med., 116: 535-539.

**Ferrari, F.S.; Tiribocchi, A.; Monetti, G.; Materazzi, M.; Baldi, C.;
Monti, L.; Fagiolizuechi, A.; Saloni, E. and Giordano, N.
(1990):**

Evaluation of tendon lesion in rheumatoid arthritis. Using
ultrasonography.
Radiol. Med., 80: 631-637.

Ferry, A.P. (1993):

The eye and rheumatic disease. In: Kelly WN, et al., eds.
Textbook of rheumatology, 4th ed. Philadelphia, W.B.
Saunders, 507.

- Firestein, G.S.; Alvaro-Garcia, J.M.; Maki, R. (1990):**
Quantitative analysis of cytokine gene expression. In:
Rheumatoid arthritis.
J. Immunol., 144: 3347.
- Fischer, M.; Mielke, H.; Glaefke, S. and Deicher, H. (1994):**
Generalized vasculopathy and finger blood flow
abnormalities in rheumatoid arthritis.
J. Rheumatol., 11: 33.
- Fong, S.; Carson, D. and Vanghan, J. (1985):**
Rheumatoid factor in "immunology of Rheumatic disease"
Ed. By Gupta, S. and Talal, N. 2nd ed. PP. 167: 197 New
York, London, Plenum Medical Book Comp.
- Fornage, B.D. (1989):**
Technique for sonography of muscles and tendons of the
extremities. Fornage, B.D.; edition, Ultrasonography of
muscles and tendons, 6-12.
- Fornage, B.D.; Rifkin, M.D. (1988):**
Ultrasound examination of the hand and foot.
Radiol. Clin. Vol., 26, P. 109-129.
- Fox, R.I.; Chilton, T.; Rhodes, G.; Vaughan, J.H. (1986):**
Lack of reactivity of rheumatoid arthritis. Synovial
membrane DNA with cloned Epstein-Barr Virus. DNA
probes, J. Immunol., 137: 498.
- Fuchs, H.A.; Callahan, L.F.; Kage, J.J. (1988):**
Radiographic and joint count finding of the hand in
rheumatoid arthritis: Related and unrelated findings.
Arthritis Rheum., 31: 44-51.
- Fye, K.H.; Moutsopoulos, H.H. and Talat, N. (1992):**
Rheumatic disease in "Basic and clinical immunology" Ed.
By Fundenberg H.H.; Sities, D.P. and Wells, J. 4th Ed. Los
Angeles, California, PP. 422.
- Ganda, O.P. and Caplan, H.I. (1994):**
Rheumatoid disease without joint involvement.
JAMA, 228: 338.

Gary, S.F. (1997):

Etiology and pathogenesis of rheumatoid arthritis. Textbook of Rheumatology, 5th ed., 851-888.

Geirsson, A.J.; Sturfelt, G. and Treudsson, L. (1996):

Clinical and serological features of severe vasculities in rheumatoid arthritis. Prognostic implications. Ann. Rheum. Dis., 46: 727.

Goldensten, C.; McCulef, R.; Troy, M.; Schaller, J.G. and Szer, I. (1989):

Ultrasonography in evaluation of wrist swelling in children. J. Rheumatol., 16: 1079-1089.

Golding, D.N. (1989):

Rheumatoid arthritis in "A synopsis of rheumatic disease". 5th Ed., Wright, London, PP. 51-88.

Gordon, D.A.; Stein, A.L.; Broder, L. (1993):

Articular features of rheumatoid arthritis. Am. J. Med.

Goupille, P.; Fouquet, B.; Cotty, P. (1990):

The tempromandibular joint in rheumatoid arthritis. J. Rheumatol., 17: 1285-1291.

Grassi, W.; Tittarelli, E.; Blasetti, P.; Pirani, O. and Cervini, C. (1995):

Finger tendon involvement in rheumatoid arthritis, evaluation with high frequency-sonography. Arthritis and Rheumatism. 38: 786-894.

Grassi, W.; Tittarelli, E.; Cervini, C. (1993):

L'ecotomografia gonartrosi. Ramatologo; 1-P: 22.

Grassi, W.; tittarelli, E.; Pirani, O.; Valtroni, D. and Cervini, C. (1993):

Ultrasound examination of metacarpophalangeal joints in rheumatoid arthritis. Scand. J. Rheumatol., 22: P. 243.

Griffiths, R.J.; Pettipher, E.R.; Koch, K.; Farrell, C.A.; Breslow, R.; Conklyn, M.J.; Smith, M.A.; Hackman, B.C.; Wimberly, D.J.; Milici, A.J.; Scampoli, D.N.; Cheng, J.B.; Pillar, J.S.; Pazoles, C.J.; Doherty, N.S.; Melvin, L.S.; Reiter, L.A.; Biggars, M.S.; Falkner, F.C.; Mitchell, D.Y.; Liston, T.E.; Showell, H.J. (1995):

Leukotriene, B4 plays a critical role in the progression of collagen-induced arthritis.

Proc. Natl. Acad. Sci. USA, 92: 517.

Guerne, P.A. and Weisman, M.H. (1992):

Palindromic rheumatism as a part from rheumatoid arthritis.

Ann. J. Med., 93: 361-369.

Hajeer, A.H.; MacGregor, A.J.; Rigby, A.S.; Ollier, W.E.; Garthy, D.; Silman, A.J. (1994):

Influence of previrus exposure to human parvovirus B19 infection in explaining susceptibility to rheumatoid arthritis.

Ann. Rheum. Dis., 53: 137.

Halla, J.T.; Koopman, W.J.; Fallahi, S. (1984):

Clinical, histological features and possible pathogenesis of rheumatoid myositis.

Arthritis Rheum., 27: 737-743.

Hanyu, T.; Ishikawa, H.; Murasawa, A. (1997):

Surgery for rheumatoid arthritis.

Clinical Rheumatology, 418-439.

Hardwicke, J. and Squire, J.R. (1992):

The basis of the erythrocyte sedimentation rate.

Clin. Sci., 2: 333.

Harris, E.D. (1985):

Pathogenesis of RA. In: Textbook of rheumatology Ed. By Kelley, W.N.; Harris, E.D.; Ruddy, S. and Sledge, C.B. 2nd Ed., Saunders Co., Philadelphia, London, Toronto.

Harris, E.D. (1993):

The clinical spectrum of RA. In: Textbook of Rheumatology Ed. By Kelley, N.W.; Harris, E.D.; Ruddy, S. and Sledge, C.B. 4th Ed., Philadelphia, W.H. Saunders Co., PP. 928-63.

- Hastings, D.E. and Evans, J.A. (1995):**
Rheumatoid wrist deformities. *Journal of Bone and Joint Surgery*, 57A: 930.
- Hawley, D.J. (1995):**
Psycho-education interventions in treatment of arthritis.
Clin. Rheum., 9: 803-823.
- Hayamizo, K. (1994):**
Preoperative evaluation of tendons in hands of patients with rheumatoid arthritis by ultrasonography.
Nippon-Igako-Hoshasen-Gakkai-Zasshi, 575-582.
- Hirano, P.C.; Laurent, D.D.; Lorig, K. (1994):**
Arthritis education studies: A review of literature. *Pat. Edo. Counselling*, 24: 9-54.
- Hoglund, M.; Tordai, P. (1996):**
Ultrasound imaging of the wrist and hand. *P.* 479-498.
- Holt, P.J. (1993):**
Rheumatoid arthritis in "postgraduate textbook of clinical orthopedics Ed. By Harris, N.H. 3rd Ed. PP. 443-455. Bristol, John Wright and Sons.
- Hull, S. and Mathews, J.A. (1992):**
Pulmonary necrobiotic nodules as a presenting feature of rheumatoid arthritis. *Ann. Rheum. Dis.*, 41: 21.
- Ishikawa, H.; Murasawa, A.; Hanyu, T. (1997):**
Surgery for rheumatoid arthritis.
Clinical Rheumatol., 418-439.
- Iverson, J.M. and Pomerance, A. (1997):**
Cardiac involvement in rheumatic disease.
Clin. Rheum. Dis., 6: 521.
- Iverson, J.M.; Hill, A.G.; Wright, V. (1975):**
Wrist cysts and fistulae: An arthrographic study of the rheumatoid wrist.
Ann. Rheum. Dis., 34: 388-394.

Jacob, J.; Sartoris, D.; Kursunoglo, S. (1986):

Distal interphalangeal joint involvement in rheumatoid arthritis.
Arthritis Rheum., 29: 10-15.

Jayson, M.I. and Dixon, A.S. (1990):

Valvular mechanisms in juxta-articular cysts.
Annu. Rheum. Dis., 29: 415.

Jesevor, D.S.; Riley, P.O.; Hodge, W.A.; Krebs, D.E. (1993):

Knee kinematics and kinetics during locomotor activities of daily living in subjects with knee arthroplasty and in healthy controls.
Physi. Therapy, 73: 229-242.

Jones, S.T.; Dentn, J.; Holt, P.J.; Freemont, A.J. (1993):

Possible clearance of polymorphnuclear leucocytes from synovial fluid by cytophagocytic mononuclear cells: Implication for pathogenesis and chronicity in inflammatory arthritis.
Ann. Rheum. Dis., 52: 121.

Jorgensen, C. (1993):

Sensitivity of magnetic resonance imaging of the wrist in very early rheumatoid arthritis.
Clin. Exp. Rheumatol., 11: 163-168.

Karvonen, R.L.; Negendank, W.G.; Fraser, S.M. (1990):

Articular cartilage defect of the knee in patients with rheumatoid arthritis.
Ann. Rheum. Dis., 49: 672-675.

Kaye, J.J.; Callahan, L.F.; Nance, E.P.Jr. (1987):

Bony ankylosis in rheumatoid arthritis. Association with longer duration and greater severity of disease.
Invest. Radiol., 22(4): 303-309.

Koch, A.E.; Kunkel, S.L.; Burrows, J.C.; Evanoff, H.L.; Haines, G.K.; Pope, R.M. and Strieter, R.M. (1991):

Synovial tissue macrophage as a source of the chemotactic cytokine.
J. Immunol., 147: 2187.

Konig, A. and Konig, G. (1999):

Lesional pattern and clinical symptoms in rheumatoid flexor tendon disease.
Z. Rheumatol., P. 277-282.

Kotob, H. and Kamel, M. (1999):

Identification and prevalence of rheumatoid nodules in the finger using high frequency ultrasonography.
Journal Rheumatol., P. 1264-1268.

Kraug, G.R. (1989):

Clinical aspects in rheumatoid arthritis.
Triangle. Sandoz. J. of Med. Sci. (28) 1/2: 15-24.

Krans, S.M. (1993):

Articular and systemic manifestations of arthritis. In: McCarty DJ, Koopman, WJ (eds) Arthritis and Allied conditions, 12th ed. Malvern, Lea and Febiger, PP. 763-756.

Kremkau, F.W. (1980):

Diagnostic ultrasound, physical principles.
Diagnostic Radiology, P. 66, 2nd edition.

Kushner, I. (1991):

The phenomenon of the acute phase response.
Ann. New York Acad. Sci., 389: 39-48.

Lewis, D.; Lewis, B.; Sturrock, R.D. (1984):

Trancutaneous electrical nerve stimulation in osteoarthritis a therapeutic alternative?
Ann. Rheum. Dis., 43: 47-49.

Liebersen, W.T. (1984):

Brief isometric exercises.
Therapeutic exercise, 236-256.

Lin, H.; Mosmann, T.R.; Guilbert, L.; Tuntipopiat, S.; Wegmann, T.G. (1993):

Synthesis of T-helper 2-type cytokines at the maternal fetal interface.
J. Immunol., 151: 4562.

- Luyten, F.; Soykens, S.; Veys, E.M.; Van Lerbeirghe, J.; Ackerman, C.; Mielants, H.; Verbruggen, G. (1986):**
Preipheral blood T-lymphocyte subpopulations determined by monoclonal antibodies in active rheumatoid arthritis.
J. Rheumatol., 13: 864.
- Mackay, I.R. and McCulloch, A.S. (1990):**
Imaging the plantaris with ultrasound.
Br. J. Plast. Surg., 43: 689-691.
- Manger, J. and Kalden, R. (1995):**
Anatomy of the hand Gray's anatomy, textbook of anatomy, 38th ed. P. 850-860.
- Manicourt, D.H.; Triki, R.; Fukuda, K.; Devogelaer, J.P.; Deuxchaisnes, C.N.; Thonar, E. Jma (1993):**
Level of tumor necrosing factor α and interleukin-6 in patients with rheumatoid arthritis.
Arthritis and Rheumatism, Vol. 36; P: 4.
- Martin, L.F. and Bensen, W.G. (1987):**
An unusual cyst in rheumatoid arthritis.
J. Rheumatol., 14: 139-141.
- Martinoli, C.; Derchi, L.E.; Pastorino, C.; Bertolotto, M. and Silvestri, E. (1993):**
Analysis of the echotexture of the tendons with ultrasound.
J. Radillogy, 186: 839-343.
- McClelland, J.; Fail, B. and Walker, D. (1996):**
E.S.R., Hb level, plasma and serum viscosity as measure of disease activity in rheumatoid arthritis.
Br. J. Rheumatol., 36: 156-8.
- McDichen, W.N. (1981):**
Diagnostic ultrasound, physical principles and use of instruments.
Diagnostic Radiology, P. 66-67, 2nd edition.
- McGroather, D.A. (1995):**
Gross anatomy of the upper limb.
Gray's anatomy A textbook of anatomy, 38th ed., P. 737-900.

- Midiri, M.; Iovane, A.; Finazzo, M.; Brancatelli, G.; Gallo, C. and Lagalla, R. (1999):**
Color Doppler-echo in rheumatoid arthritis with extra-articular location.
Radiol. Med. Torino., 3: 123-126.
- Miner, N.S. (1998):**
Basic principles of ultrasound.
Clinical Sonography, 3rd edition, 31-42.
- Moffat, D.A.; Ramsden, R.T.; Rosenberg, J.N. (1977):**
Otoadmittance measurements in patients with rheumatoid arthritis.
J. Laryngol. Otol., 91: 917-927.
- Murasawa, A.; Hanyu, T.; Ishikawa, H. (1997):**
Surgery for rheumatoid arthritis.
Clin. Rheum., 418-439.
- Mutsui, N.; Taneda, Y.; Ohta, H.; Itoh, T.; Tsuboguchi, S. (1989):**
Arthroscopic versus open synovectomy in rheumatoid knee.
Int. Orthop. (SICOT) 13: 17-20.
- Nakano, K.K. (1995):**
Neurological complications of rheumatoid arthritis.
Orthop. Clin. North A., 8: 712.
- Nakao, H.; Eguchi, K.; Kawakami, A.; Migita, K.; Otsubo, T.; Ueki, Y.; Shimomura, C.; Tezoka, H.; Matsunaga, M.; Maeda, K.; Nagataki, S. (1990):**
Phenotypic characterization of lymphocytes infiltrating synovial tissue from patients with rheumatoid arthritis.
J. Romatol., 17: 142.
- Nelson, J.L.; Hughes, K.A.; Smith, A.G.; Nisperos, B.B.; Branchaud, A.M.; Hansen, J.A. (1993):**
Maternal-fetal disparity in HLA class II alloantigens and the pregnancy-induced amelioration of rheumatoid arthritis.
N. Eng. J. Med., 329: 466.

Nepom, G.T.; Byers, P.; Seyfried, C. (1989):

HLA genes associated with rheumatoid arthritis;
identification of susceptibility alleles using specific
oligonucleotide probes.
Arthritis Rheuma., 32: 15.

Nguyen, Q.; Mort, J.S.; Roughley, P.J. (1992):

Preferential mRNA expression of prostromelysin relative to
procollagenase and in situ localization in human articular
cartilage.
J. Clin. Invest., 89: 1189.

**Nikkari, S.; Lookhainen, R.; Mottonen, T.; Meurman, O.; Hannonen,
P.; Skurnik, M.; Toivanen, P. (1994):**

Does parvovirus B19 have a role in rheumatoid arthritis?
Ann. Rheum. Dis., 53: 137.

Paulus, H. (1996):

Monitoring radiographic changes in early rheumatoid
arthritis.
J. Rheumatol., 23: 801-805.

Pinals, R.S. (1994):

Polyarthritis and fever.
N. Engl. J. Med., 330: 769-774.

Quinn, C.; Mulpeter, K.; Casey, E.B.; Feighery, C.F. (1993):

Changes in levels of IgM RF and alpha PAG correlate with
increased disease activity in rheumatoid arthritis during the
puerperium.
J. Rheumatol., 22: 273.

**Radoux, V.; Menard, H.A.; Begin, R.; Decary, F. and Coopman, W.J.
(1993):**

Airways disease in rheumatoid arthritis patients one element
of a general exocrine dysfunction.
Arth. Rheum., 30: 249.

Ralph, Schumacher, Jr.; Kippel, J.H. and Robinson, D.R. (1988):

Pathogenesis of rheumatoid arthritis in primer textbook on
the rheumatic diseases.
Ninth edition published by the arthritis foundation, Atlanta,
G.A., 87.

Ritchie, D.M.; Boyle, J.A.; McInnes, J.M.; Jasani, M.K.; Dalakas, T.G. and Buchanan, W. (1968):

Clinical studies with an articular index for the assessment of joint tenderness in patients with rheumatoid arthritis.
Qsarterly J. Med., 37: 393-406.

Ruschen, S.; Lemm, G.; Warnatz, H. (1988):

Interleukin-2 secretion by synovial fluid lymphocytes in rheumatoid arthritis.
Br. J. Rheumatol., 27: 350.

Russell, R.C.; Williamson, D.A.; Sullivan, J.W. (1991):

Detection of foreign bodies in the hand. Imaging of the wrist and hand, P. 485.

Saal, J.G.; Steidle, M.; Einsele, H.; Muller, C.A.; Fritz, P.; Zacher, J. (1992):

Persistence of B19 parvovirus in synovial membranes of patients with rheumatoid arthritis.
Rheumatol. Int., 12: 147.

Salmons, S. (1995):

Anatomy of the muscles.
Gray's anatomy, textbook of anatomy, 38th ed. P: 737-900.

Samuls, B.; Lee, J.C.; Engleman, E.P. and Hooper, J.Jr. (1996):

Membranous nephropathy in patients with rheumatoid arthritis. Relationship to gold therapy.
Medicine, 57: 319.

Schrohenloher, R.E.; Tomana, M.; Koopman, W.J.; Del-Puente, A.; Bennett, P.H. (1991):

Occurrence of IgG galactosylation deficiency prior to the onset of rheumatoid arthritis.
Abstracts for southeast region, American College of Rheumatology.

Schumacher, H.R.; Klipple, J.H. and Koopman, W.J. (1993):

Rheumatoid arthritis. In: Primer on Rheumatic disease.
Atlanta, Arthritis Foundation.

- Shiozawa, S.; Tanaka, Y.; Fujita, T.; Tokuhisa, T. (1992):**
Destructive arthritis without lymphocyte infiltration in Hz-C-fos transgenic mice.
J. Immunol., 148: 3100.
- Simmen, B.R.; Gschwend, N. (1995):**
Tendon diseases in chronic rheumatoid arthritis.
Orthopade. P., 224-236.
- Smyth, C.J. (1972):**
Therapy of rheumatoid arthritis: a pyramidal plan.
Postgrad. Med., 51: 31-39.
- Sokoloff, L. (1989):**
Pathology of rheumatoid arthritis and allied disorders in "Arthritis and Allied Conditions" Ed. By McCarty, D.J. and Hollander.
J. 11th ed., Lea and Febiger, Philadelphia, 674-697.
- Steinbroker, O.; Traeger, C.H. and Batterman, R.C. (1949):**
Therapeutic criteria in rheumatoid arthritis.
JAMA, 140: 659-662.
- Swen, W.A.; Jacobs, J.W.; Hubach, P.C.; Klasens, J.H.; Algra, P.R.; Bijlsma, J.W. (2000):**
Comparison of sonography and magnetic resonance imaging for the diagnosis of partial tear of finger extensor tendons in rheumatoid arthritis.
Rheumatology, Oxford, 39: 55-62.
- Tak, P.P.; Kummer, J.A.; Hack, C.E.; Daha, M.R.; Smeets, T.J.M.; Erkelens, W.E.; Meinders, A.E.; Kluin, P.M.; Breedveld, F.C. (1994):**
Granzyme-positive cytotoxic cells are specifically increased in early rheumatoid synovial tissue.
Arthritis Rheum., 37: 1735-1743.
- Thadini, V.; Iverson, J.M.I. and Wright, V. (1990):**
Cardiac tamponade, constrictive pericarditis and pericardial resection in rheumatoid arthritis.
Medicine, 54: 261.

Thomson, W.; Pepper, L.; Payton, A. Carthy, D.; Scott, D.; Olljer, W.; Silman, A.; Symmons, D. (1993):

Absence of an association between HLA-DRB1 O4 and rheumatoid arthritis in early diagnosed cases from the community.

Ann. Rheum. Dis., 52: 539.

Tishler, M.; Grief, J. and Fireman, E. (1986):

Pulmonary involvement in rheumatoid arthritis.

J. Rheumatol., 13: 547-550.

Trumble, T.F.; Vedder, N.B.; Benischke, S.K. (1992):

Misleading fractures after profundus tendon avulsions.

J. Hand Surgery, 902-906.

Tsoulfa, G.; Rook, G.A.; Van-Embden, J.D. (1989):

Raised serum IgG and IgA antibodies to mycobacterial antigens in rheumatoid arthritis.

Ann. Rheum. Dis., 48: 118-23.

Van Holsbeeck, M.; Introcaso, J.H. (1991):

Sonography of the elbow, wrist and hand.

Musculoskeletal Ultrasound, P. 285-296.

Via, C.S.; Hasbargen, J.A. and Moore, J. (1994):

Rheumatoid arthritis and membranous glomerulonephritis. A role for immune complex dissociative technique.

J. Rheumatol., 11: 342.

Weyand, C.M.; Hicok, K.C.; Conn, D.L.; Goronzy, J.J. (1992):

The influence of HLA-DRB1 gene on disease severity in rheumatoid arthritis.

Ann. Intern. Med., 117: 801.

Wilder, R.L. (1994):

Hypothesis for retroviral causation of rheumatoid arthritis.

Curr. Opin. Rheumatol., 6: 295.

Wolfe, G.C.; MacNaul, K.L.; Buechel, F.F.; McDonnell, J.; Hoerrner, L.A.; Lark, M.W.; Moore, V.L.; Hutchinson, N.I. (1993):

Differential in vivo expression of collagenase messenger RNA in synovium and cartilage: Quantitative comparison with stromelysin messenger RNA levels in human rheumatoid arthritis patients and osteoarthritis patients and in two animal models of acute inflammatory arthritis.

Arthritis Rheum., 36: 1540.

Young, A.; Sumar, N.; Bodman, K.; Goyal, S.; Sinclair, H.; Roitt, I. and Isenberg, D. (1991):

An aid to differential diagnosis in early synovitis.

Arthritis Rheum., 34: 1425.

Ziff, M. and Baum, J. (1993):

Laboratory finding in rheumatoid arthritis. In: Arthritis and allied conditions, Ed. By Hollander, J. and McCarty, D.J., 12th Ed., Lea and Febiger, Philadelphia, P. 367.

Zvaifler, N.J. (1988):

Etiology of rheumatoid arthritis. In: Primer on the Rheumatic Diseases "Ed. By Schumacher MR, Klippel J.H. and Robinson DR. 9th Ed. The Arthritis Foundation, Atlanta GA, PP. 83-93.

Zvaifler, N.J.; Firestein, G.S. (1994):

Pannus and pannocytes: Alternative model of joint destruction in rheumatoid arthritis.

Arthritis Rheum., 37: 783.