

REFERENCES

- Abati A, Loitta LA 1996:** Looking forward in diagnostic pathology: The molecular superhighway. *Cancer*, 78:1-3
- Akoury DA, Seo JJ, James CD, et al 1993:** RT-PCR detection of mRNA recovered from archival glass slide smears, *Mod pathol*, 6:195-200
- Albo A, Skjedal S, Melvik JE. et al 1993:** The clinical importance of DNA synthesis and aneuploidy in bone and soft tissue tumors. *Anticancer Res* 13:2383-2387.
- Alvarenga JC 1991:** Limitations of surgery in the treatment of retroperitoneal sarcoma *Br J Surg* 78:912-916, 1991
- Antman KH 1992 :** Chemotherapy of advanced sarcomas of bone and soft tissue . *Semin Oncol* 19:13
- Baleerzak SB, Benedetti J, Weiss GR,et al 1995:** A phase II trial of paclitaxel in patients with advanced soft tissue sarcomas. A Southwest Oncology Group Study. *Cancer* 1995, 76:2248-2252
- Ball AB, Fisher C, Pittam , Watkins RM et al 1990:** Diagnosis of soft tissue tumors by Tru-Cut Biopsy, *Br J Surg* 77:756
- Baner HC, Kericbergs A, Tribukait B 1991:** DNA content prognostic in soft tissue sarcoma. 102 patients followed for 1-10 years *Acta Orthop Scand* :62:187-194
- Barken D, Wright E, Nguyen K:** Gene for von Recklinghausen neurofibromatosis is in the pericentromeric region of chromosome 17, *Science*, 236:1100, 1987
- Barker CD, Brown JJ 1995:** MR imaging of the retroperitoneum [review]. *Top Magn Reson Imaging* :7:102-111
- Bartek J, Bartkova J, Vojtesek B, et al 1991:** Aberrant expression of the p53 oncoprotein is a common feature of a wide spectrum of human malignancies, *Oncogene* :6:1966-1703
- Barr LC, Slotter AT, A'Hern RP 1991:** Influence of local recurrence on survival: A controversy reviewed from the perspective of soft tissue sarcoma: *Br J Surg* 78:648-650
- Barrous C, Castredana JS, Falkmer UG, et al 1994:** c-myc oncogene amplification and cytometric DNA ploidy pattern as prognostic factors in musculoskeletal neoplasms. *Int J Cancer* :58:781-786
- Barth RJ Jr, Merino MJ, Solomon D et al 1992:** A prospective study of the value of core needle and fine needle aspiration in the diagnosis of soft tissue masses, *Surgery* :112:536-543

Barwick WI,Goldberg JA,Scully SP, et al 1992: Vascularized tissue transfer for closure of irradiated wounds after soft tissue sarcoma resection. *Ann Surg* ;216:591-595.

Beahrs OH, Henson DE, Hutter, RVP, et al 1988: Manual for staging of cancer, 3rd ed. Philadelphia, J B Lippincott,

BeechDI, Pollock RE 1995: Surgical management of primary soft tissue sarcoma. *Hematol Oncol Clin North Am* 9:707-718

Bernnan MF, Casper ES, Harrison LB, rt al 1991: The role of multimodality therapy in soft tissue sarcoma, *Ann Surg*, 214:328

Bernnan MF 1994 : The enigma of local recurrence. *Ann Surg Oncol* , 4:1-12

Bernnan MF 1997: The enigma of local recurrence. The Society of Surgical Oncolgy. *Ann Surg Oncol* 4:1-12,

Blay JY, Judson I, Rodenhuis S, et al 1998: A phase II study of raltitrexed (tomudex) as a second or third line treatment for patients with advanced soft tissue sarcomas refractory to doxorubicin-containing regimens [Abstract]. *Ann Oncol* , 9:4(Abstract 566b)

Borders AC, Hargrave R. Meyerding HW 1939: Pathological features of soft tissue fibrosarcoma with special reference to the grading of its malignancy. *Surg Gynecol Obstet* :69:267-280

Brady MS, Gaynor JJ, Bernnan MF 1992: Radiation associated sarcoma of bone and soft tissue, *Arch Surg*, 127:1379

Bramwell VH Eisenhauer EA, Blackstein M, et al 1995: Phase II study of topotecan (NSC 609 699) in patients with recurrent or metastasis soft tissue sarcoma. *Ann Oncol* , 6:847-849

Bramwell V, Rouesse J, Steward W, et al 1994: Adjuvant CYVADIC chemotherapy for adult soft tissue sarcoma--reduces local recurrence but no improvement in survival : a study of the European Organization for Research and Treatment of cancer Soft Tissue and Bone Sarcomas Group. *J Clin Oncol* , 12:1137-1149

Budach V 1998: The advantage of adjuvant radiotherapy in soft tissue sarcomas--the results of a prospective randomized study, *Strahlenther Onkol* , 174:542-544

Brizel DM,Seully SP,Harrelson JM, et al 1996: Radiation therapy and hyperthermia improve the oxygenation of human soft tissue sarcomas. *Cancer Res* ;56:5347-5350.

Cance WG, Bernnan MF, Dudas ME, et al 1990: alters expression of the retinoblastoma gene product in human sarcoma *N Engl. Med* 323:1457.

Capser ES, Chirstman KL, Schwartez GK et al 1993: Edatrexate inpatient with soft tissue sarcomas. Activity in malignant fibrous histiocytoma. *Cancer* :72:766-770.

Carraway NP, Starkel GA, Fanning CV et al 1994: Diagnosing intramuscular myxoma by fine-needle aspiration : A multidisciplinary approach, *Diagn Cytopathol* :11:255-261

Caspersson T, Zech L, Johansson C 1970: Differential banding of alkylating fluorochromes in human chromosomes, *Exp Cell* , 60:315-319

Catton CN, O'Sullivan B, Kotwall C, et al 1994: Outcome and prognosis in retroperitoneal soft tissue sarcoma, *Int J radiat Oncol Biol Phys* , 29:1005-1010

Chan HS, Thorner PS, Haddad G, et al 1990 : Immunohistochemical detection of P-glycoprotein: prognostic correlation of soft tissue sarcoma of childhood. *J Clin Oncol* :8:689-704

Chang AE, 1988: Adjuvant chemotherapy for patients with high grade soft tissue sarcomas of the extremity. *J Clin Oncol* 6: 1496-1500

Choi H, Varma DG, Fornage BD, et al 1991: Soft tissue sarcomas, MR imaging vs. sonography for detection of local recurrence after surgery, *AJR Am J Roentgenol* 1991;157:353-358

Choong PF, Akerman M, Willen H, et al 1995: Expression of proliferating cell nuclear antigen (PCNA) and Ki-67 in soft tissue sarcoma. Is prognostic significance histotype specific? *APMIS* :103;797-805.

Clark J, Rocques PJ, Crew AJ, et al 1994: Identification of novel genes SYT and SXX. Involved in the (X;18)(p11.2;q11.2) translocation found in human synovial sarcomas. *Nature Genet* ;7:502-508.

Collin CF, 1998: Prognostic factors for local recurrence and survival in patients with localized extremity soft tissue sarcoma. *Semin Surg Oncol* 4:30-37, 1998

Coussens L, Yang-Fen TL, Liao YC, et al 1985: Tyrosinase receptor with extensive homology to the EGF receptor shares chromosomal location with the neu oncogene. *Science* 1985;230(4730):1132-1139

Coindre JM, Terrier P, Bui NB, et al 1996: Prognostic factors in adult patient with locally controlled soft tissue sarcoma, A study of 546 patients from the French Federation of cancer Center Sarcoma Group. *J Clin Oncol* :14:869-877

Costa J, 1984 : The grading of soft tissue sarcomas: Results of a clinicopathologic correlation in a series of 163 cases, *Cancer* 53:530-541

Cox JD 1988: Time, dose and fractionation in radiation therapy: an historical perspective. *Front Radiat Ther Oncol* , 22:14-18

Davidson T, Westbury G, Harmer CL 1986: Radiation-induced soft-tissue sarcoma. *Br J Surg* 73:308-309,

Davis AM, Kandel RA, Wunder JS, et al 1997: the impact of residual disease on local recurrence in patients treated by initial unplanned resection for soft tissue sarcoma of the extremity. *J Surg Oncol* ;66:81-87.

De Alava E, Gerald WL 2000: Molecular biology of the Ewing's sarcoma primitive neuroectodermal tumors family, *J Clin Oncol*, 18:204-213

De Chiara A, T'Ang A, Trich TJ 1993: Expression of the retinoblastoma susceptibility gene in childhood rhabdomyosarcoma. *J Natl Cancer Inst* :85:152-157

Demas BE, Heelan RT, Lane J, et al 1988: Soft tissue sarcomas of the extremities Comparison of MR and CT in determining the extent of disease *AJR Am J Roentgenol* 150:615

Demetri GD, Spiegelman B, Fletcher CD, et al 1998: Differentiation therapy for liposarcoma using troglitazone, a ligand for the peroxisome proliferator-activated receptor: Clinical translation of promising preclinical observations [Abstract]. *Proc Am Soc Clin Oncol* , 17:517a(Abstract 1990)

Dias p, Kumar P, Marsden HB, et al 1990: N-myc gene is amplified in alveolar rhabdomyosarcoma (RMS) but not in embryonic RMS , *Int J Cancer* :45:593-596

DiPaola D, Judson I, Lee M, et al 1998: Phase II randomized study comparing docetaxel to doxorubicin in previously untreated soft tissue sarcomas [Abstract] . *Ann Oncol* , 9:4(Abstract 5530)

Edmonson JH, Ebbert LP, Nascimento AG, et al 1996: Phase II study of docetaxel in advanced soft tissue sarcomas, *Am J Clin Oncol* , 19:574-576

Eilber F, Giuliano A, Huth JH, et al 1988: Neoadjuvant chemotherapy radiation, and limited surgery for high grade soft tissue sarcoma of the extremity. In Rayan JR, Baker LO, (eds): "Recent Concepts in Sarcoma Treatment." Dordrecht, the Netherlands: Kluwer Academic publishers; 1988. p. 115-122.

Eggermont AM, Schraffordt Koops H, Klausner JM, et al 1997: Isolation limb prosthesis with tumor necrosis factor alpha and chemotherapy for advanced extremity soft tissue sarcomas, *Semin Oncol*, 24:547-555

Eles RA, Fisher C, Rabin RP, A'Hern RP, et al 1993: Head and neck sarcomas Prognostic factors and implication for treatment, *Br J Cancer* :68:201-207

Esenhauer EA, Wierzbicki R, Knowling M, et al 1991: Phase II trials of trimetrexate in advanced adult soft tissue sarcoma, Studies of the Canadian Sarcoma Group and the National Cancer Institute of Canada Clinical Trials Group, *Ann Oncol* , 2:689-690

Enneking Wf, Dunham WK 1987: Resection and reconstruction for primary neoplasms involving the innominate. *J Bone Joint Surg Am* 60:731-746

Essner R Selch M, Eilber FR 1991: Reirradiation for extremity soft tissue sarcomas: Local control and complications. *Cancer* 67:2813-2817,

Evans GR, Goldberg DP 1997: Principals of extremity reconstruction. In Schescerman MA(ed):(Microsurgical reconstruction of the cancerpatient)New York :Lippincott-Raven: 1997.p.233-249.

Gadd, M. A Casper S, Woodruff I, et al 1993: Development and treatment of pulmonary metastases in adult patients, with extremity soft tissue sarcoma, *Ann Surg*, 218:705,

Garson JA, Clayton J, McIntyre P, et al 1986: N-myc oncogene amplification in rhabdomyosarcoma at release [letter]. *Lancet* :1(8496):1496

Geer RJ, Woodroff J, Casper ES, et al 1992: Management of small soft tissue sarcoma of the extremity in adult, *Arch Surg* 127:1285,

Ger R 1971: The technique of muscle transposition in the operative treatment of traumatic and ulcerative lesions of the leg. *J Trauma* 1971;11:502-510.

Gelman EP 1997: Tamoxifen for the treatment of malignancies other than breast and endometrial carcinoma. *Semin Oncol* 24(suppl):65-70,

Geriner RH, Blattmann HJ, Thum p, et al 1989: Dynamic pion irradiation of unrespectable soft tissue sarcomas, *Int Radiate Oncol Biol Phys* :17:1077-1083

Goffman T, Tochner Z, glatstein E 1991: Primary treatment of larg and massive adult sarcomas with idodeoxyuridine and aggressive hyper fractionated irradiation , *Cancer* 1991, 67:572-576

Goodnight JE Jr, Bargar WL, Voegeli T,et al 1985: Limb-sparing surgery for extremity sarcomas after preoperative intra-arterial doxorubicin and radiation therapy, *Am J Surg* , 150:109-113

Guillou L, Coindre JM, Bonchon F. et al 1996: Comprative study of the National Cancer Institute and French Federation of cancer centers sarcoma group grading systems in a population of 410 adult patientswith soft tissue sarcoma. *J Cline Oncol* :15:350-362

Habrand JL, Gerbaulet A, Pejovie MH, et al 1991: Twenty years experience of interstitial iridium Brach therapy in the management of soft tissue sarcomas. *Int J Radiat Oncol Biol Phys* ;20:405-411.

Hahn PF, Saini S, Stark DD et al 1987: Intraabdominal hematoma: the concentric-ring sign in MR imaging, *AJR AM J Roentgenol* : 148:115-119

Hamm B, Vogl TJ, Branding G, et al 1992 : Focal Liver lesion: MR imaging with Mn-DPDP--- Intial clinical results in 40 patients, *Radiology* :182:167-174

Hanna SL, Fletcher BD 1995: MR imaging of malignant soft tissue tumors[review]. *Magn Reson Imaging Clin N Am* :3:629-650

Hartnell GG, Hughes LA, Longmaid HE, et al 1995: Body magnetic resonance angiography and its effect on the use of alternative imaging experience in 1026 patients, *Br J Radiol* :68:963-969

Hasso AN, Nickmeyer CA 1994: Magnetic resonance imaging of soft tissues of the neck[review], *Top Magn Reson Imaging* :6:254-274

Heiken TJ, Levine EA 1998: Molecular Biology of soft tissue tumors In Das Gupta TK, Chaudhuri PK (eds): *Tumors of the soft tissues* 2nd ed. Stamford, Connecticut: Appleton & Lange : p 201-225

Hellmann K, Rhomberg W 1991: Radiotherapy enhancement by razoxane [review], *Cancer Treat Rev* , 18:225-240

Herbert SH, Corn BW, Solin LJ et al 1993: Limb-preserving treatment for soft tissue sarcoma of the extremities: the significance of surgical margins. *Cancer* ;27:1230s-1238.

Heslin MJ, Woodruff J, Bernnan MF 1982: Prognostic significance of positive microscopic randomized evaluation of 1) limb-sparing surgery plus radiation therapy compared with amputation and 2) the rule of adjuvant chemotherapy. *Ann Surg* 196:-315,

Heson De, Hutter RV, Kenndy BJ(eds) 1992: Manual for staging of cancer, American Joint Committee on Cancer. 4th ed. Philadelphia Lippincott:

Hieken TJ, Das Gupta TK 1996: Co-expression of mutant p53 and MDM@ portions in liposarcoma, *Surg Forum* 1996:47:500-501

Jacques DP, Goit DG, Hajdu SL, et al 1990: Management of primary and recurrent soft tissue sarcoma of the retroperitoneal. *Ann Surg*. 212:51

Jaques DP, 1995: Hepatic metastases from soft tissue sarcoma [review]. *Ann Surg* 221:392-397

Johston Sh, Rauskolb C, Willson R, et al 1997: A family of mammalian Fringe genes implicated in boundary determination and the Notch pathway, *Development*:124:2245-2254

Jones GW, Chouinard E, Patel M 1991: Adjuvant adrimycin in adult patients with soft tissue sarcomas: a systemic overview and quantitative misanalysis. *Clin Invest Med*, 14:A772

Karakousis CP, Emrich LJ, Rao U, et al 1986: Feasibility of limb salvage and survival in soft tissue sarcomas. *Cancer*, 57:484-491

Karpeh MS, Bernnan MF, MF Cance WG, et al 1995: Altered Patterns of retinoblastoma gene product expression in adult soft tissue sarcomas, *Br J Cancer*:72:986-991

Kawai A, 1998: SYT-SSX gene fusion as a determinant of morphology and prognosis in synovial sarcoma [see comments]. *N Engl J Med* 338:153-160

Kilpatrick SE, Geisiner KR 1998: Soft tissue sarcomas: the usefulness and limitations of fine-needle aspiration biopsies [review] .Am J Clin Pathol :110:50-68

Kim T, Murakami T, Oi H, et al 1996: CT and MR imaging of abdominal liposarcoma: AJR Am J Roentgenol:166:829-833

Knowling M, Bramwell V, Eisenhauer EA . et al 1994: phase 11 trials of 10-EDAM in advanced soft tissue sarcoma .A study of the Canadian Sarcoma Group and the National Cancer Institute of Canada Clinical Trials Group. Ann Oncol:5:766-768

Kole AC, 1997: Detection of local recurrence of soft-tissue sarcoma with positron emission tomography using [18f] fluorodeoxyglucose. Ann Surg Oncol 4:57-63

Korse MC, Rutgers DH, Wilas IS, et al 1990: The relevance of the DNA index and proliferation rate in the grading of benign and malignant soft tissue tumors. Cancer :65:1782-1788

Kruzelock RP, Hansen MF 1995: Molecular genetics and cytogenetics of sarcomas. Hematol Oncol Clin North Am 9:513:540

Kroll SS. 1998: Transpelvis rectus abdominis flap reconstruction of defect following abdominal-perineal resection. In Strauch B, Vasconez LO, Hall-Findlay EG(eds):(Grabb's encyclopedia of flps. 2nd ed. Philadelphia: Lippincott-Raven :. p.1485-1487.

Landis SH, Murray T, Bolden S, et al 1999 : Cancer statistics 1999, CA cancer J Clin :49:8-31

Latres E, Drobnjak M, Pollaek D, et al 1994: Chromosome 17 abnormalities and TP53 mutation in adult soft tissue sarcomas. Am J Pathol:145:345-355.

Levine EA, Trippon M, Das Gupta TK 1997: Preoperative multimodality treatment for soft tissue sarcomas, Cancer , 71:3685-3689

Lewis JJ, Leung D, Woodruff JM, et al 1998: Retroperitoneal soft tissue sarcoma: Analysis of 500 patients treated and followed at a single institution [review] . Ann Surg , 228:355-365

Li FP and Fraumeni JF Jr 1969: Soft tissue sarcoma , breast cancer and other, Ann Intern Med 71:747

Linderg D, Mrtin RG, Romsdahl MM, et al 1981: Conservative surgery and postoperative radiotherapy in 300 adults with soft-tissue sarcomas. Cancer;47:2391-2397.

Livingston PO 1995: Approaches to augmenting the immunogenic of melanoma gangliosids from whole melanoma cells to ganglioside-KLH conjugate vaccines [review]. Immunol Rev , 145:147-166

Mahvi DM, Sondel Pm, et al 1997: Phase I/IB study of immunization with autologous tumors cells transected with GM-CSF gene by particle-mediated transfer in patients with melanoma or sarcoma, Human Gene Ther, 8:875-891

Mandard AM, Chasle J, Mandard JC, et al 1981: The Pathologist's role in a multidisciplinary approach for soft tissue sarcoma: a reappraisal (39 cases). *J Surg Oncol* : 17:69-81.

Mathes SJ, McCraw JP Pascone LO 1974: Muscle transposition flaps for coverage of lower extremity defects: Anatomical considerations [Review]. *Surg Clin North Am* :54:1337-1354.

Mazent R, Antman KH 1991: Adjuvant therapy for sarcomas, *Semin Oncol* , 18:803-612

Mazeron JJ, Suit HD 1987: Lymph nodes as sites of metastases from sarcomas of soft tissue[review]. *Cancer* :60:1800-1808

McCraw JB, Dibbell DG, Carraway JH 1977: Clinical definition of independent myocutaneous vascular territories. *Plast Reconstr Surg* :60:341-352.

Merket DE, McGuire WL 1990: Ploidy, proliferative activity and prognosis DNA flowcytometry of solid tumors [Review]. *Cancer* :65:1194-1205.

Milas M, Yu D, Ge T, et al 1999: Adenovirus –mediated p53 gene therapy inhibits human sarcoma tumorigenicity [abstract] *Proceedings of the 52nd Annual Cancer Symposium. Society of surgical oncology* :23 :57.

Millard DR 1986: *Principles of Plastic Surgery*. Boston: Little, Brown : 1986.p.685.

Monticciolo DL, Ross D, Postwick J 3rd , et al 1996 : Autologous breast reconstruction with endoscopic latissimus dorsi musculocutaneous flaps in patients choosing breast conserving therapy :Mammography appearance. *AJR Am J Roentgenol* 1996;167:385-389.

Moser RE, Madwell JE 1995: Radiologic evaluation of soft tissue sarcoma. In Enzinger FM, Weiss SW,(eds): "Soft Tissue Tumors" 3rd ed, St Louis: Mosby:.p.39 88

Mullen LA, Berdon WE, Ruzal-Shapiro C, et al 1995: Soft tissue sarcomas: MR imaging findings after treatment in three pediatric patients, *Radiology* :195:413-417

Nagata Y, Mitsumori M, Okajima K, et al 1998: Transcatheter arterial melioration for malignant osseous and soft tissue sarcomas. II Clinical results, *Cardiovasc Intervent Radiol* :21:208-213

Nguyen DM, Spitz FR, Yen N, et al 1996: Gene therapy for lung cancer: enhancement of tumor suppression by a combination of sequential systemic cisplatin and adenovirus-mediated p53 gene transfer . *J Thorac Cardiovasc Surg* ; 122:1372-1377.

Nieweg OE, 1996: Fluorine-18-fluorodeoxyglucose PET imaging of soft-tissue sarcoma. *J Nucl Med* 37:257-261,

Nori D, Schupak K, Shiu MH, et al 1991: Role of brachytherapy in recurrent extremity sarcoma in patients treated with prior surgery and irradiation [published erratum appears in *Int J Radiat Oncol Bio; Phys* :21;1683] *Int J Radiat Oncol Biol Phys* :20;1229-1233

Oliner JD, Kinzler KW, Meltzer PS. et al 1992: Amplification of a gene encoding a p53- associated protein in human sarcomas. *Nature* :358(638):80-83

Ormsby MV, Hilaris BS, Nori D, et al 1989 : Wound complications of adjuvant radiation therapy in patients with soft-tissue sarcomas. *Ann Surg* ;210:93-99.

Ozaki T, Ikeda S. Kawai A, et al 1993: Alterations of retinoblastoma susceptible gene accompanied by c-myc amplification in human bone and soft tissue sarcomas . *Cell Mol Biol* :39:235-242

Pappo AS. Crist WM, Kuttesch J, et al 1993: Tumor-cell DNA content predicts outcome in children and adolescents with clinical group III embryonic rhabdomyosarcoma. The Intergroup Rhabdomyosarcoma study Committee of the children's Cancer Group and the Pediatric Oncology Group[published erratum appears in *J Clin Oncol* 1994;12:440]. *J Clin Oncol* : 11:1901-1905

Pastan I, Gottesman M 1987: Multiple -drug resistance in human cancer [review]. *N Engl J Med* 1987;316:1388-1393

Patel SR, Vadhan-Raj S, Burgess MA, et al 1998: Results of two consecutive trials of dose-intensive chemotherapy with doxorubicin and ifosfamide in patients with sarcomas, *Am J Clin Oncol* , 21:317-321

Patel SR, Vadhen-Raj S, Papadopoulos N, et al 1997: High Dose ifosfamide in bone and soft tissue sarcomas: Results of phase II and pilot studies—dose response and scheduled dependence, *J Clin Oncol*, 15:2378-2384

Peabody TD, Gibbs CP Jr,Simon MA 1998: Evaluation and staging of musculoskeletal neoplasm [review] *J Bone Joint Surg [Am]*:80:1204-1218

Pearlston DB, Pisters PW, Bold RJ, et al 1999: Patterns of recurrence in extremity liposarcoma: implication for staging and follow-up *Cancer* :85:85-92

Persson H, Leder P 1984: Nuclear localization and DNA binding properties of a protine expressed by human c-myc oncogenc. *Science* :225(4663):718-721

Peter M, Magdelenat H, Michon J,et al 1995: Sensitive detection of occult Ewing's cells by the reverse transcriptase-polymerase chain reaction, *Br J Cancer* ,72(1):96-100

- Pisters PW 1998:** Combined modality treatment of extremity soft tissue sarcomas[review]. *Ann Surg Oncol* , 5:464-472
- Pollock RE, Lang A, Luo J, et al 1996:** Soft tissue sarcoma metastasis from clonal expansion of p53 mutated tumors cells . *Oncogene*:12:2035-2039.
- Prince MR 1994:** Gadolinium-enhanced MR aortography, *Radiology* :191:155-164
- Pulciani S, Santos E, Lauver AV, et al 1982:** Oncogenes in solid human tumors, *Nature*:300(5862):539-542
- Puntam JB Jr, Madden T, Tran HT, et al 1997:** Isolated single lung perfusion with adriamycin in unrespectable sarcomatous metastasis[Abstract]. *Proc Am Soc Clin Oncol* , 16:500a(Abstract 17900)
- Putnam JB Jr. Roth JA 1993:** resection of Sarcomatous pulmonary metastases. *Surg Oncol Clinics North Am* :2:673-691
- Qartt CB, Pappo AS, Gieser P, et al 1999:** Role of adjuvant chemotherapy in the treatment of surgically resected pediatric nonrhabdomyosarcomatous soft tissue sarcomas: a Pediatric Oncology Group study , *J Clin Oncol* , 17:12-19
- Quinn CM. Write NA 1990:** The clinical assessment of proliferation and growth in human tumors :elevation of methods and application as prognostic variables[Review].*J Pathol* ;160:93-102
- Rankin C, Budd GT, Hutchins L, et al 1998:** SWOG 9518 phase II trial of continuous infusion topotecan in patients with advanced soft tissue sarcomas [Abstract]. *Proc Am Soc Clin Oncol* 1998, 17:523a(Abstract 2011)
- Rhomberg W, Hassenstein EO, Geffler D 1996:** Radiotherapy vs. radiotherapy and razoxane in the treatment of soft tissue sarcomas: Final results of a randomized study. *Int J Radiat Oncol Biol Phys*, 36:1077-1084
- Robb GL,Reece GP 1997:** Lower extremity reconnection. In Schusterman MA(ed):(*Microsurgical reconstruction of the cancer patient*)New York: Lippincott-Raven:.p.289-322.
- Robrson JM, Sondak VK, Weiss SA, et al 1995:** Preoperative radiation therapy and iododeoxyuridine for large retroperitoneal sarcomas *Int J Radiat Oncol Biol Phys*, 31:87-92
- Roninson IB (ed) 1991:** *Molecular and Cellular Biology of Multidrug Resistance in Tumor Cells*. "New York, NY: Plenum Press:.p.189-198
- Rooser B, Attewell R, Berg NO, et al 1988:** Prognostication in soft tissue sarcoma. A model with four risk factors. *Cancer* :61:817-823
- Rosenberg SA,:** The treatment of soft tissue sarcoma of the extremities: Prospective
- Rosenberg SA, Tepper J, Glatstein F, 1982:**The treatment of soft tissue sarcoma of the extremities Prospective randomized evaluation of

limb-sparing surgery plus radiation therapy compared with amputation and the role of adjuvant chemotherapy *Ann Surg* 196:305

Rossi CR, Nitti D, Foletto S, et al 1993: Management of primary sarcomas of the retroperitoneum, *Eur J Surg Oncol* :19:355-360

Roth J A, Putnam JB Jr, Wesley MN, et al 1985: Differing determination of prognoses following resection of pulmonary metastases from osteogenic and soft tissue sarcoma patients , *Cancer* 55:1361

Russell WO, Cohen J. Enzinger F, et al 1977: A clinical and pathological staging system for soft tissue sarcoma. *Cancer*:40:1562-1570

Rydhholm A, 1991: Limb-sparing surgery without radiotherapy based on anatomic location of soft-tissue sarcoma *J Clin Oncol* 9:1757-1765,

Saiki RK, Gelfand DH, Dtoffel S, et al 1988: Primer-directed enzymatic amplification of DNA with a thermo stable DNA polymerase, *Science* , 239(4839):487-491

Schmidt RA. Cnrad EU 3rd. Collins C et al 1993: Measurement and prediction of the short-term response of soft tissue sarcomas to chemotherapy *Cancer* 1993:72:2593-2601

Schray MF, Gunderson LL, Sim FH, et al 1990: Soft tissue sarcoma. Integration of brachytherapy, resection, and external irradiation. *Cancer* ;66:451-456.

Schupak KD, Lane JM, Weilepp AE, et al 1993: The psychosocial functional of lower extremity high grade soft tissue sarcomas [Abstract]. *Int J Radiat Oncol Biol Phys* ;27(Suppl 1):293-294.

Schusterman MA, Robb GL, Tadjalli HE, et al 1997: Advanced reconstruction for cancer patients. In pollock RE (ed):(*Surgical oncology*). Norwell, MA: Kluwer Academic Publishers: . p.71-89.

Seabright M 1971: A rapid banding technique for human chromosomes *Lancet* , 2(7731):971-972

Siripornpitak S. Higgins CB 1997: MRI of primary malignant cardiovascular tumors. *J Comput Assist Tomogr* :21:462-466

Smith EH 1991: Complications of percutaneous abdominal fine needle biopsy [review], *Radiology* :178:253-258

Southern EM 1975: Detection of specific sequence among DNA fragments separated by gel electrophoresis. *J Mol Biol*, 98:503-517

Sondak VK, Robertson JM, Sussman JJ, et al 1998: Preoperative idoxuridine and radiation for large soft tissue sarcomas: clinical result with five-year follow-up, *Ann Surg Oncol* , 5:106-112

Som PM 1997: The present controversy over the imaging method of choice for evaluating the soft tissue of the neck[review]. *AJNR Am J Neuroradiol*:18:1869-1872

Stallard DJ, Tu RK. Gould MJ. et al 1994: Minor vascular anatomy of the abdomen and pelvis: a CT atlas [review]. *Radiographic*:14:493-513

Stehling MK, Lawrence JA, Wentraub JL, et al 1994 : CT angiography: expanded clinical application [review] . AJR Am J Roentgenol :163:947-955

Storm FK, Mahvi DM 1991: Diagnosis and management of retroperitoneal soft tissue sarcoma[review], Ann Surg 1991:214:2-10

Stotter AT, A'Hern RP, 1990: The influence of local recurrence of extremity of soft tissue sarcoma on metastasis and survival ,Cancer, 65:1119-1129

Sundaram M, Sharafuddin MJ 1995: MR imaging of benign soft tissue masses [review], Magn Reson Imaging Clin N Am :3:609-627

Sumiya H, Taki J. Tsuchiya H et al 1998: Midcourse thallium 201 seintigraphy to predict tumor response in bone and soft tissue tumors.J Nucl Med:39:1600-1604

Swan JS, Girst TM, Sproat IA, et al 1995: Musculoskeletal neoplasms Preoperative evaluation with MR angiography. Radiology :194:519-524

Tepper JE, Suit HD 1985: Radiation therapy alone for sarcoma of soft tissue. cancer :56:475-476

Thomson B, hawkins D, Felgenhauer J, et al 1999: RT-PCR evaluation of peripheral blood, bone marrow and peripheral blood stem cells in children and adolescents undergoing VACIME chemotherapy for Ewing sarcoma and alveolar rahbomysarcoma, bone Marrow Transplant , 24:527-533

Toma S, Palumbo R, Vincente M, et al 1995: Concomitant doxorubicin (DOXO) by continuous infusion (C.I) and radiotherapy(RT) at low doses in locally advanced and/or metastatic soft tissue sarcomas (STS): long-term results of phase II study [Abstract]. Proc Am Soc Clin Oncol , 14:520

Torosian MH, Fridrich C. Godbold J. et al 1988: Soft tissue sarcoma: initial characteristics and prognostic factors in patients with and without metastatic disease. Semin Surg Oncol :4:13-19

Tran LM, Mark R, Meier R, et al 1992: Sarcomas of the head and neck, Prognostic factors and treatment strategies. cancer :70:169-177

Tan NV,v Evans GR, Kroll SS, et al 1999: The free fillet extremity flap: indication and option for reconstruction. Plast Reconstr surg.in press.

Uda RB, Cundiff D, August CZ, et al 1993: Growth factor receptor and related oncogene determination in mesenchymal tumors. Cancer :71:3526-3530

Van Geel AN 1994: Surgical treatment of pulmonary metastases from soft tissue sarcomas: A retrospective study in the Netherlands. J Surg Oncol 56:172-177

- Van Glabbeke M, oosterom AT. Olsterhuis JW. et al 1999:** Prognostic factors for the outcome of chemotherapy in advanced soft tissue sarcoma: an analysis of 2,185 patients treated with anthracycline containing first-line regimens--a European Organization for Research and Treatment of Cancer Soft Tissue and Bone Sarcoma Group study. *J Clin Oncol*:17:150-157
- Van Hoesel QG, Verweij J, Gattimel G, et al 1994:** Phase II study with docetaxel (Taxotere) in advanced soft tissue sarcoma of the adult, EORTC Soft Tissue and Sarcoma Group, *Ann Oncol*, 5:539-542
- Varma DG, Mouloulos A, sara AS, et al 1992:** MR imaging of extracranial nerve sheath tumors. *J compute Assist Tomogr* :16:448-453
- Voutsinas S, Wynne-Davies R 1983:** The Infrequency og malignant disease in diaphysealacclasis and neurofibromatosis. *J Med Genet* 20:345-349
- Wadayama B, toguchida J, Yamaguchi T, et al 1993:** p53 expression and its relationship to DNA alteration in bone and soft tissue sarcomas. *Br J Cancer* :68:1134-1139
- Walter and Israel 1979:** General Pathology book of Walter and Israel page 334.
- Willeke F, Ridder R, Mechttersheimer G, et al 1998:** Analysis of FUS-XHOP fusion transcripts in different types of soft tissue liposarcoma and their diagnostic implication, *Clin Cancer Res* , 4:1779-1784
- Xiao S, renshaw A, Cibas ES, et al 1995:** Novel fluorescence in situ hybridization approaches in solid tumors, Characterized of frozen specimens, touch preparation, and cytologic preparation, *Am J Pathol*, 147:896-904
- Yang JC, 1998:** Randomized prospective study of the benefit of adjuvant radiation therapy in the treatment of soft tissue sarcomas of the extremity. *J Clin Oncol* 16:197-203,
- Zehr RJ, Bauer TW, Marks KE, et al 1990:** Ki-67 and grading of malignant fibrous histiocytoomas. *Cancer* :66:1984-1990
- Zeman RK, Baron RL, Jeffery RB Jr, et al 1998:** Helical body CT: Evaluation of scanning protocols [review], *AJR J Roentgenol*: 170: 1427-1438
- Zhang LL. Yu DH , Hu M , et al 1999:** Wild-type p53 down- regulates vascular endothelium growth factor expression in human leiomyosarcoma and synoviosarcoma cells [abstract]:Proceedings of the 99th Annual Meeting of the American Association of Cancer Research:1999 Apr 10-14:Philadliffia: AACI:1999.;40:415-2742.
- Zoubek A, Ladensten R, Windhager R, et al 1998:** Predictive potential of testing for bone marrow involvement in Ewing tumors patients by RT-PCR: a preliminary evaluation, *Int Cancer* 76:56-60