

REFERENCES

REFERENCES

1. **Acheson, R.M., and Collart, A.B. (1975):**
New haven survey of joint diseases.
Ann Rheum Dis; 34:379-87.
2. **Altern, J. and Norheim, A.J. (1996):**
Adverse effects of acupuncture: A study of the literatures
for the years 1981-1994.
J Altern Complement Med; 2(2): 291-297.
3. **Altman, R.D. (1995):**
Classification of osteoarthritis.
J Rheumatol; 22 (Suppl. 43): 42-43.
4. **Altman, R., Asch, E. and Block, D. (1986):**
Development of criteria for the classification and reporting
of osteoarthritis.
Arth Rheum; 29:1039-1049.
5. **Anderson, J.J. and Felson, D.F. (1988):**
Factors associated with osteoarthritis of the knee in the
First National Health and Nutrition Examination Survey
(NHANES-1).
Am J Epidemiol; 128:179-89.
6. **Apley, A.G., Soloman, L. and Mankin, H.J. (1993):**
Osteoarthritis and related disorders. In: Apley's system of
Orthopedics and Fractures, 7th edition. Ed. by Apley, A.G.,
Soloman, L. and Mankin, H.J., Butterworth Heinmann; Pp:
80-92.

- 7. Becker, R.O., Reichmanis, M., Marino, A.A. and Spadaro, J.A. (1976):**
Electrophysiological correlates of acupuncture points and meridians. *Psychoenerget. Syst.*; Pp: 1105-12. Quoted from *Acupuncture in pain relief. In: Persistent pain, Modern methods of treatment*; 2nd edition. Ed. by Kenyon, J. (1980), Lipton; Vol. 2: 203-19.
- 8. Bellamy, N. and Buchanan, W.W. (1986):**
A preliminary evaluation of the dimensionality and clinical importance of pain and disability in osteoarthritis of the hip and knee.
Clin Rheum; 5: 231-41.
- 9. Berman, B. (1997):**
Overview of clinical trials on acupuncture for pain. Presentation at NIH Consensus Development Conference on Acupuncture. Program and Abstracts National Institutes of Health, Bethesda, Maryland, Nov. 3-5; Pp: 61-2.
- 10. Berman, B., Singh, B., Lao, L., Langenberg, P., Li, H., Hadhazy, V., Bareta, J. & Hochberg, M. (1999):**
A randomized trial of acupuncture as an adjunctive therapy in osteoarthritis of the knee.
Br Soc Rheumatol; 38: 346-54.
- 11. Bradley, J.D., Brandt, K.D., Katz, B.P., Kalasinski, L.A. and Ryan, S.L. (1991):**
Comparison of an inflammatory dose of ibuprofen, an analgesic dose of ibuprofen and acetaminophen in the treatment of patients with osteoarthritis of the knee.
N Eng J Med; 325: 87-91.
- 12. Brandt, K.D. (1994):**

- Osteoarthritis. In: Textbook of Harrison's Principles of Internal Medicine, 13th edition. Ed. by Isselbacher, K.J., Martinn, J.B., Brounwall, E., Fauci, A.S., Wilson, J.D. and Kasper, D.L., Vol. 4: 1689-92.
- 13. Brandt, K.D. (1995):**
Toward pharmacologic modification of joint damage in osteoarthritis.
Ann Intern Med; 122: 874-75.
- 14. Brandt, K.D. and Fife, R.S. (1986):**
Aging in relation to the pathogenesis of osteoarthritis.
Clin Rheum Dis; 12: 17.
- 15. Brandt, K.D. and Flusser, D. (1991):**
Osteoarthritis prognosis in rheumatic disease. Ed. by Bellamy, N., Klumer Academic Publisher, Lancaster, Pp: 11-35.
- 16. Brandt, K.D. and Mankin, H.J. (1993):**
Pathogenesis osteoarthritis: Etiologic factors. In: Textbook of Rheumatology, 4th edition. Ed. by Kelley W.N., Harris, E.D., Ruddy, S. and Sledge, C.B., W. B. Saunders Inc., Philadelphia; Vol. 3: 1365-73.
- 17. Brighton, S.W., Harpe, A.L., De la and Vonstaden, D.A. (1985):**
The prevalence osteoarthritis in a rural African community.
Br J Rheum; 24: 321-25.
- 18. Brooks, P. & Day, R. (1991):**
Non-steroidal anti-inflammatory drugs: Differences and similarities.
N Eng J Med; 324: 1716-25

- 19. Buckwalter, J.A. and Lohmander, S. (1994):**
Operative treatment of osteoarthritis: Current practice and future development.
J Bone Joint Surg, 76A: 1405-18.
- 20. Bulter, M., Calomba, C., Hickman, L., O'Byrne, E., Stecte, R., Steintz, B., Quintvalla, J. and Yokoyama, N. (1983):**
A new model of osteoarthritis. In rabbits II, evaluation of antiarthrotic effects of selected drugs administered intra-articular.
Arthritis Rheum; 26: 1132-39.
- 21. Burkhardt, D. and Ghosh, P. (1987):**
Laboratory evaluation of antiarthritic drugs as potential chondroprotective agents.
Semin Arthritis Rheum; 17 (Suppl. 1): 3-34.
- 22. Cadwell, V. (1998)**
A primer on acupuncture.
J Emerg Nurs; 24(6): 514-7
- 23. Chambers, L.W. (1980):**
Mc Master Health Index Questionnaire (MHIQ). In
Hamilton: McMaster University, Dept. of Clinical Epidemiology and Biostatistics.
- 24. Cheng, R. and Pomeranz, B. (1979):**
Electro-acupuncture analgesia could be mediated by at least two pain-relieving mechanisms: endorphin and non-endorphin systems.
Life Sci; 25: 1957-62.

25. **Cheng, R., McKibbin, L. and Roy, B. (1980):**
Electro-acupuncture elevates blood cortisol levels in native horses.
J Neurosci; 14: 102-7.
26. **Christensen, B.V., Iuhl, I.U., Vilbex, H., Bulow, H.H. and Dreijer, N.C. (1993):**
Acupuncture treatment of severe knee osteoarthritis: A long-term study.
Acta Anesthesiol Scand; 36: 519-25.
27. **Davis, M.A., Ettinger, W.H., Neuhaus, J.M. and Hauck, W.W. (1988):**
Sex differences in osteoarthritis of the knee: The role of obesity.
Am J Epidemiol; 127: 1019-30.
28. **Davis, M.A., Ettinger, W.H. and Neuhaus, J.M. (1990):**
Obesity and osteoarthritis of the knee: Evidence from the National Health and Nutrition Examination Survey (NHANES1).
Semin Arthritis Rheum; 20 (Suppl. 1): 34-41.
29. **Davis, M.A., Ettinger, W.H., Neuhaus, J.M. and Mallon, K.P. (1992):**
Correlates of knee pain among 45 adults with and without radiographic knee osteoarthritis.
J Rheumatol; 19: 1943-49.
30. **Dean, D.D. (1991):**
Proteinase-mediated cartilage degradation in osteoarthritis.
Semin Arthritis Rheum; 20(Suppl 1): 2.

31. Dickans, W. and Lewith, G.T. (1989):

A single blind controlled and randomized clinical trial to evaluate the effect of acupuncture in the treatment of trapezio-metacarpal osteoarthritis.

Compl Med Res; 3: 5-8.

32. Eadie, M.J. (1990):

Acupuncture and relief of pain.

Med J Australia; 153: 180-1.

33. Eyre, D.R., Weis, M.A. and Moskowitz R.W. (1991):

Cartilage expression of a type II collagen mutation in an inherited form of osteoarthritis associated with a mild chondrodysplasia.

J Clin Invest; 87: 357-61.

34. Fife, R.S. (1994):

Osteoarthritis. In: Principles of Geriatric Medicine and Gerontology, 3rd edition. Ed. by Hazzard, W.R., Bierman, E.L., Blass, J.P., Ettinger, W.H. Jr & Halt, J.B., McGraw-Hill, New York; Pp: 981-86.

35. Fife, R.S., Brandt, K.D., Braunstein, E.M., Katz, B.P., Shelbourne, K.D., Kalosinski, L.A. and Ryan, S. (1991):

Relationship between arthroscopic evidence of joint space narrowing and chronic knee pain in early osteoarthritis of the knee.

Arthritis Rheum; 34: 377-82.

36. Furst, D.E. (1994):

Are there differences among nonsteroidal anti-inflammatory drugs? Comparing acetylated salicylates, nonacetylated salicylates, and nonacetylated non-steroidal anti-inflammatory drugs.

- Arthritis Rheum; 37: 1-9.
- 37. Goei, T.H., Lund, B., Distel, M. and Bluhmki, E. (1997):**
A double-blind, randomized trial to compare meloxicam 15 mg with diclofenac 100 mg in the treatment of osteoarthritis of the knee.
Osteoarthritis Cartil.; 5: 283-88.
- 38. Gray, R.G. and Gottlien, N.L. (1983):**
Intra-articular corticosteroids.
Orthop; 177: 235.
- 39. Griffin, M.R., Pifer, J.M., Snowden, M. and Ray, W.A. (1991):**
Nonsteroidal anti-inflammatory drug use and increased risk for peptic ulcer disease in elderly persons.
Am Intern Med; 14: 257.
- 40. Griffin, M.R., Brandt, K.D., Liang, M.H., Pincus, T, Ray, W.A. (1995):**
Practical management of osteoarthritis: Integration of pharmacologic and non-pharmacologic measures.
Arch Fam Med; 4: 1049-55.
- 41. Hardingham, T. and Bayliss (1990):**
Proteoglycan of articular cartilage changes in aging and in joint disease.
Semin Arthritis Rheum; 20: 12-33.
- 42. Hardingham, T. (1986):**
Structure and biosynthesis of proteoglycans.
J Rheumatol; 10: 143-83.
- 43. Helms, J.M. (1997):**
Report on the World Health Organization's Consultation on acupuncture.

- Med Acupunct; 9(1): 44-6.
44. **Hewitt, A.T., Varner, H.H., Silver, M.H., Dessar, W., Wilkes, C.M. and Martin, V.W. (1982):**
The isolation and partial characterization of chondronecting, an attachment factor for chondrocytes.
J Biol Chem; 257: 2330.
 45. **Hochberg, M.C. (1991):**
Epidemiology of osteoarthritis: Current concepts and new in rights.
J Rheumatol; 18(27): 1-6.
 46. **Hochberg, M.C. (1992):**
Association of nonsteroidal anti-inflammatory drugs with upper gastrointestinal disease: Epidemiologic and economic considerations.
J Rheumatol; 19 (Suppl. 36): 63-7.
 47. **Hochberg, M.C., Altman, R.D. and Brandt, K.D. (1995):**
Guidelines for the medical management of osteoarthritis: Part II, Osteoarthritis of the knee.
Arthritis rheum; 38: 1541-6.
 48. **Hopman-Rock, M., Odding, E., Hoffman, A., Kraaimaat, F. and Bijlsma, J. (1996):**
Physical and psychological disability in elderly subjects in relation to pain in the hip and/or knee.
J Rheumatol; 23: 1037-44.
 49. **Hough, A.J. and Sokoloff, L. (1989):**
Pathology of osteoarthritis and allied conditions, 11th edition. Ed. by McCarty, D.J., Lee and Febiger, Philadelphia.

50. Howell, D.S. (1992):

Osteoarthritis (degenerative joint disease). In: Cecil Textbook of Medicine, 19th edition. Ed. by Wyngaarden, J.B., Smith, L.H. and Bennett, C.J., Vol. 3: 1554-7.

51. Hughes, C.E., Fosang, A.J. and Murphy, G. (1992):

Proteolytic digestion of cartilage proteoglycans involves destruction of the second globular domain.

J Bone & joint Surg; 57A: 413-21.

52. Hutton, C. and Dieppe, P. (1988):

Genetics of osteoarthritis. In: Bailliere's Clinical Rheumatology; Vol. 2, No. 3: 703-10.

53. Jones, S.A., Chan, W.P., Lang, P. and Stevens M.P. (1995):

Osteoarthritis of the knee: Comparison of radiography, CT, and MR imaging to assess extent and severity.

Am J Roentgenol; 157: 799.

54. Jones, A.C., Patrick, M., Derty, S. and Doherty, M. (1992):

A double-blind trial of intra-articular hyaluronic acid versus intra-articular triaminolon hexacetone in knee osteoarthritis.

Arthritis Rheum; 35: 132.

55. Jones, R.S., Kaye, J.J. and Freiburger, R.H. (1995):

Arthrography of the knee.

Clin Orthop; 107: 73.

56. Junnila, S.Y.T. (1982):

Acupuncture therapy for chronic pain.

Am J Acupunc; 10: 259-62.

57. Kannus, P. and Jarvinen, M. (1989):

Post-traumatic anterior cruciate ligament insufficiency as a cause of osteoarthritis in a knee joint.

Clin Rheumatol; 8: 251.

58. Kellgren, R.J. and Lawrence, J.S. (1958):

Osteoarthritis and disc degeneration in an urban population.

Ann Rheum Dis; 17: 367-388.

59. Lewith, G.T. and Kenyon, J.N. (1984):

Physiological and psychological explanations for the mechanisms of acupuncture as a treatment for chronic pain.

Soc. Sci. Med.; 19: 1367-78.

60. Lindon, B., Distel, M., and Bluhmki, E. (1996):

A double-blind study to compare the efficacy and safety of meloxicam 15 mg with piroxicam 20 mg in patients with osteoarthritis of the hip.

Br J Rheumatol; 35 (Suppl. 1): 35-8.

61. Mankin, H.J. (1989):

Clinical features of osteoarthritis. In: Textbook of Rheumatology, 3rd edition. Ed. by Kelley, W.N., Harris, E.D. Jr, Ruddy, S. and Sledge, C., W.B. Saunders Inc., Philadelphia; Pp: 1480-98.

62. Mankin, H.J. (1993):

Clinical features of osteoarthritis. In: Textbook of Rheumatology, 4th edition. Ed. by Kelley, W.N., Harris, E.D. Jr, Ruddy, S. and Sledge, C., W.B. Saunders Inc., Philadelphia; Pp: 1374-84.

- 63. Mankin, H.J. and Brandt, K.D. (1989):**
Pathogenesis of osteoarthritis. In: Textbook of Rheumatology, 3rd edition. Ed. by Ruddy, S. and Sledge, C., W.B. Saunders Inc., Philadelphia; Pp: 1469-97.
- 64. Mann, F. (1978):**
Acupuncture. The Ancient Chinese Art of Healing, Mann, F., (ed), 3rd ed., William Hieneman Medical Book Ltd, London; Pp: 1-20 & 37-79.
- 65. Maroudas, A., Katz, E.P., Wachtel, E.H., Hizrah, J. and Soudry, M. (1986):**
Physiochemical properties and functional behavior of normal and osteoarthritic human cartilage. In: Articular Cartilage Biochemistry, 4th edition. Ed. by Keattner, K.E., Schleyerbach, R. and Hascall, V.C., Raven Press, New York; Pp: 311-30.
- 66. McAlindon, T.E., Cooper, C., Lirwan, J.R. and Dieppe, P.A. (1992):**
Knee pain and disability in the community.
Br J Rheumatol; 31: 189-92.
- 67. McMinn, R.M.H. (1994):**
Popliteal Fossa and Knee Joint. In: Last's Anatomy, Regional and Applied, 9th edition. Ed. by McMinn, R.M.H. Churchill Livingstone, Edinburgh; Ch. 3(5): 173-84.
- 68. Melzack, R. and Wall, P.D. (1965):**
Pain mechanism: A new therapy.
Science; 150: 971-79.

69. Moskowitz, R.W. (1976):

Clinical and laboratory findings in osteoarthritis. In: Arthritis and Allied Conditions, 1st edition. Ed. by Hollander, J.L. and McCarty, D.J., Pp: 1932-39.

70. Moss, L. (1972):

Acupuncture and you: New approach to treatment based on ancient method of healing, 2nd edition. Ed. by Moss, L, Elek Book, London; Pp: 15-39.

71. Neustadt, D.H. (1992):

Intra-articular steroid therapy. In: Osteoarthritis: Diagnosis and Management, 2nd edition. Ed. by Moskowitz, R.W., Howell, D.S., Goldberg, V.M. and Mankin, H.J., W.B. Saunders Inc., Philadelphia; Pp: 493-510.

72. Norheim, A. J. (1996):

Adverse effects of acupuncture: A study of the literatures for the years 1981-1994.

J Altern Complement Med; 2(2): 291-7.

73. O'Connor, J. and Bensky, D. (1981):

Acupuncture: A Comprehensive Text, 1st edition. Ed. by O'Connor, J. and Bensky, D., Eastland Press, Chicago; Pp: 241-7.

74. Oldberg, A., Antonsson, P., Hedbom, E. and Heinegard, D. (1990):

Structure and function of extracellular matrix proteoglycan. Biochem Soc Trans; 18: 789.

75. Olijhoek, G., Drukker, J., Van der Linden, T.J. and Terwindt-Rouwenhorst, E.A.W. (1988):

Drug effects on arthritis: Comparison in rabbit of 3 modes of action.

- Acta Orthop Scand; 52: 186-90.
- 76. Omura, Y. (1976):**
Pathophysiology of acupuncture treatment: Effects on cardiovascular and nervous system.
Acup Elect Ther Res Int J; 1: 51-142.
- 77. Palottie, A., Att, J. and Elima, K. (1989):**
Predisposition to familial osteoarthritis linked to type II collagen gene.
Lancet; 1: 924-5.
- 78. Paulus, H.E. and Bulpitt, K. J. (1993):**
Nonsteroidal anti-inflammatory agents and corticosteroids.
In: Primer on the Rheumatic Diseases, 10th edition. Ed. by Schumacher, H.R., Klippel, J.H. and Koopman, W.J., Arthritis Foundation, Atlanta, Georgia; Pp: 202-303.
- 79. Pelletier, J.P. and Martel-Pelletier, J. (1989):**
Protective effect of corticosteroids on cartilage lesions and osteophytes formation in the Paul-Nuki dog.
Model of osteoarthritis and Rheum.; 32: 181-5.
- 80. Perneger, T.V., Whelton, P.K. and Klag, M.J. (1994):**
Risk of kidney failure associated with the use of acetaminophen, aspirin, and nonsteroidal anti-inflammatory drugs.
N Eng J Med; 331: 1675-9.
- 81. Peyron, J.G. and Altman, R.D. (1992):**
The epidemiology of osteoarthritis. In: Osteoarthritis: Diagnosis and Medical/Surgical Management, 2nd edition. Ed. by Moskowitz, R.W., Howell, D.S., Goldberg, V.M. and Mankin, H.J., W.B. Saunders Inc., Philadelphia; Pp: 15-37.

- 82. Puett, D.W. and Griffin, M.R. (1994):**
Published trials of non-medical and non-invasive therapies for hip and knee osteoarthritis.
Ann Intern Med; 121: 133-40.
- 83. Rejeski, J., Ettinger, W.H. Jr and Shumaker, S. (1995):**
The evaluation of pain in patients with knee osteoarthritis: the Knee Pain Scale.
J Rheumatol; 22(6): 1124-29.
- 84. Rejholec, V. (1987):**
Long-term studies of antiosteoarthritic drugs: An assessment.
Semin Arthritis Rheumatism; 17(Suppl 1): 35-53.
- 85. Rejholec, V. (1990):**
Clinical trials of anti-osteoarthritic agents.
Scand J Rheum; 81(Suppl.2): 28-31.
- 86. Romanes, G.J. (1984):**
Joints of Lower Limb. In: Cunningham's Manual of Practical Anatomy, 14th edition. Ed. by Romanes, G.J., Oxford University; Pp: 167-72.
- 87. Ryu, J., Treadwell, B.V. and Mankin, H.J. (1984):**
Biochemical and metabolic abnormalities in normal and osteoarthritic human articular cartilage.
Arthritis Rheum; 27: 6-13.
- 88. Sarafino, E.P. (1990):**
Health Psychology: Biopsychosocial Interactions, 1st edition. Ed. by Sarafino, E.P., Wiley Publishers, New York, Pp: 62-9.

89. Schumacher, H.R. Jr (1993):

Secondary osteoarthritis. In: Osteoarthritis: Diagnosis and Surgical Management, 1st edition. Ed. by Moskowitz, R.W., Howell, D.S., Goldberg, V.M. and Mankin, H.J., W.B. Saunders Inc., Philadelphia; Pp: 367-98.

90. Shi, B.P., Bu, H. D. and Lin, L. Y. (1992):

A clinical study on acupuncture treatment of pediatric cerebral palsy.

J Trad Clin Med; 12(1): 45-51.

91. Siedman, D.S., Evet, H. and Gale, R. (1989):

The effect of maternal weight gain in pregnancy on birth weight.

Obestet Gynecol; 74(2): 240-6.

92. Siegel, D.B., Gelderman, R.H. and Smith, R. (1992):

Osteoarthritis in hand and wrist. In: Osteoarthritis: Diagnosis and Management, 1st edition. Ed. by Moskowitz, R.W., Howell, D.S., Goldberg, V.M. and Mankin, H.J., W.B. Saunders Inc., Philadelphia; Pp: 547-60.

93. Sims, J. (1997):

The mechanism of acupuncture analgesia: A review.

Complem Ther Med; 5: 102-11.

94. Stux, G. and Pomeranz, B. (1995):

Basics of Acupuncture, 1st edition. Ed. by Stux, G. and Pomeranz, B., Springer-Verlag, Berlin, Germany; Pp: 1-250.

95. Tan, L.T., Tan, M.Y.C. and Veith, I. (1975):

What is acupuncture? In: Acupuncture Therapy, Current Chinese Practice, 2nd edition. Ed. by Walter, R., Tkach, R. and Viegan, P.; London; Pp: 4-25.

96. **Towheed, T.E. and Hochberg, M.C. (1996):**
Health related quality of life following total hip replacement.
Semin Arthritis Rheum; 26: 483-6.
97. **Vansaase, J.L., Van Romande, L.K.J., Cats, A., Vanden Broucke, J.P. and Valkenburg, H.A. (1989):**
Epidemiology of osteoarthritis zietermaes survey.
Comparison of radiological osteoarthritis in Dutch population, compared with that in 10 other populations.
Ann Rheum Dis; 48: 271-80.
98. **Williams, H.J., Ward, J.R. and Egger, M.J. (1993):**
Comparison of naproxen and acetammophen in a two-year study of treatment of osteoarthritis of the knee.
Arthritis Rheum; 36: 1196-1206.
99. **Williams, P.L. & Dyson, M. (1992):**
Arthrológy, The Genual (Knee) Joint. In: Gray's Anatomy, 37th edition. Ed. by Williams, P.L., Warwick, R., Dyson, M & Bannister, L.H., ELBS with Churchill Livingstone, Edinburgh; Ch. 4: 466-544.
100. **Waldron, T. (1995):**
Changes in the distribution of osteoarthritis over historical time.
Int J Osteoarcheol, 5: 385-89.
101. **Woo, SL-Y., Kwan, M. K., Cutts, R. D. & Akeson, W.H. (1992):**
Biochemical Consideration. In: Osteoarthritis: Diagnosis and Medical/Surgical Management, 2nd edition. Ed. by Moskowitz, R.W., Howell, D.S., Goldberg, V.M. and Mankin, H.J., W.B. Saunders Inc., Philadelphia; Pp: 191-211.