

REFERENCES

REFERENCES

- Aaronson C. M. and Lutzner M. (1967):
Epidermodysplasia verruciformis (EV) and epidermoid carcinoma. Electron microscopic observations. JAMA 201: 775-777.
- Adachi A., Yasu H., Ohashi M. and Ishibashi M. (1986):
A novel type of human papillomavirus DNA from the lesion of Epidermodysplasia verruciformis. Jpn. J. Cancer Res. 77: 978-984.
- Almedia J. D., Howatson A. F. and William M. G. (1962):
Electron microscopic study of human warts: sites of virus production and nature of the inclusion bodies. J. Invest. Dermatol. 38: 337-354.
- Beaudernon S., Kremsdor F.D., Croissant O. and Jablonska S. (1986):
Nature 321:246. Quoted from kawashima M., favre M., Jablonska S., Obalek S. and Orth G (1986): characterization of a new type of HPV related to HPV-5 from a case of actinic keratosis. Virology 154: 389-394.
- Benysh M., Melnik J. L. and Butel R. G. (1982):
Interactions of oncogenic viruses with host cells. J. Natl. cancer Inst. 106: 3-7.
- Berman A. and Winkelmann R. K. (1977):
Flat warts undergoing involution: Histopathological findings. Arch. Dermatol. 113: 1219-1221.
- Bernard R. and Van der Eb. AJ. (1984):
Transformation and oncogenicity. Biochim. Biophys. Acta 783: 187-190
- Bernhard W. and Granboulan N. (1963):
The fine structure of the cancer cell nucleus. Expl. Cell Res. Suppl., 9:19.
- Bishop J. M. (1982):
Oncogenes. Sci. Am. (March) 246: 80-84.
- Bishop J. M. (1985):
Exploring carcinogenesis with retroviral and cellular oncogenes. Prog. Med Virol. 32: 5-8.

- Blanchet Bardon C., Puissant A., Lutzner M., Orth G., and Nutini M.T. (1981):
Interferon treatment of skin cancer in patients with epidermodysplasia verruciformis. *Lancet* 1:274.
- Blank H., Davis C. and Collins C. (1974):
Electron microscopy for the diagnosis of cutaneous viral infections. *Br. J. Dermatol.* 83: 69-74.
- Boyl W. F., Mc Coy E. G., Oshiro J. S. and Lennette E. H. (1973):
Electron microscopic identification of papovirus in laryngeal papillomas. *Laryngoscope* 83: 1102-1107.
- Brenner S. and Horne R. W. (1959):
A negative staining method for high resolution electron microscopy of viruses. *Biochim. Biophys. Acta* 34:103.
Quoted from Lutzner M. A. (1985): Virus diseases of skin and mucosa. In: *Electron Microscopy in Human Medicine*. Edited by Johannesen and Hashimoto K, vol.II. Mc-Grow Hill International Book Company. New York, P. 277-304.
- Brodersen L., Genner J. and Brodthagen (1974):
Tuberclin sensitivity in BCG-Vaccinated children with common warts. *Acta. Dermatol. Venereal.(Stockh.)* 54: 291-292.
- Bunny M. H. (1982):
Viral warts: Their Biology and Treatment. New York, Oxford university Press.
- Bunting H. (1953):
Close-packed array of virus-like particles within cells of a human skin papilloma. *Proc. Soc. Exp. Biol. Med.* 84:327-332. Quoted from Lutzner M.A.(1985): Virus diseases of skin and mucosa. In: *Electron Microscopy in Human medicine*. Edited by Johanessen JV and Hashmoto K, vol.II. Mc Graw-Hill International Book Company. New York, P. 277:304.
- Burns W. A. (1980):
Microorganisms. In *Dignostic Electronic Microscopy*. Edited by: Trump FB, Jones RT. Wiley Medical Publication. New York, Chichester, Brisbane, Toronto P.1.
- Butel J. (1972):
Studies with human papillomavirus modeled after known papovavirus system. *J. Natl. Cancer Inst.* 48: 285-299.

- Casas-Cordero M., Morin L., Roy M. and Meisls A. (1981):
Origin of the koilocyte in condylomata of the human cervix.
Ultrastructural study. Acta cytol. 25: 383-389.
- Celsus A. C. :
Quoted from Lutzner MA (1983): The Human Papillomaviruses.
A review. Arch. Dermatol 119: 631-635.
- Chad A. L., Gissmann L., Merer B. (1982):
Molecular cloning and partial nucleotide sequence of HPV
type 1a. Virology 118: 254-259.
- Ciuffo G. (1907):
G. Ital. Mal. Vener 48:12. Quoted from Jenson AB, Kurman RJ
and Lancaster WD (1984): Human Papillomaviruses. In:
Textbook of Human Virology. Edited by Belshe RB. PSG
Publishing company, Inc. Littleton, Massachusetts,
P. 951-964.
- Coggin J. R. and Zur Hausen H. (1979):
Workshop on papillomaviruses and cancer. Cancer Res. 39:
545-546.
- Cole M. D. (1986):
The myc oncogene: Its role in transformation and
differentiation. Ann. Rev. Genet. 20: 361-364.
- Cook T. A., Cohn A. M., Brunschwig J. P., Geopfert H., Butel J.
S. and Rawls W. E. (1973):
Laryngeal papilloma: Etiologic and therapeutic
considerations. Am. J. Otol. 82: 649-655.
- Crawford L. V. (1969):
Nucleic acids of tumor viruses. Adv. Virus Res. 14: 89-152.
- Crawford L. V. (1965):
A study of human papillomavirus DNA. J. molec. Biol. 13:
362-365.
- Crawford L. V. and Crawford E. M. (1963):
A comparative study of polyoma and papilloma viruses.
Virology 21: 258-263.

- Croissant O., Testanier V. and Orth G. (1982):
 Mise en evidence et localisation de region conservees dans
 les genomes du papillomavirus humain la et du
 papillomavirus bovine 1 par analyse d'heteroduplex au
 microscope electronique. CR Acad. sci paris 294:581. Quoted
 from lutzner MA (1985): Virus diseases of skin and mucosa.
 In: Electron Microscopy in Human Medicine. Edited by
 Johannesen JV and Hashimoto K, vol.II. Mc Graw-Hill
 International Book Company. New York, P.277-304.
- Cruickshank J. G., Bedson H. S. and Watson D. H. (1966):
 Electron microscopy in the rapid diagnosis of small pox.
 Lancet 2:527-530.
- Cubie H. A. (1972):
 Serological studies in a student population prone to
 infection with human papillomavirus. J. Hyg. 70: 677-690.
- Dales S. (1973):
 Structure and replication of poxviruses as exemplified by
 vaccinia. In: Ultrastructure in biological systems. Edited
 by Dalton AJ and Haguenu. vol.3, Ultrastructure of animal
 viruses and Bacteriophages. An Atlas, Academic Press, New
 York.
- de Villers E. M., Gissmann L. and Zur Hausen H. (1981):
 Molecular cloning of viral DNA from human genital warts. J.
 Virol. 40: 932-935.
- de Villier E. M. and Zur Hausen H. (1982):
 Analysis of human genital warts (condyloma acuminata) and
 other genital tumors for human papillomavirus type 6 DNA.
 Int. J. Cancer 29: 143-149.
- Doan F. W. (1974):
 In: Viral immunodiagnosis. Edited by Kurstok and Morrisset,
 Academic Press, New York.
- Duesberg P. H. (1985):
 Activated proto-oncogens sufficient or necessary for
 cancer? science 228: 669-672.
- Dulbecco R. and Ginsberg H. S. (1988):
 Oncogenic Viruses: RNA containing viruses. In: virology.
 2nd ed. J. B. Lippincott Company. Philadelphia P. 354-372.

- Dunn A. E. G. and Ogilvie M. M. (1968):
Intranuclear virus particles in human genital wart tissue:
Observations on the ultrastructure of the epidermal
layer. J. Ultrastructures. 22:282-286.
- Favre M, Breitburd F, Croissant O, Jablonska S, Obalek S,
Jarzabek-Chorzelska M. and Rzeska G. (1980):
Epidermodysplasia verruciformis: A model for the role of
HPV in human cancer. In: Viruses in Naturally Occurring
Cancer. Edited by M. Essex, G. Todaro and H. Zur Hausen.
Gold spring Harbor, New York.
- Favre M, Breitburd F, Croissant O. and Orth G. (1977):
Chromatin like structures obtained after alkaline
disruption of bovine and human papillomaviruses. J. Virol.
21:1205-1209.
- Favre M, Orth G, Croissant O. and Yanir M. (1975):
Human papillomavirus DNA : physical map. Proc. Natl. Acad.
Sci. USA 72 :4810-4814.
- Fenyo E. M. and Wahren B. (1982):
Viruses and tumors In: Textbook of Medical Virology. Edited
by Lycke E. and Norrby E. Published by Bulter-Worths
London, Boston, Durban, Singapore, Sydney, Toronto P.
165-166.
- Field A. M. (1982):
Diagnostic virology using electron microscopic
techniques. Adv. Virus Res. 21:1-3.
- Fiers W, Hehlman R. and Risser R. (1978):
Cell transformation mechanism by SV40 virus. Nature
273:113-116.
- Ford J. N, Jennigs P. A, Spradbrow P. B. and Francis J. (1982):
Evidence for papillomavirus in ocular lesions in cattle.
Res. Vet. Sci 32:257-259.
- Friedberg S. A., stagman R. and Hass G. M. (1971):
Papillary lesions of the larynx in adults : a pathologic
study. Ann. Otol Rhinol. Laryngoly 80:683-692.
- Gallo R. C, Blattner W. A. (1985):
Human T cell leukemia/Lymphoma viruses: ATL and AIDS. In:
Important Advances in Oncology. Edited by De vita V. T,
Hellman S. and Rosenberg S. A. Lippincott. P. 104.

- Gallo R. C., Yang S. S., Ting R. C. (1970):
RNA dependent DNA polymerase of human acute leukemic cells.
Nature 228:927-929.
- Gelb L. D, Kohne D. E, Martin M. A. (1971):
Quantitation of Simian virus 40 sequences in African green
monkey, mouse and virus-transformed cell genome J. Mol
Biol. 57:129-245.
- Ghosh B. K. (1977):
Technique to study the ultrastructure of microorganisms.
Edited by Laskin A. L, Lechevalier H. In: Handbook of
Microbiology. CRC Press, Cleveland P.31-38.
- Gissmann L, Diehl V, Schultz-coulton H.-J. and Zur Hausen
H. (1982b):
Molecular cloning and characterization of human
papillomavirus DNA derived from laryngeal papilloma. J.
virology. 44:393-400.
- Gissmann L., de Villiers E-M. & Zur Hausen H. (1982a):
Analysis of human warts (condyloma acuminata) and other
genital tumors for human papillomavirus type 6 DNA. Int. J.
Cancer 29:143-146.
- Gissmann L, Pfister H. and Zur Hausen H. (1977a):
Human papillomaviruses: characterization of four different
isolates. Virology 76:569-580.
- Gissmann L., Zur Hausen H. (1976):
Human papillomaviruses: Physical mapping and genetic
heterogeneity. Proc. Natl. Acad. Sci USA 73:1310-1313.
- Gissmann L., Zur Hausen H. (1978):
Physical characterization of the deoxyribonucleic acids of
different human papilloma viruses (HPV). Med. Microbiol.
Immunol 166:3-11.
- Gissmann L., Zur Hausen (1977b):
Inverted repetitive sequences in human papillomavirus 1 DNA
Virology 83:271.
- Gissmann L., Wolnik L., Ikenberg H., Kildovsky U., Schnuch & Zur
Hausen H. (1983):
Human papillomavirus type 6 and 11 DNA sequences in genital
and laryngeal papillomas and in some cervical cancers Proc.
Natl. Acad. Sci USA 80:560-563.

- Gissmann L. and Zur Hausen H (1980):
Partial characterization of viral DNA from human genital warts (condyloma acuminata). *Int. J. Cancer* 25: 605-609.
- Green M., Brackmann K. H., Sanders P.R., Loewenstein P. M., Freel J. H., Eisinger M. and Switlyk A. S. (1982):
Isolation of a HPV from a patient with epidermodysplasia verruciformis: Presence of related DNA genomes in human urogenital tumors. *Proc. Natl. Acad. Sci USA* 79: 4437-4441.
- Gross L. (1983):
Oncogenic viruses. 3rd ed, Pergman Press, Oxford.
- Grussendorf E. L., and Zur Hausen H (1979):
Localization of viral DNA replication in sections of human warts by nucleic acid hybridization with complementary RNA of HPV type 1. *Arch. Dermatol. Res.* 246: 55-63.
- Hardie I. R., Strong R. W., Lionel J. C., Hartely J., Woodruff P. W. H. & Clunie G. J. A. (1980):
Skin cancer in coucasian renal allograff recipient living in a subtropical climate. *Surgery* 87: 177-183.
- Hayward, Bisterk and Brugge J. S. (1981):
Mechanism of transformation by leukemia virus. *Nature* 290: 475.
- Hehlman R., Schelters H. and Erfle V. (1984):
RNA tumor viruses. In: Textbook of human virology. Edited by Belshe R. B. PSG Publishing Company, Littleton, Massachusetts P. 139.
- Heilman C. A., Law M. F., Israel M. A. and Howley P. M. (1980):
Cloning of human papillomavirus genomic DNAs and analysis of homologous polynucleotide sequences. *Jviral.* 36: 395.
- Heldin C. H., Westmar B. (1984):
Growth factors: Mechanism of action and relation to oncogenes. *Cell* 37: 9.
- Herman H. (1954):
Hautarzt 5: 134. Quoted from Rook A, Nagington J. and Highet A. (1986), viruses and related infection. In: textbook of dermatology. Edited by Rook A., Wilkinson D. S. and Ebling F. J. G. 4th. ed. Blackwell Scientific Publications. Oxford, London, Edinbugh. p. 679.

- Hersy P., Hasic E. and Eward A. (1983):
Immunological effects of solarium exposure. *Lancet* 1:
545-548.
- Hills E. and Loverty C. R. (1979)
Electron microscopic detection of papillomavirus particles
in selected koilocytic cells in a routine cervical smear.
Acta cytol. 23:53.
- Horne R. W. and Wildy P. (1962):
Recent studies on the fine structure of viruses by electron
microscopy using negative staining techniques. *Br. Med.*
Bull 18:199. Quoted from Lutzner MA (1985): *Virus diseases*
of skin and mucosa. In: *Electron Microscopy in Human*
Medicine. Edited by Johannessen J. V. and Hashimoto K,
Mc-Grow Hill International Book Company. New York, P.
277-304.
- Howaston A. F. (1973):
Papoviruses In: *Ultrastructure of animal viruses and*
Bacteriophages. Edited by Dalton A. J. and Haguenou F. Vol.
3. An Atlas, Academic Press, New York.
- Howley P. M. (1982):
The human papillomaviruses. *Arch. Pathol. Lab. Med.* 108:
429-434.
- Howley P. M. , Israel M. A. and Law M. P. (1979):
A rapid method for detecting the mapping homology between
heterologous DNAs. *J. Biol. Chem.* 254: 4876-4883.
- Howley P. M., Law M. P. and Heilman C. (1980):
Molecular characterization of papillomavirus genomes. *Cold*
Spring Conf. Cell Prol. Vol. 7, *Viruses in Naturally*
Occuring Cancers. Edited By M. Essex, G. Todaroi and H. Zur
Hausen. Cold Sping harbor, NY, Cold Spring Harbor
Laboratories P. 233-247.
- Hsiung G. D., Fong C. K. Y. and August M. J. (1979):
Use of electron microscopy for diagnosis of virus
infections: an over view. *Prog. Med. Virol.* 25: 133-137.
- Ikenberg H., Gissmann L., Gross G., Grussendorf-Conen E. L. and
Zur Hausen H. (1983):
Int. J. Cancer 32: 563-565. Quoted from kawashima M., favre
M., Jablonska S., Obaleks and Orth G. (1986):
Characterization of a new type of HPV related to HPV5 from
a case of actinic keratosis. *Virology* 154: 389-394.

- Jablonska S., Biczysko W., Jakubwicz K. And Dabrowski J. (1970):
The ultrastructure of transitional state in Bowen's disease
and invasive Bowen's Carcinoma in epidermodysplasia
verruciformis. *Dermatologica* 140: 186-194.
- Jablonska S., Biczysko W., Jakubwicz K. And Dabrowski J. (1968):
On the viral etiology of EV. Electron microscopic studies.
Dermatologica 137: 113-125.
- Jablonska S., Orth G., Jarzabek-chorzelska M., Rzeska G., Obalek
S., Glinski, Favre M., Croissant O. (1978):
Immunological studies in epidermodysplasia verruciformis.
Bull Cancer 65: 183-190.
- Jablonska S. and Formas I. (1959):
Weitere positive Ergebnisse mit Auto unter der Hetero
inkulation bei EV. *Dermatologica* 118:86. Quoted from
Lutzner M. A. and Blanchet Bardon C. (1987):
Epidermodysplasia verruciformis. In: *Dermatology in General
Medicine*. Edited by Fitzpatrick T. B., Eissen A. Z., Wolff
K., Freedberg I. M. and Austen K. F. Mc Graw-Hill Book
Company. New York. P. 2364-2372.
- Jablonska S., Orth G. and Lutzner M. A. (1980):
Immunopathology of papillomavirus-induced tumors in
different tissues. *Springer Semin Immunopathol.* 5: 33-62.
- Jacyk W. K., Subbuswamy S. G. (1979):
EV in Nigerians. *Dermatologica* 129: 256-265.
- Jawetz E., Melnick J. L. and Adelberg E. A. (1987):
Tumor viruses and oncogenes. In: *Review of Medical
Microbiology*. Edited by Jawetz E., Melnick J. L. and
Adelberg E. A. 17th. ed. Appleton & Lange Company Norwalk,
P. 519-531.
- Jenson A. B., Kurman R. J. and Lancaster W. D. (1984): Human
Papillomaviruses In: *Textbook of Human Virology*. Edited by
Belshe R. B. PSG Publishing Company. Littleton,
Massachusetts. P. 951-964.
- Jenson A. B., Lancaster W. D. and Hartman D. (1982a):
Frequency and distribution of papillomavirus structural
antigen in verrucae, multiple papillomas and condylomata of
the oral cavity. *Am. J. Pathol.* 107: 212-218

- Jenson A. B., Rosenthal J. D., Osion C., Pass F., Lancaster W. D., Shah K. (1980):
Immunologic relatedness of papillomaviruses from different species. J. Natl. Cancer Inst. 64: 495-500.
- Jenson A. B., Sommer S., Poyling-Wright C. (1982b):
Human papillomavirus : Frequency and distribution in planter and common warts. Lab. Invest. 47: 491-497.
- Ju G. and Cullen B. R. (1986):
The role of avian retroviral LTRs in regulation of gene expression and viral replication. Adv. Virus Res. 30: 180-183.
- Kanerva I. D., Johansson E., Niemi K. M., Lauharanta J. and Salo O. P. (1985):
Epidermodysplasia verruciformis: clinical and light and electron microscopic observations during etretinate therapy. Arch. Dermatol. Res. 278: 153-160.
- Kaufmann J., Meves C. and O. H. F. (1978):
Comparison of the epidermodysplasia verruciformis Lewandowsky-Lutz with the other papova virus acanthoma by light and electron microscopy. Arch. Derm. Res. 261: 39-54. Quoted from Lutzner MA (1985): Virus diseases of skin and mucosa. In: Electron Microscopy in Human Medicine. Edited by Johannessen and Hashimoto K, vol. II. Mc Grow Hill International Book Company. New York, P. 277-304.
- Kawashima M., Favre M., Jablonska S., Obalek S. and Orth G. (1986a):
Characterization of a new type of human papillomavirus related to HPV5 from a case of actinic keratosis. Virology 154: 389-394.
- Kawashima M., Jablonska S., Faver M., Obalek S., Croissant O. and Orth G. (1986b):
Characterization of a new type of HPV found in a lesion of Bowen's disease of the skin. J. virol. 57: 688-692.
- Kidd J. C. and Rous P. (1940):
J. Exp. Med. 71: 489-494. Quoted in Green M., Brackmann K. H., Sanders P. R., Loewenstein P. M., Freel J. H., Eisinger M., Switlyks A. (1982): Isolation of a HPV from a patient with EV : Presence of related viral DNA genomes in human urogenital tumors. Proc. Natl. Acad. Sci USA 79: 4437.

- Kienzler J. L. ,Orth G. and Laurent R. (1981):
HPV specific association with different types of
warts.Cutan. pathol. 8: 142.
- Klein G. (ed.) (1980):
Viral oncology. New York ,Raven Press.
- Klug A. and Finch J. T. (1965):
Structure of viruses of the papilloma-polyoma type I. Human
wart virus. J. Mol. Biol. 11: 403-423.
- Koller L. D. and Osion C. (1972):
Attempted transmission of warts from man, cattle and horses
and of deer fibroma to selected hosts. J. Invest.
Dermatol. 58 :366-368.
- Kremsdorf D. ,Favre M. ,Jablonska S. ,Obalek S. ,Rueda L. A. ,
Lutzner M. A. ,Blanchet-Bardon C. ,Von Voorst Vader P. C. & Orth
G. (1984):
Molecular cloning and characterization of the genomes of
nine newly recognized human papillomavirus types associated
with epidermodysplasia verruciformis J. Virol .52
:1013-1018.
- Kremsdorf D. ,Jablonska S. ,Favre M. and Orth G. (1982):
Biochemical chracterization of two types of HPVs associated
with epidermodysplasia verruciformis. J. virol. 43
:436-447.
- Kuffer R., Blanchet-Bardon C. and Croissant O. (1982):
Different papillomaviruses as the causes of oral warts.
Arch. Derm. 118 :393.
- Kurman R. J. ,Jenson A. B. ,Lancaster (1983a):
Papillomavirus infection of the cervix. II. Relationship to
intraepithelial neoplasia based on the presence of specific
viral structural proteins. Am J. Surg. Pathol. 17:39-52.
- Kurman R. J. ,Jenson A. B. and Sinclair C. (1983b):
Detection of HPVs by immunocytochemistry. In : Advances in
immunocytochemistry. Edited by Delelis. New York, Masson.
- Kurman R. J. ,Sanz L. E. and Jenson A. B. (1982):
Papillomavirus infection of the cervix. Evidence for
genus-specific antigens and DNA sequences. Int. J.Gynecol.
Pathol 1 :17-28.

- Lack E. E., Jenson A. B. and Smith H. G. (1980):
Immunoperoxidase localization of human papillomavirus in laryngeal papillomas. *Intervirology*, 14: 148-154.
- Lancaster W. D. and Jenson A. B. (1981):
Evidence for papillomavirus genus specific antigens and DNA in laryngeal papillomas. *Intervirology*, 15 :204-212.
- Lancaster W. D., Kurman R. J. and Sanz L. (1983):
Human papillomavirus : Detection of viral DNA sequences and evidence for molecular heterogeneity in metaplasias and dysplasias of the uterine cervix. *Intervirology* 20 :202-212.
- Lancaster W. D., and Melnick W. (1975):
Persistence of viral DNA in human cell cultures infected with human papillomavirus. *Nature (London)* 256 :434-436.
- Lancaster W. D., and Oslan C. (1982):
Animal papillomaviruses. *Microbiol. Rev.* 46 :191-207.
- Laurent R., Coume-Marquet S & Kienzler J. T. et al (1978):
Comparative electron microscopic study of clear cells in EV and flat warts. *Arch. Dermatol Res.* 263(1) :1-12.
- Laverty C. C., Russel P., Hills E and Booth N (1978):
The significance of non-condylomatous wart virus infection of the cervical transformation zone. *Acta cytol* 22:195.
- Law M. F., Lancaster W. D. and Howley P. M. (1979):
Conserved nucleotide sequences among the genomes of papillomaviruses. *J. Virol* 32 :199-207.
- Lewandowsky F. and Lutz W. (1922):
Eis Fall einer bisher nicht beschriebenen Hauterkrankung (Epidermodysplasia verruciformis). *Arch. Dermatol. Syphilol (Berlin)* 141:193. Quoted from Lutzner M. A. and Lanchet-Bardon C (1987). *Epidermodysplasia verruciformis* In: *Dermatology in General Medicine*. Edited by Fitzpatrick TB, Eissen AZ, Wolff K., Freedberg I. M. and Austen K. F. McGraw-Hill Book Company. New York. P. 2364-2371.
- Licht C. de F. (1894):
Om vorters smitsomhed. *Ugeskr laeg 5 Raekke*. 1:368. Quoted from Jenson AB, Kurman RJ and Lancaster WD (1984): In: *Textbook of human virology*. Human papillomavirus. Edited by Belshe RB. PSG Publishing Company, Inc. Littleton Massachusetts P. 951-964.

- Loricz A. T., Lancaster W. D. and Temple G. F. (1986):
Cloning and characterization of the DNA of a new HPV from a woman with dysplasia of the uterine cervix. J. Virol. 58: 225-229.
- Lowy D. R., Dvortzky L., Shober R., Law M. F., Engel L., and Howley P. M. (1980):
In vitro tumorigenic transformation by a defined subgenomic fragment of bovine papillomavirus DNA. Nature 287 : 72-74.
- Luft J. H. (1961):
Improvement in epoxy resin embedded methods. J. Biophys. Biochem. Cytol 9: 409.
- Lutz W. (1946):
A propos de l'epidermodysplasia verruciforme. Dermatologica 92:30. Quoted from Epidermodysplasia verruciformis In: Dermatology in General Medicine. Edited By Fitzpatrick T. B., Eissen A. Z., Wolff K., Freedberg I. M. and Austen K. F. Mc Graw-Hill Company, New York P. 2364-2371.
- Lutzner M. A. (1967):
Virus diseases In: Ultrastructure of Normal and Abnormal Skin. Edited by Zelickson A. Lea and Febiger, Philadelphia.
- Lutzner M. A. (1983):
The Human Papillomavirus: A review. Arch. Dermatol. 119: 631-635.
- Lutzner M. A. (1978):
Epidermodysplasia verruciformis: An autosomal recessive disease characterized by viral warts and skin cancer. A model for viral carcinogenesis. Bull. Cancer (Paris) 65: 169-182.
- Lutzner M. A. (1985):
Virus diseases of skin and mucosa. In: Electron Microscopy in Human Medicine. Johannessen JV and Hashimoto (eds), Vol II. Mc Graw-Hill International Book Company, New York, P. 277-304.
- Lutzner M. A., Blanchet-Bardon C. and Orth G. (1984):
Clinical observations, Virologic studies and treatment trials in patients with EV. Invest. Dermatol. 83: 185-255.

- Lutzner M. A., Croissant O., Ducasse M. F., Kreis H., Crosnier J., and Orth G. (1980):
A potentially oncogenic human papillomavirus (HPV5) found in two renal allograft recipients. *J. Invest. Dermatol.* 75: 353-356.
- Lutzner M. A., Croissant O., Ducasse M. F., Kreis H., Crosnier J., and Orth G. (1981):
An unusual wart-like skin lesion found in a renal allograft recipient. *Arch. Derm.* 117: 43-46.
- Lutzner M. A. and Blanchet-Bardon C. (1987):
Epidermodysplasia verruciformis In: *Dermatology in General Medicine*. Edited By Fitzpatrick T. B., Eissen A. Z., Wolff K., Freedberg I. M. and Austen K. F. Mc Graw-Hill Company, New York P. 2364-2371.
- Lutzner M. A., Orth G. and Dutronquay V. (1983):
Detection of human papillomavirus (hpv-5) DNA in skin cancers of an immunosuppressed renal allograft recipient. *Lancet* 2: 422-424.
- Lynn J. A. and Martin . H. (1973):
Electron microscopy of microorganisms. In: *Laboratory Medicine*. Edited by Race G. H. Jagerstown M. D., Harper and Row P. 1-16.
- Massing A. M. and Epstein W. L. (1963):
Natural history of warts. A two year study. *Arch. Dermatol.* 87: 306-310.
- Navilio F., Sposi N. M. and Petrini M. (1986):
Expression of cellular oncogenes in primary cells from human acute leukemia. *Proc. Natl. Acad. Sci. USA* 83: 4394-4397.
- Mc Cance D. J. (1986):
Human papillomaviruses and cancer. *Biochim. Biophys. Acta* 823: 195-199.
- Meisles A., Morin C. and Casas-Cordero M. (1982):
HPV infection of the uterine cervix. *Int. J. Gyn. Pathol.* 1: 25-28.
- Melnick J. L. (1962):
Papova virus group. *Science* 135: 1128-1130.
- Melnick J. L., Allison A. C. and Butel . S. (1974):
Papovaviridae. *Intervirology* 3: 106-120.

- Menna J. H. and Soderberg L. S. F. (1983):
Viral pathogenesis and host defence /Viral oncogenesis. In:
Microbiology Basic Principles and Clinical Applications.
Edited by Rose N. R. and Barron A. L. Macmillan Publishing
Company. New York, Toronto, London P. 343.
- Morrison W. L. (1975a):
In vitro assay of immunity to human wart antigen. Br. J.
Dermatol 93: 545-552.
- Morrison W. L. (1975b):
Cell-mediated immune responses in patients with warts. Br.
J. dermatol. 93: 553-556.
- Morrison W. L. (1975c):
Viral warts, herpes simplex and herpes zoster in patients
with secondary immune deficiencies and neoplasms. Br. J.
Dermatol. 92: 625-630.
- Nakabayashi Y., Chattopadhyay S. K. and Lowy (1983):
The transforming function of bovine papillomavirus DNA.
Proc. Natl. Acad. Sci (wash) 80: 5832-5836.
- Nicollier M., Kienzler J. L., Cousmes-arguet S. and Agache P.
(1978):
Heterogenous keratohyaline formation in warts. Arch.
Dermatol. Res. 262: 83-85.
- O'callaghan D. J. and Randall C. C. (1976):
Molecular anatomy of herpes virus. Recent studies. Prog.
Med. Virol. 22: 152-155.
- Oriel J. D. (1971):
Natural history of genital warts. Br. J. Vener. Dis. 46:
37-42.
- Orth G., Breitburd F. and Favre M. (1978a):
Evidence for antigenic determinants shared by the
structural polypeptides of (shope) rabbit papillomavirus
and human type 1. Virology 91: 243-255.
- Orth G., Breitburd F. and Favre M. (1977a):
Papillomaviruses: Possible role in human cancer. Cold
Spring Harbor Conf. Cell Prolif. 4: 1043-1086.
- Orth G., Favre M. and Croissant O. (1977b):
Characterization of a new type of human papillomavirus that
causes skin warts. J. Virol. 24: 108-120.

- Orth G., Jablonska S., Favre M., Croissant O., Obalek S., Jarzabek-Chorzelska M. and Jibard N. (1981): Identification of papillomaviruses in butcher's warts. *J. Invest. Dermatol.* 76: 97-102.
- Orth G. and Lutzner M. A. (1982): Immunopathology of papillomavirus-induced tumors in different tissues. *Springer Semin Immunopathol.* 5: 33-37.
- Orth G., Jablonska S., Favre M., Croissant O., Jarzabek-Chorzelska M. and Rzeska G. (1978b): Characterization of two types of HPVs in lesions of EV. *Proc. Natl. Acad. Sci* 75: 1537-1541.
- Orth G., Jablonska S., Brylak K. and Croissant O. (1978): Viral sequences related to a human skin papillomavirus in genital warts. *Nature* 275: 334-338.
- Orth G., Favre M., Breithurd F., Croissant O., Jablonska S., Obalek S., Jarzabek-Chorzelska M. and Rzeska G. (1980): Cold Spring Harbor Conf. Cell Prolif. 7: 259-282. Quoted from Kawashima M., Favre M., Jablonska S., Obaleks & Orth G. (1986): Characterization of a new type of human papillomavirus related to HPV-5 from a case of actinic Kkeratosis. *Virology* 154: 389-394.
- Oslen R. L., Gaylor J. and Everett M. A. (1973): Skin color, melanin and erythema. *Arch. Dermatol* 108: 541.
- Ostrow R. S., Bender M., Niimura M., Seki T. Kawashima. M., Pass F., and Faras A. J. (1982): Human papillomavirus DNA in Cutaneous primary and metastasized squamous cell carcinomas from patients with epidermodysplasia verruciformis. *Proc. Natl. Acad. Sci USA* 79: 1634-1638.
- Pfister H., Hettich I., Runne U., Gissmann L. and Chliff G. N. (1983): Characterization of HPV type 13 from focal epithelial hyperplasia Neck Lesions. *J. Virol* 47: 363-366.
- Pfister H., Gassenmaier A., Nurnberger F. and Stuttgen G. (1983): Human papillomavirus-5 DNA in a carcinoma of an epidermodysplasia verruciformis patient infected with various HPVs. *Cancer Res.* 43: 1436-1441.

- Pfister H. and Haneke E. (1984):
Arch Dermatol. Res. 276: 123-125. Quoted from Kawashima M., Favre M., Jablonska S., Obaleks and Orth G. (1986): Characterization of a new type of human papillomavirus related to HPV-5 from a case of actinic Kkeratosis. Virology 154: 389-394.
- Pfister H. and Zur Hausen H. (1978):
Seroepidemiologic studies of human papillomavirus HPV-1 infections. J. Virol. 21: 161-165.
- Pfister H., Nurnberger F., Gissmann L. and Zur Hausen H. (1981):
Characterization of HPV from epidermoplasia verruciformis lesions of a patient from upper volta. Int. J. Cancer 27: 645-650.
- Praetorius-Clausen F. and Willis J. M. (1971):
Papova virus-like particles in focal epithelial hyperplasia. Scand. J. Dent. Res. 79: 362-365.
- Pyrhonen S. (1978):
Human wart virus antibodies in patients with genital and skin warts. Acta Derm. Venerol. 58: 427-432.
- Pyrhonen S., Jablonska S., Obalek S. and Kuismann E. (1980):
Immune reactions in EV. Br. J. Dermatol. 102: 247-254.
- Quick C. A., Foucar E. and Dehner L. P., (1979):
Frequency and significance of epithelial atypia in laryngeal papillomatosis. Laryngoscope 89: 550-560.
- Rajogoplan K., Bahry J., Taych H., Chin K. N. and Tan K. K. (1972):
Familial EV of Lewandowsky and Lutz. Arch. Dermatol. 105: 73-78.
- Reid T. M. S., Fraser N. G. and Kernohan I. R. (1976):
Generalized warts and immune deficiency. Br. J. Dermatol. 95: 559-564.
- Roizman B. and Spear P. G. (1973):
Herpesviruses. In: Ultrastructure of Animal Viruses and Bacteriophages. Edited by Dalton A. J. and Haguenuou F. Vol. 3. An Atlas Academic Press, New York.

- Ronald M. (1986):
Electron Microscopy. In: Basic and Practical Microbiology.
Macmillan Publishing Company, New York. Collier Macmillan
Publishers, London. P. 50-53.
- Rosen C. A., Haseltine W. A. and Lenz J. (1985):
Tissue selectivity of murine leukemia virus infection is
determined by long terminal repeat sequence. J. Virol. 55:
862-865.
- Rowson K. E. K. and Mahy B. W. . (1967):
Human papova (wart)virus. Bacteriol. Rev. 31: 110-131.
- Rueda L. A. and Rodriguez G. (1976):
Human warts caused by papova-virus clinical, histological
and ultrastructural correlation. Med. Cutan. Iber. Lat. Am.
2:113. Quoted from Lutzner M. A. and Blanchet-Bardon C.
(1987): Epidermodysplasia verruciformis In: Dermatology in
General Medicine. Edited By Fitzpatrick T. B., Eissen A. Z.,
Wolff K., Freedberg I. M. and Austen K. F. Mc Graw-Hill
Company, New York P. 2364-2371.
- Ruiter M. and Van Mullem. P. J. (1966):
Demonstration by electron microscopy of an intranuclear
virus in EV. Journal of Investigative Dermatology 47:247.
- Sabatini D. D., Bensch D. and Barnett R, (1963):
Cytochemistry & electron microscopy. The preservation of
cellular ultrastructure and enzymatic activity by aldehyde
fixation. J. Biol. 17:19.
- Sandbank M., Hodak F., Rotem A., and Ben-David-E. (1987):
The Heterogenicity of tumors associated with EV
Acta-Derm-Venerol (stoch). 67(1): 79-82.
- Schellander F. and Fritsch P. (1970):
Dermatologica. 140: 251-263. Quoted from Rook A., Nagington
J., and Height A.: Viruses and related infection. In: Text
Book of Dermatology (1986). Edited by Rook A., Wilkinson D.
S., and Ebling F. G. G. 4th. ed. Blackwell Scientific
Publications, Oxford, London, Edinburgh P. 679.
- Schwartz E., Freese U. K., and Gissmann L., Mayer W., Roggenbuck
B., Stremlau A., and Zur Hausen H. (1985):
Structure and transcription of HPV sequences in cervical
carcinoma cells. Nature 314: 111-114.

- Shah K. V. (1985):
Papovaviruses. In: Virology. Edited by Fields B. N., Knip D. M., Chanok R. M., Melnik J. L., Roizman B. and Shope R. E. Raven prec. Inc. P. 371-391.
- Shirodaria P. and Matthews R. S. (1975):
An immunofluorescent study of warts. Clin. Exp. Immunol. 21: 329-338.
- Southern E. M. (1975):
Detection of specific sequences among DNA fragments separated by gel electrophoresis. J. Mol. Biol. 98: 503-517.
- Spencer E. S. and Andersen H. K. (1970):
Clinically evident, non terminal infections with herpes viruses and the wart virus in immunosuppressed renal allograft recipients. Br. Med. J. 3: 251-254.
- Spradbrow P. B., Beardmore G. L. and Francis J. (1983):
Virion resembling papillomavirus in hyperkeratotic lesions from sun damaged skin. Lancet. 1:189.
- Tabin C. J., Bradley S. M., and Bargman C. I. (1982):
Mechanism of activation of a human oncogene. Nature 300: 143-149.
- Tagami H. , Ogino A. and Takigawa M., Imamura S. and Ofuili S. (1974):
Regression of plane warts following spontaneous inflammation. A histopathological study. Br. J. Dermatol. 90: 147-154.
- Vanselow B. A. and Spradbrow P. B. (1982):
Papillomaviruses, papillomas and squamous cell carcinoma in sheep. Vet. Res. 110: 561-562.
- Viac J., Thivolet J. and Chardonnet Y. (1977):
Specific immunity in patients suffering from recurring warts before and after repetitive intradermal tests with human papillomavirus. Br. J. Dermatol. 79: 365-370.
- Von Krogh G. (1979):
Warts: immunologic factors of prognostic significance. Int. J. Dermatol. 18: 195-204.
- Wang N. S., Huang S. N. and Thurlbeck W. M. (1970):
Combined pneumocystitis carinii and cytomegalovirus infection. Arch. Pathol. 90: 529-532.

- Wile U. J. and Kingrey L. B. (1919):
The etiology of common warts: Preliminary report of an experimental study. JAMA. 73: 970-973. Quoted from Jenson A. B., Kurman R. J. and Lancaster W. D. (1984): Human papillomaviruses In: Textbook of Human Virology. Edited by Blesh R. B. PSG Publishing Company. Inc., Littleton, Massachusetts. P. 951-964.
- Wistrecich G. A. and Lechtman M. D. (1980):
Electron Microscopes in Microbiology. 3rd. ed. Glencoe Publishing Co., Inc. Encino, California. Collier Macmillan Publishers, London P. 65-73.
- Wolnik L., Ikenberg H. and Kildovsky (1983):
Human papillomavirus type 6 and 11 DNA sequences in genital and laryngeal papillomas and in some cervical cancer biopsies. Proc. Natl. Acad. Sci. USA. 80:560.
- Yabe Y. and Sadakane H. (1975):
The virus of epidermodysplasia verruciformis: Electron microscopic and fluorescent antibody studies. J. Invest. Dermatol. 65: 324-330.
- Yabe Y., Sakai. A., Tanimura Y., Kuramits M., Hitsumoto Y., Ishii K., and Ueki H. (1988):
Two human papillomavirus DNAs molecularly cloned from a patient with epidermodysplasia verruciformis: restriction maps Acta-Med-Okayama (abs). 42: 243-245.
- Yang T. C., Okayama H. and Howley P. M. (1985):
Bovine papillomavirus contains multiple transforming genes. Proc. Nat. Acad. Sci. (wash.), 82: 1030-1034.
- Yoshiro Y., Masazumi Y., Nariko Y., Tazuko F., Noboru O., Nozomi N. (1978):
Epidermodysplasia verruciformis: Viral particles in early malignant lesions. J. Invest. Dermatol. 71:225-228.
- Yutsudo M. and Hakura A. (1987):
HPV type 17 transcripts expressed in skin carcinoma tissue of a patient with epidermodysplasia verruciformis. Int. J. Cancer. 39: 586-589.
- Yutsudo M., Shimakage T. and Hakura A. (1985):
HPV type 17 DNA in skin carcinoma tissue of a patient with Epidermodysplasia verruciformis. Virology 144(1): 295-298.

Yutsudo M., Tanigaki T., Tsumori T., Wantanabe S., and Hakura A. (1982):

New human papillomavirus isolated from epidermodysplasia verruciformis lesions. *Cancer Res.* 42 (6): 2440-2443.

Yutsudo M., Kanda R., Tanisak T., Kitano Y., and Hakura A. (1986): Human papillomavirus type 38 isolated from patients with epidermodysplasia verruciformis. *Intervirology* 26(1-2): 104-108.

Zur Hausen H. (1977):

Human papillomaviruses and their possible role in squamous cell carcinomas. *Curr. Top. Microbiol. Immunol.* 78: 1-30.

Zur Hausen H. (1976):

Cancer Res. 36:794 Quoted from Yutsudo M. and Hakura A. (1987): HPV type 17 transcripts expressed in skin carcinoma tissue of a patient with epidermodysplasia verruciformis. *Int. J. Cancer.* 39: 586-589.