

REFERENCES

- Ackman, R. G. (1981):** Algae as sources for edible lipid. In: Pryde, E. H., Princen, L. H., Mukherjee, K. D. (Eds.), New sources of fats and oils. A. O. C. 189- 220.
- Ahlgren, G.; Gustafsson, I. and Boberg, M. (1992):** Fatty acid content and chemical composition of freshwater microalgae. J. Phycol. 28: 37-50.
- Ahmed, A. M. and Osman, M. E. H. (1973):** The influence of light on the $^{14}\text{CO}_2$ -fixation by synchronous culture of *C. pyrenoidosa*. Egypt. J. Bot., 16 (1-3): 319-323.
- Ahmed, I. and Hellebust, J. A. (1990):** Regulation of chloroplast development by nitrogen source and growth conditions in a *Chlorella protothecoides* strain. Plant. Physiol. 94: 944-949.
- Allen, M. M.; Hutchison, F. and Weathers, P. (1980):** Cyanophycin granule polypeptide formation and degradation in Cyanobacterium *Aphanocapsa* 6308. J. Bacteriol. 141: 687-693
- Bar, E.; Rise, M.; Vishkautsan, M. and Ard, S. M. (1995):** Pigment and structural changes in *Chlorella zofingiensis* upon light and nitrogen stress. J. Plant Physiol. 146: 527-534.
- Becker E. W., (1994):** Microbiology: biotechnology and microbiology. Cambridge University Press
- Becker, J. E. and Thompson, J.F. (1962):** Metabolism of urea and ornithine cycle intermediates by nitrogen-starved cells of *Chlorella vulgaris*. Plant Physiology. 37: 618-624.
- Bischoff, H. W. and Bold, H. C. (1963):** Phycological studies. IV some soil algae from Enchanted rock and related algal species. Univ. Texas. Publ. No. 6318: 32-36.

- Bjorensater, B. R.; Wheeler, P. A. (1990):** Effect of nitrogen and phosphorus supply on growth and tissue composition of *Ulva fenestrata* and *Enteromorpha intestinalis* (Ulvales, Chlorophyta). J. Phycol. 26: 603-611.
- Brown, M. R. (1991):** The amino acid and sugar composition of microalgae used in mariculture. J. E. M. B. 145:79-99.
- Brown, M. R. and Jeffrey, S. W. (1992):** Biochemical composition of microalgae from the green algal class Chlorophyceae 1. Amino acids, sugars and pigment. J. Exper. Mar. Biol. Ecol. 161: 91-113.
- Brown, M. R.; Jeffrey, S. W. and Garland, C. D. (1989):** Nutritional aspects of microalgae used in mariculture: a literature review. CSIRO Mar. Lab. Rep. 205, 44.
- Brown, M. R.; Jeffrey, S. W.; Volkman, J. K. and Dunstan, G. A. (1997):** Nutritional properties of microalgae for mariculture. Aquaculture, 151:315-331.
- Cannons, A. C.; Iida, N. and Solomoson, L.P. (1991):** Expression of a complementary DNA clone encoding the heme-binding domain of *Chlorella* nitrate reductase. Biochem. J., 278 (1): 203-210.
- Carvalho, A. P. and Malcata F. X. (2000):** Effect of culture media on production of polyunsaturated fatty acids by *Pavlova lutheri*. Cryptogamie, Algol. 21 (1): 59-71.
- Chu, S. P. (1942):** The influence of the mineral composition of the medium on the growth of planktonic algae. J. Ecol. 30: 248-325.
- Chuecas, L. and Riely, J. P. (1969):** The component combined amino acids of some marine diatoms. J. Mar. Biol. Assoc. U. K.; 49: 117-1120.

- Corner E. D. and Cowey C. B. (1968):** Biochemical studies on the production of marine zooplankton. Biol. Rev. Camb. Philos. Soc. 43 (4): 393-426.
- Coutinho, R. and Zingmark, R. (1993):** Interactions of light and nitrogen on photosynthesis and growth of the marine macroalga *Ulva curvata* (Kützinger) De Toni. J. Exp. Mar. Biol. Ecol. 167:11-19.
- Cramer, H. and Myers, J. (1948):** Nitrate reduction and assimilation in *Chlorella*. J. G. Physiol. 32: 93-102.
- Davis, E. A.; Dedrick, J.; French, C. S.; Milner, H. W.; Myers, J.; Smith, J. H. C. and Spoehr, H. A. (1953):** Laboratory experiments on *Chlorella* culture at the Carnegie Institution of Washington, Department of Plant Biology. In Algal culture from Laboratory to pilot plant, ed. J. S. Burlew, 105-53. Washington, DC: Carnegie Institution.
- Dawa, A. M. (1998):** Cultivation of *Chlorella vulgaris* and its uses as feed supplement for the cultivation of Silver Carp fish. Ph.D. Thesis, Benha Faculty of Science, Zagazig University. pp. 199
- Derrien, A.; Coiffard, L.; Coiffard, C. and De Roeck-Holtzhauer, Y. (1998):** Free amino acid analysis of five microalgae. J. Appl. Phycol. 10: 131-134.
- Dische, Z. and Schwartz (1937):** Mikrochim. Acta 2: 13; C. F. Cited in: Stahl, E. (ed.): Thin-layer chromatography. Springer. Verlag, Berlin.
- Dittmer, J. C. and Wells, M. A. (1969):** Quantitative and qualitative analysis of lipids and lipid components. Methods Enzymol. 14: 482-530.
- Dubois, M., Gilles, A., Hamilton, J. K., Robert, P. A., and Smith, F. (1956):** Colorimetric methods for determination of sugars and related substances. Anal. Chem. 28 (30): 350-356.

- Duke CS.; Lapointe B. E. and Ramus J. (1986):** Effects of light on growth. RuBPCase activity and chemical composition of *Ulva* species (Chlorophyta). J. Phycol. 22: 362-370.
- Dupré. C.; Guary, J. C. and Grizeau, D. (1994):** Effect of photon fluence rate, nitrogen limitation and nitrogen recovery on the level of phycoerythrin in the unicellular alga, *Rhodospirillum rubrum* (Rhodospirillaceae). Physiol. Planta. 92: 521-527.
- Durrani, F.R. and Khalil, I. A. (1989):** Green algae as a protein source in animal feed. Pakist. J. Scient Indust. Res. 32: 2, 117-119.
- El-Ayouty, E.Y., Khalil, A. I. and El-Asadi, M. A. (1979):** Comparison between nitrate, ammonia and urea as nitrogen metabolism of *Chlorella vulgaris*. Egypt. J. Agric. Res. 37(1): 301-316.
- Edozien, J. C.; Udo, U. U.; Young, V. R. and Scrimshaw, N. S. (1970):** Effects of high levels of yeast feeding on uric acid metabolism of young man. Nature (London), 228:180.
- El-Sheekh, M. M. (1986):** The production of proteins by *Chlorella*. M. Sc. Thesis. Tanta Univ., Egypt. PP.127
- El- Sheekh, M. M. (1990):** The systematic position of some algal taxa and the effect of some environmental factors on cell wall composition. Ph. D., Thesis, Botany Department. Tanta Univ., Egypt. pp. 234.
- Emdadi, D. and Berland, B. (1989):** Variation in lipid class composition during batch growth of *Nannochloropsis salina* and *Pavlova lutheri*. Mar. Chem. 26: 215-225.
- Enright, C. T.; Newkirk, G. F.; Craigie, J. S. and Castell, J. D. (1986):** Evaluation of Phytoplankton as diets for juvenile *Ostrea edulis* L. J. Exp. Mar. Biol. Ecol., 96: 1-13.

- Fabregas, J.; Herrero, C.; Cabezas, B. and Abalde, J. (1985):** Mass culture and biochemical variability of the marine microalgae *Tetraselmis suecica* (Kylin) Butch with high nutrient concentrations. *Aquaculture*, 49: 231-244.
- Fabregas, J.; Herrero, C.; Cabezas, B. and Ablade, J. (1987):** Growth and biochemical variability of the marine microalga *Chlorella stigmatophora* in batch cultures with different salinities and nutrient gradient concentration. *Br. Phycol. J.* 22 (3): 269- 276.
- Fabregas, J.; Ablade, J. and Herrero, C. (1989):** Biochemical composition and growth of the marine microalga *Dunaliella tertiolecta* (Butcher) with different ammonium nitrogen concentrations as chloride, sulfate, nitrate and carbonate. *Aquaculture*, 83: 289-304.
- Fidalgo, J. P.; Cid, A.; Abalade, J. and Herrero, C. (1995):** Culture of the marine diatom *Phaeodactylum tricornutum* with different nitrogen sources: growth, nutrient conversion and biochemical composition. *Cahiers de Biologie Marine* 36: 165-173.
- Fidalgo, J. P.; Cid, A.; Sukenik, A. and Herrero, C. (1998):** Effect of nitrogen source and growth phase on proximate biochemical composition, lipid classes and fatty profile of the marine microalga *Isochrysis galbana*. *Aquaculture* 166: 105- 116.
- Floreta, E. A. T.; Teshima, S. and Ishikawa, M. (1996):** Effects of nitrogen and phosphorus on the growth and fatty acid composition of *Ulva pertusa* Kjellman (Chlorophyta). *Bot. Mar.* 39: 69-74.
- Flynn, K. J.; Garrido, J. L.; Zapata, M.; Opik, H. and Hipkin, C. R. (1992):** Changes in fatty acids, amino acids and carbon / nitrogen biomass during nitrogen starvation of ammonium- and nitrate-grown *Isochrysis galbana*. *J. Appl. Phycol.* , 4: 95-104.

- Henry, R.; Hino, K.; Tundisi, J. G. and Ribeiro, J. S. (1985):** Responses of phytoplankton in Lake Jacaretinga to enrichment with nitrogen and phosphorus in concentrations similar to those of the River Solimnoeos. (Amazon Barazil). Arch. Hydrobiol. 103: 453- 477.
- Ionasescu, L. (1971):** Some physiological processes of *Chlorella vulgaris* in stirred and unstirred suspension. An. Unn. Bucu. Biol. Veg., 20; 219.
- Jeffrey, S. W.; Brown, M. R. and Garland, C. D. (1994):** Microalgae for mariculture: Final Report to FRDC on (Bacteria-Free (axenic) microalgae for improved production of larval and Juvenile bivalves) and (Microalgae for Mariculture), pp.79.
- Jiménez Del Rio, M; Ramazanov, Z. and Garcia Reina, G. (1995):** Effect of nitrogen supply on photosynthesis and carbonic anhydrase activity in the green seaweed *Ulva rigida* (Chlorophyta). Mar. Biol. 123:687-691.
- Kandatsu, M. and Hirotarō, K. (1979):** Nutritive value of green algal protein of *Chlorella ellipsoidea*. Bull. Azabu. Vet. Coll., 4(1): 1-8.
- Kaplan, D.; Richmond, A. E.; Dubinsky, Z. and Aaronson, S. (1986):** Algal nutrition In: Richmond. A. (Ed.). Handbook of Microalgal Mass Culture. CRC Press Fl. pp.147-198.
- Kay, R. A. (1991):** Microalgae as food and supplement. Crc. Critical. reviews. In Food Science and Nutrition. 30(6): 555-573.
- Kreeger, D. A. and Langdon, C. J. (1993):** Effect of dietary protein content on growth of juvenile mussels, *Mytilus trossulus* (Gould 1850). Biol., 185, 123-139.
- Kuhl, A. (1962):** Zur Physiologie der Speicherung kondensiertem organischer Phosphate in *Chlorella*. In: Beiträge zur Physiologie

und Morphologie der Algen. Gustav Fischer Verlag. Stuttgart. West Germany. pp. 162

- Larson, T. R. and Rees, T. A. V. (1996):** Changes in cell composition and lipid metabolism mediated by sodium and nitrogen availability in the marine diatom *Phaeodactylum tricornutum* (Bacillariophyceae). J. Phycol. 32: 388-393.
- Levasseur, M.; Thompson, P. A. and Harrison, P. J. (1993):** Physiological acclimation of marine phytoplankton to different nitrogen sources. J. Phycol. 29, 587-595.
- Lourenço, S. O.; Lanfer Marquez, U. M.; Mancini-Filho, J.; Barbarino, E. and Aida E. (1997):** Changes in biochemical profile of *Tetraselmis gracilis*. I. Comparison of two culture media. Aquaculture. 148, 153-168.
- Lourenço, S. O.; Barbarino, E.; Mancini-Filho, J.; Schinke, K. P. and Aida, E. (2002):** Effects of different nitrogen sources on the growth and biochemical profile of 10 marine microalgae in batch culture: an evaluation for aquaculture. Phycologia 41 (2), 158-168.
- Lowery, O. M., Rosebrough, N. J., Farr, L. A., and Randall, R. J. (1951):** Protein measurements with the Folin Phenol reagent. J. Biol. Chem. 193: 265.
- Mackinney, G. (1941):** Absorption of light by chlorophyll solutions. J. Biol. Chem. 140: 315- 322.
- Makled, M. M. (1995):** Physiological studies on some species of unicellular green algae with special reference to protein production. MS. C. Thesis. Faculty of science. Menoufia University. pp. 155.
- Masoljidek, J.; Torzillo, G.; Kopechý, J.; Koblizek, M.; Nidiaci, L.; Komenda, J.; Lukavská, A. and Sacchi, A. (2000):** Changes in chlorophyll fluorescence quenching and pigment

- composition in the green *Chlorococcum* sp. grown under nitrogen deficiency and salinity stress. J. App. Phycol. 12:417-426.
- Miernik, A. (1983):** The quality of protein from algae used in the purification of wastewater from the nitrogen fertilizer industry. Acta- Microbiologica Polonica. 32(3): 269-274.
- Miernik, A. (1985):** Estimation of nutritional value of algal proteins obtained from simulated nitrogen fertilizer plant wastes with different forms and concentrations of nitrogen. Acta Hydrobiol. 27(3): 321-330.
- Mohamed, Y. and Capesius, L. (1980):** Wirkung von Gibberellinsäure und Füllrdschwachstums von *Pisum sativum*. Z. Pflanzenphysiol. 98: 15-23.
- Molina, E.; Martinez. Sánchez S.; García F. and Contreras A. (1991):** The influence of temperature and the initial N: P ratio on the growth of microalgae *Tetraselmis* sp. Process Biochemistry 26: 183-187.
- Morris, I. (1981):** Photosynthetic products, physiological state, and phytoplankton growth. In Physiological bases of Phytoplankton Ecology, Platt T. (Ed.), Can. Bull. Fish. Aquat. Sci., 210: 83-102.
- Mostert, E. S. and Grobbelaar, J. U. (1987):** The influence of nitrogen and phosphorus on algal growth and quality in outdoor mass algal cultures. Biomass. 13 (4): 219-233.
- Myers, J.; Philips, J. N. and Graham, J. R. (1951):** On mass culture of algae. Plant Physiol. 26: 539-548.
- Naguib, A.; Shalaby, T. A. and Hassan, R. A. (1976):** Physiotechnological studies on some lentil varieties *Lens esculenta* Moench. II. Amino acid composition and nitrogen fractions. J. Agric. Res., Tanta Univ. (Egypt) 2 (2): 20-30.

- Payne, J. K. and Stewart, J. R. (1988):** The chemical composition of the thallus wall of *Characiosiphon rivularis* (Charaiosiphonaceae, Chlorophyta). *Phycologia* 27 (1): 43- 49.
- Pendzikevich, J.; Vilchok, T. and Skshipchik, Yu. (1975):** Effect of different concentrations of nitrate in the medium on the amino-acid composition of protein in *Chlorella* cells. *Kosm. Biol. Aviakosm. Med.* 9 (4): 37-39.
- Pinchetti, J. L. G.; Fernandez, E. D. C; Diez, P. M. and Reina, G. G. (1998):** Nitrogen availability influences the biochemical composition and photosynthesis of tank-cultivated *Ulva rigida* (chlorophyta). *J. Appl. Phycol.* 10: 383-389.
- Piorreck, M.; Baasch, K. and Pohl, P. (1984):** Biomass production, total protein, chlorophylls, lipids and fatty acids of fresh water green and blue-green algae under different nitrogen regimes. *Phytochemistry* 23: 207-16.
- Radu-Salageanu, V. (1972):** Influence of different nitrogen sources on some physiological processes on alga *Chlorella luteoviridis* chodat. *Rev. Roum. Biol. Ser. Bot.*,17, 283.
- Rhee, G.Y. and Lederman, T.C. (1983):** Effect of nitrogen sources on P-limited growth of *Anabaena flos-aquae*. *J. Phycol.* 19: 179- 185.
- Rodriguez-Lopez, M.; Villarroya, M. and Muñoz-Calvo, M. L. (1980):** Influence of ammonium and nitrate on protein, amino acid pattern, storage materials and fine structure of *Chlorella* 8H recovering from N-starvation. In: G. Shelef and C. J. Soeder (Editors), *Algae Biomass: Production and Use*. Elsevier/ North-Holland Biomedical Press, Amsterdam, pp. 723-731.
- Roessler, P. G. (1990):** Environmental control of glycerolipid metabolism in microalgae: Commercial implications and future research directions. *J. Phycol.* 26; 393- 399.

- Salib, A. G; El-Nahry, F. and Osman, M. A. (1978):** Preliminary studies on the biological value of some algae. *Annals of Agric. Sc., Mashtohor.* 9: 973- 84.
- Schneider, W. C. (1957):** Colorimetric Analysis of Sugar. *Methods in Enzymol.* Vol. III (eds Cdowick, S. P. and Kaplan, N. O.): 73-105.
- Shaalán, S. H.; Khaleafa, A. F and Kasem, A. M. (1998):** Algal single cell protein from extract of cow manure enriched with different nitrogen sources. *Bull. Natl. Inst. Oceanogr. Fish. Egypt.* 15(1): 119-124.
- Shabana, E. F.; El-Tantawy, H. and Abd El- Monem, H. H. (1994):** Nutrient enrichment and its effects on growth and metabolism of *Chlorella vulgaris* and *Phormidium laminosum*. *Egypt. J. Physiol. Sci.* 18(1): 211-226.
- Shenderova, L. V.; Chemeris, K. Y. and Venediktov, P. S. (1983):** Chlorophyll bleaching in *Chlorella vulgaris* under nitrogen starvation and regreening when exposed to nitrate. *Fiziol. Rast. (Mosc.)* 30: 355-359.
- Sherman, T. D. and Funkhouser, E. M. (1989):** Induction and synthesis of nitrate reductase in *Chlorella vulgaris*. *Arch. Biochem. Biophys.* 274 (2): 525-531.
- Shifrin, N. S. and Chisholm, S. W. (1981):** Phytoplankton lipids: interspecific differences and effects of nitrate, silicate and light -- dark cycles. *J. Phycol.* 17: 374-384.
- Shock, L. V.; Deyoe, C.W.; Shoup, F. K.; Bathurst, J. and D. Liang (1970):** Protein Fractionation of *Sorghum* grains. *Cereal Chem.*, 47, 472.
- Smit, A. J.; Robertson B. L. and Du Preez, D. R. (1997):** Influence of ammonium-N pluse concentrations and frequency, tank

- condition and nitrogen starvation on growth rate and biochemical composition of *Gracilaria gracilis*. Appl. Phycol. 8: 473- 481.
- Soliman, A. R. I. (1993):** Effect of urea and glutamic acid on the growth and protein production of *Scenedesmus quadricauda*. Phykos. 32(1-2): 125- 130.
- Spotte, S. (1979):** Culture media. In: Spotte S. (ed.), Seawater Aquariums—the Captive Environment. New Jersey, USA, John Wiley and Sons, pp. 26-55.
- Sriharan, S.; Bagga, D. and Nawaz, M. (1991):** The effects of nutrients and temperature on biomass, growth, lipid production, and fatty acid composition of *Cyclotella cryptica* Reimann, Lewin, and Guillard. Appl. Biochem. Biotech. 28/29: 317-326.
- Stevens, Jr S. E.; Balkwill, D. L. and Paone, D. A. M. (1981):** The effects of nitrogen limitation on ultrastructure of cyanobacterium *Agmenellum quadruplicatum*. Arch. Microbiol. 130-212.
- Stevens, Jr S. E.; Nierzwicki-Baue, S. A. and D. L. Balkwill, S. A. (1985):** The effect of nitrogen starvation on the morphology and ultrastructure of the cyanobacterium *Mastigocladus laminosus*. J. Bacteriol. 161: 1215-1218.
- Stewart, W. D. P. (1974):** Algal physiology and Biochemistry. Vol. 10, University of California Press, Berkeley, California.
- Suen, Y.; Hubbard, J. S.; Holzer, G. and Tornabene, T. G. (1987):** Total lipid production of the green alga *Nannochloropsis*. Sp. II under different nitrogen regimes. J. Phycol 23: 281-96.
- Sukenik, A. (1991):** Ecophysiological considerations in the optimization of eicosapentaenoic acid production by *Nannochloropsis* sp. (Eustigmatophyceae). Bioreso. Tech. 3: 263-269.

- Syrett, P. J. (1981):** Nitrogen metabolism of microalgae. In: Physiological bases of phytoplankton ecology (Ed. By T. Platt). Cand. Bull. of fish. and aquat. Sci. 210:182-210.
- Tam, N. F. Y. and Wong, Y. S. (1996):** Effect of ammonia concentrations on growth of *Chlorella vulgaris* and nitrogen removal from media. Biores. Tech. 57(1): 45-50.
- Thomas, W. H.; Seibert, D. L. R; Alden, M.; Neori, A. and Elridge, P. (1984):** Yields, photosynthetic efficiencies and proximate composition of dense marine micro-algal cultures. I. Introduction and *Phaeodactylum tricornutum* experiments. Biomass 5: 181-209.
- Thompson, J. F. and Muenster, A. M. E (1971):** Separation of the *Chlorella* ATP: urea amidolyase into two components. Biochem. and Biophys. RES. Comm. 43: 1049-1055.
- Toerien, D. F. (1974):** Half saturation constant for nitrogen limited growth of the green alga *Selenastrum capricornutum* Printz. South African J. of Sci. 70: 75.
- Utting, S. D. (1985):** Influence of nitrogen availability on the biochemical composition of three unicellular marine algae of commercial importance. Aquacult. Eng., 4:175-190.
- Van Vuren, M. M. J. and Grobbelaar (1982):** Selection of algal species for use in open outdoor mass cultures. Water. S. A. (Pretoria) 8 (2): 86-91.
- Wanner, G.; Henkelmann, G.; Schmidt, A. and Kost, H. P. (1986):** Nitrogen and sulfur starvation of the *Cyanobacterium Synechococcus* 6301. An ultrastructural, morphometrical, and biochemical comparison. Z. Naturforsch. 41c:741-750.
- Wetherell, D. F. (1961):** Culture of freshwater algae in enriched natural seawater. Physiol. Plant. (Copenh.) 14: 1-6.

- Wikfors, G. H. and Ukeles, R. (1982):** Growth and Adaptation of estuarine unicellular algae in media with excess copper, cadmium or zinc, and effects of metal-contaminated algal food on *Crassostrea virginica* larvae. Marine Ecology- Progress Series 7: 191-206.
- Wikfors, G.H.; Twarog, J.W.; Jr. and Ukeles, R. (1984):** Influence of chemical composition of algal food sources on growth of juvenile oysters, *Crassostrea virginica*. Biol. Bull. 167: 251-263.
- Xu, N.; Fan, X.; Han, L. and (C. K. Tesng), C. Z. (2001):** Effect of nitrogen source and concentration on growth rate and fatty acid composition of *Ellipsoidion* sp. (Eustigmatophyta) J. Phycology 13: 463-469.
- Yamaguchi, M.; Ptakura, S. and Uchida, T. (2001):** Nutrition and growth kinetics in nitrogen- or phosphorus-limited cultures of the 'novel red tide' dinoflagellate *Heterocapsa circularisquama* (Dinophyceae). Phycologia, 40 (3): 313-318.
- Yongmanitchai W, Ward O. P. (1991):** Growth of and omega-3 fatty acid production by *Phaeodactylum tricornutum* under different culture conditions. Appl. Environ. Microbiol. 57 (2): 419-425.