

REFERENCES

** Adams, G. (1971):*

Capacity after stroke. Br. J. Med.; 91-93.

** Alfieri, (1982):*

Electrical treatment of spasticity: Reflex tonic activity in hemiplegic patients and selected specific electrostimulation. Scand. J. Rehabil Med 14: 177-182.

** Al-Garem, O. (1984):*

Upper motor neuron lesion; In: Al-Garem's clear neurology 3rd. Alexandria: Dar El-Maaref, 38-42.

** Allen, C. (1983):*

Clinical diagnosis of the acute stroke syndrome. Q. J. Med.; 52: 512-523.

** Anderson, K.E. (1971):*

Sensory improvement in hemiplegia. Arch Phys. Med. Rehabil, 1: 293-297.

** Anderson, L.T. (1985):*

Shoulder pain in hemiplegia. Am. J. Occup. Ther, 39: 11-19.

*** Anderson, T. (1990):**

Rehabilitation of patients with completed stroke. In: Krusen's Handbook of Physical Medicine and Rehabilitation. Ed. by: Kottke, F.; Stillwell H, and Lehman, J. 4th edition. W.B. Saunders Company, PP: 656-671.

*** Andrews, A.W. and Bohannon, R.W. (1989):**

Decreased shoulder range of motion on paretic side after stroke. Arch. Physical Therapy 69: 768-772.

*** Baker, L. and Parker, K. (1986):**

Neuromuscular electrical stimulation of the muscles surrounding the shoulder. Phys. Ther.; 66: 1930-1937.

*** Bannister, R. (1977):**

Disorders of the cerebral circulation. In: Brain's clinical neurology. London: Oxford University Press 5th ed., 253-282.

*** Barnett, H. (1980):**

Progress toward stroke prevention. Neurology; 30: 1212-1225.

*** Bateman, J.B. (1978):**

Applied physiology of the shoulder and neck. In: "The Shoulder and Neck". 2nd ed. W.B. Saunders Company. Philadelphia, London, Toronto, P; 67-85.

*** Bechtol, C. (1980):**

Biomechanics of the shoulder. Clin. Orthop. Reh. 146: 37.

*** Beukelman, D. and Yorkstone, K. (1990):**

Speech and language disorders. In: Krusen's hand book of physical medicine and rehabilitation. Edited by: Kottke, F.S.; Tillwell, H. and Lehman, J. 4th edition. W.B. Saunders Company, P: 126-135.

*** Bigliani, L.U.; Dalsey, R.M. and McCann, P.D. (1990):**

An anatomical study of the suprascapular nerve. Arthroscopy, 6: 301.

*** Blakely, R.L. and Palmer, M.L. (1984):**

Analysis of rotation accompanying shoulder flexion. Phys. Ther 64(8): 1214.

*** Block, R. and Ralph Black, N. (1979):**

Progress in stroke. Clinical orthopedics and related research 131: 10-14.

*** Bobath, B. (1980):**

Adult hemiplegia. Evaluation and treatment. London, William Heinemann Medical Books.

*** Bohannon, R.W. (1988):**

Relationship between shoulder pain and selected variables in patients with hemiplegia. Clinical Rehabilitation, 2: 111-117.

*** Bohannon, R.W.; Larkin, P.A. and Smith, M.B. (1986):**

Shoulder pain in hemiplegia statistical relationship with five variables. Arch. Phys. Med. Rehabil, 67: 514-6.

*** Bohannon, R.W. and Smith, M.B. (1987):**

Assessment of strength deficits in Eight paretic upper extremity muscle groups of stroke patients with hemiplegia. Arch Phys Therapy; 67: 522.

*** Brant-Zawadzki, M.; Soloman, M.; Newton, T.; Wenstein, P.; Schmidley, J. and Norman, D. (1985):**

Basic principles of magnetic resonance imaging in cerebral ischaemia and its clinical experience. Neuroradiology; 27: 517.

*** Braus, D.F.; Krauss, J.K. and Strobel, J. (1994):**

The shoulder hand syndrome after stroke: a prospective clinical trial. An. Neuro. P: 728-33.

*** Brooke, M.M.; Delateur, B.J.; Diana-Rigby, G.C. and Questod, K.A. (1991):**

Shoulder subluxation in hemiplegia: Effects of three different support. Arch. Phys. Med. Rehabil. 72: 582-6.

*** Bruckner, F.E. and Nye, C.J.S. (1981):**

Prospective study of adhesive capsulitis (Frozen shoulder) in high risk population. Q. J. Med. 198: 191-204.

*** Brunnstrom, S. (1970):**

Movement therapy in hemiplegia; A Neurophysiological approach. New York, Harper and Row. P: 111-125.

*** Buschbacher, R. (1994):**

Shoulder Girdle and Arm. In: "Musculoskeletal disorders, a practical guide for diagnosis and rehabilitation". Butter Worth Heinemann, P: 133-152.

*** Cailliet, R. (1985):**

The shoulder in hemiplegia. Philadelphia, P.A., F.A.; Davis, Co. P: 140-147.

*** Cailliet, R. (1991):**

Functional anatomy. In: Shoulder pain. 3rd ed. F.A. Davis Company, Philadelphia, P: 1-50.

*** Caplan, L. (1988):**

Diagnostic technique of stroke. Clinical symposia; 40: 5-8.

*** Chaco, J. and Wolf, E. (1971):**

Subluxation of the glenohumeral joint in hemiplegia. Am. J. Phys. Med. 50: 139-143.

*** Cheng, P.T. and Hong, C.Z. (1995):**

Prediction of reflex sympathetic dystrophy in hemiplegic patients by electromyographic study. *Stroke*, 26: 2277-80.

*** Chuksid, J. (1983):**

Nervous system. In: *Current Medical Diagnosis and Treatment*. Ed. by Krupp, M.A. and Chatton, M.J. Lange Medical Publication P: 567-608.

*** Clark, G.R.; Willis, L.A.; Fish, W.W. and Nichols, P.J.R. (1974):**

Assessment of movement at the glenohumeral joint. *Orthopedics*. 7: 55.

*** Codman, E.A. (1934):**

Rupture of supraspinatus tendon and other lesions in or about subacromial bursa. In *The Shoulder*. 1st ed. Thomas Todd Boston P: 216-224.

*** Crossen-Sills, J. (1985):**

An analysis of shoulder pain, range of motion and subluxation in patients with hemiplegia. Read at the sixty-first annual conference of the American physical therapy association, New Orleans, L.A. 16-20.

*** Dalton, S.E. (1994):**

The shoulder. In: *Rheumatology*. 1st ed. edited by Klippe J and Dieppe P.A. Mosby Year Book Europe Limited. P: 801-816.

*** Daniels, L. and Worthingham, C. (1980):**

Basic consideration in muscle testing. Techniques of manual examination. P: 3-12.

*** De Courval, L.P.; Barsauskas, A.; Berenbaum, B. et al. (1990):**

Painful shoulder in the hemiplegic and unilateral neglect. Arch Phys. Med. Rehabil, 71: 673-6.

*** De Palma, A.F. (1983):**

Regional, variational and surgical anatomy. In: Surgery of the shoulder. 3rd ed., J.B. Lippincott Company, Philadelphia. P: 35-64.

*** Duyckaerts, C and Hauw, J. (1985):**

Pathology and pathophysiology of brain ischaemia neuroradiology; 27: 460-467.

*** Eggers, O. (1984):**

Assessment of motor function in: Occupational therapy in treatment of adult hemiplegia. Published by William Heinemann, Medical Books Ltd. London; P: 36-42 and 86-87.

*** Ellwood, P. (1990):**

Bed Positioning. In: Krusen's Handbook of physical Medicine. W.B. Saunders Company, P:520-528.

*** Estape, R.; Ferel, D. and Barth, R. (1979):**

Brachial plexus lesions in hemiplegics Acta neural .J. 79: 444-9.

*** Faghri, P.D.; Rodgers, M.M.; Glaser, R.M.; Bors, J.G. et al. (1994):**

The effects of functional electrical stimulation on shoulder subluxation, arm function recovery and shoulder pain in hemiplegic stroke patients. Arch. Phys. Med. Rehabilitation, 75: 73-79.

*** Fields, R.W. (1987):**

Electromyographically triggered electric muscle stimulation for chronic hemiplegia. Arch. Phys. Med. Rehabil, 68: 407-14.

*** Fugl-Meyer, A.R. (1980):**

Post stroke hemiplegia: Assessment of physical properties. Scand. J. Rehabil. Med. 7: 85-93.

*** Gilroy and Holliday, (1982):**

Basic Neurology. Macmillan, New York.

*** Griffin, J.W. (1986):**

Hemiplegic shoulder pain. Phys. Ther; 66: 1884-93.

*** Gunn, G. (1976):**

Tenderness at motor points. J. Bone. Jt. Surg., 58: 515.

- * Hakuno, A.; Hironobu, S.; Ohkawa, T. et al. (1984):**
Arthrographic findings in hemiplegic shoulders. Arch. Phys. Med. Rehabil, 65: 706-711.
- * Hall, S.J. (1991):**
Movement, the biomechanics of the upper extremity. In: Basic Biomechanics. 1st ed. Mosby Year Book, P: 144-179.
- * Hall, S.J.; Dudgeon, B. and Guthrie, M. (1995):**
Validity of clinical measures of shoulder subluxation in adults with post stroke hemiplegia Am. J. Occup. Ther, Vol. 49: 526-33.
- * Hamamci, N.; Dursum, E.; Ural, C. and Cakci, A. (1996):**
Calcitonin treatment in reflex sympathetic dystrophy: A preliminary study. Br. J. Clin. Pract. Vol. 50: 373-5.
- * Hardy-Godon, S.; Meder, J.; Dilouya, A. and Fredy, D. (1985):**
Ischaemic strokes and oral contraception. Neuroradiology, 27: 588-592.
- * Harrison, M. (1983):**
Angiography and computed tomography scanning. In: Cerebral vascular Disease. Edited by Harrison, M. and Dyken, M. Butterworths and Co. (Publishers) Ltd. P: 196-214.

*** Hawkins, R.J.; Hatt, S.Z. and Murnaghan, J.P. (1984):**

The shoulder adult orthopaedics, New York, NY Churchill Living stone, Inc. Vol. 2. P: 122-125.

*** Hecht, J.S. (1992):**

Subscapular nerve block in the painful hemiplegic shoulder. Arch Phys. Med. Rehabil, 73: 1036-9.

*** Heilman, K.M.; Watson, R.T. and Valenstein, E. (1985):**

Neglect and related disorders. In: Heilman KM, Valenstein E, eds. Clinical neuropsychology. 2nd ed. New York, Oxford University Press, 277: 342-4.

*** Heros, R. and Kistler, J. (1983):**

Intracranial arterial aneurysm: An update. Stroke; 14: 628-63.

*** Hewer, R. (1976):**

Stroke rehabilitation. In: Cerebral Arterial Disease. Edited by: Russel, R.W.R. Edinburgh, Churchill Living stone P: 40-57.

*** Ikai, T.; Tei, K.; Yoshida, K.; Miyano, S. and Yonemoto, K. (1998):**

Evaluation and treatment of shoulder subluxation in hemiplegia; relationship between subluxation and pain. Am. J. Phy. Med. Rehabil, 77: 421-6.

*** *Isherwood, (1983):***

Principles in Neuroradiology. In: Oxford Textbook of Medicine. Ed. By Westherall, D.; Ledingham, J. and Warrel, D. Vol. 2. Section 13. Oxford, New York, Toronto, Oxford University Press.

*** *Iversen, E.; Hassager, C. and Christiansex, C. (1989):***

The effect of hemiplegia on bone mass and soft tissue body composition. Acta. Neurol. Scand, 79: 155-159.

*** *Jaffe, (1974):***

Assessment of shoulder pain in hemiplegic patients. Scand. J. Rehabil. Med. 4: 214-219.

*** *James, C.; Esch, C.; and Baker, J.B. (1993):***

Surgical arthroscopy: In The shoulder and Elbow. Lippin Cott Company, Philadelphia.

*** *Jensen, E.M. (1980):***

The hemiplegic shoulder, Scand J. Rehabil. Med, 12: 113-119.

*** *Johnstone, M. (1976):***

The stroke patient. In: Principles of rehabilitation. Churchill Livingstone. Edinburgh, London and New York.

*** Johnstone, M. (1983):**

The restoration of motor function in the stroke patients ed 2, New York, NY, Churchill Living stone, Inc. P: 210-250.

*** Joynt, R.L. (1992):**

The source of shoulder pain in hemiplegia Arch. Phys. Med. Rehabil, 73; 409-13.

*** Kapandaji, I.A. (1989):**

The shoulder. In: "The physiology of the joints". 5th ed. Churchill Living stone, Edinburgh and London, P: 1-77.

*** Kessel, L. (1982):**

Clinical disorders of the shoulder. 1st ed. Churchill, Living stone, Edinburgh, New York.

*** Kessel, L. and Watson, M. (1977):**

The painful arc syndrome: Clinical classification as a guide to management. J. Bone Joint Surg, 59: 166-172.

*** Kingery, W.S.; Date, E.S. and Bocobo, C.R. (1993):**

The absence of brachial plexus injury in stroke. Am. J. Phys. Med. Rehabil, 72: 127-135.

*** Kozin, (1993):**

Biomechanics in shoulder joint. Clin. Orthop.,190:71-9.

*** Kottke, F. (1990):**

Therapeutic exercises. In Krusen's Handbook of Physical Medicine and rehabilitation. Edited by Kottke, F.; Stillwell, H. and Lehman, J. 4th edition W.B. Saunders Company, P: 452-460.

*** Kottke, F.; Stillwell, H. and Lehman, J.H. (1991):**

Krusens hand book of rehabilitation medicine. Philadelphia, Saunders. P: 586.

*** Kraft, G.H.; Fitts, S.S. and Hammond, M.C. (1992):**

Technique to improve function of the arm and hand in chronic hemiplegia. Arch. Phys. Med. Rehabi, 73: 220-227.

*** Krebs, D.E. (1994):**

Biofeed Back. In: Physical Rehabilitation. Assessment and Treatment. 4th ed. ed. by Susan, B.O. and Thomas, J.S. 29: 629-631.

*** Kumar, R.; Metter, E.J. and Mehta, A.J. (1990):**

Shoulder pain in hemiplegia. The role of exercise. Am. J. Phys. Med. Rehabil. 69: 205-8.

*** Lendrem, W. and Lincoln, N. (1985):**

Spontaneous recovery of language in patients with aphasia between 4 and 34 weeks after stroke. *J. Neurol. Neurosurg and Psych.*, 48: 743-748.

*** Liao, H.; Chen, C. and Lein, L. (1981):**

Painful shoulder contracture in strokes and the effects of physical therapy. *Taiwan Hsueh Hui. Tsa Chih*, 80: 253-261.

*** Lovett, R.W. and Martin, E.G. (1916):**

Certain aspects of infantile paralysis and a description of a method of muscle testing. *J.A.M.A.*, 66: 729-733.

*** Luttgens, K. and Wells, K.F. (1982):**

The upper extremity. The shoulder region. In: *Scientific basis of Human Motion*. 1st ed. Saunders College publishing Philadelphia, New York, Chicago, P: 79-111.

*** McMinn, R.M. (1990):**

Shoulder region. In: *Last's Anatomy, Regional and Applied*. 8th ed. Churchill Living stone, P; 72-79.

*** Meyer, J.; McClintic, K.; Rogers, R. and Mortel, K. (1988):**

Aetiological consideration and risk factors for multi-infarct dementia. *J. Neurol, Neurosurg. and Psychi.*, 51: 1489-1497.

*** Michael, C. and Kaplan, M.D. (1995):**

Hemiplegic shoulder pain. Early prevention and rehabilitation. Arch. Phys. Med. Rehabil. 75-79.

*** Michalski, W. and Seguin, J. (1975):**

The effect of muscle cooling and stretch on muscle spindle secondary endings in the Cat. J. Physiol. 253: 341.

*** Mizrahi, J.; Susak, Z.; Heller, L. and Najenson, T. (1982):**

Variation of time distance parameters of the stride as related to clinical gait improvement in hemiplegics. Scand. J. Rehabil. Med, 14: 133-140.

*** Moskowitz, E. and Porter, J.I. (1963):**

Peripheral nerve lesions in the upper extremity in hemiplegic patients. N. Engl. J. Med.; 269: 776-778.

*** Moskowitz, H.; Goodman, C.R.; Smith, E. et al. (1969):**

Hemiplegic shoulder N Y State J. med. 69: 548-550.

*** Najenson, T.; Yacubovich, E. and Pikielny, S.S. (1971):**

Rotator cuff injury in shoulder joint of hemiplegic patients. Scand. J. Rehabil. Med. 3: 131-137.

*** Neer, C.S. (1990):**

Anatomy of shoulder reconstruction. In shoulder reconstruction, Edited by Neer, C.S. II Philadelphia, W.B. Saunders. P: 1-33.

*** Norkin, C.C. and Levangie, P.K. (1992):**

The shoulder complex. In "Joint structure and function". 2nd ed. by: Davis, F.A. Company. Philadelphia, P: 207-239.

*** Odeen, I. (1981):**

Reduction of muscular hypertonus by long term muscle stretch. Scand. J. Rehabil. Med. 13: 93-99.

*** Peszczynski, M. and Radin, T.E. (1965):**

The incidence of painful shoulder in hemiplegia, Bulletin of polish medical science and history, 8: 21-23.

*** Post, M. (1983):**

Rotator cuff tear. Diagnosis and treatment. Clin. Orthop, 173: 78-91.

*** Post, M. (1985):**

Current concepts in the diagnosis and management of acromioclavicular dislocations. Clin. Orthop, 200: 234-247.

*** Ring, H.; Leillen, B.; Server, S. et al. (1985):**

Temporal changes in electrophysiological, clinical and radiological parameters in the hemiplegic's shoulder. Scand. J. Rehabil. Med 12: 124-127.

*** Rizk, T.E.; Christopher, R.P.; Pinals, R.S.; Higgins, A.C. and Friz, R. (1983):**

Adhesive capsulitis (frozen shoulder): New approach to its management. Arch. Phys. Med. Rehabil, 64: 29-33.

*** Rizk, T.E.; Christopher, R.P.; Pinals, R.S. et al. (1984):**

Arthrographic studies in painful hemiplegic shoulders. Arch. Phys. Med. Rehabil, 65: 254-256.

*** Rizk, T.E.; Pinals, R.S. and Talavie, A.S. (1991):**

Corticosteroid injections in adhesive capsulitis. Investigation of their value and site. Arch. Phys. Med. Rehabil, 72: 20-22.

*** Roaf, R. and Hodkinson, L. (1977):**

Adult hemiplegia and the geriatric patient. In: The Paralyzed Patient. Blackwell Scientific Publication. Oxford, London, Edinburgh, P: 188-191.

References

*** Rogers, R.; Meyer, J. and Shaw, T. (1983):**

Cigarette smoking decreases cerebral blood flow suggesting increased risk from stroke. J.A.M.A., 250: 2796-2800.

*** Romanes, G.J. (1990):**

The shoulder. In: Cunningham's Manual of practical anatomy. 15th ed. Vol. I ELBS with Oxford University Press. P: 54-66.

*** Roy, C.W. (1988):**

Shoulder pain in hemiplegia. A literature review. Clin. Rehabil, 2: 35-44.

*** Rusk, H. (1977):**

Rehabilitation of patient with stroke. In: Rehabilitation medicine. Edited by: Eugene Taylor 4th edition. The C.V. Mosby Company. Saint Louis P: 601-620.

*** Saario, L. (1963):**

The range of motion of the shoulder joint at various ages. Acta Orthop. Scand., 33: 366.

*** Sacco, R.; Wolf, P.; Kannel, W. and McNarama, P. (1982):**

Stroke, 13: 29-295.

*** Saha, A.K. (1973):**

Mechanics of elevation of the glenohumeral joint. Acta Orthop. Scand; 44: 668.

*** Saha, A.K. (1983):**

Mechanism of shoulder movements and a plea for the recognition of Zero position of the glenohumeral joint. Clin. Orthop. Rel. Res. 173: 3.

*** Sarrafian, S.K. (1983):**

Gross and functional anatomy of the shoulder clin. Orthop. 173: 11-19.

*** Sayed, K.A. (1983):**

Early patterns of motor recovery in hemiplegic patients. Physical Medicine and Rehabilitation. Master thesis, Alexandria University; 1-9.

*** Schumacher, H.R.; Klipple, J.H. and Robinson, D.R. (1988):**

Radiology of the rheumatic diseases. In: "Primer on the Rheumatic Diseases". 4th. ed. Arthritis foundation, Atlanta, Gorgia, P: 60-76.

*** Shai, G.; Ring, H.; Costeff, H. et al. (1984):**

Glenohumeral joint malalignment in the hemiplegic shoulder. An early radiologic sign. Scand. J. Rehabil. Med, 16: 133-136.

*** Smith, R.G.; Cruikshank, J.G.; Dunbar, S. et al. (1982):**

Malalignment of the shoulder after stroke. Br. Med. J. 284: 1224-1226.

*** Souryal, T.O. and Baker, C.L. (1990):**

Anatomy of the supraclavicular fossa in shoulder arthroscopy. Arthroscopy; 6: 297.

*** Spence, A.M. (1984):**

Pain and numbness in the extremities. Central nervous system causes. In: Signs and symptoms in neurology. Swanson P.D. ed. by: Philadelphia, PA. J.B. Lippincott, Co. P: 289-302.

*** Stillman, M. (1987):**

Cerebral infarction. Shortcomings of angiography in evaluation. Medicine; 18: 257.

*** Susan, B.O. (1994):**

Stroke. In: Physical Rehabilitation: Assessment and treatment ed. 4. ed by Susan B.O., and Thomas, J.S. P: 352-361.

*** Tobis, J.S. (1957):**

Problems in rehabilitation of the hemiplegic patients. NY state J med. 57: 1377-1380.

*** Toole, J. (1989):**

Vascular diseases. In: Merritt's text book of neurology. 8th Edition. Edited by Lewis Rowland New York; Lea and Febiger. Philadelphia. London, P: 181-250.

*** *Turkel, S.J.; Panio, M.W.; Marshall, J.L. and Girgis, F.G. (1981):***

Stabilizing mechanisms preventing anterior dislocation of the glenohumeral joint. J. Bone and Joint. Surg, 63: 1208-1217.

*** *Van Ouwenaller, C.; Laplace, P.M. and Chantraine, A. (1986):***

Painful shoulder in hemiplegia. Arch. Phys. Med. Rehabil, 67: 23-26.

*** *Vecchio, P.C.; Kavanagh, R.T.; Hazleman, B.L. and King, R.H. (1995):***

Community survey of shoulder disorders in the elderly to assess the natural history and effects of treatment. Ann. Rheum. Dis.; 54: 152-154.

*** *Voss, D.; Ionta, M. and Myers, B. (1985):***

Proprioceptive neuromuscular facilitation: Patterns and techniques. Ed. 3, Harper and Row, Philadelphia.

*** *Wade, D.; Hower, R.; David, R. and Enderby, P. (1986):***

Aphasia after stroke, natural history and associated deficits. J. Neurol. Neurosurg. and Pschcy., 49: 11-16.

*** *Wainapel, S.F. (1984):***

Reflex sympathetic dystrophy in quadriplegia: Case reprot. Arch Phys. med. Rehabil, 65: 35-36.

*** Wanklyn, P.; Forster, A. and Young, J. (1996):**

Hemiplegic shoulder pain (HSP): Natural history and investigation of associated features. *Disabil. rehabil.*, Vol. 18 P: 497-501.

*** Whisnant, J.; Basford, J.; Bernstein, E.; Cooper, E.; Dyken, M.; Easton, J. et al. (1990):**

Classification of cerebrovascular diseases. *Stroke*, 21: 637-678.

*** Williams, P.L.; Warwick, R.; Dyson, M. and Bannister, L.H. (1989):**

The humeral (shoulder) joint. In: *Gray's Anatomy*. 3rd ed. Churchill Living stone. Edinburgh, London, New York, P: 501-505.

*** Williams, R.; Taffs, L. and Minuk, T. (1988):**

Evaluation of the two support methods for the subluxed shoulder of the hemiplegic patients. *Phys. Ther.*, 68: 1209-14.

*** Winters, F.T.; Gage, R.J. and Hicks, R. (1987):**

Gait patterns in spastic hemiplegia in children and young adults. *The journal of Bone and Joint. Surgery*, 69-A: 437-441.

*** Wolf, P. and Kannel, W. (1982):**

Controllable risk factors for stroke: Preventive implication of trends in stroke mortality. In: *Diagnosis and Management of stroke and TIAs*. Edited by Meyer J.S. and Shaw T. London, Addison-Westey, Publishing Co. P: 25-27.

References

*** Yatsu, F. (1989):**

Treatment and prevention of stroke. In: Merritt's textbook of neurology. 8th edition. Edited by: Lewis Rowland. New York, Lea and Febiger. Philadelphia. London, P: 231.