

REFERENCES



- Adalsteinsson, B.; Glimelius, B. and Graffmans (1985):*
Computed tomography in staging of rectal carcinoma Acta. Radiol Diagn. 56:95.
- Akwari, O.E. and Kelly, K.A. (1980):*
Anterior resection for adenocarcinoma of distal large bowel. Am. J. Surg., 139: 88-94.
- Alabaster O. (1992):*
Colorectal cancer : epidemiology, risk and prevention. In: Ahlgren JD, Macdonald JS (eds). Gastrointestinal oncology. Philadelphia : J.B-Lippincott, 143:59.
- Almargo U.A. (1983):*
Primary signet. Ring carcinoma of the rectal. Cancer. 52 : 1453.
- American Joint Committee for Cancer (1988):*
The manual of Staging of Cancer 3rd. ed Chap. 11. Colon and rectum. Pp. 75. Philadelphia JB. Lippincott.
- Arai T., and Kino I., (1995):*
Role of Apoptosis in Modulation of the growth of human colo-rectal tubular and villous Adenoma, Journal of Pathology; 176: 37-44.
- Arneaud, J.P. Kochic and Adloff M. (1980):*
Carcinoembryonic antigen (CEA) in the diagnosis and prognosis of colorectal carcinoma Dis. Colon Rectum 23: 141.

Asbun, M.J. and Hughes, K.S. (1993):

Management of recurrent and metastatic colorectal carcinoma. Surg. Cl. N. Am., 1993; 73 (1) : 145-66.

Astler V.B. and Collier F.A. (1954):

The prognostic significance of direct extension of carcinoma of the colon and rectum Ann. Surg. 139: 346.

-B-

Bacon, H.E. (1945):

Evolution of sphincter muscle preservation and re-establishment of continuity in the operative treatment of rectal and sigmoidal cancer. Surg. Gyn. Obst., 81:113-127.

Ballantyne, G.H.; Reigel, M. and Wolff, B. (1985):

Oophorectomy and colon cancer: Impact on survival. Ann. Surg.; 202: 209-214.

Beart, R.W. and Kelly K.A. (1981):

Randomized prospective evaluation of the E.E.A. stapler for colo-rectal anastomoses.
Am. J. Surg.; 141: 143-147.

Bengtsson, G.; Carlsson, G.; Hafstrom, L.; Jonsson, P.E. (1981):

Natural history of patients with untreated liver metastases from colorectal cancer.
Am. J. Surg. 1981; 141: 586-9.

Benjamin, I.S. and Blumgart, L.M. (1988):

Hepatic resection for liver metastases.
Dig. Dis., 1988; 6: 40-51.

Bernstein, M.J. (1993):

Dietary factors related to colorectal neoplasms.
Surg. Cl. N. Am., 1993; 73(1): 13-29.

- Berry, A.R.; Souter, R.G. and Gambell, W.B. (1990):*
Endoscopic transanal resection of rectal tumours
a preliminary report at its use. Br. J. Surg. 77: 134.
- Bentzen, SM, Balslev, L, Pedersen, M, Teglbjaerg, PS, et al., (1992):*
1 recurrence after resection of Dukes' B and C colorectal
cancer with or without adjuvant postoperative radiotherapy,
a multi variate regression analysis. Br. J. Cancer, 1992; 65:
102-107.
- Beynon, J.Mcc. Mortensen, N.J. and Foy, DMA (1990):*
Preoperative assessment of local invasion in rectal cancer
digital examination endoluminal ultrasonography or
computed tomography Br. J. Surg. 39: 1015.
- Beynon, J.; Mortensen, N.J.M.; Foy, D.M.A.; Channer, J.L. (1989):*
The detection and evaluation of locally recurrent rectal
cancer with rectal endoscopy. Dis. Colon. Rectum, 32:
500-17.
- Beynon, J.; Foy, D.M.A.; Roe, A.M.; Temple, L.N. and Mortensen,
N.J.M.. (1986):*
Endoluminal ultrasound in the assessment of local invasion
in rectal cancer. Br. J. Surg. 1986; 73: 474-7.
- Biber, B.P.; Caputo, M.G.; Colby, J.M. (1991):*
Transrectal ultrasound. Appl. Radio, April: 46-51.
- Biggers, O.R.; Beart, R.W. and Ilstrup, D.M. (1986):*
Local excision of rectal cancer.
Dis. Colon. Rectum; 29: 374-377.
- Black, B.M. and Walls, J.T. (1967):*
Combined abdomino-endorectal resection reappraisal of
a pull-through procedure. Surg. Clin. N. America. 97: 977.

- Boey, J.; Wong, J. and Ong, G.B. (1982):**
Pelvic exenteration for locally advanced colo-rectal carcinoma. *Ann. Surg.*; 195: 513-518.
- Boyce, GA, Sivak, MV, Lavey, LC, Fazio, VW, Church, JM, Milsom, J and Petras, R, (1992):**
Endoscopic ultrasound in the preoperative staging of rectal carcinoma. *G I. Endoscopy*, 38 (4): 468-471.
- Braunstein, G.D.; Vaitukaitis, J.L.; Carbone, P.P. (1973):**
Ectopic production of human chorionic gonadotropin by neoplasms. *Ann. Intern. Med.*; 78 : 39-41.
- Brister, S.J.; DeVarennas, B. and Gorder, P.M. (1988):**
Contemporary operative management of pulmonary metastases of colorectal origin. *Dis. Col. Rectum.*, 31; 786-792.
- Bruce, W.R. (1987):**
Recent hypotheses for the origin of colon cancer. *Cancer. Res.*, 47:4237.
- Buess, G.; Mentges, R.; Manncke, K.; Starimger, M. and Becka, M.D. (1992):**
Technique and results of transanal endoscopic microsurgery in early rectal cancer. *Am. J. surg.* 163: 63-70.



- Campo, E.; Palacin, A. and Benasco C. (1987):**
Human chorionic gonadotropin in colo-rectal carcinoma. *Cancer*; 59: 1611.
- Castro, E.B.; Rosen, P.P and Quan, S.H. (1973):**
Carcinoma of large intestine in patients irradiated for carcinoma of cervix and uterus. *Cancer*; 31: 45-52.

- Cawthorn, S.J.; Parum, D.U. Gibbs, N.M. (1990):**
Extent of mesorectal spread and involvement of lateral resection margin as prognostic factors after surgery for rectal cancer. *Lancet*, 335: 1055-9.
- Charnely, R.M.; Pyf, G. Amar, S.S. and Hardcastle, J.D. (1988):**
The early detection of recurrent rectal carcinoma by rectal endosonography. *Br J Surg*, 75: 1232.
- Charnley, R.M. Thomas, W.H.; Stanely, J. and Morris, D.L. (1992) :**
Serum gastrin Concentration in colorectal carcionma patients. *Ann. R. Col. Surg. Engl.* 74: 138-41.
- Christensen, M.A.; Blatchford, G.J. and Thorson, A.G. (1992):**
Mallgnant polyps, what to do?
Problems in general surgery 9(4): 676-82.
- Clarke, P.J.; Kettlewell, M.B.W. and Dehn, T.C.B. (1992):**
Changing patterns of colorectal cancer in a regional teaching hospital. *Ann. R. col. Surg. Engl.* 74: 291-3.
- Clausen, H.R.; Banner, M. and Mortensen, P.B. (1991):**
Colonic fermentation of dietary fiber to short chain fatty acids in patients with adenomatous polyps and colonic carcinoma. *Gut*, 32 (8) : 923-8.
- Cohen, A.M.; Minsky, D.B.; Schilsky, L.R. and Friedman A.M. (1993):**
In: *Cancer: Principles and Practice of Oncology*, edited by: DeVita T.V., Hellman S., Rosenberg S.A., Fourth Edition, Philadelphia J.B., Lippinocott.
- Cohen, J.L.; Grotz, R.L.; Welch, J.P. and Deckers, P.J. (1991):**
Intrarectal sonography, A new technique for the assessment of rectal tumours. *American surgeon*, 57: 459-62.

- Choen, A.M.; Shank, B. and Friedman, M.A. (1991) :**
Colorectal cancer in cancer principles. Practice of oncology
3rd edition edited by Devita VT. Hellma S Rosenberg SA.
P. 895 TB lippincott Company Philadelphia. Grand Rapids
New York Tokyo London Sydney.
- Cole, W.H. (1972):**
Cancer of the colon and rectum. Surg. Cl. N. Am, 52(4):
871-82.
- Copeland, E.M.; Miher, M.D. and Jones, R.S. (1968):**
Prognostic factors in carcinoma of the colon and rectum.
Am. J. Surg, 116: 875-81.
- Correa P, Haenszel W. (1978):**
The epidemiology of large bowel cancer. Adv Cancer Res,
26:1.
- Cortan R.S.; Kumar, V. and Robbins (1989):**
The Gastrointestinal tract chapter 9 in Robbins pathologic
basis of disease 4th edition. W.B. Saunders Company.
Philadelphia London Toronto. Montreal Sydney. Tokyo.
- Crapp, A.R. and Cuthbertson, A.M. (1974):**
William waldeyer and the rectosacral fascia. Surg. Gyn.
Obst. 89:222.
- Cummings, B.J. (1985):**
Radiation therapy and rectal carcinoma. The princess
Margrèt hospital experience. Br. J. Surg, 72: Suppl. S64-66.
- Cummings, B.J. (1993):**
Radiation therapy for colorectal cancer. Surg. Cl. N. Am,
73(1) : 167-82.

Cutait D.E. and Figliani F.J. (1961):

A new method of colorectal anastomosis in abdominoperineal resection. Dis. Colon Rectum 4:335
Quoted from Goligher.

-D-

Danzi M. ; Ferulano C.P. and Abate S. (1983):

Male sexual function after abdominoperineal resection for rectal cancer. Dis. colon. Rectum 226: 665.

Davis H.L. :

Chemotherapy of large bowel cancer. Cancer; 50; 2638-2646.

Davis, N.C.; Evan, E.B.; Choen, J.R.; Theile, D.E. and Job, D. (1985):
Clinicopathological staging of colorectal cancer, has the time arrived? Br. J. Surg, Suppl. September, S47-52.

Decker, G.A.G.; Plessis, D.J. and Myburgh, J.A. (1986):

Lee McGregars synopsis of surgical anatomy. Ed 12.
Wright bristol. P.61-78.

De Fabritiis, G. and Prazzoli, G. (1992):

Colonic polyps, considerations on 692 colorectal endoscopic polypectomies. Endoscopy, 24:644.

Donaldson G.A. and Welch. J.P. (1979):

Management of cancer of the rectum Surgical Clinics of North America 59: 317.

Dozois, R.R.; Pezim, M.E. and Gunderson, L.L. (1986):

Carcinoma of the rectum. Current management. Surg. Cl. N. Am, 66 (4): 821-32.

Dudouet, B.; Jacob, L.; Benzebo, C.P. and Magdelenat, H. (1990):

Presence of villin, a tissue specific cytoskeletal protein in sera of patients, and an initial clinical evaluation of its value for the diagnosis and follow up of colorectal cancers. Cancer, res., 50-438-43.

Dukes C.E. (1929):

The spread of cancer of the rectum Br. J. Surg. 17, 643. Quoted from Goligher.

Dukes C.E. (1932):

The classification of cancer of the rectum J. pathol. 35 : 323. Quoted from Goligher.

Dukes C.E. and Bussey H.J. (1958):

The spread of rectal cancer and its effect on prognosis Br. J. cancer 12: 309-320. Qouted from Goligher.

Duncan, W. (1985):

Adjuvant radiotherapy in rectal cancer : the MRC trials. Br. J. Surg. Suppl, S59-62.



Eigler, F.W. and Gross, E. (1990):


Kontinensleistung nach totaler und subtatales
Rektumresektion mit peranaler Anastomisierung
Kuschepostoperative Folgezustande 88:591. (Quoted from
abdellatif.

Eisenstat T.E.; Deak, S.T. and Rugin, R.J. (1982):

Five year survival in patients with carcinoma of the rectum
treated by electrocoagulation Am. J. Surg. 143: 127.

El Bolkainy, M.N. (1991):

General pathology of cancer 1st ed. P. 218. Al Sadeke
Graphic Centre Cairo.

- Elwyn, K.G.; Jones, R.D. and Romsdahi, M.M. (1985):*
Inhibitory effects of secretin on gastrin stimulated rat colon neoplasm. *Cancer*, 55:1186-9.
- Enblad, G., Enblad, P.; Adami, H.V.; Glimelius, B.; Krusema, U. and Pahiman, L. (1990):*
Relationship between age and survival in cancer of the colon and rectum with special reference to patients less than 40y of age. *Br. J. Surg*, 77: 611-6.
- Eng, K. and Gouge, T.M. (1988):*
Update on abdominosacral resection for midrectal cancer. *Surgical rounds*, January, 31:43.
- Enker W.E.; Heilveil, M.L. and Hertz, R.E.L. (1986):*
En bloc pelvic lymphadenectomy and sphincter preservation in the surgical management of rectal cancer. *Ann. Surg.*; 203:426-433.
- 
- Farr, M.W. (1976):*
Hyperparathyroidism and cancer. *Cancer*, 26: 66-74.
- Fazio, V.W. (1988):*
Cancer of the rectum- sphincter saving operation. Stapling techniques. *Surg. Cl. N. Am*, 68(6): 1367-82.
- Ferrucci, J.T. (1993):*
Screening for colon cancer. Controversies and recommendations.
Radiologic clinics of North America, 31(6):1189-95.
- Filella, X.; Molina, R.; Gran, J.J.; Pigne, J.M. (1992):*
Prognostic value of CA, 19.9 levels in colorectal cancer. *Ann. Surg.* 1992; 216(1): 55-9.

FrancaVilla, A.; Dileo, A. and Polimeno, L. (1987):

Nuclear and cytosolic oestrogen receptors in human colon carcinoma and in surrounding non-cancerous tissue.
Gastroenterology, 1987; 93: 1301-6.



Gabriel, W.B.; Dukes, C. and Bussey, H.J. (1935):

Lymphatic spread is cancer of the rectum Br. J. Surg. 23: 395. Quoted from Goligher 1984.

Gall, F.P. and Hermanek, P. (1988):

Cancer of the rectum local excision surgical clinics of North America. 68: 1353.

Garry RC (1933):

Responses to stimulation of the caudal end of the large bowel in the cat J. physiol. Lond. 78: 208. Quoted from Goligher 1984.

Gastrointestinal Tumor Study Group (1985):

Prolongation of the disease. Free interval in surgically treated rectal carcinoma. N. Eng. J. Med. 312: 1965.

Ger, R. (1988):

Surgical anatomy of the pelvis.
Surg. Cl. N. Am., 1988; 68(6): 1201-6.

Gerad, A.; Benod, J.L. and Pene, F. (1985):

Analysis of a phase III study on preoperative radiation therapy in resectable rectal carcinoma.
Cancer; 55(10): 2376-2379.

Gilbertsen, V. (1980):

Colon cancer screening.
Gastroint. Endosc.; 26: 31-32.

- Glaser F, Schlag P, Herfarth C. (1990):**
Endorectal ultrasonography for the assessment of invasion of rectal tumours and lymph node involvement. *Br J Surg*, 77: 883-7.
- Goldman, S.; Arvidsson, H.; Norming, U. and Lagerstedt, U. (1991):**
Transrectal ultrasound and computed tomography in preoperative staging of lower rectal adenocarcinoma. *Gastrointest Radiol.*, 16: 259-63.
- Gold P. and Freedman S. O. (1965):**
Demonstration of tumour-specific antigens in human colonic carcinomata by immunological tolerance and absorption techniques. *J. Exp. Med.* 121 439-462. Quoted from Goligher 1984.
- Goligher, J. (1984):**
Surgery of the anus Rectum and Colon chapter 19. Treatment of carcinoma of the rectum P. 590. Fifth Edition. Bailliere. Tindall London.
- Goligher, J.C. (1949):**
The blood supply of the sigmoid colon and rectum. *Br. J. Surg.*, 1949; 37: 157-62.
- Graffner, H.O.; Singh, G. and Chandry, I. (1992):**
Omeprazole-induced hypergastrinaemia does not influence growth of colon carcinoma. *Dig. Dis.* 1992; 37: 485-9.
- Gray, H. (1980):**
Gray's anatomy, 36th ed. 1980.
Williams and warwick. Churchill, Livingstone.
- Greenstein, A.J.; Sachar, D.B.; Smith, H.; Janowitz, H.D. and Aufses, A.H. (1981):**
A comparison of cancer risk in Crohn's disease and ulcerative colitis. *Cancer*, 84; 27-42.

Grennil, R.S. (1954):

Distal intramural spread of carcinoma of the rectum and rectosigmoid surg. Gynec. Obstet 96: 31. Quoted from Goligher (1984).

Grigg, M.; McDermott, F.T.; Phil, E.A. et al. (1984):

Curative local excision in the treatment of carcinoma of the rectum.

Dis. Colon Rectum; 27 : 81-83.

Grotz, R.L.; Cohen, J.L.; Welch, J.P. and Deckers, P.J. (1991):

Intra rectal sonography.

Am. Surg. 1459-62.

Gunderson, L.L.; Martin, JIC. and Beart, R.W. (1988):

Intraoperative and external beam irradiation for locally advanced colorectal cancer.

Ann. Surg. 1988; 207(1): 52-60.

Gunderson, L.L. and Sosin, H. (1979):

Areas of failure found at reoperation (Second or symptomatic look) following curative surgery for adenocarcinoma of the rectum clinicopathologic correlation and implications for adjuvant therapy. Cancer 34: 1278.



Hardy, T.O.; Aguilar, P.S. and Stewart, W.R.C. (1987):

Initial clinical experience with a biofragmentable ring for sutureless bowel anastomosis. Dis. Colon. Rectum. 30: 55.

Hartman, H. (1923):

A new technique in faecal diversion Congr. Fr. Chir. 30: 711. Quoted from Goligher 1984.

Hashimoto Y, Muratani A, Nishiyama H. (1986):

A case of colon cancer associated with schistosomiasis Japonica. Jpn J Cancer Clin, 32: 815.

- Heinmann, T.M.; Songback, C. and Martinelli, G. (1992):**
Colorectal carcinoma associated with ulcerative colitis. A study of prognostic indicators.
Am. J. Surg., 1992; 164: 13-17.
- Heintz, A.; Buess, G. and Junginger, T. (1990):**
Intrarectal ultrasonography.
Dtsch-Med. Wochenschr., 108:3-7.
- Henrichsen, S. and Chruistiansen, J. (1989):**
Prognostic staging of extra peritoneal rectal cancer. Dis. Colon rectum. 32: 214.
- Hermanek, P. (1982):**
Evolution and pathology of rectal cancer.
World. J. Surg., 1982; 6: 502-9.
- Hildebrandt, U.; Fiefel, G. and Ecker, K.W. (1985):**
Detection of recurrent rectal cancer by intrarectal and intravaginal US. Coloproctology, 41: 239-41.
- Hilderbrandt, U. and Fiefel, G. (1985):**
Preoperative staging of rectal cancer by intrarectal ultrasound. Dis. Col. Rectum, 1985; 28: 42-6.
- Higgins, G.A.; Humphrey, E.W. and Dwight, R.W. (1986):**
Preoperative radiation and surgery for cancer of the rectum.
Cancer; 58: 352-359.
- Hill, M.C.; Smith, L.E.; Huntington, D.K. and Orkin, B.A. (1992):**
Endorectal sonography in the evaluation of the rectum.
Ultrasound Quarterly, 10: 29-56.
- Hoff, G.; Moen, J.E.; Mowinckel, P.; Rosef, O.; Ordbo, E.; Sauar, J. Vatn, and M.H. Torggrimsen, T. (1992):**
Drinking.

Hojo K. (1986):

Anastimotic recurrence after sphincter saving resection for rectal cancer: length of distal clearance of the bowel. Dis Colon Rectum, 29: 11-4.

Horn A, Havorsen JF, Dahl O. (1990):

Pre- operative radiotherapy in operable rectal cancer. Dis Colon Rectum, 33: 823-8.

Hoskins, R.B.; Gunderson, L.L. and Dosoretz, D.F. (1985):

Adjuvant post-operative radiotherapy in carcinoma of the rectum and recto-sigmoid. Cancer.; 55(1): 61-71.

Hulsmans, F.H.; Bosma, A.; Hulder, P.; Reeders, J. and Tytgat, G. (1992a):

Perirectal lymph nodes in rectal cancer: In vitro correlation of sonographic parameters and histopathologic findings. Radiology, 184: 553-60.

Hulsmans, F.H.; Tio, T.; Mathus-Vliegen, E.; Bosma, A. an Tytgat, G. (1992b):

Colorectal villous adenoma: Transrectal US in screening for invasive malignancy. Radilogy, 185; 193-196.

Hughes, H.S. and Rossi, R.L. (1992):

Colorectal cancer metastatic to the liver: Resection In Caneron J. (ed). Current surgical Therapy 4th ed pp.10-5 St. louis Mosby-Year Book.

Hunghes, K.S.; Simon, R. and Songhorabed, S. (1986):

Hepatic Metastasis Registry Resection of the liver for colorectal carcinoma metastases. A must: institutional study of patterns of recurrence surgery 100:278

-J-

Jagelman, D.G. (1983):

Familial polyposis coli. Surgical Cl.N.Am., 63(1):
117-125.

Jass, J.R.; Atkin, W.S. and Cuzick, J. (1986):

The grading of rectal cancer. Historical perspective and a
multivariate analysis of 447 cases. Histopathology 10:437.

Jass, J.R. and Sobin, L. H. (1994):

Histological typing of intestinal tumors.
Geneva : World Health organization.

-K-

Kaprowski H.; Steplewskiz, and Mitchdl K. (1979):

Colorectal carcinoma antigens detected by hybiroma
antibodies. Somat. cell Genet. 5: 957 Quoted from Goligher
1984.

Keighley B.R. and Williams S.N. (1993):

In: Surgery of the Anus, Rectum and Colon, Volume One,
W.B. Saunders Company Ltd.

Kikendall, J.W.; Glass, A.R.; Sobin, L.M. and Bowen, P.E. (1992):

Serum gastrin is not higher in subjects with colonic
neoplasia. Am. J. Gastroenterol, 87(10): 1394-1397.


Kirklin, J.W.; Dockerty, M.B. and Waugh, J.M. (1949):

The role of the peritoneal relection in the prognosis of
carcinoma of the rectum and sigmoid colon. Surg. Gyne.
Obstet. 88: 326.

Kodner, I.J.; Fry R. D., Fleshman J. W. and Birnbaum E. H. (1994):
In: Schwartz, S. I., Shires G. T., Spencer F. C. (Eds.).
Principles of Surgery, Sixth Edition, Chap. 26, Produced by
McGraw-Hill Company.

**Kodner, I. J.; Schemesh, E. I.; Fry, R. D.; Waiz, B. J. Myerson, R.;
Fleshman, J. W. and Schechtman, K. B. (1989):**
Preoperative irradiation for rectal cancer improved local
control and long term survival. Ann. Surg. 209 (2): 194-
199.

Krestin, G.P. Steinbrich, W. and Friedmann, G. (1988):
Recurrent rectal cancer: diagnosis with MR Imaging versus
CT. Radiology, 168: 307-11.



Lane, R.H.S. and Parks, A.G. (1977):
Function of the anal sphincters following colo-anal
anastomosis Br. J. Surg. 64: 569.

Lashner, B.A. (1992):
Recommendations for colorectal cancer screening in
ulcerative colitis. A review of research from a single
university-based surveillance program. Am. J.
Gastroenterol., 87(2): 168-175.

Last, R.J. (1990):
Anatomy regional and applied & 8th edition, Chureill Living
stone.

Lennard-Jones, J.E.; Morson, B.C. and Ritchie, J.K. (1983):
Cancer surveillance in ulcerative colitis, experience over 15
years. Lancet, 2: 149-152.

Leviton N. (1993):
Chemotherapy in colo-rectal carcinoma. Surg. Clin. North
Am.; (1): 183-198.

Localio, S.A.; Eng, K. and Coppa, G.F. (1983):


Abdominosacral resection for mid rectal cancer. Ann. Surg.; 198:320-324.

Localio, S.A. and Gouge, T.M. (1988):

Abdominosacral resection for mid-rectal cancer. Surgical rounds, January, 17-27.

Lockhart-Mummery, J.P. (1926):

Two hundred cases of cancer of the rectum treated by perineal excision Br. J. Surg. 14:110. Quoted from Goligher 1984.



Madden, J.L. and Kandalaft, S.I. (1983):

Electrocoagulation as a primary curative method in the treatment of carcinoma of the rectum Surg. Gynecol obstet. 157: 169.

Madsen, H.H.T. and Kronborg, O. (1987):

Posterior trans-sphincteric rectotomy. Indications and safety. Dis. Col. Rectum, 30: 939-941.

Malt, R. and Dundy, S, 1974:

Rectal carcinoma. Abdominoperineal and anterior resection. Surg. Cl. N. Am, 1974; 54 (3): 741-750.

Mann, C.V. and Russell, R.C. (1992):

In: Bailey and Love's Short Practice of Surgery, edited by Rains H.J.A., 21st edition, p.p. :1218,

Mann, C.V. (1985):

Techniques of local surgical excision for rectal carcinoma Br. J. surg. 72: 547.

Margulis A.R. and Thoeni, R.F. (1988):

The present status of the radiologic examination of the colon. Radiology, 167:1.

- Martin, J.K.J.R.; O'Connell, M.J. and Wieand, H.S. (1990):**
Intra-arterial floxuridine VS systemic flurorouracil for hepatic metastasis from colo rectal cancer a randomised trial Arch Surg. 125: 1022.
- Mason, Y.A. (1976):**
Rectal cancer, the spectrum of selective surgery. Proc R Soc Med, 69: 237-44.
- Mason, A.Y. (1978):**
Surgical access to the rectum. A trans-sphincteric exposure. Proc. Roy, Soc. Med., 63:91-94. Cited in, Yeatman, and Bland, Ann. Surg, 209(1): 1-17.
- Matsumoto, T.; Lida, M.; Suekane, M.; Tominage, M.; Yao, T. and Fujishima, M. (1991):**
Endoscopic ultrasonography in rectal carcinoid tumours : contribution to selection of therapy. Gastrointestinal endoscopy, 37:530-542.
- Maxfield, R.G (1984):**
Colonoscopy as a routine preoperative procedure for carcinoma of the colon. Am. J. Surg.; 147(4) : 477-480.
- McAnena, O Heald, R, and Lockhart-Mummery, H, 1990.**
Operative and functional results of total mesorectal excision with ultra-low anterior resection in the management of carcinoma of the lower one-third of the rectum. Surg. Gyn. Obst, 1990; 170: 516-521.
- Meek A.G.; Lam, W.C. and Order, S.E. (1983):**
Carcinoma of the colon. Radiology, 148: 845-849.
- Mendenhall, W.M.; Bland, K.I.; Pfaff, W.W.; Million, R.R. and Copeland, E.M. (1987):**
Initially unresectable rectal adenocarcinoma treated with preoperative irradiation and surgery. Ann. Surg, 205(1) : 41-44.

- McGregor, D.R.; Galloway, D.J. and McCulloch, P. (1989):**
Anastomotic suture materials and implantation metastasis
an experimental study Br. J. Surg. 76: 331.
- McGregor, L. (1986):**
Synopsis of surgical anatomy, 12th ed, Decker and Du
Plessis, Wright. Bristol.
- McManus L.M.; Naughton N. A. and Martinez, H.A.A. (1976):**
Human chorionic gonadotropin in human neoplastic cells.
Cancer Res.; 36: 3476-3479.
- McMinn, R.M.H. (1994):**
The rectum. In: Mc Minn RMH. (ed). Last's Anatomy.
Churchill Living Stone, 377:81.
- McVay, J.R. (1922):**
Involvement of the lymph nodes in carcinoma of the
rectum. Ann. Surg. 76: 755-767.
- Michelassi, F.; Vannucci, L. Ayala, J.J. et al., (1990):**
Local recurrence after curative resection of colorectal
adenocarcinoma. Surgery 108 : 787-793.
- Miles, W.T. (1908):**
Excision for carcinoma of the rectum and terminal portion
of the pelvic colon. Lancet, 2:1812-1813.
- Milsom, J.W. (1993):**
Pathogenesis of colorectal cancer. Surg. Cl. N. Am, 7;73(1)
: 1-11.
- Milson, J.W. and Graffner, H. (1990):**
Intrarectal ultrasonography in rectal cancer staging and in
the evaluation of pelvic disease: clinical uses of intra-rectal
ultrasound. Ann. Surg, 212: 602-606.

- Ming-Chai C, Chi-Yuan C, Pei-Ya C, Jen-Chun H. (1980):**
Evolution of colorectal cancer in schistosomiasis. *Cancer*, 46: 1661.
- Mohiuddin, M.; Derdel, J.; Marks, G. and Kranier, S. (1985):**
Results of adjuvant radiation therapy in cancer of the rectum. Thomas Jefferson university hospital experience. *Cancer*, 55: 350-353.
- Moosa, A.R.; Ree, P.C.; Marks, J.E.; Levin, B.; Platz, C.E. and Skinner, D.B. (1975):**
Factors influencing local recurrence after abdomino-perineal resection for cancer of the rectum and rectosigmoid. *Br J Surg*, 62: 727-30.
- Morson, B.C. (1976):**
Genesis of colorectal cancer *Clin. Gastroenterology* 5:505.
- Morson, B.C.; Dawson, M.P. and Spriggs A.I. (1984):**
Gastrointestinal pathology. Second edition. Blackwell scientific publications Oxford. London. Edinburgh Boston Palo Alto Melbourne.
- Morson, B.C. (1966):**
Factors influencing the prognosis of early cancer of the rectum. *Proc R Soc Med*, 69: 607-8.
- Moritz, E.; Achleitner, D. and Holbling, N. (1991):**
Single vs. double stapling technique in colo-rectal surgery. *Dis. Colon Rectum*; 34: 495-497.
- Morrow, M. and Enker, W.E. (1984):**
Late ovarian metastasis in carcinoma of the colon and rectum. *Arch. Surg.*; 119: 1385-1388.
- Moser, R.P. and Johnson, M.L. (1989):**
Surgical management of brain metastases: How aggressive should we be? *Oncology*, 3:123-127.

Moss, A.A.; Margulis, A.R. and Schmsder, D. (1981):

A uniform CT based staging system form malignant neoplasms of the alimentary tube. A.J.R. 136: 1251.

Moynihan, B.G.A. (1908):

The surgical treatment of cancer of the sigmoid flexure and rectum with special reference to principles to be observed. Surg. Gyn. Obst; 6: 463-466.

Muto, T.; Bussey, H.J.R. and Morson, B.C. (1975):

The evaluation of cancer in the colon and rectum. Cancer, 36:2251.



Nakajima, N.; Ramadan, H. and Lopi, N. (1979):

Rectal carcinoma with solitary cerebral metastasis. Dis. Colon rectum; 22: 252-255.

Nicholls, R.J.; Mason, Y.A. and Morson, B.C. (1982):

The clinical staging of rectal cancer. Br J surg, 69: 404-9.

Nicholls, R.J.; Galloway, D.J. and Mason, A.Y. (1985):

Clinical local staging of rectal cancer Br. J. Surg. 72 (Suppl) 551-552.

Nogueras, J. and Japelman, D. (1993):

Principles of surgical resection. Influence of surgical technique on treatment outcome. Surg. Cl.N.Am, 73(1): 103-116.



O'Rahilly R, Muller F. (1986):

The rectum and anal canal. In: O'Rahilly R, Muller F. (eds). Anatomy: a regional study of human structure. Philadelphia. W. B. Saunders, 493: 89.

-P-

Pant, K.D.; Dahlman, H.L. and Goldenberg, D.M. (1982):

CSA-P, an antigen associated with gastrointestinal and ovarian tumours. *Cancer*; 50:920.

Pant, K.D.; Dahlman, H.L. and Goldenberg D.M. (1978):

A new antigen (CSA-P) associated with gastrointestinal and ovarian neoplasia. *Cancer*; 42:230-238.

Papillon, J. (1982):

Rectal and anal cancers. Conservative treatment by irradiation. An alternative to radical surgery. Springer-veriag-Berlin-Heidelberg-Newark.

Papillon, J. (1984):

New concepts in the conservative treatment of rectal carcinoma *Dis. Col. Rectum*, 27: 695-700.

Pascal Rp, (1994):

Displasia and early Carcinoma in inflammatory bowel disease and colo-rectal adenoma. *Hum. Pathol.*; 25: 1160-1171.

Pescatori M., Maria G., Beltrani B., et al. (1982):

Site emergency and duration of symptoms in the prognosis of colo-rectal cancer. *Dis. Colon Rectum*; 25: 33-40.

Petrelli, N.J.; Nagels Rodriguez, B.M.; Piedmonte, M. and Hervera, L. (1993):

Morbidity and mortality following abdomino-perineal resection for rectal adenocarcinoma *A.J. Surg.* 59: 406.

Pezim, ME, and Nicholls, RJ, (1984):

Survival after high or low ligation of the inferior mesenteric artery during curative surgery of rectal cancer. *Ann. Surg.* 1984; 200: 729-733.

Pickle, L.W.; Greene, M.H.; Ziegler, R.O.; Ann, Toledo, Lynch, H.T. and Fraumeni, Jr.JF (1984):

Colorectal cancer in Rural Nebraska. Cancer, Res, 44: 363-369.

Pollett, W.G. and Nicholls, R.J (1983):

The relationship between the extent of distal clearance and survival and local recurrence rates after curative anterior resection for carcinoma of the rectum. Ann Surg. 198: 159-163.

Porter, N.M. and Nicholls, R.J. (1985):

Preoperative radiotherapy in operable rectal cancer: Interim report or a trial carried out by the rectal cancer group. Br. J. Surg, 72 Suppl : S62-S64.



Ramirez JM, Mortensen NJ, Takeuchi N. (1994):

Endoluminal ultrasonography in the follow-up of patients with rectal cancer. Br J Surg, 81: 692-4.

Richard, M. (1997):

Colorectal cancer, clinical and pathological.
Radiologic clinics of North America, 421.

Ridge, J.A. and Daly, J.M. (1985):

Treatment of colorectal hepatic metastases. Surg. Gyn. Obst, 161: 597-607.

Rifkin, M.D. and Marks, G.J. (1985):

Transrectal US as an adjunct in the diagnosis of rectal and extra-rectal tumours. Radiology, 157: 499-502.

Rifkin, M.D.; Ehrlich, S.M. and Marks, G. (1989):

Staging of rectal carcinoma prospective comparison of endorectal US and CT. Radiology 170: 319.

Rifkin, M.D. and Wechsler, R.J (1986):

A comparison of computed tomography and endorectal ultrasound in staging rectal cancer. *Int J colorectal Dis*, 1: 219-23.

Rosai, J. (1989):

Ackerman's surgical pathology seventh edition. Chapter 11 Gastro intestinal tract-large bowel page 299. The C.V. Mosby company St. louis. Toronto. Washington. D.C.

Rosch, T.; Lorenz. R. and Classen, M. (1990):

Endoscopic ultrasonography in evaluation of colon and rectal disease. *G.I. endoscopy*, 36: S33-39.

Rosch, T. and Classen, M. (1991):

Endosonography-What are the limits in gastrointestinal diagnostics. *Endoscopy*, 23: 144-146.



Saitoh N, Okuik, Sarashina H, Suzuki M, Arai T, Nunomura M. (1986):

Evaluation of echographic diagnosis of rectal cancer using intrarectal ultrasound examination. *Dis Colon Rectum*, 29: 234-42.

Sasaki, O. Atkin, W.S. and Jass, J.R. (1987):

Mucinous carcinoma of the rectum *Histopathology* 11:259.

Satoh, N.; Ihara, M. and Sarashina, H. (1989):

Studies of diagnosis of rectal cancer using MRI CT and Intarectal ultrasonography. *Rinsho Hoshasen (Japan)* Pag. 573.

Sato, K. and Sato, T. (1991):

The vascular and neuronal composition of the lateral ligament of the rectum an rectosacral fascia. *Surg radiol. Anat*, 13(1) : 17-22.

- Senagore, A.J. (1994):*
Intra-rectal and Intra-anal ultrasonography in the evaluation of colorectal pathology. Surg. Clin. North Am. 1465-73.
- Skandalakis J. E., Gray S. W. and Rowe J.S. (1983):*
In: Anatomical Complications in General Surgery,
Copyright by McGraw-Hill book Company.
- Sinagore, A.; Mislom, J.M. and Talbott, T.M. (1988):*
Intrarectal ultrasonography in management of rectal tumours. Am. Surg. 352-5.
- Sener, S.F.; Imperoto, J.P. and Chamiel, J. (1989):*
The use of cancer registry data to study pre-operative carcinoembryonic antigen level as an indicator of survival in colorectal cancer. Cancer 39:51.
- Siegel, R.S. (1992):*
Screening for colorectal cancer. In: Ahlgren JD, Macdonald JS. (eds.). gastrointestinal Oncology. Philadelphia : W.B. Lippincot, 293 : 97.
- Simpson, W.C. Mayo, C.W. (1939):*
The mural penetration of the carcinoma cell in the colon anatomical and clinical study. Drug. Gynecol. Obstet. 68: 872.
- Sischy, B. (1987):*
The role of radiation therapy in the management of carcinoma of the rectum. Contemporary surgery, 30:13-20.
- Smith, L.E. (1992):*
Colorectal cancer: surgical approach. In: Ahlgren JD, Macdonald JR(eds.). Gastrointestinal oncology. Philadelphia : J.B. Lippincot, 229-338.
- Sobin, L.H. and Ros, P.R. (1990):*
Radiology and the new TNM classification of tumours. The future. Radiology, 1990; 176: 1-4.

-T-

Taylor, I.; Machin, D. and Mullell, M. (1985):

Arandomized controlled trial of adjuvant portal vein cytotoxic perfusion in colo-rectal cancer.
Br. J. Surg.; 72: 359-364.

Tepper, J.E.; Cohen, A.M.; Wood, W.C.; Crlow, E.L. and Hedberg, S.E. (1987):

Postoperative radiation therapy of rectal cancer. Int. J. Radiation Oncol. Biol. Phys, 1987; 13(1): 5-10.

Theoni, R.F.; Moss, A.A. and Schnyder, (1981):

Detection and staging of Primary rectal and rectosigmoid cancer by Computed tomography. Radiology. 135 : 141.

Tio, T.L.; Coene, P.; VanDeldan, G. and Tytgat, N. (1991):

Colorectal carcinoma, preoperative TNM classification with endosonography.
Radiology, 179: 165-170.

Tricoll, J.V.; Rau, L.B. and Kanukousis, C.P. (1986):

Enhanced levels of insulin-like growth factors messenger RNA in human colon carcinoma and ilposarcoma.
Cancer, Res, 46: 6169-6173.

Turnbull, R.B. Jr. and Cuthberson, A.M. (1961):

Abdomino-rectal pul-through resection for cancer and for Hirshsprung's disease. Cleveland Clince. 28:109. Quoted from Goligher 1984.

Turbnbull, R.B.; Kyle, K. and Watsn, F.R. (1967):

Cancer of the rectum. The influence of the no touch isolation technic on survival rates. Ann. Surg. 106: 420.

-W-

Waizer, A.; Powsner, E. and Russo, I. (1991):

Prospective comparative study of magnetic resonance imaging versus transrectal ultrasound for pre-operative and follow-up of rectal cancer. *Dis colon Rectum*, 34: 1068-72.

Weakley, F.L. (1983):

Cancer of rectum : A review of surgical options. *Surg. Clin. North Am.*, 63(1) : 129-135.

Weiss, L.; Grundmann, E. Torhorst, J. (1986):

Haematogenous metastatic pattern in rectal carcinoma J. *pathol.* 150:195.

Welch, J.P. (1981):

Multiple colorectal tumours. An appraisal of natural history and therapeutic options, *Am. J. Surg*; 142: 274-280.

Wherry, D.C. (1981):

Screening for colo-rectal neoplasia in asymptomatic patients using flexible fibro-optic sigmoidoscopy. *Dis. Colon. & Rectum.*; 24:521-522.

W.H.O. (1986):

Histological typig of intestinal tumour in international histological classifications of tumours 1082 Blackwell Scientific publications. Geneve Oxford Lodon Sydney. Tokoy.

Williams, L.F.; Huddleston, C.B.; Sawyers, J.L.; Potts, III, J.R.; Sharp, K.W. and McDougal, S.W. (1988):

Is total pelvic exentration reasonable primary treatment for rectal carcinoma? *Ann. Surg*; 207(6) : 670-678.

Williams, N.S.; Dixon, M.F. and Johnston, D. (1983):

Reappraisal of the 5 centimeter rule of distal excision for carcinoma of the rectum: a study of distal intramural spread and of patients' survival. Br. J. Surg, 70: 150-154.

Williams, N.S.; Durdey P. and Quirke P. (1985):

Pre operative staging of rectal neoplasm and it's impact on clinical management Br. J. Surg. 72: 868.

Winawer, S.J.; Leinder, S.D. and Hajdu, S.I. (1978):

Colonoscopic biopsy and cytology in the diagnosis of colon cancer. Cancer; 42:2849.

Winawer, S.J.; Cummins, R. and Baldwin, M.P. (1982):

A new flexible sigmoidoscope for the generalist. Gastroint. Endosc.; 28:233-236.

Windile, R.; Bell, P.R.F. and Shaw, D. (1987):

Five year results of a randomised trial of adjuvant 5-fluorouracil and levanisole in Colorectal cancer. Br. J. Surg. 74: 569.

Wood, C.B.; Ratcliffe, J.G.; Burt, T.W.; Malcolm, A.J.H. and Blumgart, L.H. (1981):

Local tumour invasion as a prognostic factor in colorectal carcinoma. Br J Surg, 68: 326-8.

-Y-

Yamaguchi, A.; Ishyida, T. and Nishimura, G. (1989):

Human chorionic gonadotropin in colo-rectal cancer and tis relationship to prognosis. Br. J. Cancer; 609: 382-384.

Yapp, R. Modin, I.M.; Kumar, R.R.; Blinda, H.J. and Dubrow, R. (1992):

Gastriit and colorectal cancer. Evidence against an association. Dig. Dis. Sci, 37(4) : 481-484.