

A high-contrast, black and white image of an open notebook. The notebook has a dark, textured cover and is divided into two blank pages by a vertical line. A rectangular label with a hatched border is placed across the center, overlapping both pages. The label contains the word 'REFERENCES' in a bold, sans-serif font, oriented horizontally. The entire image is heavily speckled with noise, giving it a grainy, high-contrast appearance.

REFERENCES

REFERENCES

1. Ackerman and Del Regato (1977): Tumours of the thyroid gland. In: Del-Regato Juan A. and Spjut Harlan J. (Eds.); Cancer, diagnosis, treatment and prognosis; 5th. Ed.; N.Y.; C.V. Mosby Co; PP. 410 - 428.
2. Adams, P.H., Jowsey, J., Kelly, P.J. (1967): Effects of hyperthyroidism on bone and mineral metabolism in man. Quart. J. Med., 36: 1 - 15.
3. Adams, P., & Jowsey, J. (1967): Bone and mineral metabolism in hyperthyroidism: An experimental study. Endocrinology, 81: 735.
4. Adams, P.H., Chalmers, T.M., Riggs, Bh, Jr. (1968): Parathyroid function in spontaneous primary hypothyroidism. J. Endocrinology, 40: 467.
5. Ahuja, M.M. S., and Chopra, I.J. (1968): Coexistent hyperthyroidism and hyperparathyroidism. Metabolism, 17: 854 - 866.
6. Alcock, N., and MacIntyre, I. (1962): Inter - relation of calcium and magnesium absorption. Clin. Sci., 22: 185 - 193.

7. Aliapoulios, M.A., Goldhaber, P., and Munson, P.L. (1966): Thyrocalcitonin inhibition of bone resorption induced by parathyroid hormone in tissue culture. Science, 151: 330 - 331.
8. Arch, R., Kissane, J. (1969): Clinicopathologic conference. Multiple endocrine adenomatosis. Amer. J. Med., 47: 608.
9. Armstrong, W.D., and Carr, C.W. (1964): Physiological chemistry: Laboratory directions, 3 rd. Ed. Burges Publishing Co., Minneapolis, Minnesota.
10. Arnaud, C.D., Tenenhouse, A.M., Rasmussen, H. (1967): Parathyroid hormone. Annal Rev. Physiol., 29: 349.
11. Arnaud, C.D., Tsao, H.S., and Oldham, S.B. (1970): Native human parathyroid hormone: an immunochemical investigation. Proc. nat. Acad. Sci. (Wash.), 67: 415 - 422.
12. Arnaud, C.D., Littledike, T., and Tsao, H.S. (1970): Calcium Homeostasis and the simultaneous measurement of calcitonin and parathyroid hormone in the pig. In: Calcitonin, Taylor, S. (Ed.), PP. 95 - 101, London, William Heinemann Medical Books, Ltd.

19. Barker, S.B., Pittman, G.S., Pittman, J.A. (1960): Thyroxine antagonism by partially iodinated thyronines and analogues. Ann. N.Y. Acad. Sci., 86: 549.
20. Bartels, E.C., and Haggart, G.E. (1938): Osteoporosis in hyperthyroidism. Report of two cases with compression fractures of the vertebrae. New England J. Med., 219: 373.
21. Baxter, J.D., & Bondy, P.K. (1966): Hypercalcemia of thyrotoxicosis. Ann. Intern. Med., 65: 429 - 442.
22. Beaumont, G.E., Dodds, E.C., Robertson, J.D. (1940): Calcium and phosphorus metabolism in thyrotoxicosis. J. Endocrinology, 2: 237.
23. Becker, K.L., Purnell, D.C., and Jones, J.D. (1964): Tubular reabsorption of phosphate in primary hyperparathyroidism before and after administration of parathyroid hormone. J. Clin. Endoc., 24: 347.
24. Belanger, L.F., Migicovsky, B.B. (1963): Histochemical evidence of proteolysis in bone. The influence of parathormone. J. Histochem. Cytochem., 11: 374.
25. Bell, N.H. (1970): Effect of glucagon, dibutyryl cyclic 3, 5 adenosine monophosphate and theophylline on calcitonin secretion in vitro. J. Clin. Invest., 49: 1368.

33. Bordier, P., Miravet, L., Matrajt, H. (1967): Bone changes in adult patients with abnormal thyroid function. Proc. R. Soc. Med., 60: 1132.
34. Botha, J.R., and Lorentz, T.G. (1986): The thyroid, thymus and the parathyroid glands. In: Decker, G.A.G. and Duplessis, D.J. (Eds.), Lee McGregor's Synopsis of Surgical Anatomy, 12 th. Ed., Bristol, John Wright and Sons Ltd., PP. 198 - 207.
35. Bouillon, R., & De Moor, P. (1974): Parathyroid function in patients with hyper - or hypothyroidism. J. Clin. Endocr. Metab., 38: 999 - 1004.
36. Boyd, J.D. (1964): Development of the human thyroid gland. In: Pitt-Rivers, R., and Trotter, W.R., The thyroid, Vol. I, London, Butter, P. 9.
37. Bradley, S.E., Stephan, F., Coelho, J.B., and Reville, Ph. (1974): The thyroid and the kidney. Kidney International, 6: 346 - 365.
38. Braverman, L.E., Ingbar, S.H., & Sterling, K. (1970): Conversion of thyroxine to triiodothyronine in athyrotic human subjects. J. Clin. Invest., 49: 855 - 864.
-

46. Care, A.D., Sherwood, L.M., Aurbach, G.D. (1966):
Perfusion of the isolated parathyroid
gland of the goat and sheep. Nature
(Lond)., 209: 55 - 57.
47. Castro, J.H., Genuth, S.M., Klein, L. (1975):
Comparative response to parathyroid
hormone in hyperthyroidism and hypo-
thyroidism. Metabolism, 24: 839.
48. Charles, A.S., Charles, A.N. (1968): Laboratory
tests in the diagnosis of hyperpara-
thyroidism in hypercalcemic patients.
Ann. Inter. Med., 68: 188.
49. Chiu-an Wang (1978): Ed. Werner, S.C., and Ingbar,
S.H.; The thyroid: A fundamental and
Clinical Text, 4 th. Ed., Medical
department Harper and Row publishers.
50. Chopra, I.J. (1972): A radioimmunoassay for mea-
surement of Thyroxine in Unextracted
serum. J. Clin. Endocrinol. Metab.,
34: 938 - 947.
51. Chopra, I.J. (1974): Radioimmunoassay for
measurement of 3, 3, 5 Triiodothyronine
(Reverse T_3). J. Clin. Invest., 54: 583.

58. Copp, D.H., Cameron, E.C., Cheney, B.A., Henze, K.G. (1962): Evidence for calcitonin - a new hormone from the parathyroid that lowers blood calcium. Endocrinology, 70: 638.
59. Corvilain, J., Abramow, M. (1964): Effect of growth hormone on tubular transport of phosphate in normal and parathyroidectomized dogs. J. Clin. Invest., 43: 1608.
60. Crawford, J.D., Osborne, M.M., Talbot, N.B. (1950): The parathyroid glands and phosphorus homeostasis. J. Clin. Invest., 29: 1448.
61. Cushard, W.G. Jr., Simon, A.B., Reiss, E. (1972): Parathyroid function in sarcoidosis. New Engl. J. Med., 286: 395.
62. Davis, R., Talmage, R.V. (1960): Evidence for liver inactivation of parathyroid hormone. Endocrinology, 66: 312.
63. De Groot, L.J. (1963): Current views on the formation of thyroid hormones. New Eng. J. Med., 272: 243.
64. Dent, C.E. (1956): Cortisone test for hyperparathyroidism. Brit. Med. J., 1: 230.

77. Feinblatt, J., Belanger, L.F., Rasmussen, H.
(1970): Effect of phosphate infusion
on bone metabolism and parathyroid
hormone action. Amer. J. Physiol.,
218: 1624 - 1631.
78. Feind, C.R. (1964): Re-exploration for parathyroid
adenoma. Amer. J. Surg., 108: 543 -
546.
79. Fischer, J.A., Binswanger, U., Blum, J.W. (1973):
The acute parathyroid hormone response
to changes in ionized calcium during
phosphate infusion in the cow. Europ.
J. Clin. Invest., 3: 151.
80. Fiske, C.H., and Subbarow, Y. (1925): The
colorimetric determination of phos-
phorus. J. Biol. Chem., 66: 375 - 400.
81. Fleisch, H., Russel, R.G.G. (1970): Pyrophosphate,
polyphosphates and calcium homeostasis.
In: Encyclopedia of pharmacology.
(H. Rasmussen, Ed.) New York.
82. Follis, R.H., Jr. (1953): Skeletal changes
associated with hyperthyroidism. Bull.
Johns Hopkins Hosp., 92: 405 - 411.
83. Frame, B., Durham, R.H. (1959): Simultaneous
hyperthyroidism and hyperparathyroidism.
Amer. J. Med., 27: 824 - 828.

84. Frizel, D., Malleson, A., & Marks, V. (1967): Plasma levels of ionized calcium and magnesium in thyroid disease. Lancet, 1: 1360.
85. Ganong, W.F. (1981): Review of Medical Physiology 10 th edition. Lange Medical Publications. P. 251.
86. Gill, J.R.Jr., Bell, N.H., Bartter, F.C. (1967): Effect of parathyroid extract on magnesium excretion in man. J. Appl. Physiol., 22: 136.
87. Gilmour, J.R. (1939): The normal histology of the parathyroid glands. J. Path. Bact., 48: 187 - 222.
88. Gitelman, H.J., Kukuli, S., Welt, L.C. (1968): The influence of the parathyroid gland on the hypercalcemia of experimental magnesium depletion in the rat. J. Clin. Invest., 47: 118.
89. Goldsmith, R.S., Siemsen, A.W., Mason, A.D., Jr. (1965): Primary role of plasma hydrocortisone concentration in the regulation of the normal forenoon pattern of urinary phosphate excretion. J. Clin. Endocr., 25: 1649.
90. Gordan, G.S. (1962): In R. Escamilla, Laboratory tests in diagnosis and investigation of endocrine functions: Oxford: Blackwell Scientific Publications.

91. Gordin, A., and Saarinen, P. (1972): Methodological study of the radioimmunoassay of human thyrotrophin. Acta Endocrinol., 71: 24 - 36.
92. Gosh, B.N., Woodbury, D.M., Sayers, G. (1951): Quantitative effects of thyrotrophic hormone on I¹³¹ accumulation in the thyroid and plasma proteins of hypophysectomized rats. J. Endocrinology, 48: 631.
93. Gray, T.K., Munson, P.L. (1969): Thyrocalcitonin; evidence for physiological function. Science, 166: 512.
94. Gray, H. (1975): The thyroid gland. In: Warwick, R., and Williams, P.L. (Eds.), Gray's Anatomy, 35th Ed., Edinburgh, Longman group Ltd. PP. 1373 - 1375.
95. Gross, J., Pitt-Rivers, R., Trotter, W.R. (1952): Effect of 3, 5, 3-L-triiodothyronine in myxedema. Lancet, 1: 1044.
96. Gwinup, G., Sayle, B. (1961): Cortisone responsive hypercalcemia in proved hyperparathyroidism. Ann. Intern. Med., 55: 1001.
97. Habener, J.F., Powell, D., Murray, T.M. (1971): Parathyroid hormone: Secretion and metabolism in vivo. Proc. Nat. Acad. Sci. (U.S.A.), 68: 2986.

98. Hajjar, E.T., Soth, I.S. (1973): The coexistence of parathyroid and thyroid disease. Primary hyperparathyroidism and thyroid carcinoma. Leb. Med. J., 26: 3.
99. Halmi, N.S. (1961): Thyroidal iodide transport. Vitamins and Hormones., 19: 133.
100. Halmi, N.S. (1964): The accumulation of recirculation of iodide by the thyroid. In: Pitt-Rivers, R., and Trotter, W.R. (Eds.). The thyroid gland. Washington, D.C., Butterworths. P. 71.
101. Halver, B. (1967): The tubular transport of glucose as measure of parathyroid function. Acta. Med. Scand., 181: 209.
102. Hanson (1925): Quoted from Wernly, M., Courvoisier, B. and Fischer, J.A. (1974): The parathyroid. In: Alexis Labhart Clinical Endocrinology, Theory and Practice. Ed: 2 nd., New York. P. 845.
103. Harden, R. Mc. G., Harrison, M.T., Alexander, W.D. (1964): Phosphate excretion and parathyroid function in thyrotoxicosis. J. Endocrinology, 28: 281 - 288.
104. Harden, R.Mc.G. (1964): Calcium excretion in thermal sweat in thyrotoxicosis. J. Endocrinology, 28: 153.

105. Harris, G.W. (1959): Neuroendocrine control of TSH secretion. In A. Gorbman (Ed.). Comparative Endocrinology. New York, Wiley. P. 202.
106. Harrison, M.T., Harden, R.Mc.G., Alexander, W.D., and Wayne, E. (1965): Iodine balance studies in patients with normal and abnormal thyroid function. J. Clin. Endocrinol., 25: 1077.
107. Harrison, T.S. (1981): The thyroid gland. In: Sabiston, D.C., Jr. (Ed.), Davis - Christopher Textbook of Surgery, 12th. Ed., Philadelphia, W.B. Saunders Co., P. 673.
108. Hass, H.G., Affalter, H., Dubach, U.C. (1965): Evidence for calcitonin effect in man. Acta Endocr., 48: 132.
109. Hattner, R. (1970): Letter to the editor. Metabolism, 19: 639.
110. Hellstrom, J. (1954): Primary hyperparathyroidism: Observations in a series of fifty cases. Acta Endocr., 16: 30.
111. Hirsch, P.F., and Munson, P.L. (1963): Thyroid hypocalcemic principle and recurrent laryngeal nerve injury as factors affecting the response to parathyroidectomy in rats. Endocrinology, 73: 244.

112. Hiss, J.M., and Dowling, J.T. (1962): Thyroxine metabolism in untreated and treated pancreatic steatorrhea. J. Clin. Invest., 41: 988.
113. Horwith, M., Buchanan, J.R., Mautalen, C.A. (1966): Primary hyperparathyroidism: Evaluation of diagnostic aids. Calcium infusion, phosphorus deprivation and hydroxyprolinuria. J. Clin. Endocr., 26: 885.
114. Hruska, K.A.; Korkor, A.; Martin, K. (1981): Peripheral metabolism of intact parathyroid hormone. J. Clin. Invest., 67: 885.
115. Hüfner, M., and Grussendorf, M. (1976): Radioimmunoassay for 3, 3, 5-triiodothyronine (Reverse T_3 , R - T_3) in unextracted human serum. Clinica Chimica Acta, 69: 497 - 504.
116. Hunt, P.S., Poole, M., and Reeve, T.S. (1968): Reappraisal of the surgical anatomy of the thyroid and parathyroid glands. Brit. J. Surg., 55: 63 - 66.
117. Ibrahim, I.I., and Premachandra, B.N. (1972): In Vitro tests of thyroid function in active thyroglobulin immunity. Proc. Soc. Exp. Biol. and Med., 140: 729.

118. Ingbar, S.H., and Woeber, K.A. (1968): The thyroid gland. In: Williams, R.H. (Ed.), Textbook of Endocrinology, 4th. Ed., Chap. 4, W.B. Saunders company, Philadelphia. PP. 105 - 286.
119. Ingbar, S.H., and Woeber, K.A. (1980): Thyroid diseases. In: Isselbacher, K.J., Adams, R.D., Braunwald, E., Petersdorf, R.G., and Wilson, J.D. (Eds.). Harrison's Principles of Internal Medicine, 9 th. Ed., Tokyo, McGraw - hill international book Co. PP. 1694 - 1700.
120. Ingbar, S.H., and Woeber, K.A. (1981): The thyroid gland. In: Williams, R.H. (Ed.), Textbook of Endocrinology, 6 th. Ed., W.B. Saunders Company, Philadelphia, London, Toronto, PP. 117 - 120.
121. Isaksson, B., Lindhalm, B. (1967): Dermal calcium losses. Metabolism, 16: 303.
122. Isaksson, B., Ahlsson, L. (1967): A critical evaluation of the calcium balance technic III. The theoretical Phosphorus balance. Metabolism, 16: 314.
123. John, K.J., and Iversen, O. (1973): Calcium excretion in the urine in patients with hyperparathyroidism. Scand. J. Urol. Nephrol., 7: 168.

124. Kaplan, L., Katz, A.D., Ben-Isaac, C. (1971): Malignant neoplasms and Parathyroid adenoma. Cancer., 28: 401 - 407.
125. Kaplan, R.A., William, H.S., Charles, Y.C.P. (1976): Metabolic effects of parathyroidectomy in asymptomatic primary hyperparathyroidism. J. Clin. Endocr. and Metab., 42: 415.
126. Kaplan, E.L. (1979): Parathyroid. In: Principles of Surgery, 3rd. Ed., Editor: Schwartz, S.I. McGraw-Hill Book Co., New York, San Francisco, Paris etc. PP. 1573 - 1630.
127. Kaplan, M.M., Swartz, S.L., and Larsen, P.R. (1981): Partial peripheral resistance to thyroid hormone. Am. J. Med., 70: 1115 - 1121.
128. Kivirikko, K.I., Laitinen, O., & Lamberg, B.A. (1965): Value of urine and serum hydroxyproline in the diagnosis of thyroid disease. J. Clin. Endocr., 25: 1347.
129. Kohn (1895): Quoted from: Wernly, M., Courvoisier, B. and Fischer, J.A. (1974): The parathyroid. In: Alexis Labhart Clinical Endocrinology, Theory and Practice. Ed: 2nd., New York. P. 845.

130. Krane, S.M., Brownell, G.L., Stanbury, J.B. (1956): The effect of thyroid disease on calcium metabolism in man. J. Clin. Invest., 35: 874 - 887.
131. Krementz, E., Yeager, R., Hawley, W. (1971): The first 100 cases of parathyroid tumour from Charity Hospital of Louisiana. Ann. Surg., 173: 872 - 883.
132. Laing, V.O., Frame, B., and Block, H.A. (1969): Associated primary hyperparathyroidism and thyroid lesions. Arch. Surg., 98: 709 - 712.
133. Laive, C.E., Bird, E.D., Thomas, W.C., Jr. (1962): Hypercalcemia in myxedema. J. Clin. Endocr., 22: 261.
134. Last, R.J. (1985): The thyroid gland. In: Last, R.J. (Ed.), Anatomy Regional and Applied, 7th. Ed., English language book society, Churchill Livingstone, PP. 369 - 371.
135. Lazor, M.Z., Rasenberg, L., Curbone, P. (1963): Studies of calcium metabolism in multiple myeloma with 47 calcium and metabolic balance techniques. J. Clin. Invest., 42: 1238.
136. Lekkerkerker, J.F.F., Van Woudenberg, F., Beekhuis, H. (1971): Enhancement of calcium absorption in hypothyroidism. Observations with a new method measuring calcium absorption. Israel J. Med. Sci., 7: 399.

137. Leonard, J.D., Parthemore, J.G. (1974): Secretion of parathyroid hormone in patients with medullary carcinoma. J. Clin. Invest., 54: 416.
138. Liebllich, J., Utiger, R.D. (1972): Triiodothyronine radioimmunoassay. J. Clin. Invest., 51: 157.
139. Li-Volsi, V.A., Feind, C.R., Lo-Gerfo, P. (1973): Demonstration by immunoperoxidase staining of hyperplasia of parafollicular cells in the thyroid gland in hyperparathyroidism. J. Clin. End. Metab., 37: 550 - 559.
140. Li-Volsi, V.A., Feind, C.R. (1976): Parathyroid adenoma and nonmedullary thyroid carcinoma. Cancer, 38: 1391-1393.
141. Looke, H. (1955): Osteoporosis in association with thyrotoxicosis. Acta Med. Scand., 151: 229.
142. Looke, H. (1959): Clinical investigations of renal calcium clearance. Acta Med. Scand., 165: 71.
143. Looke, H. (1960): The action of corticosteroids on the renal reabsorption of calcium. Acta Endocr., 34: 60.

144. Lotz, M., Zisman, E., Bartter, F.C. (1968):
Evidence for a phosphorus depletion
syndrome in man. New Engl. J. Med.,
278: 409.
145. MacIntyre, I. (1957): The flame -spectropho-
tometric determination of calcium in
biological fluids and an isotopic
analysis of the errors in the Kramer-
Tisdall procedure. Biochem. J., 67:
164 - 172.
146. Maloof, F., and Soodak, M. (1963): Intermediary
metabolism of thyroid tissue and the
action of drugs. Pharmacol. Rev., 15:
43.
147. Man, E.B., Gildea, E.F., Peters, J.P. (1940):
Serum lipoids and proteins in hyper-
thyroidism. J. Clin. Invest., 19: 43.
148. Mandl (1926): Quoted from: Wernly, M., Courvoi-
sier, B. and Fischer, J.A. (1974):
The parathyroid. In: Alexis Labhart
Clinical Endocrinology; Theory and
Practice. Ed: 2 nd., New York, P.
845.
149. Manderlier, Th., Bergans, A., Corvilain, J.
(1974): Ann. Endocr. (Paris), 35: 185.
Quoted from: Mosekilde, L., Christensen,
M.S. (1977): Acta Endocr., 84: 566.

150. Martin, N.H. & Perkins, D.J. (1953): The calcium binding of human serum albumin in health and disease. Biochem. J., 54: 642 - 645.
151. Martin, T.J., Melick, R.A., Luise, M.D. (1969): Metabolism of parathyroid hormone. Biochem. J., 111: 509 - 514.
152. Martin, G.R. (1976): Hormonal regulation of calcium and phosphorus metabolism. Amer. J. Med., 60: 1332.
153. Massry, S.G., Coburn, J.W., Chapman, L.W., Kleeman, C.R. (1968): The effect of long-term desoxycorticosterone acetate administration on the renal excretion of calcium and magnesium. J. Lab. Clin. Med., 71: 212 - 219.
154. McCallum and Vogtlin (1908): Quoted from: Wernly, M., Courvoisier, B. and Fischer, J.A. (1974): The parathyroid. In: Alexis Labhart Clinical Endocrinology, Theory and Practice. Ed: 2nd., New York. P. 845.
155. McConnon, J., Row, V.V., Volpe, R. (1971): Simultaneous comparative studies of thyroxine and triiodothyronine distribution and disposal rates. J. Endocrinology, 51: 17.

156. McCullagh, E.P. (1928): The parathyroid glands: Their relationship to the thyroid with special reference to hyperthyroidism. Arch. Intern. Med., 42: 546.
157. Melick, R.A., Gill, T.R.Jr., Berson, S.A. (1967): Antibodies and clinical resistance of parathyroid hormone. New Engl. J. Med., 276: 144.
158. Melick, R.A., Martin, T.J. (1969): Parathyroid Metabolism in man: Effect of nephrectomy. Clin. Sci., 37: 667.
159. Melvin, K.E.W., Tashjian, A.H., Jr., and Miller, H.H. (1972): Studies in familial medullary thyroid carcinoma. Recent Prog. Horm. Res., 28: 399.
160. Meunier, P.J., Bianchi, G.G.S., Edouard, C.M., Bernard, J.C., Courpron, P. & Vignon, G.E. (1972): Orthop. Clin. N. Amer., 3: 745. Quoted from: Mosekilde, L., Christensen, M.S. (1977): Acta Endocr., 84: 566 - 575.
161. Mitsuma, T., Nihei, N., Hollander, C.S. (1971): Serum triiodothyronine: Measurements in human serum by radioimmunoassay with corroboration by gas-liquid chromatography. J. Clin. Invest., 50: 2679.

162. Moore, E.W. (1970): Ionized calcium in normal serum, ultrafiltrates and whole blood determined by ion-exchange electrodes. J. Clin. Invest., 49: 318.
163. Mosekilde, L. & Christensen, M.S. (1977): Decreased parathyroid function in hyperthyroidism: Interrelationships between serum parathyroid hormone, calcium-phosphorus metabolism and thyroid function. Acta Endocr., 84: 566 - 575.
164. Mosekilde, L., Melsen, F., Bagger, J.P. (1977): Bone changes in hyperthyroidism: Interrelationships between bone morphometry, thyroid function and calcium-phosphorus metabolism. Acta Endocr., 85: 515 - 525.
165. Munger, B.L., and Roth, S.I. (1963): The cytology of the normal parathyroid glands of man and virginia deer; a light and electron microscopic study with morphologic evidence of secretory activity. J. Cell Biol., 16: 379 - 400.
166. Munson, P.L. (1955): Studies on the role of parathyroids in calcium and phosphate metabolism. Ann. Acad. Sci. (N.Y.), 60: 776.

167. Nielsen, H. (1952): The bone system in hyperthyroidism, a clinical and experimental study. Acta Med. Scand., 142: 783.
168. Nordin, B.E.C., and Fraser, R. (1960): Assessment of urinary phosphate excretion. Lancet, 1: 947.
169. Nordin, B.E.C., Bulusu, L. (1968): A modified index of phosphate excretion. Postgrad. Med. J., 44: 93 - 97.
170. Nordin, B.E.C. (1968): Measurement and meaning of calcium absorption. Gastroenterology, 54: 294.
171. Oddie, T.H., Fisher, D.A., Dussault, J.H. (1971): Triiodothyronine turnover in euthyroid subjects. J. Clin. Endocr., 33: 653.
172. Ogburn, P.L., and Black, B.M. (1956): Primary hyperparathyroidism and papillary adenocarcinoma of the thyroid. Proc. Mayo Clinic, 31: 295 - 298.
173. Oldham, S.B., Fischer, J.A., Arnaud, C.D. (1971): Calcium binding protein from the parathyroid gland. J. Lab. Clin. Med., 78: 821 - 822.

174. Orimo, H., Fujita, T., Morii, H. (1965):
Inactivation in vitro of parathyroid
hormone activity by kidney slices.
Endocrinology, 76: 255 - 258.

175. Oser, B.L. (1965): Hawk's physiological
chemistry. 14 th. Ed. P. 553. Tata
McGraw-Hill Publishing company, Ltd.,
Bombay, New Delhi, India.

176. Pak, Y.C., Sanzenbacher, L., Ruskin, B., Cox, J.
(1972): A simple and reliable test
for the diagnosis of hyperparathyroi-
dism. Arch. Intern. Med., 129: 48.

177. Parsons, J.A., Robinson, G.J. (1971): Calcium
shift into bone causing transient
hypocalcaemia after injection of
parathyroid hormone. Nature, 230:
581 - 582.

178. Peribek, R.A., Meade, R.G. (1957): Thyrotoxi-
cosis simulating hyperparathyroidism.
Arch. Intern. Med., 100: 994.

179. Petro, A.B., and Hardy, J.D. (1975): Parathy-
roid adenoma and nonmedullary car-
cinoma of the thyroid. Ann. Surg.,
181: 118 - 119.

180. Pinchera, A., MacGillivray, M.H., Crawford, J.D.,
and Freeman, A.G. (1965): Thyroid
refractoriness in an athyrotic
cretin fed soy bean formula. New
Eng. J. Med., 273: 83.

181. Pitt-Rivers, R., Tata, J.R. (1959): The thyroid hormones. London: Pergamon Press.
182. Pitt-Rivers, R. (1960): Biosynthesis of the thyroid hormones. Brit. Med. Bull., 16: 118 - 121.
183. Pittman, C.S., Barker, S.B. (1959): Inhibition of thyroxine action by 3, 3, 5 - triiodothyronine. J. Endocrinology, 64: 466.
184. Pittman, C.S., Brower, R.W., Register, H.B. (1962): Biological activity of 3, 3, 5-triiodo-di-thyronine. J. Endocrinology, 70: 79.
185. Pittman, C.S., Shenobara, H., McCraw, E.F. (1964): Effect of thyroxine and analogues on the peripheral metabolism of thyroxine. The half life and pattern of elimination. J. Endocrinology, 74: 611.
186. Pittman, C.S., Chambers, J.B., Jr., Read, V.H. (1971): The extrathyroidal conversion rate of thyroxine to triiodothyronine in normal man. J. Clin. Invest., 50: 1187.
187. Plummer, W.A., Dunlap, H.F. (1928): Cases showing osteoporosis due to decalcification in exophthalmic goiter. Proc. Mayo Clin., 3: 119.

188. Potts, J.T., Jr., Murray, T.M., Peacock, M.
(1971): Parathyroid hormone:
Sequence, Synthesis, Immunoassay
Studies. Amer. J. Med., 50: 639.
189. Premachandra, B.N., Pipes, G.W., Turner, C.W.
(1958): Variation in the thyroxine
secretion rate in cattle. J. Dairy
Sci., 41: 1609.
190. Premachandra, B.N., and Ibrahim, I.I. (1974):
Determination of serum thyroxine in
unextracted serum by immunoradiome-
tric assay Procedure. Vol II. IAEA
Symposium Proc. Istanbul, P. 141.
191. Premachandra, B.N., and Ibrahim, I.I. (1976):
A simple and rapid thyroxine radioi-
mmunoassay (T_4 -RIA) in unextracted
human serum; a comparison of T_4 -RIA
and T_4 displacement assay, T_4 (D),
in normal and pathologic sera.
Clinica Chimica Acta, 70: 43 - 60.
192. Prockop, D.J., Kivirikka, K.I. (1967): Rela-
tionship of hydroxyproline excretion
in urine to collagen metabolism. Ann.
Inter. Med., 66: 1243.
193. Pullman, T.N., Lavender, A.R., Rasmussen, H.
(1960): Direct renal action of a
purified parathyroid extract.
Endocrinology, 67: 570.

194. Puppel, I.D., Gross, H.T., McCormick, E.K.
(1945): The rationale of Calcium,
Phosphorus and Vitamin D therapy in
clinical hyperthyroidism. Surg.
Gynec. Obstet., 81: 243.
195. Puppel, I.D., McCormick, E.K., Herdle, E. (1958):
Some metabolic factors in the treat-
ment of hyperthyroidism. Ann. Intern.
Med., 48: 1300.
196. Raisz, L.G., Rochester, N.Y. (1969): Parathyroid
gland metabolism. Arch. Intern. Med.,
124: 389 - 396.
197. Ramsdell, J.A., Black, B.M., Woolner, L.B. (1960):
Tumours of the parathyroid glands
found incidentally during Surgical
Procedures. Surg. Gynec. Obstet.,
111: 451 - 456.
198. Rasmussen, H., Cralg, L.C. (1959): Purification
of parathyroid hormone by use of
countercurrent distribution. J. Amer.
Chem. Soc., 81: 5003.
199. Rasmussen, H., Deluca, H.F. (1963): Calcium
homeostasis. Ergebn. Physiol., 53: 108.
200. Rasmussen, H., Tenenhouse, A. (1967): Thyroca-
lcitonin, osteoporosis and osteolysis.
Amer. J. Med., 43: 711.

201. Reichlin, S. (1968): Neuroendocrinology. In: Williams, R.H.(Ed.), Textbook of Endocrinology, 4th. Ed., W.B. Saunders Company, Philadelphia.
202. Reiss, E., Canterbury, J.M. (1968): A radioimmunoassay for parathyroid hormone in man. Proc. Soc. Exp. Biol. Med. (NY), 128: 501 - 504.
203. Richard, S.R.S. (1975): Clinical embryology for medical students; Boston, Little Brown and Co., PP. 301 - 310.
204. Riggs, B.L., Arnaud, C.D., Reynolds, J.C., Smith, L.H. (1971): Immunologic differentiation of primary hyperparathyroidism from hyperparathyroidism due to non - parathyroid cancer. J. Clin. Invest., 50: 2079.
205. Rintoul, R.F. (1977): Cervical lymph glands. In: Rintoul, R.F. (Ed.), Farquharson's textbook of operative surgery, 6th. Ed., Edinburgh, The English lang. P. 382.
206. Roth, S.I. (1962): Pathology of the parathyroids in hyperparathyroidism, with a discussion of recent advances in the anatomy and pathology of the parathyroid glands. Arch. Path., 73: 495.

207. Rothenberg, S., Redleaf, P.D. (1959): Hypoparathyroidism and recurrent hyperthyroidism. Arch. Intern. Med., 104: 783.
208. Rude, R.K., Oldham, S.B., Singer, F.R. (1976): Treatment of thyrotoxic hypercalcemia with propranolol. New Engl. J. Med., 294: 431 - 433.
209. Sandstrom (1880): Quoted from Wernly, M., Courvoisier, B. and Fischer, J.A. (1974): The parathyroids. In: Alexis Labhart Clinical Endocrinology. Theory and Practice. Ed: 2nd., New York, P. 845.
210. Schmid, J.R., Labhart, A., Rassier, P.H. (1961): Relationship of multiple endocrine adenomas to the syndrome of ulcerogenic islet cells adenomas (Zollinger Ellison). Amer. J. Med., 31: 343.
211. Schwartz, S.I. (1979): Thyroid. In: Schwartz, S.I. (Editor), Principles of Surgery, 3rd. Ed., McGraw-Hill Book Co., New York, San Francisco, Paris etc., PP. 1545 - 1573.
212. Sherwood, L.M., Mayer, G.P., Ramberg, C.F., Jr. (1968): Regulation of parathyroid hormone secretion. Endocrinology, 83: 1043.

213. Sherwood, L.M., Romdman, L.S. (1970): Evidence for a precursor to circulating parathyroid hormone. Proc. Nat. Acad. Sci. (Wash), 67: 1631.
214. Singhelakis, P., Alevizaki, C.C., & Ikkos, D.G. (1974): Intestinal calcium absorption in hyperthyroidism. Metabolism, 23: 311 - 321.
215. Slatopolsky, E., Martin, K., Morrissey, J. (1981): Parathyroid hormone secretion, metabolism and biologic action. Nephrol., 1: 319.
216. Sode, J., Sobol, J., Serem, E. (1968): Correlative study of calcium absorption in man. J. Clin. Invest., 47: 92.
217. Sommers, S.C. (1977): Ed. Anderson, W.A.D., and Kissane, S.M., Thyroid gland structure and function, 7th. Ed., St. Louis; The C.V. Mosby Co., P. 1629.
218. Stanbury, S.W. (1958): Some aspects of disordered renal tubular function. Adv. Intern. Med., 9: 231 - 282.
219. Stasilli, N.R., Kvoe, R.L., Melzer, R.I. (1959): Calorigenic activities of thyroxine analogues in Rats. J. Endocrinology, 64: 62.

220. Steiner, A.L., Goodman, A.D., and Powers, S.R. (1968): Study of a kindred with pheochromocytoma, medullary thyroid carcinoma, hyperparathyroidism and Cushing's disease: Multiple endocrine neoplasia, type 2. Medicine, 47: 371 - 409.
221. Sterling, K., Bellabarba, D., Brenner, M.A. (1969): Determination of triiodothyronine concentration in human serum. J. Clin. Invest., 48: 1150.
222. Sterling, K., Brenner, M.A., Newman, E.S. (1970): Conversion of thyroxine to triiodothyronine in normal human subjects. Science, 169: 1099.
223. Suki, W.N., Rause, D., Terry, A. (1969): Effect of expansion of extracellular fluid volume on renal phosphate handling. J. Clin. Invest., 48: 1888.
224. Suki, W.N., Eknayan, G., Rector, F.C. jr. (1969): The renal diluting and concentrating mechanism in hypercalcemia. Nephron, 6: 50.
225. Surks, M.I., Schadow, A.R., Stock, J.M. (1973): Determination of iodothyronine absorption and conversion of L-thyroxine (T_4) to L-triiodothyronine (T_3) using turnover rate techniques. J. Clin. Invest., 52: 805.

226. Tashjian, A.H., Jr., Howland, B.G., Melvin, K. E.W., and Hill, C.S., Jr. (1970): Immunoassay for human calcitonin: Clinical measurement, relation to serum calcium and studies in patients with medullary carcinoma. New Engl. J. Med., 283: 890.
227. Tata, J.R., and Shellabarger, C.J. (1959): An explanation for the difference between the responses of mammals and birds to thyroxine and triiodothyronine. Biochem. J., 72: 608 - 613.
228. Taurog, A., Chaikoff, I.L., Tong, W. (1950): The nature of plasma iodine as revealed by Filter paper partition chromatography. J. Biol. Chem., 184: 99 - 104.
229. Taurog, A. (1964): The biosynthesis of thyroxine. Proc. Mayo Clinic, 39: 569.
230. Thomas, W.C., Jr., Connor, T.B., Margan, H.G. (1958): Some observations on patients with hypercalcemia exemplifying problems in differential diagnosis especially in hyperparathyroidism. J. Lab. Clin. Med., 52: 11.
231. Thomas, C.G. Jr. (1981): Nodular goitre and benign and malignant neoplasms of the thyroid. In: Sabiston, D.C., Jr. (Ed.): Davis-Christopher Textbook of Surgery; 12th. Ed.; Philadelphia; W.B. Saunders Co.; P. 691.

232. Thompson, D.D. (1959): Renal excretion of calcium and phosphorus. Arch. Inter. Med., 103: 832 - 838.
233. Transbol, I., Halver, B. (1967): Relation of renal glycosuria and parathyroid function in hypercalcemic sarcoidosis. J. Clin. Endocr., 27: 1193.
234. Trout, H., and Mulder, D. (1972): Surgery for parathyroid adenoma. Arch. Surg., 105: 67 - 70.
235. Vassale and Generali (1896): Quoted from Wernly, M., Courvoisier, B., Fischer, J.A. (1974): The parathyroids. In: Alexis Labhart Clinical Endocrinology, Theory and Practice. Ed: 2 nd., New York, P. 845.
236. Wade, J.S.H., and Wheeler, M.H. (1984): The thyroid gland and the thyroglossal tract. In: Rains, A.J.H., and Ritchie, H.D. (Eds.) Bailey and Love's Short Practice of Surgery, 19 th. Ed., London, H.K., Lewis and Co. Ltd. PP. 607 - 611, 617, 618, 630 - 635.
237. Walser, M. (1961): Interactions between calcium, magnesium, inorganic phosphate, citrate and protein in normal human plasma. J. Clin. Investig., 40: 723.

238. Webster, G.D., Mann, J.B., Hills, A.G. (1967):
The effect of phosphate infusion
upon renal phosphate clearance in
man. Evidence for tubular phosphate
secretion. Metabolism, 16: 797.
239. Wells, S.A., Jr., Baylin, S.B. (1977): The
multiple endocrine neoplasias. In:
Davis-Christopher Textbook of Surgery,
11 th. Ed., Editor: Sabiston, D.C.,
Jr. Philadelphia, W.B. Saunders Co.
PP. 717 - 724.
240. Werner, S.C. (1962): The thyroid, 2 nd. Ed.,
Harper and Row, New York, PP. 628 -
633.
241. Williamson, E., Van Peenen, J.H. (1974):
Patient benefit in discovering occult
hyperparathyroidism. Arch. Intern.
Med., 83: 430.
242. Winter, M., Morava, E., Simon, G. (1970): The
role of the parathyroid glands in
absorption of calcium from the small
intestine. J. Endocrinology, 47: 65.
243. Wolff, J. (1964): Transport of iodide and other
anions in the thyroid gland. Physiol.
Rev., 44: 45.