

REFERENCES

Abou-Own, A.; Jhon, H.; Philip, D. and Coleridge, S.; (1994):

Effect of leg elevation on the skin microcirculation in
chronic venous insufficiency.

J. Vasc. Surg. 20 : 705 – 710.

Alimi, Y.S.; Barthelemy, P. and Juhan, C. (1994):

Venous pump of the calf.

J. Vasc. Surg. 20 : 728 – 735.

Ament, P.W. and Bertolino, J.G. (1994):

Enoxaparin in the prevention of deep venous thrombosis.

Am. Fam. Physician 50 : 1763-1763.

Antal, S.C. and Reiss, R. (1976):

Postthrombotic leg ulcer and its surgical treatment.

Am. J. Surg. 131 : 710-713.

Baker, S.R.; Stacey, M.C.; Hoskin, S.E. and Thompson, P.J. (1991):

Epidemiology of chronic venous ulcer.

Br. J. Surg. 78: 864-867.

Barnes, R.W. (1985):

Non invasive tests for chronic venous insufficiency.

In: Surgery of Veins. Ed. by Bargan, J.J. and Yao, J.S.T.

1st Ed. Grune & Stratton. Comp.

PP: 99–109.

Basmajian, J.V. (1952):

Distribution of valves in femoral, external iliac and common iliac veins and their relation to varicose veins.

Surg. Gynec. Obstet. 94 : 537 – 542.

Quoted from Strandness, D.E. and Thiele, B. L. (1981): Anatomy of the venous system of the lower limb. In: Selected Topics in Venous Disorders. Ed. by Strandness, D.E. and Thiele, B.L. 1st ed. Futura Publishing Comp. Mountisco, New York. PP: 1–26.

Bergan, J.J.; Ballard, J.L. and Sparks, S. (1998):

Subfascial endoscopic perforator surgery: The open technique. In: Atlas of Endoscopic Perforator Vein Surgery. Ed. by Gloviczki, P. and Bergan, J.J. 2nd ed. London, Springer – Verlag.

PP: 141-149.

Berth, J.J.; Graham, B. R.A.; Fletcher, A. and Henderson, H.P. (1989):

Malignant fibrous histiocytoma : A new complication of chronic venous ulceration.

Br. Med. J. 298 : 230-231.

Bevan, P.E.; Green, H. and Stammers, R. (1956):

Lower termination of internal saphenous vein.

Br. J. Surg. 43 : 249 – 252.

Quoted from May, R. (1979): Anatomy of veins of lower limb. In: Surgery of the Veins of lower limb and pelvis. Ed. by May, R. 1st ed. George-Thieme publisher Inc. Stuttgart. PP: 1 – 36.

Brewer, A. C. (1950) :

Varicose ulceration, arteriovenous shunt.

Br.Med. J. 2 : 269 – 270

Quoted from Callam, M.J. and Ruckley, C.V. (1992): Chronic venous Insufficiency & leg ulcer. In : Surgical Management of Vascular Disease. Ed. by: Bell, P.R.F.; Tamieson, C.W. & Ruckley, C.V. 1st ed. W.B. Saunders Comp. Philadelphia, London, Toronto.PP: 1267 – 1303.

Browse, N.L. (1986):

Chronic venous insufficiency. A challenge for the vascular laboratory.

World J. Surg. 10 : 925-927.

Browse, N.L. (1997):

The Arteries, Veins by updates. In : An Introduction to the symptoms & signs of surgical Disease Ed. By Browse, N.L. 3rd ed. Hodder Stoughton; London, Kent, Hong Kong. PP: 159 – 192.

Browse, N.L. and Burnand, K.G. (1982):

The cause of venous ulceration.

Lancet, 2 : 243-245.

Browse, N.L.; Burnand, K.G. and Lea-Thomas, M. (1988):

Physiology and functional anatomy. In : Diseases of the Veins Diagnosis and Treatment. Ed. by Burnand, K.G. and Browse, N.L. 1st ed. Hodder, and Stoughton, London, Kent, Hong Kong.

PP: 53 – 69.

Burnard, K.G.; O'Donnel, T.F. and Thomas, M.L. (1977):

Relation between postphlebeitic changes in deep veins and results of treatment of venous ulcers.

Surg. 82:9-14.

Burnand, K.G.; Whimster, I. and Naidoo, A. (1982) :

Pericapillary fibrin in the ulcer bearing skin of the leg: The cause of lipodermatosclerosis and venous ulceration.

Br. Med. J. 285: 1071-74.

Callam, M. (1998):

The peripheral vascular system. In: Applied Surgical Anatomy. Ed. by Glasby, M.A.; Owen, W. and Kristmundsodottir, F. 1st ed. Butterworth – Heinemann Oxford, Boston, New Delhi.

PP: 201-217.

Callam, M.J.; Harper, D.R. and Dale, J.J. (1987):

Chronic ulcer of the leg: clinical history.

Br. Med. J. 294 : 1389-1391.

Callam, M.J. and Ruckley, C.V. (1992):

Chronic venous Insufficiency & leg ulcer. In : Surgical Management of Vascular Disease. Ed. by: Bell, P.R.F.; Tamieson, C.W. & Ruckley, C.V. 1st ed. W.B. Saunders Comp. Philadelphia, London, Toronto.

PP: 1267 – 1303.

Cikrit, D.F.; Nicholas, W.K. and Silver, D. (1988):

Surgical management of refractory venous stasis ulceration.

J. Vasc. Surg. 7 : 473-478.

Christopoulos, D. ; Nicolaides, A.N. and Cook, A. (1989) :

Pathogenesis of Venous ulceration in relation with the calf muscle pump function.

Surg. 106 : 829 – 835.

Clyne, C.A.C.; Ramsden, W.H.; Chant, A.D.B. and Webser, J.H. (1985):

Oxygen tension of the skin of the gaiter area of limbs with venous disease.

Br. J. Surg. 72: 644 – 48.

Cockett, F.B. (1953):

The ankle blow out syndrome: A new approach to the varicose ulcer problem.

Lancet; 1 : 17-23.

Quoted from Callam, M.J. and Ruckley, C.V. (1992): Chronic venous Insufficiency & leg ulcer. In : Surgical Management of Vascular Disease. Ed. by: Bell, P.R.F.; Tamieson, C.W. & Ruckley, C.V. 1st ed. W.B. Saunders Comp. Philadelphia, London, Toronto. PP:1267 – 1303.

Cockett, F. B. (1970):

Surgery of ileofemoral thrombosis. In: Trends in Vascular Surgery. Ed. by Gillspie, J.A. 2nd ed. Butterworth – Heinemann, Oxford, Boston, New Delhi.

PP: 75 – 94.

Conrad, P. (1994):

Endoscopic exploration of the subfascial space of the lower leg with perforator vein interruption using laparoscopic equipment : a preliminary report.
Phlebology 9 : 154 – 157.

Cormacky, G.C. and Lamberty, B. (1986):

Arterial supply of skin flaps. In : the Anatomy of Skin Flaps. Ed. by Cormacky, G.C. and Lamberty, B. 1st ed
Churchil livingstone London, U.K.
PP: 311 – 351.

Criudo, E. and Johnson, G. (1991):

Treatment of chronic venous insufficiency.
Current therapy in cardiovascular disease 3:373-379.

Daniel, R.K. and Taylor, G.I. (1973):

Distant transfer of an island flap by microvascular anastomosis : clinical technique.
Plast. Reconstr. Surg. 52 : 111-115.

De Palma, R.G. (1974) :

Surgical therapy for venous stasis.
Surg. 76 : 910 – 917 .

Dodd, H. and Cockett, F.B. (1956):

Surgical Anatomy of veins of the lower limb. In: The Pathology of Veins of the Lower Limb.

Ed. by Dodd, H. and Cockett, F.B. 1st ed. Churchill livingstone London, U.K.

PP : 28 – 64.

Douglas, W.S. and Simpson, N.B. (1995) :

Guide lines for the management of chronic venous leg ulceration.

Br. J. Dermatol. 132 : 446-452.

Dunn, P.M.; Fudem, G.M.; Walton, R.L.; Anderson, F. ; Anderson, A. and Malhotra, R. (1994) :

Free flap transplantation for refractory venous ulceration.

J. Vasc. Surg. 20 : 525 – 531.

Edward, J.M. (1976):

Shearing operation for incompetent perforating vein.

Br. J. Surg. 63 : 885 – 886.

Edwards, B. and Robuck, A. (1947):

Varieties of communications between the deep femoral and superficial femoral veins.

Surg. Gynec. and Obst. 85 : 547-557.

Quoted from Strandness, D.E. and Thiele, B. L. (1981): Anatomy of the venous sytem of the lower limb. In: Selected Topics in Venous Disorders. Ed. by Strandness, D.E. and Thiele, B.L. 1st ed. Futura Publishing Comp. Mountisco, New York. PP: 1-26.

Eger, S.A. and Casper, S.L. (1943) :

Etiology of varicose veins from anatomic aspects based on dissection of 38 adult cadaver.

JAMA. 123:148-149.

Quoted from Strandness, D.E. and Thiele, B. L. (1981): Anatomy of the venous system of the lower limb. In: Selected Topics in Venous Disorders. Ed. by Strandness, D.E. and Thiele, B.L. 1st ed. Futura Publishing Comp. Mountisco, New York. PP: 1-26.

Eriksson, I. (1989):

Vein valve surgery for deep valvular incompetence. In: Controversies in the Management of Venous Disorders.

Ed. by LekloF, B.; Gjores, J.E. Thulesius, O. and Bergquist, D. 1st ed. Butterworth-Heinemann, Oxford, Boston, New Delhi.

PP: 267 - 279.

Falanga, V. and Eaglstein, W.H. (1993):

The "Trap" hypothesis of venous ulceration.

Lancet. 127:75-78.

Fegan, W.G. (1967):

Varicose veins, compression sclerotherapy.

Br. J. Surg. 54:127-31.

Quoted from Ryan, T.J. (1983): Chronic venous ulcer in: Royal society of Medicine International Congress & Symposium (86) Ed. by Ryan, T.J. Oxford : Oxford University. Press. PP : 47- 63.

Fegan, W.G. (1971):

The art of bandaging the lower limb.

Br. J. Hosp. Med. 5 : 697 - 99.

Fischer, R.; Fullemann, H.J. and Alder, W. (1992):

About a phlebological dogma of the localization of the
Cockett perforators.
Phlebologie. 45: 207-12.

Flye, M.W. (1997):

Venous Disorders. In: Textbook of Surgery, the biological
basis of modern surgical practice. Ed by Sabiston, D.C.
and Iyer, H. K. 15th ed. W.B. Saunders Comp.
Philadelphia, London. Toronto.
PP: 1581-1594.

Freidel, M.L.; Samson, R.H and Chohen, M.J. (1992):

High ligation of the greater saphenous vein for treatment
of lower extremity varicostities: The fate of the vein and
therapeutic results.
Ann. Vasc. Surg. 6:5-8.

Gloviczki, P.; Cambria, P.A. and Canton, L.G. (1996):

Surgical technique and preliminary results of endoscopic
subfascial division of perforating veins.
J. Vasc. Surg. 23 : 517-523.

Gloviczki, P.; Bergan, J.J. and Kinster, P.L. (1997):

Safety, Feasibility and early efficacy of subfascial
endoscopic perforator surgery: a preliminary report from
the North American registry.
J. Vasc. Surg. 25: 94-105.

Green, R.M. and Ouriel, K. (1999):

Venous lymphatic diseases. In: Principles of Surgery.
Ed. by Schwartz, S. I.; Shires, G.T.; Spencer, F.C.; Daly,
J.M.; Fischer, J.E. and Galloway, A. C. 7th ed. Mc Graw-
Hill Comp.
PP: 1005-33.

Gruss, J.D. (1985):

The saphenopopliteal bypass for chronic venous
insufficiency. In: Surgery of Veins. Ed. by Bergan, J.J. and
Yao, J.S.T. 1st ed. Grune, and Straton. Comp.
PP: 255-265.

Hallberg, D. (1972):

A method for repairing incompetent valves in deep veins.
Acta. Chir. Scand. 138:143-145.

Halliday, P.; Harris, J. and May, J. (1985):

Femoro- femoral cross over grafts Palma operation, a long
follow up study. In: Surgery of Veins. Ed. by Bergan, J.J.
and Yao, J.S.T. 1st ed. Grune, and Straton. Comp.
PP: 241 - 254.

*Hanrhana, L.M.; Araki, C.T.; Rodrigues, A.A. und Menzoian, J.D.
(1991):*

Distribution of valvular incompetence in patients with
venous stasis ulceration.
J.Vasc. Surg. 13 : 805 - 813.

Hauer, G. (1985):

The endoscopic subfascial division of the perforating veins: Preliminary report.
Vasa. 14:59-61.

Healey, P.J.M.; Healey, E.H.; Wong, R. and Schaberg, F.J. (1979):

The surgical management of the chronic venous ulcer.
Am. J. Surg. 137: 556 -561 .

Hehne, H.J.; Locher, J.T. and Waibel, P.P. (1974) :

Zur Bedeutung arteriovenöser Anastomosen bei der primären Varikosis und der chronischen Veneninsuffizienz.
Vasa 3 : 396-398.

Herman, R.J.; Neiman, H.L. and Yao, J. S.T. (1980):

Descending venography : A method of evaluating lower extremity venous valvular function.
Radio. 137. 63 – 69.

Higley, H.R.; Ksander, G.A.; Gerharet, C.O. and Falanga, V. (1995):

Extravasation of macromolecules and possible trapping of transforming growth factor – B in venous ulceration.
Br. J. Dermatol. 132 : 79 – 85.

Hohlbaum, G.G. (1989) :

The medical compression stocking

Br. Med. J. 298 : 240 – 242.

Holle, J.; Worseg, A.; Kuzbari, R.; Wuringer, E. and Alt, A. (1995) :

The extended gracilis muscle flap for reconstruction of the lower leg.

Br. J. Plast. Surg. 48 : 353 – 359.

Homans, J. (1917):

The etiology and treatment of varicose ulcer of the leg.

Surg. Gynecol. Obstet. 24 : 300- 301.

Quoted from Shami, S.K.; Sarin, S. Chealte, T.R. and Simth, P.D.C. (1993b): Venous ulcers and superficial venous system. J. Vasc. Surg. 18 : 487– 490.

Homans, J. (1946):

The late results of femoro-thrombophlebitis and their treatment.

N. Engl. J. Med. 235:249-252.

Quoted from Rutherford, R.B. (1989): Management of chronic venous insufficiency In : Vascular Surgery, Ed. by Rutherford, R.B. 3rd ed. W.B. Saunders comp. Philadelphia, London, Toronto. PP : 1583-1601.

Hopkins, N.F.G.; Spink, T.J. and Rhodes, C.G. (1983) :

Positron emission tomography in venous ulceration and liposclerosis : Study of regional tissue function.

Br. Med. J. 286 : 333-336.

Jones, J.W.; Elliot, F. and Kerstein, M. (1982) :

Triangular venous valvuloplasty.

Arch. Surg. 117 : 1250 – 1251.

Jugenheimer, M. and Junginer, T. (1992):

Endoscopic subfascial sectioning of incompetent perforating veins in treatment of primary varicosis.

World J. Surg. 16: 971-975.

Jugenheimer, M.; Nagel, K. and Junginger, T. (1991):

Ergebnisse der endoscopischen Perforans dissection.

Chirurg. 62:625–628.

Katz, M. L.; Mla, R.V.T. and Anthony, J. (1994):

Variability of venous hemodynamics with daily activity.

J. Vasc Surg. 19:361- 365.

Khoury, R.K. (1992) :

Avoiding free flap failure.

Clin. Plast. Surg. 9 : 763 – 771.

Killwish, L.A. (1989):

Spontaneous lysis of deep venous thrombosis.

J. Vasc. Surg. 112 : 972 – 977.

Killwish, L. A.; Martin, R. and Cramer, J. (1985):

An objective assessment of physiological changes in postthrombotic syndrome.

Arch. Surg. 120 : 424 – 426.

Kistner, R.L. (1968):

Surgical repair of venous valve.

Clin. proc. 34:41-43.

Quoted from Rutherford, R.B. (1989): Management of chronic venous insufficiency In : Vascular Surgery, Ed. by Rutherford, R.B. 3rd ed. W.B. Saunders comp. Philadelphia, London, Toronto. PP : 1583-1601.

Kistner, R.L. (1980):

Primary venous valve incompetence of the leg.

Am. J. Surg. 140: 218-224.

Kistner, R.L. and Sparkuhl, R.D. (1979):

Surgery in acute and chronic venous disease.

Surg. 85: 31-41.

Kulozik, U.; Powell, S.M. and Cherry, G. (1988):

Contact sensitivity in community based leg ulcer patients.

Clin. Exp. Dermatol. 13 : 82-84.

Labropoulos, N.; Leon, M. and Nicolaides, A.N. (1994):

Superficial venous insufficiency.

J. Vasc. Surg. 20: 953 – 958.

Labropoulos, N.; Leon, M. and Vatteas, N. (1995) :

Venous hemodynamic abnormalities in patients with leg ulceration.

Am. J. Surg. 169 : 572-574.

Lancaster, J.; Lucarotti, M.; Mitchell, A. and Leaper, D. (1988):

Laser Doppler flow-metric and waveform changes in patients with reflux.

Phebiology; 3 : 69–72.

Lung, W.; Bockler, D.; Meister, R. and Schweiger, H. (1995):

Endoskopische dissection der perforansvener,

Chirurg. 66 : 131 – 4.

Lapierre, C.H.M.(1991):

Genetics and tissue repair. In Wound Healing. Ed. by Janessen, H.; Rooman, R. and Robertson, J.I.S. 1st ed. Wrightson Biomedical publishing Ltd,

PP: 3-6.

Lindmayr, W.; Lofferer, O. and Mostbeck, A. (1972):

Arteriovenous shunts in primary varicosis: A critical essay.

Vasc. Surg. 6:9–14.

Lineweaver, W.; Howard, R. and Soucy, D. (1985):

Topical antimicrobial toxicity.

Arch. Surg. 120:267–270.

Linton, R.R. (1938):

The communicating veins of the lower leg and the operative technique for their ligation.

Ann. Surg. 107:582-593.

Quoted from Callam, M.J. and Ruckley, C.V. (1992): Chronic venous Insufficiency & leg ulcer. In : Surgical Management of Vascular Disease. Ed. by: Bell, P.R.F.; Tamieson, C.W. & Ruckley, C.V. 1st ed. W.B. Saunders Comp. Philadelphia, London, Toronto. PP: 1267 - 1303.

Lofgren, K.A.; Ribisi, A.P. and Myers, T.T. (1958):

An evaluation of stripping versus ligation for varicose veins.

Arch. Surg. 93:310-316.

Quoted from Freidel, M.L.; Samson, R.H and Chohen, M.J. (1992): High ligation of the greater saphenous vein for treatment of lower extremity varicostities: The fate of the vein and therapeutic results. Ann. Vasc. Surg. 6:5-8.

Lydon, M.J.; Hutchinson, J.J.; Ripon, M. and Johnson, E. (1989):

Dissolution of wound coagulum and promotion of granulation tissue under Duo Derm.

Wounds 1 : 95-106.

Malanin, K.; Haapanen, A. and Havu, V. (1994):

Lowered peripheral resistance in arteries of legs with venous ulcer.

Acta. Derm. 74 : 110-112.

Markel, A.; Manzo, R.A.; Bergelin, R.O. and Strandness, D.E.
(1992) :

Valvular reflux after deep venous thrombosis : Incidence
and time of occurrence.

J. Vasc. Surg. 15 : 377 – 384.

Masuda, E. M. and Kistner, R.L. (1994):

Long term results of venous valve reconstruction: A four
to twenty one year follow-up

J. Vasc. Surg. 19: 391 – 403.

May, R. (1979):

Anatomy of veins of lower limb. In : Surgery of the Veins
of lower limb and pelvis. Ed. by May, R. 1st ed.
George-Thieme publisher Inc. Stuttgart.

PP: 1 – 36.

Mayberry, J.C.; Moneta, G.L. and Taylor, L.M. (1991):

Fifteen-years results of ambulatory compression therapy
for chronic venous ulcers.

Surg. 109: 575-581.

McCaffrey, T.A.; Falcone, D.J. and Bryton, C.F. (1989):

Transforming growth factor – B activity is potentiated by
heparin via dissociation of the transforming growth factor
– B / α 2 macroglobulin inactive complex.

J. Cell. Biol. 109: 441 – 448.

McGregor, I.A. and Morgan, G. (1973):

Axial and random pattern flaps.

Br. J. Plast. Surg. 26 : 202 – 213.

McGregor, A.D. and McGregor, L.A. (2000):

Basic techniques in free skin grafts and flaps.

In: Fundamental Techniques of Plastic Surgery and their Surgical applications. Ed. by McGregor, A.D. and McGregor, L.A. 10th ed. Churchill Livingstone, London, New York, Toronto.

PP : 3 - 123

McMinn, R.M.H. (1992):

Lower limb. In : Last's Anatomy Regional and Applied.

Ed. by McMinn, R.M.H. 8th ed. Churchill Livingstone.

Longman Group Ltd.

PP:145 – 240.

Michel, C.C. (1990):

Oxygen diffusion in edematous tissue and through pericapillary cuffs.

Phlebology 5 : 223 – 230.

Moneta, G. L. and Nehler, M. (1996):

The lower extremity venous system: anatomy and physiology of normal venous function and chronic venous insufficiency. In: Handbook of Venous Disorders. Ed. by Moneta, G. L. and Nehler, M. 2nd ed. Chapman & Hall Med. London, Tokyo, Melbourne.
PP: 3-26.

Moosmann, A. and Hartwell, W.J. (1964):

The surgical significance of the subfascial course of the lesser saphenous Vein.

Surg. Gynecology. and Obstet. 118: 761-767.

Quoted from Strandness, D.E. and Thiele, B. L. (1981): Anatomy of the venous system of the lower limb. In: Selected Topics in Venous Disorders. Ed. by Strandness, D.E. and Thiele, B.L. 1st ed. Futura Publishing Comp. Mountisco, New York. PP: 1-26.

Moyses, C.; Cederholm, W.S. A. and Michel, C.C. (1987):

Haemconcentration and the accumulation of white cells in the feet during venous stasis.

Int. J. Microcirc. Clin. Exp. 5:311-320.

Mozes, G.; Gloviczki, P. and Fisher, D. R. (1996):

Surgical antomy for endoscopic subfascial division of perforating veins.

J. Vasc. Surg. 24: 800 – 808.

Mulder, G. and Walker, A. (1989):

Preliminary observation on clotting under three hydrocolloid dressings.

J. R. Soc. Med. 18: 257-268.

Nash, T.P. (1988):

Long term results of vein valve transplants placed in the popliteal vein for intractable postphlebotic venous ulcers and pre ulcer skin changes.

J. Cardiovasc. Surg. 29: 712-716.

Nash, T.P. (1991):

Venous ulceration: Factors influencing recurrence after standard surgical procedures.

Med. J. Aust. 154:48-50.

Negus, D. (1995):

The blood vessels of lower limb, applied anatomy. In: Leg Ulcers; a practical approach to management. Ed. by Negus, D. 2nd ed. Butterworth-Heinemann, Oxford, Boston, New Delhi.

PP: 14-29.

Nelzen, O.; Bergquist, D. and Lindhagen, A. (1991):

Leg ulcer etiology—a cross sectional population study.

J. Vasc. Surg. 14: 557-564.

Nemeth, A.J.; Eaglstein, W.H.; Taylor, J.R. and Falang, V. (1991):

Faster healing and less pain in skin biopsy sites treated with an occlusive dressing.

Arch. Dermatol. 99: 55–564.

Nicolaidis, A.N.; Clark, C.T.; Thomas, R.L. and Lewis, J.D.(1976):

Fibrinolytic activator in the endothelium of the veins of the lower limbs.

Br. J. Surg. 63: 881–884.

Nicolaidis, A.N.; Hussein, M.K.; Szendro, G. and Clarke, H. (1993):

The relation of venous ulceration with ambulatory venous pressure measurements.

J. Vasc. Surg. 18: 414 – 419.

O'Donnell, T.F. (1992) :

Surgical treatment of incompetent communicating veins.

In : Atlas of Venous Surgery. Ed. by Bergan, J.J. and Kistner, R.L. 1st ed. W.B. Saunders Comp. London, Philadelphia. .

PP: 111 – 124.

Paye, M.; Nusgens, B.V. and Lapiere, C.M. (1989):

Factors of blood coagulation modulates collagen biosynthesis by fibroblast in vitro.

Hemostasis; 19: 274-83.

Perrin, M. and Chealte, T. (1992):

Valve reconstruction.

Phlebology 7: 4-9.

Pierik, E.G. (1995):

Subfascial endoscopic ligation in the treatment of incompetent perforating veins.

Eur. J. Vasc. Endovasc. Surg. 9: 38 –41.

Pierik, E.G.; Urk, V. and Hop, W.C. (1997):

Endoscopic versus open subfascial division of incompetent perforating veins in the treatment of venous leg ulceration: A randomized trial.

J. Vasc. Surg. 26:1049-1054.

Piulachs, P. and Vidal-Barraquer, E. (1953) :

Pathogenic study of varicose veins.

Angiol. 4:59-100

Quoted from Scurr, J.H. and Smith, P.D.C. (1993):

Varicose vein management. Recent Adv. Surg. 16:201:24.

Plate, G.; Brudin, L. and Eklof, B. (1986) :

Congenital vein valve aplasia .

World J. Surg. 10 : 929 – 934.

Porter, J.M. and Moneta, G.L. (1995):

Reporting standards in venous disease: An update.

J. Vasc. Surg. 22: 635-645.

Pratt, G.H. (1949):

Arterial varices. A syndrome.

Am. J. Surg. 77: 456 – 460.

Quoted from Scurr, J.H. and Smith, P.D.C.(1993): Varicose vein management. Recent Adv.Surg.16:201:24.

Queral, L. A.; Criado, F.J. and Rudolphi, D. (1990):

The role of sclerotherapy as an adjunct to Unna's boot for treating venous ulcer: A prospective study.

J. Vasc. Surg. 11: 572-575.

Raju, S. and Perry, J.T. (1983):

The response of venous valvular endothelium to auto transplantation and in vitro preservation.

Surg. 90 : 770 – 775.

Raju, S. and Fredericks, R. (1988):

Valve reconstruction procedures for non obstructive venous insufficiency; rational technique and results in 107 procedures with two to eight year follow-up.

J. Vasc. Surg. 7 : 301-310.

Raju, S.; Horattas, M.C. and Wright, D.J. (1989) :

Hemodynamic and clinical results of valve reconstructive operations for chronic venous insufficiency in lower extremities.

J. Vasc. Surg. 9:129 – 132.

Raju, S. (1983):

Venous insufficiency of the lower limb and stasis
ulceration: Changing concepts and management.
Ann. Surg. 197 : 688-697.

Rhodes, J. M. and Gloviczki, P. (1999):

Endoscopic perforating vein surgery.
Surg. Clin. North. Am . 79 (3): 667-681.

Rhodes, J.M.; Gloviczki, P. and Canton, L. (1998):

Endoscopic perforator vein division with ablation of
superficial reflux improves venous hemodynamic.
J. Vasc. Surg. 28 : 839 – 847.

Royl, J.P. and Somsen, G.M. (1991):

Preservation of long saphenous vein.
J. Cardiovasc. Surg. 32: 7-9.

Ruckley, C.V. (1997) :

Operations for varicose veins In: Rob & Smith's Operative
Surgery Concise Vascular Surgery Ed. by Zamieson, G.W.
& Yao, J.S.T. 1st ed. Chapman & Hall Med. London,
Tokyo, Melbourne.
PP: 293:312.

Rutherford ,R.B.(1989):

Management of chronic venous insufficiency In : Vascular Surgery, Ed. by Rutherford, R.B. 3rd ed. W.B. Saunders comp. Philadelphia, London, Toronto.
PP : 1583-1601.

Ryan, T.J. (1983):

Chronic venous ulcer in: Royal society of Medicine International Congress & Symposium (86) Ed. by Ryan, T.J. Oxford : Oxford University. Press.
PP : 47- 63.

Sarin, S.; Scurr, J.H. and Smith, P.D.C. (1992):

Medial calf perforators in venous disease: The significance of outward flow.
J. Vasc. Surg. 16 : 40-46. 1992.

Schanzer, H. and Skladany, M. (1994):

Varicose veins surgery with preservation of the saphenous vein : A comparison between high ligation- avulsion versus saphenofemoral banding, valvuloplasty – avulsion.
J. Vasc. Surg. 20 : 689-689.

Scott, H.J. Chealte, T.R. and McMullin, G.M. (1990a):

A reappraisal of the oxygenation of the venous blood of varicose veins.
Br. J. Surg. 77 : 934-936.

Rutherford, R.B. (1989):

Management of chronic venous insufficiency In : Vascular Surgery, Ed. by Rutherford, R.B. 3rd ed. W.B. Saunders comp. Philadelphia, London, Toronto.
PP : 1583-1601.

Ryan, T.J. (1983):

Chronic venous ulcer in: Royal society of Medicine International Congress & Symposium (86) Ed. by Ryan, T.J. Oxford : Oxford University. Press.
PP : 47- 63.

Sarin, S.; Scurr, J.H. and Smith, P.D.C. (1992):

Medial calf perforators in venous disease: The significance of outward flow.
J. Vasc. Surg. 16 : 40-46. 1992.

Schanzer, H. and Skladany, M. (1994):

Varicose veins surgery with preservation of the saphenous vein : A comparison between high ligation- avulsion versus saphenofemoral banding, valvuloplasty – avulsion.
J. Vasc. Surg. 20 : 689-689.

Scott, H.J. Chealte, T.R. and McMullin, G.M. (1990a):

A reappraisal of the oxygenation of the venous blood of varicose veins.
Br. J. Surg. 77 : 934-936.

Scott, H.J.; McMullin, G.M. and Smith P.D.C. (1990):

Venous ulceration and the role of the white blood cell.

J. Med. Sci. & Tech. 14 : 184-187.

Scott, H.J.; Smith, P.D.C. and Scurr, J. (1991):

Histological study of white blood cells and their association with lipodermatosclerosis and venous ulceration.

Br. J. Surg. 78:210-211.

Scurr, J.H. (1995):

Venous disorder In : Bailey & Love's Short Practice of Surgery. Ed. by Mann, C.V. Russell, R.C.G. & Williams, N.S. 22nd ed. Chapman & Hall Med. London, Tokyo, Melbourne.

PP : 179-186.

Scurr, J.H. and Smith, P.D.C. (1993) :

Varicose vein management.

Recent Adv. Surg. 16 : 201 : 24.

Sethia, K.K. and Darke, S.G. (1984):

Long saphenous incompetence as a cause of venous ulceration.

Br. J. Surg. 71 : 754-755.

Shami, S.K.; Chittenden, S.J.; Scurr, J.H. and Smith, P.D.C.

(1993a):

Skin blood flow in chronic venous insufficiency.

Phlebology 8 : 92 – 94.

Shami, S.K.; Sarin, S. Chealte, T.R. and Simth, P.D.C. (1993b):

Venous ulcers and superficial venous system.

J. Vasc. Surg. 18 : 487– 490.

Shami, S.K.; Shields, D.A.; Scurr, J.H. and Smith, P.D.C. (1992):

Leg ulceration in venous disease.

Postgrad. Med. J.; 68 : 779-85.

Sieglebauer, (1944):

Lehrbuch der normalen Arationie des mensihess. Urban &
Schwartexenbeng.

Wien, 2:112.

*Quoted from May, R. (1979): Anatomy of veins of lower limb. In :
Surgery of the Veins of lower limb and pelvis. Ed. by May, R. 1st
ed. George-Thieme publisher Inc. Stuttgart. PP: 1 – 36.*

Sparks, S.R.; Ballard, J.L. and Bergen, J.J. (1997):

Early benefits of subfascial endoscopic perforator surgery
in healing of venous ulcer.

Ann. Vasc. Surg. 11: 367-377.

Stewart, G.; Gaunt, J. and Croft, D.N. (1985):

Isotope lymphography : A new method of investigating the role of the lymphatic in chronic edema.

Br. J. Surg. 72:906-907.

Strandness, D.E. and Thiele, B. L. (1981):

Anatomy of the venous system of the lower limb. In: Selected Topics in Venous Disorders. Ed. by Strandness, D.E. and Thiele, B.L. 1st ed. Futura Publishing Comp. Mountisco, New York.

PP: 1-26.

Strauch, B.Y.; Liang, Y. ; Wei, C.Z. and Ralphs L. (1993):

Fundamentals of flaps. In : Atlas of Microvascular surgery. Ed. by Strauch, B.Y.; Liang, Y.; Wei, C.Z. and Ralphs L. 3rd ed. George-Thieme medical publisher, Inc. Stuttgart.

PP: 482-524.

Sumner, D.S. (1989):

Hemodynamic and pathophysiology of venous disease

In : Vascular Surgery. ed. by Rutherford, R.B. 3rd ed.

W.B. Saunders Comp. Philadelphia, London, Toronto.

PP: 1483-1503.

Taheri, S.A.; Lazer, L.; Elas, S.M. and Marchand, P. (1982) :

Vein valve transplantation .

Surg. 91: 28-33.

Taheri, S.A. and Shores, R. (1989):

Successful use of sutureless prosthetic vein valves in dogs.
World J. Surg. 13 : 935 – 937.

Thomas, P.R.S.; Nash, C.B. and Dormandy, J.A. (1988) :

White cell accumulation in the dependent legs of patients
with venous hypertension : a possible mechanism for
atrophic changes in the skin.
Br. Med. J. 269:1693-1695.

Tolhurst, D.E. (1980):

Lower leg muscle available for transposition.
Br. J. Plast. Surg. 33:100-104.

Van Bemmlen, P.S. (1984):

Valvular incompetence, experimental study in rats.
Br. J. Surg. 71:623–628.

Van Rij ; Andre, M.; Clive, S. and Ross, C. (1994):

Anatomic and physiologic characteristics of venous
ulceration.
J. Vasc. Surg. 20: 759–764.

Welkie, J.F.; Anthony, J.C.; Katz, M.L. and Aldridge, S.C. (1992):

Hemodynamic deterioration in chronic venous disease.
J. Vasc Srug. 16:733-740.

Whitehead, S.M.; Clemenson, G. and Browse, N.L. (1983):

The assessment of calf pump function by isotope plethysmography.

Br. J. Surg. 70: 675-679.

Wilkinson, L.S.; Bunker, C. and Smith, P.D.C. (1993):

Leukocytes: Their role in the pathogenesis of skin damage in venous disease.

J. Vasc. Surg. 17: 669 – 675.

Wilson, N.M.; Rutt, D.L. and Browse, N.L. (1991) :

Repair and replacement of deep vein valves in the treatment of venous insufficiency.

Br. J. Surg. 78 : 388- 394.