

REFERENCES

- 1- **Bodenheimer, F.S. (1951):** Citrus Entomology in the middle East. Text book, P: 337 – 338 .
- 2- **Brailoiu, T. D. (1998):** White peach scale, *Pseudaulacaspis pentagona*(Targioni-Tozzetti) (Homoptera : Diaspididae) damage, identification, biology and control in Bucharest-Baneasa area .Zhivotnov” dni-Nauki , 10-11 .
- 3- **Chen, C. and Shih C. (1984):** Seasonal abundance of white peach scale, *Pseudaulacaspis pentagona* (Targioni) and its parasitoids. Dep. Entom., National chung Hsing Univ., Taiwan. J. Agric. and Forestry. 33 (1): 57-63 .
- 4- **Cravedi, P. and Molinari, F. (1995):** In sex phermones in the protection of peaches informatory-Agrario. 51 (8): 115-121.
- 5- **Darvas-B and Zseller, H. I. (1985):** Effectiveness of some juvenoids and anti-ecdysones against the mulberry scale, *Pseudaulacaspis pentagona* (Homoptera : diaspididae). Acta Phytopathologica et Entomologica Humgarica. 20 (3-4): 341-346 .
- 6- **El-Imery, S.M ; Sewify, G.H.; Tawfik, M.F. and Ezz., Nahla A. (1999):** Bio-residual effect of some scalicides on the plum scale insect, *Parlatoria oleae* (Colvee) and its parasitoid, *Aphytis* sp. 2nd, Int, Conf. Of Pest Control, Mansoura, Egypt. 199-204 .
- 7- **El-Sebae, A.H., F.A. Hossam El-Deen; M. Abo Elamayen and A. Marrei (1976):** Studies on chemical structure and insecticidal activity of local spray oils (second Arab Conf. Petrochem, Abu-Dhebi, 5, 4, pp) .
- 8- **Erkilic, L, Uygun, N., Ascher, K. and Ben-Dov, Y. (1995):** Distribution, population fluctuation and natural enemies of the white peach scale *Pseudaulacaspis pentagona* (Targioni-Tozzetti) (Homoptera : Diaspididae) in the east Mediterranean region of Turkey. VII Inter. Symp, of scale insect studies, held in Bet Dagan, Palestine J. Ent., 29 : 191-198 .

- 9- **Erkilic, L. and Uygyn, N. (1997):** Studies on the effects of some pesticides on the white peach scale, *Pseudaulacaspis pentagona* (Targioni-Tozzetti) (Homoptera : Diaspididae) and its side effect on two common scale insect predators .crop-protection., 16 (1): 69-72 .
- 10- **Ezzat, Y. M. and Nada , Samia M.A. (1986):** List of super family Coccoidea as known to exist in Egypt. Boll. Lab. Ent. Agr. Filippo silvestri, 43 suppli 85-90 .
- 11- **Gardona, A. and Viggiani, G. (1988):** Observations on the white peach scale *P. pentagona* (Targioni-Tozzetti) and its natural enemies in Campania Annalidella della, Facotta di Scienze-Agrarie della univ. Degli Studi di Napoli, 22 : 1-10 .
- 12- **Guo-Dawei ; G. (1999):** Experiment of control of plum mulberry Scales. South - China – Fruits., 28 ; 4 , 40 .
- 13- **Guyot, J. and Quilici, S. (1987):** Bio-ecological study of the scale insect, (Targioni-Tozzetti) and its natural enemies in Reunion. Fruits., 42 (10): 538-592 .
- 14- **Habibian, A. and Assadi, H. (1989):** Some complementary studies of biological control with *Pseudaulacaspis pentagona* (Torg.-Tozz.) in Guilan province (Iran). Monograph. British-Crop-Protection-Council. 43, 249 ; In progress and prospects in insect control. Proceedings of an Inter. Conf. held at the Univ. of reading, Uk. 18-20 .
- 15- **Hassan, N. A. ; El-Hamaky, M. A.; El-Imery, S. M.; Helmy, Ekram I.; Gomaa, Ensaf and El-Agoze, Mona (1994):** Chemical control of the purple scale insect, *Cornuaspis beckii* (Newman) by miscible oil and liquid soap and its effect on the parasitoid, *Aphytis lepidosaphes* cop. On orange trees. Bull. Ent Soc., Egypt, Econ ser, 21, 121-126 .
- 16- **Helmy, Ekram I; El-Imery, S.M.; Korashy, M.A. and Ali,M.M. (1999):** Bio-Chemical activity of certain insecticide groups against CLM, *Phyllocnistis citrella* (Stainton) infesting citrus trees in Egypt. The 2nd Int. Conf. Of pest control, Mansoura, Egypt . 533-538 .

- 17- Helmy, Ekram I; El-Imery, S.M. and Hassan ,Nagwa A. (1999):
Field performance of certain local mineral oils against CLM
; *P. citrella* (Stainton) infesting citrus nurseries, 2nd Int.
Conf. Of pest control, Mansoura, Egypt. 327-332 .
- 18- Helmy, Ekram I.; Hassan , Nagwa A. ; El-Imery, S.M. and
Kawaiz , Fayza A. (2001): Efficacy of certain miscible oils
and liquid Soap against the most important scale insect and
terrestrial snail on apple trees in Egypt. J. Agric. Sci.
Mansoura Univ., 26 (5) : 3165-3170 .
- 19- Helmy, Ekram I.; Hassan , Nagwa A. ; Kwaiz , Fayza A. and El-
Sahn, Omnia N. (2002): Effect of IGRS, Miscible oils, their
joint effect compared with O.P. Compound on hard and wax
scale insects infesting citrus at Qaluobiya, Egypt. The first
conf. of the central Agric pesticide lab., 741-746 .
- 20- Hendrson, C.F. and Tilton, E.W. (1955): Test with acaricides
against the brown wheat mite. J. Econ. Entomol., 48: 157-
161 .
- 21- Jiang, H. (1985): Observations on the bionomics of *Pseudaulacaspis*
pentagona and its natural enemies. Insect Knowledge-
Kunchong-Zihishi., 23 : 1, 19-20 .
- 22- Korashy, M.A (1998): Evaluation of certain insecticides against
citrus leaf miner. Egypt. J. Appl. Sci ; 13 (6) : 282-287 .
- 23- Kreiter, P., Pinet, C., Pains, A, Dijoux, L., Cravedi,P.,
Hartfield,C. and Mazzoni , E. (1997) : Study on the
biological cycle of the white scale of peach, *Pseudaulacaspis*
pentagona (Targioni-Tozzetti) (Homoptera, Diaspididae)
and its natural enemies in Emilie, Romagne (Italy).
Integrated plant protection in stone fruit. Proceedings of the
meeting at Zaragoza, Spain, 24-26 September 1996. Bulletin
OILB SROP., 20: 6, 14-20 .
- 24- Kreiter, P. and Dijoux, L. (1998) : White peach scale in a peach
orchard. A control example in the maritime Alps. Phytoma.,
50 : 501, 36-40 .
- 25- Mani, E., Kozar, F., schwaller, F. and Hipp, C. (1997): The
occurrence and biology of the mulberry scale,
Pseudaulacaspis pentagona (Targioni-Tozzetti) (Homoptera)

Diaspididae), in Switzerland, Mitteilungen der schweizerischen Entomologischen gesellschaft., 70:3-4, 399-408 .

- 26- Meyer, J. and Nalepa, C. (1991): Effect of dormant oil treatments on white peach scale (Homoptera : Diaspididae) and its over wintering parasite complex. J.Entomol. Sci., 26 (1) : 27-32 .
- 27- Montermini, A. (1985): Control white peach scale. Informatore Fitopatologico., 35 (2) : 10-16 .
- 28- Nalepa, C. and Meyer. J. (1990): The seasonal history of white peach scale (Homoptera : Diaspididae) and its Hymenopteran natural enemies in North Carolina. J. Entomol. Sci., 25 (2) : 303-310 .
- 29- Ozawa, A. (1994): The occurrence of white peach scale, *Pseudaulacaspis pentagona* (Targioni), in tea fields and its chemical control III . Effect of various pesticides in the control of the scale. Proceeding of The Kanto to Sam Plant Protection Society 41 : 257-259 .
- 30- Paloukis, S. (1986): Evaluation of two new insecticides for the control of scale insects on fruit trees in northern Greece. Bollettino, del, Laboratorio di, Entomologia-Agraria "Filippo-Silvestri",-Italy. In proceeding of the Fifth Inter. Symposium on scale Insect studies, portici, Italy, 24, 28., 43: 179-183 .
- 31- Paloukis, S., Navrozidis, E., Kukuryanis, V., Sfakiotakis, E. and Porlingis, J. (1997): Contribution to the integrated control of *Pseudaulacaspis pentagona* (Targ-Toz) (Homoptera : Diaspididae) on kiwifruit trees, *Actinidia chinensis*. The Third Inter. Symp. of kiwifruit, Thessaloniki, Greece, 19-22 Acta Horticul. 444, 797-802 .
- 32- Park J. and Kim, K. (1990): Host range, life cycle and natural enemies of mulberry scale (*Pseudaulacaspis pentagona*) on *Prunus mume* in Southern Korea. Korean J. Appl. Entomol. 29 (4) : 238-243 .
- 33- Salem, Hoda A.; Mahasen M.A. Elshershaby and Fayza, A. Kawaiz. (2003): Evaluation of some Natural and chemical

pesticides against the black cut worm *Agrotis ipsiton* (HUFN.). J. Agric. Sci. Mansoura Univ. 28 (4): 3053, 3059 .

- 34- Tataru, A. (1999): Determination of optimum spraying time for chemical control of mulberry scale, *Pseudaulacaspis pentagona* (Targioni) (Homoptera : Diaspididae) in tea fields. Jaro, Japan Agricultural Research Quarterly 33 (3) : 155-161 .
- 35- Torrell, A.; Mates, C.; Barrios, G.; Virgili, A. (1987): Trial of insecticides against the peach tree scale, (*Pseudaulacaspis pentagona* Targ.) Fulls, d, Informacio-Tecnica., 130, 6 pp .
- 36- Zhang, Q., Lin B. H. J., Tian W. (1998): “ Guosheng, “ a new plant insecticide for controlling scales and mites., 27 : 2, 52 .
- 37- Zhao, S., Wei, H. and Chen, Q. (1997): *Pseudaulacaspis pentagona* and its predator, *Cypocephalus nipponicus* on nane trees. J. Fujian-Agric. Univ., 26 (2) : 182-186 .
- 38- Zhou, Daqiao (1999): The occurrence of mulberry white scale on peach trees and its control. Yichang citrus Res. Ins. Yichang, Hubei, China - Fruits., 3 , 53 .

المراجع العربية

❖ مجلة الإقتصاد الزراعى (2001) : نشرة يصدرها قطاع الشئون الإقتصادية بوزارة الزراعة والإستصلاح الزراعى مساحة وإنتاجية محصول الخوخ بجمهورية مصر العربية .