

REFERENCES

- Abdel Fattah M. M.; Hassan E. M.; Shaheen H. I.; Awad R. A.; Girgis N. I. (1991):**
Evaluation of Enzyme Linked Immunosorbent Assay for Detection of Salmonella Typhi Antigen and Antibodies.
J. Egypt. Publ. Health Assoc. Vol. LXVI No. 1 &2.
- Abdel Wahab M. F. (1970):**
Widal and blood picture in the diagnosis of typhoid fever.
J. Egypt. Publ. Health Assoc., XLV (1,2): 85.
- Abdel Wahab M. F.; El-okbi S. M.; Montasser M. F. and El Marsafy A. T., (1989):**
Acute enteric fever presenting as acute viral hepatitis.
J. Egypt. Publ. Health Assoc., LXIV (3,4): 329.
- Abdel Wahab M. F.; ElSharaby A. F.; ElDeeb T. M. M.; Ashour M. S.; Shoeb S. M. and Ibrahim F. H. (1982):**
Hepatic manifestation of acute and chronic enteric fevers.
Ain Shams Med. J., 33(3,4): 189.
- Abdel Wahab M. F.; Haseeb A. N.; Hamdy H. S. and Awadalla Y. A. R. (1996):**
Comparative study between paratyphoid A and typhoid fever cases.
J. Egypt. Publ. Health Assoc., LXXI (5,6): 539.
- Albert M. J.; Halder S; Nahar A. K.; Kihrya and Hossain M. A. (1991):**
Multiresistant salmonella typhi in Bangladesh.
J. Antimicrob. Chemother., 27: 554-555.
- Anderson E. S.; Ward L. R.; DeSaxe M. J.; Old D. C.; Barker R.; Duiguid J. P. (1978):**
Correlation of phage-type, biotype and source in strains of salmonella typhi murium.
J. Hygiene, 81: 203-217.
- Arvidson S.; Dornbush K.; Ericsson H. (1981):**
Interpretation of the agar diffusion method for bacterial susceptibility testing.
J. Antimicrob. Chemotherapy, 7: 5-14.

Bailey and Scott's, (1986):

Diagnostic microbiology

sydney M. Finegold and Ellen Jo Baron. *The C.V. Mosby Company*
St. Louis. 7th edition, **chapter 14**, p. 214-224.

Bannister B. A.; Begg N. T.; Gillspie S. H. (1996):

Infectious disease

chapter 8, page 162, *Blackwell Science*.

Barker R. M. (1985):

Utilization of d-tartaric acid by salmonella java: Comparison of
anaerobic plate test and turbidity test.

J. Hygiene, **95**: 107-114.

Barker R. M.; Old D. C. (1989):

The usefulness of biotyping in studying the epidemiology of
salmonella.

J. Med. Microbiol., **29**: 81-88.

Barrett T. J.; Synder J. D.; Blake P. A.; Feeley J. C. (1982):

Enzyme linked immunosorbent assay for detection of salmonella
typhi flagellin in urine for typhoid patient.

J. Clin. Microbiol., **15**: 236-237.

Bassily S. (1995):

Etiology of bacterial diarrhea in Egypt: A need for vaccination
strategy for control of enteric pathogens infections.

2nd Annual Congress 1995. *The Egyptian Society of Tropical
Medicine Infectious and Parasitic Diseases {ESTIP}*.

**Bassily S.; Girgis N. I.; El Masry N. A.; Sultan Y.; Tribble D. R.;
Farid Z. and Brown F. M. (1995):**

Chloramphenicol alternatives in the treatment of acute typhoid
fever.

The First International Congress Fevers and Environment, Nov. p.
36.

Bates D. W.; Goldman L.; Lee T. H. (1991):

Contaminated Blood cultures and resource utilization. The true
consequences of false-positive results.

JAMA, **265**: 365-369.

Bryan C. S. (1989):

Clinical implications of positive blood cultures.
Clin Microbiol Rev., **2**: 329-353.

Burnens A. P.; Stanley. J.; Sfchter I. and Nicolet. J. (1996):

Evolutionary origin of a Monophasic Salmonella Serovar, 9, 12; I, V: Revealed by 1 S 200 profiles and Restriction fragment polymorphisms of the FSi 13 Gene.
J. Clin. Microb., July, **34**(7): 1641-1645.

Christe A. B. (1987):

Typhoid and paratyphoid fevers. In: Infections disease Epidemiology and clinical practice.
4th edition Edinburgh: Churchill Living-stone, Medical Division of long man Group U. K: 100-164.

Cruick Shank J. G.; Humphrey T. J. (1987):

The carrier food-handler and non-typhoid Salmonellosis. Epide-miology and Infection. Churchill living stone.
Edinburgh. London, and New York. **98**: 223-230.

Duguid J. P.; Anderson E. S., Campbell. I. (1966):

Fimbriae and adhesive properties in salmonellae.
J. pathol. Bacteriol., **92**: 107-138.

Duguid J. P.; Cambell (1969):

Antigens of type-1 Fimbriae of salmonellae and other entrobacteria,
J. Med. Microbiol., **2**: 535-553.

Duguid J. P. (1985):

Antigens of type-1 Fimbriae. In Stewarttull D. E. S & Davis M. (eds) Immunology of the bacterial cell envelope.
John Wiley & Sons, Chichester, Ch. 11, p. 301-318.

Dusch H.; Altwegg M. (1993):

Comparison of Rambach agar, SM-ID medium and Hektoen enteric agar for primary isolation of non-typhi salmonella from stool samples.
J. clin. Microbiol., **31**: 410-412.

- Edwards C. R. W.; Bouchier I. A. D. ETAL. (1995):**
Davidson's principles and practice of medicine.
17th ed. p. 122-125.
- El-Ramli, A. H. (1953):**
El-Lancet, 1: 927.
- Ernst R. K.; Dombraski D. M.; Merick J. M. (1990):**
Anaerobiosis, type 1 fimbriae, and growth phase are factors that effect invasion of Hep-2 cell by salmonella typhi.
Infect. Immun., **58(6)**: 2014-2016.
- Escamilla J.; Santiago L. T. U. Y.; Langeo C. V.; Cross J. H. (1983):**
Evaluation of sodium polyanaethanol sulphonate as blood culture additive for recovery of salmonella typhi and salmonella paratyphi A.
J. Clin. Microbiol., **18**: 380-383.
- Escamilla J.; Vgarte H. F.; Kilpatric M. E. (1986):**
Evaluation of blood clot cultures for isolation of salmonella typhi, salmonella paratyphi A and Brucella melitensis.
J. Clin. Microbiol., **24(3)**: 388-390.
- Ewing W. H. (1986):**
Edwards and Ewings Identification of Entrobacteriaceae
4th ed. Elsevier, New York, p. 1-536.
- Eykyn S. J.; Williams H. (1987):**
Treatment of multiresistant salmonella typhi with oral ciprofloxacin.
Lancet, **2(8572)**: 1407-1408.
- Farid Z.; Girigis N. and Eleiia A. A. (1987):**
Scand. J. Infect. Dis., **19**: 467.
- Farmer J. J. (1995):**
Enterobacteriaceae introduction and identification and identification
chapter 32, p. 438. In: *Manual of clinical microbiology* edited by:
Murray p-R.; Baron E. J. and Pfaller M. A., A. S. M. Press
Washington, D.C.