

REFERENCES

REFERENCES

Aitchenson, C.T.; Pebles, C. and Joslin, F.(1992):

Characteristics of antinuclear antibodies in rheumatoid arthritis.
Arch. Rheum., 26: 562.

Anderson, R.J. (1997):

Clinical and laboratory features of rheumatoid arthritis. In:
Primer on the Rheumatic Diseases ed by Klippel, J.H.;
associate eds.: Weyand C.M.; and Wortman, R.E. 11th ed. PP.
166-167. Atlanta, Arthritis Foundation.

Arnett, F.C.; Edworthy, S. and Block, D.A. (1988):

The 1987 Revised ARA criteria for classification of RA.
Arth. Rheum., 31: 315.

Arnett, F.C. (1992):

Rheumatoid arthritis in: Cecil textbook of medicine, 19th
edition, PP. 1508-1515 W.B. Saunders Company, Philadelphia,
London, Toronto, Sydney, Tokyo.

Bacon, P.A. (1991):

Diagnosis of rheumatic disorders.
Amer. J. Med., 66: 337.

Bacon, P.A. (1993):

Rheumatoid arthritis. In McCarty DJ. Koopman WJ (eds):
arthritis and Allied conditions, 12th ed. Philadelphia. Lea and
Febiger, PP. 811-840.

Beckmann, E. (1992):

Cytokines in infectious disease.
Clinical Microbiol News., 14: 73-78.

Bennet, J.C. (1993):

The infectious aetiology of rheumatoid arthritis: new
considerations.
Arth. Rheum., 21: 531.

Bierther, M.F. and Wegner, K.W. (1991):

Pathology of rheumatoid arthritis.
J. Chron. Dis., 25: 661.

Bouchard, C.; Bary, G.A. and Hubbard, V.S. (1990):

Basic and clinical aspects of regional fat distribution.
Am. J. Clin. Nutr., 52: 946-950.

Bray, G.A. (1992):

Definition and characterization of obesity, an address presented at the North American Association for the study of Obesity and Emory University School of Medicine conference on Obesity update: Pathophysiology, Clinical Consequences, and Therapeutic options, Atlanta, Georgia, August 31-September, 2.

Bray, G.A. (1992):

Pathophysiology of obesity.
Am. J. Clin. Nutr., 55: 488S-494S.

Brewerton, D.A. (1994):

Hand deformities in rheumatoid disease.
Ann. Rheum. Dis., 16: 183.

Buchanan, W.W. and Kean, W.F. (1986):

Articular and systemic manifestations of rheumatoid arthritis in "coopeman's textbook of the rheumatic disease" ed. by Scott, J.T. 6th ed., Churchill Livingstone, London and New York, PP. 653-705.

Callaway, C.W. (1991):

New weight guidelines for Americans.
Am. J. Clin. Nutr., 54: 171-172.

Carson, D.A. (1982):

Antiglobulin antibodies. In: Panayji, GS (ed) the scientific basis of rheumatology. Churchill Livingstone, Edinburgh, P. 114.

Castell, J.B.; Morton, L.M. and Hart, W. (1994):

The plasma proteins. In Clinical laboratory medicine. Textbook ed. by McClatchey KD, PP. 239-258.

Cecil, R.L.; Nichols, E.E. and Stinsby, W.J. (1994):

The etiology of rheumatoid arthritis.
Am. J. Med., 181: 12.

- Change, L.W.; Gowans, J.D.D. and Milender, L.H. (1992):**
 Entrapment neuropathy a complication of rheumatoid arthritis.
 Arth. Rheum., 16: 460.
- Chidwick, K.; Winyard, P.G.; Zhang, Z. and Blake, D.R. (1991):**
 Inactive α -1- antitrypsin proleuinase inhibitor in rheumatoid arthritis synovial fluid (Abstr.).
 Arth. Rheum., 34 (Suppl. 9): S155.
- Condem, J.; Barnett, E.V. and Atwater, E.C. (1995):**
 The significance of antinuclear factors in rheumatoid arthritis.
 Arth. Rheum., 8: 1080.
- Convery, F.R.; Minter, M.A.; Amiel, D. and Connett, K.L. (1977):**
 Poly articular disability: a functional assessment.
 Arch. Phys. Med. Rehab., 58: 494-499.
- Copper, N.S. (1993):**
 Pathology of rheumatoid arthritis.
 Med. Clin. North American, 52: 3.
- Cripps, W.; Gleeson, M. and Young, B. (1991):**
 C-reactive protein: A critical review.
 Pathology, 23, PP. 118-124.
- Deurenberg, P.; Weststrate, J.A. and Seidell, J.C. (1991):**
 Body mass index as a measure of body fatness age and sex-specific prediction formulas.
 Br. J. Nutr., 65: 105-114.
- Dixon, A.J. (1991):**
 The rheumatoid foot. In "Modern trends in Rheumatology" by Hill, A.G. 2nd ed. PP. 158-173 London: Butterworths.
- Dunne, J.U.; Carson, D.A. and Spiegelberg, H.L. (1995):**
 IgA rheumatoid factor in serum of patients with rheumatoid arthritis.
 Ann. Rheum. Dis., 38:161.
- Edward, S. and Harris, D.E. (1993):**
 Clinical feature, of R.A., in Kelly, N.W. Harris, D.E.Jr., Ruddy, S. and Sledge, B.C. text book of Rheum 5th ed., Philadelphia, W.H. Saunders Co., 1997, PP. 894-895.

Egger, M.J.; Huth, D.A.; Ward, J.R.; Reading, J.C. and Williams, H.J. (1985):

Reduced joint count indices in the evaluation of rheumatoid arthritis.

Arth. Rheum., 28: 613.

Elbadawy, S.; Nagaty, M.I. and Eraky, M.Z. (1991):

Correlate study of some acute phase proteins and the activity of rheumatoid arthritis. Thesis of Master degree by Dr. Refaat M. El-Tanawy, PP. 42-44.

Felming, A.; Crown, J.M. and Corbett, M. (1993):

Early rheumatoid disease.

Ann. Rheum. Dis., 35: 357.

Ferry, A.P. (1993):

The eye and rheumatic disease. In: Kelly WN, et al., eds. Textbook of rheumatology, 4th ed. Philadelphia, W.B. Saunders, PP. 507.

Fischer, M.; Mielke, H.; Glaefke, S. and Deicher, H. (1994):

Generalized vasculopathy and finger blood flow abnormalities in rheumatoid arthritis.

J. Rheumatol., 11: 33.

Fries, J.F.; Spitz, P.; Kraines, R.G. and Holman, H.R. (1980):

Measurement of patients outcome in arthritis.

Arth. Rheum., 23: 137-145.

Frisancho, A.R. (1974):

Triceps skin fold and upper arm muscle size norms for assessment of nutritional status.

Am. J. Clin. Nutr., 27: 1052-7.

Frisancho, A.R. (1981):

New norms of upper limb fat and muscle areas for assessment of nutritional status.

Am. J. Clin. Nutr., 34: 2540-2545.

Fuchs, H.; Brooks, R. and Callhan, L. (1989):

A simplified twenty eight joint quantitative articular index in rheumatoid arthritis.

Arth. Rheum., 32: 531-573.

- Fye, K.H.; Moutsopoulos, H.H. and Talat, N. (1992):**
Rheumatic disease in "Basic and clinical immunology" ed. by Fundenberg H.H.; Sities, D.P. and Wells, J. 4th Los Anglos, California, PP. 422.
- Ganda, O.P.; Caplan, H.I. and Pierce, C. (1994):**
Rheumatoid disease without joint involvement.
JAMA, 228:338.
- Gardener, D.L. (1986):**
Pathology of rheumatoid arthritis. In "Coopeman's textbook of the rheumatic disease" ed by Scott, J.T., 6th ed., Churchill Livingstone London and New York, PP. 604-654.
- Gendler, S. (1989):**
Proteins in: Kaplan L, Pesce A, eds. Clinical Chemistry: theory, analysis and correlation. Louis St.: Mosby CV, PP. 1029-1065.
- Golding, D.N. (1989):**
Rheumatoid arthritis in "A synopsis of rheumatic disease". 5th ed., Wright, London, PP. 51-88.
- Gordon, D.A.; Stein, A.L.; Broder, L. (1993):**
Articular features of rheumatoid arthritis.
Am. J. Med., 56: 212-19.
- Grant, F.L. and Kachmar, D.M. (1970):**
The protein of body fluids. In: Fundamental of clinical chemistry. Tietz NW, Caraway WT, Freir, E.F., Kachmar, JF and Rawnzley, HM, PP. 250: 298.
- Harris, E.D. (1993):**
The clinical spectrum of RA. In "Textbook of rheumatology"
Ed. by Kelley, N.W.; Harris, E.D.; Ruddy, S. and Sledgo, C.B.
4th Ed., Philadelphia, W.H. Saunders Co., PP. 928-63.
- Hart, W. (1989):**
C-reactive proteins: the best laboratory indicator for monitoring disease activity.
Clin. J. Med., 156: 126-130.
- Hart, F.D. (1990):**
Rheumatoid arthritis: Articular manifestations.
Br. Med. J., 3: 131.

- Hastings, D.E. and Evans, J.A. (1995):*
Rheumatoid wrist deformities.
Journal of Bone and Joint Surgery, 57A: 930.
- Helliwell, M.; Coombes, E.J.; Moody, B.J.; Batstone, G.F. and Robertson, J.C. (1984):*
Nutritional status in patients with rheumatoid arthritis.
Ann. Rheum. Dis., 43: 386-90.
- Higgins, M.; D'Agostino, R.; Kannel, W. and Cobb, T. (1993):*
Benefits and adverse effects of weight loss: observation from the Framingham study.
Ann. Intern. Med., 119: 758-63.
- Holt, P.J. (1993):*
Rheumatoid arthritis in "postgraduate textbook of clinical orthopedics ed. By Harris, N.H. 3rd ed. Bristol: John Wright and Sons PP. 443-455.
- Hull, S. and Mathews, J.A. (1992):*
Pulmonary necrobiotic nodules as a presenting feature of rheumatoid arthritis.
Ann. Rheum. Dis., 41: 21.
- Iverson, J.M. and Pomerance, A. (1997):*
Cardiac involvement in rheumatic disease.
Clin. Rheum. Dis., 6: 521.
- James, K.S. (1994):*
Cellular and humoral mediators of inflammation. In textbook of Clinical Pathology, PP. 1025-1030.
- Jayson, M.I. and Dixon, A.S. (1990):*
Valvular mechanisms in juxta-articular cysts.
Ann. Rheum. Dis., 29: 415.
- Kishimoto, T.K.; Larson, R.S.; Corbi, A.L.; Dustin, M.L.; Staunton, D.E. and Springer, T.A. (1989):*
The leukocyte integrins.
Adv. Immunol., 46: 149-182.

Kushner, R.F. and Coauthors (1990):

Implementing nutrition into the medical curriculum: A user's guide.

Am. J. Clin. Nutr., 52: 401-403.

Kushner, I. (1991):

The phenomenon of the acute phase response.

Ann. New York Acad. Sci., 389: 39-48.

Lansburg, J. (1989):

Clinical appraisal of the activity index as measure of rheumatoid activity.

Arth. Rheum., 11: 599.

Lawrence, M.; Silverman, Ph.D.; Robert, H. and Christenson, Ph.D. (1996):

Amino acids and proteins. In: Tietz Textbook of clinical chemistry, 4th Ed. C.A. Burtis, E.R. Ashwood, Eds Philadelphia, W.B. Saunders, 272: 276.

Lean, M.E.J.; Han, T.S. and Deurenberg, P. (1996):

Predicting body composition by densitometry from simple anthropometric measurements.

Am. J. Clin. Nutr., 63: 4-14.

Leigh, J.P. and Fries, J.F. (1992):

Predictors of disability in a longitudinal sample of patients with R.A.

Ann. Rheum. Dis., 51: 581-7.

Lewandrowski, E.L.; Lewandrowski, K. and Castell, J.B. (1994):

The plasma proteins. In: Clinical laboratory Medicine textbook ed. McClatchey K.D., PP. 239-258.

Lohman, T.G. (1990):

Body composition assessment in sports medicine.

Sport Medicine Digest, September, 1-2.

Lukaski, H.C. (1987):

Methods for the assessment of human body composition: Traditional and New. A

Am. J. Clin. Nut., 46: 537-56.

Mackiewicz, A., Ed. (1993):

Acute phase proteins: Molecular Biology, Biochemistry, and clinical applications. Boca Ration, FL, CRC Press, 1993.

Mallya, R.D. and Mace, B.E. (1981):

The assessment of disease activity in rheumatoid arthritis using a multivariate analysis.
Rheum. Rehab., 20: 14-17.

Mallya, R.K.; Berry, H.; Hamilton, E.D.B.; Mace, B.E.W. and Pepys, M.B. (1982):

Correlation of clinical parameters of disease activity in rheumatoid arthritis with serum concentration of C-reactive protein and erythrocyte sedimentation rate.
J. Rheumatol., 9: 224.

Mancini, G.; Carbonare, A.O. and Hermens, J.F. (1965):

Immunochemical quantitation by single radial immunodiffusion.
Immunochemistry, 2: 235.

McClelland, J.; Fail, B. and Walker, D. (1996):

E.S.R, Hb level, plasma and serum viscoisity as measure of disease activity in rheumatoid arthritis.
Br. J. Rheumatol., 36: 156-8.

Michalaski, J.P.; McCombs, C.; Scupelitis, E.; Biundo, J. and Medsger, T.A. (1989):

Alpha-1-antitrypsin phenotype, including M-subtypes in pulmonary disease associated with rheumatoid arthritis and systemic sclerosis.
Arth. Rheum., 29: 586-91.

Munro, R. and Capell, H. (1997):

Prevalence of low body mass in RA: association with the acute phase response.
Ann. Rheum. Dis., 56: 326-329.

Nakano, K.K. (1995):

Neurological complications of rheumatoid arthritis.
Orthop. Clin. North Am., 8: 712.

- Panayi, G.S. (1986):**
Aetio-pathogenesis of rheumatoid arthritis. In: "Coompeman's textbook of the rheumatic disease" ed. By Scott, J.T., 6th ed., Churchill Livingstone, London, New York, P. 595.
- Pickup, M.E.; Dixon, J.S.; Hallett, G.; Bird, H.A. and Wright, V. (1991):**
Plasma viscosity a new appraisal of its use as index of disease activity in R.A.
Ann. Rheum. Dis., 40: 272.
- Pincus, T. and Callahan, L.F. (1990):**
Mortality in rheumatoid arthritis over 15 years (Abstr.).
Arth. Rheum., 33: 140.
- Pope, R.M.; Mannix, M.; Gillil, B.G. and Teller, D.C. (1995):**
The hyperviscosity syndrome in rheumatic arthritis.
Arthr. Rheum., 18: 97.
- Radoux, V.; Menard, H.A.; Begin, R.; Decary, F. and Coopman, W.J. (1993):**
Airways disease in rheumatoid arthritis patients one element of a general exocrine dysfunction.
Arth. Rheum., 30: 249.
- Resnick, D. and Niwayama, G. (1991):**
Rheumatoid arthritis and sero-negative spondylo arthropathies. In "Diagnosis of bone and joint disorders". Vol. 1, PP. 852-1001. W.B. Saunders Comp. Philadelphia.
- Ritchie, D.; Boyle, J.M. and Clunes, J.E. (1968):**
Clinical studies with articular index for the assessment of joint tenderness in patients with Rheumatoid arthritis.
Quart J. Med., 37: 393-406.
- Rothermich, N.O. and Whisler, R.L. (1993):**
Theories of causation and pathogenesis of rheumatoid synovitis. In: "Rheumatoid arthritis" PP. 3-23, Grune and Stratton, Inc. New York.
- Roubenoff, R. and Kehayias, J. (1991):**
The meaning and measurement of lean body mass.
Nutr. Rev., 46: 163-75.

Roubenoff, R.; Roubenoff, R.A.; Ward, L.M.; Holland, S.M. and Hellmann, D.B. (1992):

Rheumatoid cachexia: depletion of lean body mass in rheumatoid arthritis, Possible association with tumour necrosis factor.

J. Rheumatol., 19: 1505-10.

Roubenoff, R.; Roubenoff, R.A.; Cannon, J.G.; Rehayias, J.J.; Zhuang, H.; Hughes, B.D.; Dinarello, C.A. and Rosenberg, I.H. (1994):

Rheumatoid cachexia. Cytokine-driven hypermetabolism accompanying reduced body cell mass in chronic inflammation.

J. Clin. Invest., 93: 2379-86.

Schreiber, G. (1987):

Synthesis, processing and secretion of plasma proteins by the liver and other organs and their regulation. In: Putman FW, ed. The plasma proteins, New York: Academic Press, 293-349.

Schumacher, H.R.; Klipple, J.H. and Koopman, W.J. (1993):

Rheumatoid arthritis. In: Primer on Rheumatic disease 11th ed, 1997.

Atlanta, Arthritis Foundation.

Segal, R.; Caspi, D.; Tishler, M.; Wigler, I. And Yaron, M. (1989):

Effects of low dose methotrexate on the acute phase reaction in patients with rheumatoid arthritis.

J. Rheumatol., 26: 553-556.

Silverman, L.M. and Christenson, R.H. (1994):

Amino acids and proteins. In: Tietz text book of clinical chemistry, 2nd Ed. C.A. Burtis, E.R. Ashwood, Eds. Philadelphia, W.B. Saunders, 625-734.

Silverman, L.M.; Christenson, R.H. and Grant, G. (1996):

Amino acids and proteins. In: Tietz N, ed. Textbook of Clinical Chemistry, PP: 519-618, Philadelphia, Saunders, W.B.

Sokoloff, L. (1985):

Pathology of rheumatoid arthritis. In: Arthritis and Allied disease. ed. By McCarty, D.J. 9th ed. PP. 309-331. Philadelphia, Lea and Febiger.

Stanworth, D.R. (1989):

IgA dysfunction in rheumatoid arthritis.
Immunol. Today, 140: 659-662.

Stenstand, S.H. and Margolis, S. (1990):

Simplifying the calculation of body mass index for quick reference.
Journal of American Dietetic Association, 90: 556-560.

Sukoff, M.H.; Kadin, M.M. and Moran, T. (1994):

Rheumatoid arthritis of the cervical spine.
J. Neurosurgery, 37: 493.

Swanson, A.G. (1990):

ASCN nutrition educator's symposium and information exchange: Nutrition sciences in medical student education.
Am. J. Clin. Nutr., 54: 587-588.

Tellardo, J.M.; Barcia-Sabrido, J.L.; Hanley, J.A. and et al. (1989):

Predicting mortality based on body composition analysis.
Ann. Surg., 208: 81-7.

Thadini, V.; Iveson, J.M.I. and Wright, V. (1990):

Cardiac tamponade, constrictive pericarditis and pericardial resection in rheumatoid arthritis.
J. Clin. Med., 54: 261.

Thompson, W.; Silman, A.J.; Kirwan, J.R. and Curry, L.F. (1987):

Articular indices of joint inflammation with the acute phase response.
Arth. Rheum., 30: 600-618.

Thompson, P.; Kirwan, J. and Currey, H. (1988):

A comparison of the ability of 28 articular indices to detect flare of joint inflammation in rheumatoid arthritis, 27:375-380.

Ugal, K.; Ischikawa, H.; Hirohata, K. and Shirane, H. (1993):

Interaction of polymorphonuclear leucocytes with immune complexes trapped in rheumatoid articular cartilage.
Arth. Rheum., 26(12): 1434.

U.S. Department of Agriculture and U.S. Department of Health and Human Services, Home and Garden Bulletin, No. 232, (1990):

Nutrition and your health: Dietary Guidelines for Americans, 3rd ed. (Washington, D.C.: U.S. Government, Printing, Office, 1990).

Walker, D. and Beauchene, R.E. (1991):

The relationship of loneliness, social isolation, and physical health to dietary adequacy of independently living elderly
Journal of the American Dietetic Association, 91: 300-304.

Ward, J.R.; Neithammer, T.A. and Egger, M.J. (1981):

Can we just measure single joint? In controversies in the clinical evaluation of the Analgesic. Ant. Inflammatory Anti-rheumatic Drugs, Paulus H.E., Ehrlich G.E. and Linden-Laube E. Eds. New York, FKs ckattauer verlag.

Whitney, E.N. and Rolfes, S.R. (1993):

Diet and Health In: Understanding Nutrition textbook 6th edition, PP. 551-580.

Whitney, E.N. and Rolfes, S.R. (1993):

Energy balance and weight. In: Understanding Nutrition textbook 6th edition, PP. 242-286.

Wilder, R.L. (1995):

Neuroendocrine - immune system interactions and autoimmunity.
Ann. Rev. Immunol., 43: 386-90.

Zavaifler, N. (1993):

Immunopathology of joint inflammation in arthritis.
J. Adv. Immunol., 16: 265.

Ziff, M. and Baum, J. (1993):

Laboratory finding in rheumatoid arthritis. In "Arthritis and allied conditions" ed. By Hollander, J. and McCarty, D.J. 12th ed., Lea and Febiger, Philadelphia, P. 367.