

REFERENCES

REFERENCES

- Adams, T.E.; Norman, R.L. and Spies, H.G. (1981):*
Gonadotropin releasing hormone receptor binding and pituitary responsiveness in estradiol-primed monkeys.
Science, 213, P. 1388.
- Aguilera, G.; Hyde, C.L. and Catt, K.J. (1982):*
Angiotensin-II receptors and prolactin release in pituitary lactotrobes.
Endocrinology; 111, P. 1045.
- Ahn, Y.S.; Rocha, R.; Mylvaganam, R.; Garcia, R.; Duncan, R. and Hanringno, W.J. (1989):*
Long-term danazol therapy in autoimmune thrombocytopenia: unmaintained remission and age dependent response in women.
Ann. Intern. Med., 111, P. 723.
- Alarcon-Segovia, D.; Herskovic, T.; Dearing, W.H.; Bartholomew, L.G.; Cain, J.C. and Shorter, R.G. (1965):*
Lupus erythematosus cell phenomenon in patients with chronic ulcerative colitis. *Gut*, 6 P. 39.
- Alarcon-Segovia, Abud-Mendoza, C.; Reyes-Gutierrez, E.; Iglesias-Gamarra, A. and Diaz-Jouanen, E. (1984):*
Involvement of the urinary bladder in SLE. A pathologic study. *J. Rheumatol.*, 11, P. 208.
- Alger, M.; Alarcon-Segovia, D. and Rivero, S.J. (1977):*
Haemolytic anaemia and thrombocytopenic purpura: two related subsetsof SLE. *J. Rheumatol.*, 4, P. 351.
- Amenomori, Y.; Chen, C.L. and Meites, J. (1970):*
Serum prolactin levels in rats during different reproductive status, *Endocrinology*, 86, P. 506.
- Appel, G.B.; Silva, F.G.; Pirani, C.L.; Meltzer, J.I. and Estes, D. (1978):*
Renal involvement in SLE: a study of 56 patients emphasizing histologic classification, *medicine*.

- Asherson, R.A. and Oakley, C.M. (1986):*
Pulmonary hypertension and SLE. *J. Rheumatol.*, 13, P. 1.
- Asherson, R.A.; Khamashta, M.A.; Gil, A.; Vazquez, J.J.; Chan, O.; Baguley, E. and Hughes, G.R. (1989):*
Cerebrovascular disease and antiphospholipid antibodies in SLE, lupus like disease and the primary antiphospholipid syndrome. *Am. J. Med.*, 86, P. 391.
- Atkinson, J.P. (1986):*
Complement activation and complement receptors in SLE. *Springer semin Immunopathol.*, 9, P. 179.
- Atkinson, R.A. & Appenzeller, O. (1975):*
Headache in small vessel disease of the brain: a study of patients with SLE. *Headache*, 15, P. 198.
- Balow, J.E.; Austin, H.A. 3rd; Tsokos, G.C.; Antonovych, T.A.; Steinberg, A.D.; Klippel, J.H. (1987):*
NIH conference: lupus nephritis. *Ann. Intern. Med.*, 106, P. 79.
- Bansal, S.; Lee, L.A. and Woolf, P.D. (1981):*
Abnormal prolactin responsivity to dopaminergic suppression in hyperprolactinemic patients. *Am. J. Med.*, 71, P. 961.
- Barton, A.C.; Lahti, R.A.; Piercey, M.F. and Moore, K.E. (1989):*
Autoradiographic identification of prolactin binding sites in rat median eminence. *Neuroendocrinology*, 49, P. 649.
- Bazan, J.F. (1989):*
A novel family of growth factor receptors, a common binding domain in the growth hormone, prolactin, erythropoietin and IL-6 receptors and the P75 IL-2 receptor B-chain. *Biochem. Biophys. Res. Commun.*, 164, P. 788.
- Bell, D.A.; Rigby, R.; Stiller, C.R.; Clark, W.F.; Harth, M. and Ebers, G. (1984):*
HLA antigens in SLE: relationship to disease severity, age at onset and sex. *J. Rheumatol. H*, P. 475.
- Berczi, I. (1992):*
The immunology of prolactin, *semin. Reprod. Endocrinol.*, 10, P. 196.

- Berczi, I. (1993):**
Prolactin, pregnancy and autoimmune disease. *J. Rheumatol.*, 20, P. 1095.
- Berczi, I.; Nagy, E.; Asa, S.L. and Kovac, K. (1984):**
The influence of pituitary hormones on adjuvant arthritis. *Arthritis. Rheum.*, 27, P. 682.
- Bermas, B.L.; Petri, M. and Goldman, D. (1994):**
T-helper cell dysfunction in SLE: relation to disease activity. *J. Chem. Immunol.*, 14, P. 169.
- Besedovsky, H.O.; Del Rey, A. and Sorkin, E. (1985):**
Immune neuroendocrine interactions. *J. Immunol.*, 135, P. 7505.
- Bhalla, A.K. (1989):**
Hormones and the immune response. *Ann. Rheum. Dis.*, 48, P. 10.
- Bluestein, H.G. (1993):**
Antibodies to neurons. In: Wallace DJ., Hahn BH. Eds. *Dubois lupus erythematosus*, 4th ed. Philadelphia: Lea and Febiger, P. 260.
- Bombardier, C.; Gladman, D.D.; Urowitz, M.D.; Charron, D. and Chang, C. (1992):**
The committee on prognosis studies in SLE: The development and validation of the SLE disease activity index (SLEDAI). *Arthritis Rheum.*, 35 P. 630.
- Boumpas, D.R.; Fessler, B.J.; Austin, H.A.; Balow, J.E.; Klippel, J.H.; Lockshin, M.D. (1995):**
Systemic lupus erythematosus: emerging concepts. Part 2: dermatologic and joint disease, the antiphospholipid antibody syndrome, pregnancy and hormonal therapy, morbidity, mortality and pathogenesis. *Ann. Intern. Med.*, 123, P. 42.
- Boutin, J.M.; Jolicoeur, C.; Okamura, H. and Gagnon, J. (1988):**
Cloning and expression of rat prolactin receptor, member of the growth hormone / prolactin receptor family. *Cell*, 53, P. 69.

- Bucala, R.; Lahita, R.G.; Fishman, J. and Cerami, A. (1985):*
Increased levels of 16-hydroxyestrone modified proteins in pregnancy and SLE. *J. Clin. Endocrinol. Metab.*, 60, P. 841.
- Bucala, R.; Lahita, R.G.; Fishman, J. and Cerami, A. (1987):*
Anti-oestrogen antibodies in users of oral contraceptives and in patients with SLE. *Clin. Exp. Immunol.*, 67, P. 167.
- Budman, D. and Steinberg, A.D. (1977):*
Bone marrow in lupus erythematosus. *Ann. Intern. Med.*, 86, P. 831.
- Bulgrin, J.; Dubois, E.L. and Jacobson, G. (1960):*
Peptic ulcer associated with corticosteroid therapy: Serial roentgenographic studies. *Radiology*, 75, P. 712.
- Bulkley, B.H. and Roberts, W.C. (1975):*
The heart in SLE and the changes induced in it by corticosteroid therapy. A study of 36 necroscopy patients. *Am. J. Med.*, 58, P. 243.
- Buskila, D.; Lorber, M.; Neumann, L.; Flusser, D. and Shoenfeld, Y. (1996):*
No correlation between prolactin levels and clinical activity in patients with SLE. *J. Rheumatol.*, 23, P. 629.
- Caiccio, M.; Parodi, A. and Regora, A. (1989):*
Myasthenia gravis and lupus erythematosus. *Int. J. Dermatol.*, 28, P. 317.
- Camisa, C.; Sharma, H.M. (1983):*
Vesiculobullous SLE: report of two cases and review of the literature. *J. Am. Acad. Derm.*, 9, P. 924.
- Callen, J.P. (1982):*
The efficacy of antimalarials in SLE. *J. Rheumatol.*, 2, P. 213.
- Camoratto, A.M. and Grandison, L. (1989):*
Platelet activating factor stimulates PRI₁ release from dispersed rat anterior pituitary cells. *Endocrinology*, 124, P. 1502.

- Campbell, R.D. and Milner, C.M. (1993):*
MHC genes in autoimmunity (Review). *Curr Opin Immunol.*, 5, P. 887.
- Carette, S.; Macher, A.M.; Nussbaum, A. and Plotz, P.H. (1984):*
Severe acute pulmonary disease in patients with SLE: ten years of experience at the National Institutes of Health. *Semin Arthritis Rheum.*, 14, P. 52.
- Cash, R.M.; Wilder, R.M. (1992):*
Neurobiology and inflammatory arthritis. *Bull Rheum. Dis.*, 41, P. 1.
- Cetel, N.S. and Yen, S.S.C. (1983):*
Concomitant pulsatile release of prolactin and lutenizing hormone in hypogonadal women. *J. Clin. Endocrinology, Metab.*, 56, P. 1313.
- Cheung, C.Y. (1983):*
Prolactin suppresses lutenizing hormone (LH) secretion and pituitary responsiveness to LH-RH by a direct action at the anterior pituitary. *Endocrinology*, 113, P. 632.
- Concani, M.V. and Walker, A.M. (1984):*
Chloroquine affects prolactin secretion and Golgi morphology in the mammotropes. *Endocrinology*, 114, P. 725.
- Crow, M.K. and Christian, C.L. (1992):*
Etiologic hypothesis for SLE. In: Lahita RG, ed. *SLE* New York: Churchill Livingstone, P. 51.
- Crozier, I.G.; Li, E.; Milne, M.J. and Nicholls, M. (1990):*
Cardiac involvement in SLE detected by echocardiography. *Am. J. Cardiol.*, 65, P. 1145.
- Dafna, D.; Gladman, McMurray, B. and Urowitz (1997):*
Clinical and laboratory features of SLE in primer on Rheumatic disease ed. by John H and Klippel 11th ed. Atlanta, Georgia, P. 251.
- Daly, D. (1991):*
Central nervous system lupus in acute disseminated lupus erythematosus. *J. Nerve Ment. Dis.*, 102, P. 461.

- Daniel, J.; Wallace, and Allen, L.; Metzger, (1997):*
Systemic lupus erythematosus clinical aspect and treatment in textbook of rheumatology Ed. By William . Koopmand and Daniel J. McCarty, 13th edition, P. 1319.
- Day, R.N. and Maurer, R.A. (1989):*
The distal enhancer region of the rat prolactin gene contains elements conferring response to multiple hormones. Mol. Endocrinol., 3, P. 3.
- Delean, A.; Garon, M.; Kelly, P.A. and Labrie, F. (1977):*
Changes in the pituitary thyrotropin releasing hormone (TRH) receptor level and prolactin response to TRH during rat estrous cycle. Endocrinology, 100, P. 1505.
- Denburg, J.A. (1990):*
Clinical and subclinical involvement of the central nervous system in SLE. Res. Publ. Assoc. Res. Nerve Ment. Dis., 68, P. 171.
- Dhar, J.P.; Mayes, M.D.; Mosley, A.D. and Wooley, P.H. (1991):*
Prolactin level in lupus and scleroderma. Arthritis Rheum., 34, P. 111.
- DiMattia, G.E.; Gellersen, B.; Bohnet, H.G. and Friesen, H.G. (1988):*
A human B lymphoblastoid cell line produces prolactin. Endocrinology, 122, P. 2508.
- Drouhault, R.; Abrous, N.; David, J.P. and Duffy, B. (1987):*
Bradykinin parallels thyrotropine releasing hormone actions on prolactin release from rat anterior pituitary cells. Neuroendocrinology, 46, P. 360.
- Ellis, S.G. and Verity, M.A. (1979):*
Central nervous system involvement in SLE: a review of neuropathologic findings in 57 cases 1955-1977. Semin Arthritis Rheum. 8, P. 212.
- Enjalbert, A.; Musett, F.; Chonard, C. and Priam, M. (1988):*
Dopamine inhibits prolactin secretion stimulated by the calcium channel agonist bay-K-8644 through a pertussis toxin sensitive G protein in anterior pituitary cells. Endocrinology, 123, P. 406.

Fabre, V.C.; Hodge, S.J. and Collen, J.P. (1990):

Twenty percent of biopsies from sun-exposed skin of normal young adults demonstrate positive immunofluorescence. *Arthritis Rheum*, 33 P. 129.

Fan, V.S.; Reletoff, S. and Rosenfield, R.L. (1974):

Hypogonadism induced by a transplantable, prolactin tumor in male rats, hormonal and morphological studies. *Endocrinology*, 95, P. 991.

Fauci, A.S.; Steinberg, A.D.; Haynes, B.F. & Whalen, G. (1978):

Immunoregulatory aberrations in SLE. *J. Immunol.*, 121, P. 1473.

Favre, H.; Miescher, P.A.; Huang, Y.P.; Chatelanat, F.; Mihatsch, M.J. (1989):

Cyclosporine in the treatment of lupus nephritis. *Am. J. Nephrol.*, 9 (Suppl. 1), P. 57.

Fessel, W.J. (1974):

SLE in the community. Incidence prevalence, outcome and first symptoms the high prevalence in black women. *Arch Intern. Med.*, 134, P. 1027.

Folomeev, M.; Prokalva, T.; Nassouva, V.; Masenkov and Ovtraht, N. (1990):

Prolactin levels in men with systemic lupus erythematosus and rheumatoid arthritis. *J. Rheumatol.*, 17, P. 1569.

Foote, R.A.; Kimbrough, S.M. and Stevens, J.C. (1982):

Lupus myositis. *Muscle Nerve* 5, P. 65.

Fox, R.I. (1993):

Mechanism of action of hydroxy chloroquine as an antirheumatic drug. *Semin. Arthritis Rheum.*, 23 (Suppl 1), P. 82.

Fox, R.I. and Kang, H.I. (1993):

Mechanism of action of antimalarial drugs: Inhibition of antigen processing and presentation. *Lupus* 2 (Suppl. 1), P 1.

- Fox, D.A.; Faix, J.D.; Colblyn, J.; Fraser, J.; Smith, B.; Weinblatt, M.E. (1986):*
Thrombotic thrombocytopenic purpura and SLE. *Ann. Rheum. Dis.*, 45, P. 319.
- Fox, D.A. and McCune, W.J. (1994):*
Immunosuppressive drug therapy of SLE. *Rheum. Dis. Clin. North Am.*, 20, P. 265.
- Frantz, A.G.; Kleinberg, D.L. and Noel, G.L. (1972):*
Studies on prolactin in man. *Recent Prog. Horm. Res.*, 28, P. 527.
- Friedman, R.M.; Preble, O.; Black, R. and Harrell, S. (1982):*
Interferon production in patients with SLE. *Arthritis Rheum.*, 25, P. 802.
- Galve, E.; Candell-Riera, J.; Pigrau, C.; Permanyer-Miralda, G.; Vilardell, M. and Soler-Soler, J. (1989):*
Prevalence, morphologic types and evaluation of cardiac valvular disease in SLE. *N. Engl. J. Med.*, 320, P. 740.
- Ganong, W.F. (1991):*
The gonads development and function of reproductive system in review of medical physiology 16th edition ed. by Ganong W.F., Appleton and Lange USA, P. 386.
- Garrett, N.E.; Mapp, P.I.; Gruwys, S.C.; Kidd, B.L. and Blake, D.R. (1992):*
Role of substance P in inflammatory arthritis. *Ann. Rheum. Dis.*, 51, P. 1014.
- Gilliam, J.N. and Snotheimer, R.D. (1981):*
Distinctive cutaneous subsets in the spectrum of lupus erythematosus. *J. Am. Acad. Dermatol.*, 4, P. 471.
- Ginsburg, W.W.; Finkelman, F.D.; Lipsky, P.E. (1979):*
Circulating and pokeweed mitogen-induced immunoglobulin-secreting cells in SLE. *Clin. Exp. Immunol.*, 35, P. 76.
- Goldman, D.D.; Ross, T.; Richardson, B. and Kulkarni, S. (1985):*
Bowel involvement in SLE: Crohn's disease or lupus vasculitis. *Arthritis Rheum.*, 28, P. 466.

- Good, J.T.Jr.; King, T.E.; Antony, V.B. and Sahn, S.A. (1984):*
Lupus pleuritis: clinical features and pleural fluid characteristics with special reference to pleural fluid antinuclear antibodies. *Chest*, 84, P. 714.
- Grossman, G.J. (1984):*
Regulation of the immune system by sex steroids. *Endocr. Rev.*, P. 435.
- Gudelsky and Porter, J.C. (1980):*
Release of dopamine from tuberoinfundibular neuron into pituitary stalk blood after prolactin or haloperidol administration. *Endocrinology*, 106, P. 526.
- Guldesky, G.A.; Apud, J.A.; Masolto, C.; Locatelli, V.; Cocchi, D.; Racogni, G. and Muller, E.E. (1983):*
Ethanolamine-O-sulfate enhances-aminobutyric acid secretion into hypophyseal portal blood and lowers serum prolactin concentrations. *Neuroendocrinology*, 37, P. 397.
- Gutierrez, M.A.; Cabrera, E.; Cuellar, M.L.; Citera, G.; Silveira, L.H.; Gharavi, A.E. and Espinoza, L.R. (1993):*
Prolactin induces autoantibody formation by peripheral blood mononuclear cells of normal individuals and SLE patients. *Arthritis Rheum.*, 37, P. 97.
- Guyton, A.C. (1991):*
Endocrinology and reproduction: pregnancy and lactation in text book of medical physiology 8th edition ed. by Guyton A.C. Saunders Company USA, P. 995.
- Hamilton, M.E. and Winfield, (1979):*
T-gamma cells in SLE, variation with disease activity. *Arthritis Rheum.*, 22, P. 1.
- Hess, E.V. and Mongey, A.B. (1993):*
The potential role of environmental agents in lupus erythematosus. In: Wallace DJ, Hahn BH, eds *Dubois lupus erythematosus*. Philadelphia: Lea and Febiger, P. 37.
- Hochberg, M.C. (1985):*
The incidence of SLE in Baltimore, Maryland, 1970-1977. *Arthritis Rheum.*, 28, P. 80.

- Hochberg, M.C. (1990):*
Systemic lupus erythematosus. *Rheum. Dis. Clin. North Am.*,
16, P. 640.
- Inman, R.D. (1978):*
Immunologic sex differences and the female predominance in
SLE. *Arthritis Rheum.*, 21, P. 849.
- Isenberg, D. (1984):*
Clinical manifestations of SLE. *Clin. Rheum. Dis.*, 10, P. 151.
- Ishizuka, B.; Quigley, M.E. and Yen, S.S.C. (1983):*
Pituitary hormone release in response to food ingestion:
Evidence for neuroendocrine signals from gut to brain. *J. Clin.*
Endocrinol., Metab., 57, P. 1111.
- Izui, S.; McConahey, P.J.; Clark, J.P. and Hang, L.M. (1981):*
Retroviral glycoprotein 70 immune complex in NZB x NZW
F2 mice with murine lupus nephritis. *J. Exp. Med.*, 154, P. 517.
- Jacobs, L.S.; Snyder, P.J.; Wilbur, J.F.; Utiger, R. and Doughaday, H.*
(1971):
Increased serum PRL after administration of synthetic TRH in
man. *J. Clin. Endocrinol. Metab.*, 33, P. 996.
- Jara, L.J.; Gomez, C. and Espinoza, L.R. (1991):*
Prolactin in primary fibromyalgia and rheumatoid arthritis. *J.*
Rheumatol., 18, P. 480.
- Jara, L.J.; Graef, A. and Lavalley, L. (1991):*
Prolactin and gonadal hormones during pregnancy in SLE. *J.*
Rheumatol., 18, P. 349.
- Jara, L.J.; Lavalley, L.; Fraga, A.; Sanchez, C.G.; Silveira, L.H.;*
Osuna, P.M.; Germain, B.F. and Espinoza, L.R. (1991):
Prolactin immunoregulation and autoimmune disease. *Semin.*
Arthritis Rheum., 20, P. 273.
- Jara, L.J.; Sanchez, C.G.; Pineda, C.; Silveira, L.H.; Osuna, P.M.;*
Seleznick, M. and Espinoza, L.R. (1991):
Hyperprolactinemia in reactive arthritis (Abstract). *Arthritis*
Rheum., 34, P. 195.

- Jara, L.J.; Lavalle, C. and Espinoza, L.R. (1992):*
Does prolactin has a role in the pathogenesis of SLE? J. Rheumatol., 19, P. 1333.
- Jara, L.J.; Sanchez, C.G.; Silveria, L.H.; Osuna, P.M.; Vasey, F.B. and Espinoza, L.R. (1992):*
Hyperprolactinemia in SLE: Association with disease activity. Am. J. Med. Sci., 303, P. 222.
- Jara, L.J.; Zazueta, B.; Irigoyen, L.; Ortiz, A.; Bravo, G. and Fraga, A. (1993):*
Prolactin and IL-6 in the CSF of patients with SLE CNS manifestations. Arthritis Rheum., 37, P. 296.
- Jones, D.R.E.; Hopkinson, N.D.; Powell, R.J. (1990):*
Autoantibodies in pet dogs owned by patients with SLE. Lancet, 339, P. 1378.
- Kaiser, I.H. (1942):*
Specificity of periarterial fibrosis of the spleen in disseminated lupus erythematosus. Bull. Johns Hopkins Hosp. 71, P. 32.
- Karling, D. and Asch, E. (1993):*
Prolactin in systemic lupus erythematosus: effect of disease activity and renal function. Arthritis Rheum., 37, P. 230.
- Karpatkin, S. (1980):*
Autoimmune thrombocytopenic purpura. Blood, 56, P. 329.
- Karpatkin, S. (1985):*
Autoimmune thrombocytopenic purpura. Semin, Haematol., 22, P. 260.
- Karsh, J.; Kimberly, R.A.; Stahl, N.I.; Plotz, P.H. and Decker, J.L. (1980):*
Comparative effects of aspirin and ibuprofen in the management of SLE. Arthritis Rheum., 23, P. 1401.
- Kawai, T.; Katoch, K.; Tani, K.; Okuda, K. and Okubo, T. (1990):*
HLA antigens in Japanese patients with central nervous systems lupus. Tissue Antigens, 35, P. 45.

- Kennedy, R.L. and Jones, T.H. (1991):*
Cytokines in endocrinology: their role in health and in disease. *J. Endocrinol.*, 129, P. 167.
- Kewalramani, L.S.; Saleem, S. and Berttrand, D. (1978):*
Myelopathy associated with SLE. *Paraplegia*, 16, P. 282.
- Khamashta, M.A.; Cervera, R.; Asherson, R.A. (1990):*
Association of antibodies against phospholipids with heart valve disease in SLE. *Lancet*, 335, P. 1541.
- Khanduja, S.; Arnett, F.C. and Reveille, J.D. (1991):*
HLA-DQ beta genes encode an epitope for lupus specific DNA antibodies (Abstract). *Clin. Res.*, 38, P. 975.
- Kim, Y.W. and Halsey, J.F. (1982):*
Metabolism and clearance of antibody excess immune complexes in lactating mice. *J. Immunol.*, 129, P. 619.
- Kimberly, R.P.; Lockshin, M.D.; Sherman, R.I.; McDougal, J.S.; Inman, R.D. and Christian, C.L. (1981):*
High dose intravenous methyl prednisolone pulse therapy in SLE. *Am. J. Med.*, 70, P. 817.
- Kinacaid-Smith, P.; Fairley, K.F. and Kloss, M. (1988):*
Lupus anticoagulant associated with renal thrombotic angiopathy and pregnancy related renal failure. *QJ Med.*, 68, P. 795.
- Klippel, J.H. (1988):*
How to alter the course of lupus nephritis. *J. Musculoskeletal Dis.* 5, P. 29.
- Knigge, U.; Deygaard, A.; Wollesen, F. and Christiansen, P.M. (1982):*
Histamine regulation of prolactin secretion through H1 and H2 receptors. *J. Clin. Endocrinol. Metab.*, 55, P. 118.
- Knigge, U.; Matzens and Warberg, J. (1988):*
Histaminergic mediation of the stress induced release of PRL in male rats. *Neuroendocrinology*, 47, P. 68.

- Koch, Y.; Goldhaber, G.; Fireman, I.; Zor, U. and Tal, T. (1977):**
Suppression of prolactin and thyrotropin secretion in the rat by antiserum to thyrotropin releasing hormone. *Endocrinology*, 100, P. 1476.
- Lahita, R.G. (1985):**
Sex steroids and the rheumatic diseases. *Arthritis Rheum.*, 28, P. 121.
- Lahita, R.G.; Bradlow, I.L.; Kunkel, H.G. and Fishman, J. (1981):**
Increased 16 α -hydroxylation of estradiol in SLE. *J. Clin. Endocrinol. Metab.*, 53, P. 174.
- Langevitz, P.; Buskila, D.; Lee, P. and Urowitz, U.B. (1989):**
Treatment of refractory ischemic skin ulcers in patients with Raynaud's phenomenon with PgE1 infusions. *J. Rheumatol.*, 16, P. 1433.
- Laroche, C.M.; Mulvey, D.A. and Hawkins, P.N. (1990):**
Diaphragm strength in the shrinking lung syndrome of SLE. *QJ Med.*, 265, P. 429.
- Lavalle, C. (1992):**
Prolactin: A hormone with immunoregulatory properties that leads to new therapeutic approaches in rheumatic disease. *J. Rheumatol.*, 19, P. 839.
- Lavalle, C.; Loyo, E.; Pamiagua, R.; Herrera, J. and Graef, A. (1987):**
Correlation study between prolactin and androgens in male patients with systemic lupus erythematosus. *J. Rheumatol.*, 14, P. 268.
- Levine, S.R.; Langer, S.L.; Albers, J.W. and Welch, K.M. (1988):**
Sneddon's syndrome: an antiphospholipid antibody syndrome? *Neurology*, 38, P. 798.
- Lewis, E.J.; Hunsicker, J.G.; Lan, S.P.; Rohde, R.D. and Lachin, J.M. (1992):**
A controlled trial of plasma pheresis therapy in severe lupus nephritis. *N. Engl. J. Med.*, 326, P. 1373.

- Lewis, U.J.; Singh, N.P. and Seavey, B.K. (1971):*
Human prolactin: Isolation and some properties. *Biochem. Biophys. Res. Commun.*, 44, P. 1169.
- Lindskov, R. and Reymann, F. (1986):*
Dapsone in the treatment of cutaneous lupus erythematosus. *Dermatologica*, 172, P. 214.
- Linker-Israeli, M.; Deans, R.J.; Wallace, D.J.; Prehn, J.; Ozeri-Chen, T.; Klinenberg, J.R. (1991):*
Elevated levels of endogenous IL-6 in SLE. A putative role in pathogenesis. *J. Immunol.*, 147, P. 117.
- Lloyd, R.V.; Anagnoston, D.; Cano, M. and Chandler, W.F. (1988):*
Analysis of mammosomatotropic cells in normal and neoplastic human pituitary tissues by the reverse haemolytic plaque assay and immunocytochemistry. *J. Clin. Endocrinol. Metab.*, 66, P. 1103.
- Lumpkin, M.D. (1987):*
The regulation of ACTH secretion by IL-1. *Science*, 238, P. 452.
- Mackay, I.R. (1988):*
Autoimmune disease and the liver. *Clin. Aspects Autoimmune*, 2, P. 8.
- Mackay, I.R. and Wood, I.J. (1962):*
Lupoid hepatitis: comparison of 22 cases with other types of chronic liver disease. *QJ Med.*, 31, P. 485.
- Macleon, R.M.; Kimuia, H. and Login, I. (1976):*
Inhibition of prolactin secretion by dopamine and piribedil (ET-495) in growth hormone and related peptides ed. by Pecile A. and Muller E.E. New York, North Holland P. 443.
- Marcus, Z.H. and Hess, E.V. (1980):*
Antisperm antibodies in patients with SLE. *Arthritis Rheum.*, 24, P. 569.
- Marino, C.T. and Pertshuk, L.P. (1981):*
Pulmonary haemorrhage in SLE. *Arch. Intern. Med.*, 141, P. 201.

- Matera, L.; Bellane, G. and Cesano, A. (1991):*
Prolactin and the neuroimmune network. *Advance, Neuroimmunol.*, 1, P. 158.
- Matsushita, N.; Kato, Y.; Shimatsu, A.; Katakami, H. and Imura, H. (1983):*
Effects of VIP, TRH, GABA and dopamine on prolactin release from superfused rat anterior pituitary cells. *Life Sci.*, 32, P. 1263.
- Matt, K.S.; Castro, L.; Yocum, D.E.; Zautra, A. and Roth, S. (1994):*
The effect of stress and flare on neuroendocrine and immune function in Rheumatoid arthritis patients (Abstract). *Arthritis Rheum.*, 37, P. 246.
- Maurer, R.A. (1982):*
Estrogen regulates the transcription of prolactin gene. *J. Biol. Chemist.*, 257, P. 2133.
- Maurer, R.A.; Kim, K.A.; Day, R.N. and Notides, A.C. (1990):*
Regulation of prolactin gene expression by estradiol. *Prog. Clin. Bio. Res.*, 322, P. 159.
- McCune, W.J.; Golbus, J.; Zeldes, W.; Bohlke, P.; Dunne, R. and Fox, D.A. (1988):*
Clinical and immunologic effects of monthly administration of intravenous cyclophosphamide in sever SLE. *N. Engl. J. Med.*, 318, P. 1423.
- McLaughlin, J.R.; Bomardier, C.B.; Farewell, V.T.; Gladman, D.D. and Urowitz, M.B. (1994):*
Kidney biopsy in SLE. III. Survival analysis controlling for clinical and laboratory variables. *Arthritis Rheum.*, 37, P. 559.
- McCombe, P.A.; McLeod, J.G.; Pollard, J.D.; Guo, Y.P. and Ingall, T.J. (1987):*
Peripheral sensorimotor and autonomic neuropathy associated with SLE. Clinical, pathological and immunological features. *Brain*, 110, P. 533.
- McMurray, R.W. (1996):*
Prolactin and systemic lupus erythematosus. *Ann. Med. Intern. (Paris)*, 147, P. 253.

- McMurray, R.W.; Allen, S.H.; Braun, A. and Walker, S. (1992):*
Longstanding hyperprolactinemia in SLE possible hormonal stimulation of an autoimmune syndrome. *Arthritis Rheum.*, 35, P. 18.
- McMurray, R.W.; Allen, S.H.; Weindensaul, D. and Walker, S.E. (1995):*
An open label therapeutic trial of bromocriptin in SLE (Abstr.) *Lupus (Suppl.)* 4, P. 66.
- McMurray, R.W.; Keisler, D.; Izui, S. and Hoffman, R. (1991):*
Postpartum disease activity in the female B/W mouse model of SLE (Abstract). *Arthritis Rheum.*, 34, P. 183.
- McMurray, R.W.; Keisler, d.; Izui, S. and Walker, S.E. (1993):*
Effects of parturition, suckling and pseudopregnancy on variables of disease activity in the B/W mouse model of SLE. *J. Rheumatol.*, 20, P. 1143.
- McMurray, R.W.; Keisler, D.; Kanuckel, K. and Walker, S. (1991):*
Prolactin influences autoimmune disease activity in the female B/W mice. *J. Immunol.*, 147, P. 3780.
- McMurray, R.W.; Keisler, D. and Walker, S. (1990):*
Bromocriptine decreases early mortality in female NZB/W mice. *Arthritis Rheum.*, 33, P. 130.
- McMurray, R.W.; Keisler, D. and Walker, S. (1991):*
Hyperprolactinemia accelerates disease activity in the male NZB/W mouse model of SLE (Abstract). *Arthritis Rheum.*, 34, P. 163.
- McMurray, R.W.; Weidensaul, D.; Allen, S.H. and Walker, S.E. (1994):*
Efficacy of bromocriptine in an open lable therapeutic trial for SLE (Abstract). *Arthritis Rheum.*, 37, P. 369.
- Medeiros, I.J.; Kaynor, B. and Harris, N.L. (1989):*
Lupus lymph adenitis: report of a case with immunohistologic studies on frozen section. *Human Pathol.*, 20, P. 295.
- Michael, S.R.; Vural, I.L.; Bassen, F.A. and Schaefer, L. (1951):*
The haematologic aspects of disseminated lupus erythematosus. *Blood*, 6, P. 1059.

- Michiels, J.J. (1991):*
Erythromelalgia in SLE. *J. Rheumatol.*, 18, P. 481.
- Miller, F.W.; Moore, G.F.; Weintraub, B.D. and Steinberg, A.D. (1987):*
Prevalence of thyroid disease and abnormal thyroid function tests results in patients with SLE. *Arthritis Rheum.*, 30, P. 1124.
- Miller, M.H.; Urowitz, M.B.; Gladman, D.D. (1983):*
The significance of thrombocytopenia in SLE. *Arthritis Rheum.*, 26, P. 1181.
- Mok, C.C.; Lau, C.S.; Tam, S.C. (1997):*
Prolactin profile in a cohort of chinese SLE patients. *Br.J. Rheumatol.*, 36, P. 986.
- Mongey, A.B. and Hess, E.V. (1991):*
Antinuclear antibodies and disease specificity. *Adv. Intern. Med.*, 36, P. 151.
- Montgomery, D.; Zukoski, C. and Shah, G. (1987):*
Concanavalin A stimulated murine splenocyte produce a factor with prolactin like bioactivity and immunoreactivity. *Biochem. Biophys. Res. Commun.*, 145, P. 692.
- Mukherjee, P.; Mastro, A. and Hymer, W.C. (1990):*
Prolactin introduction of IL-2 receptor on rat splenic lymphocytes. *Endocrinology*, 126, P. 88.
- Munemura, M.; Agui, T. and Sibley, D.R. (1989):*
Chronic estrogen treatment promotes a functional uncoupling of the D2 dopamine receptor in rat anterior pituitary gland. *Endocrinology*, 124, P. 346.
- Nagy, E.; Mulchaney, J.J. and Neill, J.D. (1988):*
Autocrine control of prolactin secretion by vasoactive intestinal peptide. *Endocrinology*, 122, P. 364.
- Neidhart, M. and Larson, D.F. (1990):*
Freund's complete adjuvant induces ornithine decarboxylase activity in the central nervous system of male rats and triggers the release of pituitary hormones. *J. Neuroimmunol.*, 26, P. 97.

- Newton, R.C.; Jorizzo, J.L.; Solomon, A.R.; Sanchez, R.I.; Daniels, J.C.; Bell, J.D. and Cavallo, T. (1986):*
Mechanism oriented assessment of isotretinoin in chronic or subacute cutaneous lupus erythematosus. Arch. Dermatol., 122, P. 170.
- Niall, H.D.; Hogan, M.L.; Tregean, G.W. and Segro, G.V. (1973):*
The chemistry of growth hormone and lactogenic hormones. Prog. Horm. Res., 29, P. 387.
- Nigel Harris E. (1997):*
Antiphospholipid syndrome in primer on Rheumatic diseases ed. by John H and Klippel 11th ed. Atlanta, Georgia, P. 313.
- Norris, D.A. (1993):*
Pathomechanisms of photosensitive lupus erythematosus. J. Invest. Dermatol., 100, P. 58.
- Nossent, H.C.; Swaak, T.J.G.; Berden, J.H.M. and The Dutch Working Party on SLE (1991):*
SLE after renal transplantation: patient and graft survival and disease activity. Ann. Intern. Med., 114, P. 183.
- Ostendorf, B.; Fischer, R.; Santen, R.; Schmitz-Linneweber, B.; Specker, C. and Schneider, M. (1996):*
Hyperprolactinemia in SLE. Scand J. Rheumatol., 25, P. 97.
- Owerbach, D.; Rutter, W.J.; Cook, N.E.; Martial, J.A. and Shows, T.B. (1981):*
The prolactin gene is located on chromosome 6 in humans. Science, 212, P. 815.
- Parbtani, A.; Grampton, G.; Yewdall, V.; Kasai and Cameron, J.S. (1980):*
Platelet and plasma serotonin in glomerulonephritis III. The nephritis of SLE. Clin. Nephrol., 14, P. 164.
- Pasquali, S.; Banfi, G.; Zucchelli, A.; Moroni, G.; Ponticelli, C. and Zucchelli, P. (1993):*
Lupus membranous nephropathy: longterm outcome. Clin. Nephrol., 39, P. 175.

- Pauzner, R.; Urowitz, M.B.; Gladman, D.D. and Cough, J.M. (1994):**
Prolactin in SLE. *J. Rheumatology*, 21, P. 2064.
- Pender, M.P. and Chalth, J.B. (1989):**
Connective tissue disease mimicking multiple sclerosis. *Aust. NZJ. Med.*, 19, P. 469.
- Phillips, R.H. (1991):**
Coping with lupus. Wayne, NK: A very publishing.
- Pinillos, R.M.; Solle, J.M.N.; Roura, X.J.; Ferranz, V.P.; Palacin, A.V. and Sampere, I.M. (1987):**
Rheumatoid factor in patients with SLE. *Ann. Rheum. Dis.*, 46, P. 877.
- Pistiner, M.; Wallace, D.J.; Nessim, S.; Metzger, A.L. and Klinenberg, J.R. (1991):**
Lupus erythematosus in the 1980s: a survey of 570 patients. *Semin, Arthritis Rheum.*, 21, P. 55.
- Pollak, V.E. and Kant, K.S. (1992):**
SLE and the kidney. In: Lahita R, ed. *SLE*, New York: Churchill Livingstone, P. 683.
- Preston, G.M.; Billis, W.M. and White, B.A. (1990):**
Transcriptional and post transcriptional regulation of the rat prolactin gene by calcium. *Moll. Cell Biol.*, 10, P. 442.
- Prete, P. (1985):**
The mechanism of action of L-cancavanine in inducing autoimmune phenomena. *Arthritis, Rheum.*, 28, P. 1198.
- Provost, T.T.; Andreas, G.A.; Maddison, P.J. and Reichlin, M. (1980):**
Lupus band test in untreated SLE: correlation of immunoglobulin deposition in the skin of the extensor forearm with clinical renal disease and serological abnormalities. *J. Invest. Dermatol.*, 74, P. 407.
- Prystowski, S.D.; Herndon, J.H. and Gilliam, J.N. (1975):**
Chronic cutaneous lupus erythematosus: a clinical and laboratory investigation of 80 patients. *Medicine*, 55, P. 183.

Quinlan, J.T. and Phillips, I. (1981):

Immunoreactivity for an angiotensin II like peptide in the human brain. *Brain, Res.*, 205, P. 212.

Quismorio, F.P. Jr. (1993):

Cardiac abnormalities in SLE. In: Wallace DJ, Hahn BH, eds. *Dubois lupus erythematosus* 4th ed. Philadelphia: Lea and Febiger, P. 332.

Quismorio, F.P. (1993):

Hemic and lymphatic abnormalities in SLE. In: Wallace DJ, Hahn BH, eds. *Dubois' lupus erythematosus*. 4th ed. Philadelphia, Lea and Febiger, P. 418.

Quismorio, F.P.Jr. (1993):

Systemic steroid therapy in SLE. In: Wallace DJ, Hahn BH, eds. *Dubois' lupus erythematosus*, 4th ed. Philadelphia: Lee and Febiger, P. 574.

Radic, M.Z. and Weiger, M. (1994):

Genetic and structural evidence for antigen selection of anti-DNA antibodies. *Annu. Rev. Immunol.*, 12, P. 487.

Rakoff, J.S. and Yen, S.S.C. (1978):

The simultaneous release of prolactin and gonadotropins in response to progesterone administration in estrogen-primed ovariectomized women. *J. Clin. Endocrinol. Metab.*, 47, P. 918.

Ravinovich, C.E.; Schanberg, L.E. and Kredich, D.W. (1990):

Intravenous immunoglobulin and bromocriptine in the treatment of refractory neuropsychiatric SLE (Abstract): *Arthritis Rheum.*, 33, P. 88.

Reber, P.M. (1993):

Prolactin and immuno modulation. *Am. J. Med.*, 95, P. 637.

Reeves, W.H.; Satoch, M.; Wang, J.; Chow, C.H.; Ajmani, A.K. (1994):

Antibodies to DNA, DNA binding proteins and histones. *Rheum. Dis. Clin. North Am.*, 20 P1.

Reichlin, M. (1994):

Antibodies to ribonuclear proteins. *Rheum. Dis. Clin. North Am.*, 20, P. 29.

- Reveille, J.D.; Macleod, M.J.; Whittington, K. and Arnett, F.C. (1991):**
Specific amino acid residues in the second hypervariable region of HLA-DQA₁ and DQB₁ chain genes promote the Ro (SS-A)/La (SSB) autoantibody responses. *J. Immunol.*, 146, P. 3871.
- Rigg, L.A. and Yen, S.S.C. (1977):**
Multiphasic prolactin secretion during parturition in humans. *Am. J. Obstet. Gynecol.*, 128, P. 215.
- Rigg, L.A. and Yen, S.S.C. (1977):**
The pattern of increase in circulating prolactin levels during human gestation. *Am. J. Obstet. Gynecol.*, 129, P. 454.
- Rivier, C.; Brown, M. and Vale, W. (1977):**
Effect of neurotensin, substance P and morphine sulphate on the secretion of prolactin and growth hormone in the rat. *Endocrinology*, 100, P. 751.
- Robb-Nicholsen, L.C.; Liang, M.H. and Daltroy (1989):**
Effect of aerobic conditioning in lupus fatigue. A pilot study. *J. Rheumatol.*, 28, P. 500.
- Rock, G.A.; Shumak, K.H.; Buskard et al. (1991):**
Canadian Apheresis study Group. Comparison of plasma exchange with plasma infusion in the treatment of thrombotic thrombocytopenic purpura. *N. Engl. J. Med.*, 325, P. 393.
- Roubinian, J.R.; Talal, N.; Greenspan, J.S. and Goodman, J.R. (1978):**
Effect of castration and sex hormone treatment on survival, ANAs and glomerulonephritis in NZB/ N2WF mice. *J. Exp. Med.*, 147, P. 1568.
- Runyon, B.A.; La Brecque, D.R. and Anuras, S. (1980):**
The spectrum of liver disease in SLE: report of 33 histologically-proved cases and review of literature. *Am. J. Med.*, 69, P. 187.
- Saint, J.P.; Rohmer, V.; Alhenc, G.F. and Corvol, P. (1986):**
Presence of renine angiotensinogen and converting enzyme in human pituitary lactotrope cells and prolactin adenomas. *J. Clin. Endocrinol. Metab.*, 63, P. 231.

- Sanchez-Guerrero, J.; Schur, P.H.; Sargent, J.S. and Liang, M.H. (1994):*
Silicone breast implants and rheumatic disease. Clinical, immunologic and epidemiologic studies (Review). *Arthritis Rheum.*, 37, P. 158.
- Sarkar, D.K. (1989):*
Evidence for prolactin feed back actions on hypothalamic oxytocin, vasoactive intestinal peptide and dopamine secretion. *Neuroendocrinology*, 49, P. 520.
- Scheebaum, A.B.; Singleton, J.D.; West, S.G.; Blodgett, J.K.; Allen, L.G.; Cheronis, J.C. and Kotzin, B.L. (1994):*
Association of psychiatric manifestations with antibodies to ribosomal P. Proteins in SLE. *Am. J. Med.*, 90, P. 54.
- Schousboe, J.T.; Koch, A.E. and Chang, R.W. (1988):*
Chronic lupus peritonitis with ascities, review of the literature with a case report. *Semin. Arthritis Rheum.*, 18, P. 121.
- Schule, R.; Muller, M.; Otsuka, H. and Renkawitz, R. (1988):*
Cooperativity of the glucocorticoid receptor and the CACCC-box binding factor. *Nature*, 332, P. 87.
- Scofield, R.H.; Frank, M.B.; Neas, B.R.; Horowitz, R.M.; Hardgrave, K.L.; Fujisaku, A.; McArthur, R. and Harley, J.B. (1994):*
Cooperative association of T-cell B receptor and HLA-DQ alleles in the production of anti-RO in systemic lupus erythematosus. *Clin. Immunol. Immunopath.*, 72, P. 335.
- Scott, D.E. (1991):*
Cytokines in SLE. *Am. Int. Med.*, 115, P. 458.
- Searles, R.P. and Williams, R.C.Jr. (1986):*
Anti-lymphocyte antibodies in the pathogenesis of SLE (Review). *Clin. Exp. Rheumatol.*, 4, P. 175.
- Shah, G.V.; Epand, R.M. and Orlousky (1988):*
Calcitonin inhibits prolactin secretion in isolated rat pituitary cells. *J. Endocrinol.*, 116, P. 279.

Shah, G.V.; Deftos, L.J. and Crowley, W.R. (1993):

Synthesis and release of calcitonin like immunoreactivity by anterior pituitary cells: Evidence for a role in paracrine regulation of prolactin secretion. *Endocrinology*, 132, P. 1367.

Shah, G.V.; Kennedy, D.; Pockter, M.E. and Crowley, W.R. (1990):

Calcitonin inhibits thyrotropin releasing hormone induced increases in cytosolic Ca^{++} in isolated anterior pituitary cells. *Endocrinology*, 127, P. 613.

Shane, B. and Parrlow, A.R. (1977):

Human pituitary prolactin: the entire linear amino acid sequence. *J. Clin. Endocrinol. Metab.*, 45, P. 112.

Shapiro, H. (1993):

Psychopathology in the lupus patient. In: Wallace DJ, Hahn BH., eds. *Dubois' lupus erythematosus*, 4th ed. Philadelphia: Lea and Febiger, P. 386.

Smith, M.S.; Freeman, M.E. and Neill, J.D. (1975):

The control of progesterone secretion during estrous cycle and early pregnancy in the rat: Prolactin gonadotropines and steroid level associated with rescue of the corpus luteum of pregnancy. *Endocrinology*, 96, P. 219.

Smith, C.D.; Marino, C. and Rothfield, N.F. (1984):

The clinical utility of the lupus band test. *Arthritis Rheum.*, 27, P. 382.

Smith, M.S. and Neill, J.D. (1976):

Termination at mid pregnancy of the two daily surges of plasma prolactin initiated by mating in the rat. *Endocrinology*, 98, P. 696.

Snotheimer, R.D.; Gilliam, J.N. (1992):

Systemic lupus erythematosus and the skin. In Lahita R.G. (ed): *Systemic lupus erythematosus*, 2nd ed. New York, Churchill Livingstone, P. 657.

Stabbes, W.A.; Jones, A.; Edwards, C.R.W. and Delitala, G. (1978):

Hormonal and metabolic responses to an enkephalin analogue in normal man. *Lancet*, 2, P. 1225.

- Stachura, M.E.; Tyler, J.M. and Kent, P.G. (1989):*
Pituitary immediate release pools of growth hormone and prolactin are preferentially refilled by new rather than stored hormone. *Endocrinology*, 125, P. 444.
- Stahl, J.I.; Klippel, J.H.; Decker, J.L. (1979):*
Fever in SLE. *Am. J. Med.*, 67, P. 933.
- Stern, R.; Fishman, J.; Brushman, H. and Kunkel, H.G. (1977):*
SLE associated with klinefelter's syndrome. *Arthritis Rheum.*, 20, P. 18.
- Sternberg, E. and Wilder, R.L. (1993):*
Corticosteroids. In: McCarty DJ, Koopman WJ, eds. *Arthritis and allied conditions*. 12th ed. Philadelphia: Lea and Febiger, P 665.
- Stiehm, E.R.; Ashida, E.; Kim, K.S.; Winston, D.J.; Haas, A. and Gale, R.P. (1987):*
Intravenous immunoglobulin as therapeutic agents (clinical conference). *Ann. Intern. Med.*, 107, P. 367.
- Stimmler, M.M.; Coletti, P.M. and Quismorio, F.P. (1993):*
Magnetic resonance imaging of the brain in neuropsychiatric SLE. *Semin Arthritis Rheum.*, 22, P. 335.
- Strober, S.; Farinas, M.C. and Field, D.H. (1987):*
Lupus nephritis after total lymphoid irradiation: persistent improvement and reduction of steroid therapy. *Ann. Intern. Med.*, 107, P. 689.
- Swaak, A.J.G.; Aarden, L.A.; Statius Van Eps, L.W. and Felkamp, T.E.W. (1982):*
Prognostic value of anti ds-DNA in SLE. *Ann. Rheum. Dis.*, 41, P. 388.
- Tamada, H.; Das, S.K.; Andrews, G.K. and Dey, S.K. (1991):*
Cell type specific expression of transforming growth factor α in the mouse uterus during the peri-implantation period. *Biol. Reprod.*, 45, P. 365.

- Tan, E.M. (1989):**
Antinuclear antibodies diagnostic markers for autoimmune disease and probes for cell biology. *Adv. Immunol.*, 44, P. 93.
- Tan, E.M.; Cohen, A.S. and Fries, J.F. (1982):**
The 1982 revised criteria for the classification of systemic lupus erythematosus. *Arthritis Rheum.*, 25, P. 1271.
- The Canadian Hydroxychloroquine Study Group (1991):**
A randomized study of the effect of withdrawing hydroxy chloroquine sulphate in SLE. *N. Engl. J. Med.*, 324, P. 150.
- Thivolet, J.; Nicolas, J.F.; Kanitakis, J.; Lyonnet, S. and Chouvet, B. (1990):**
Recombinant interferon alpha 2a is effective in the treatment of discoid and subacute cutaneous lupus erythematosus. *Br. J. Dermatol.*, 122, P. 405.
- Truong, A.T.; Duez, C.; Belayew, A. and Martial, J.A. (1984):**
Isolation and characterization of human prolactin gene. *EMBO, J.* 3, P. 429.
- Urowitz, M.B.; Gladman, D.D. (1992):**
Antinuclear antibody negative lupus. Systemic lupus erythematosus. In Lahita RG (ed): *Systemic lupus erythematosus*. New York, Churchill Livingstone, P. 561.
- Vancauter, E. (1989):**
Physiology and pathology of circadian rhythm in recent advances in Endocrinology and Metabolism, ed. By Edwards C.R.W. and Lincolin D, Churchill Livingstone, New York, P. 113.
- VanCauter, E. and Aschoff, J. (1989):**
Endocrine and other biological rhythms in Endocrinology, 6th edition ed. by De Groot L.J. WB Saunders, Philadelphia, P. 2658.
- Vancauter, E. and Refetoff, S. (1985):**
Multifactorial control of pituitary hormone secretion. *J. Endocrinol. Invest.*, 8, P. 381.

- Van Steenberghe, W.; Beyls, J.; Vermeylen, J.; Fevery, J.; Marchal, G.; Desmet, V. and De Groote, J. (1986):*
Lupus anticoagulant and thrombosis of the hepatic veins (Budd-chiari syndrome): report of three cases and review of the literature. *J. Hepatology*, 3 P. 87.
- Van Vollenhoven, R.F.; Engleman, E.G. and McGuire, J.L. (1994):*
An open study of dehydroepianrosterone in SLE. *Arthritis Rheum.* 37, P. 1305.
- Vincent, S.; Hokfelt, T. and Wu, J.Y. (1982):*
GABA neurosystem in the hypothalamus and pituitary gland. *Neuroendocrinology*, 34, P. 117.
- Verbeelen, D.; Vanhaelst, L.; Vansteirteghem, A.C. and Sennesael, J. (1983):*
Effect of 1,25 dihydroxy vitamin D3 on plasma prolactin in patients with renal failure on regular dialysis treatment. *J. Endocrinol. Invest.*, 6, P. 359.
- Wallace, D.J. (1993):*
The musculoskeletal system. In: Wallace DJ, Hahn BH eds. *Dubois' lupus erythematosus*. 4th ed. Philadelphia: Lea and Febiger, P. 331.
- Wallace, D.J. (1993):*
Cutaneous manifestations of SLE. In: Wallace DJ, Hahn BH, eds. *Dubois' lupus erythematosus* 4th ed. Philadelphia: Lea and Febiger, P. 356.
- Wallace, D.J. (1994):*
Does stress or trauma aggravate rheumatic disease? *Bailliere's. Clin. Rheumatol.*, 8, P. 149.
- Wallace, D.J. (1994):*
Antimalarial agents and lupus. *Rheum. Dis. Clin. North Am.*, 20, P. 243.
- Wallace, D.J.; Goldfinger, D. and Savage, G. (1988):*
Predictive value of clinical, laboratory, pathologic and treatment variables in steroids/ immunosuppressive resistant lupus nephritis. *J. Clin. Apheresis*, 4, P. 30.

- Wallace, D.J.; Hahn, B.H. and Klippel, J.H. (1993):*
Lupus nephritis: clinical aspects. In: Wallace DJ, Hahn BH, eds. Dubois' lupus erythematosus. 4th ed. Philadelphia: Lea and Febiger, P. 542.
- Wallace, D.J. and Metzger, A.L. (1993):*
SLE and nervous system. In: Wallace, DJ, Hahn BH, eds. Dubois' lupus erythematosus. 4th ed. Philadelphia: Lea and Febiger, P. 370.
- Wallace, D.J. & Metzger, A.L. (1995):*
Successful use of nitrogen mustard for cyclophosphamide resistant diffuse proliferative lupus glomerulonephritis: report of two cases. J. Rheumatol. 22, P. 801.
- Wallace, D.J.; Pistiner, M.; Nessim, S.; Metzger, A.L. and Klinenberg, J.R. (1992):*
Cutaneous lupus erythematosus without SLE. Semin Arthritis Rheum., 21, P. 221.
- Wallace, D.J.; Podell, T.E. and Weiner, J.M. (1982):*
Lupus nephritis: Experience with 230 patients in a private practice between 1950 & 1980. Am. J. Med., 72, P. 209.
- Waltz-Leblanc, B.; Gladman, D.D.; Urowitz, M.B.; Goodman, P.J. (1994):*
Serologically active clinically quiescent SLE. J. Rheumat., 21, P. 2239.
- Wark, J.D. and Tashjian, A.H. (1983):*
Regulation of prolactin in mRNA by 1,25 dihydroxy vitamin D3 in GH₄ C₁ cells. J. Biol. Chem., 258, P. 12118.
- Watts, R.A. and Isenberg, D.A. (1989):*
Pancreatic disease in the autoimmune rheumatic disorders. Semin Arthritis Rheum., 19, P. 158.
- Weinrib, L.; Sharma, O.P. and Quismorio, F.P.Jr. (1990):*
A long-term study of interstitial lung disease in SLE. Semin. Arthritis Rheum., 20, P. 48.

- Weisman, M.H.; Albert, D.; Mueller, M.R.; Zvaifler, N.J.; Hesketh, S.A. and Shragg, G.P. (1983):*
Gold therapy in patients with SLE. *Am. J. Med.*, 75 (Suppl. 6A), P. 157.
- Willoughby, J.O.; Menadue, M.F. and Liebelt, H.J. (1988):*
Activation of 5-HT₁ serotonin receptors in the medial basal hypothalamus stimulates prolactin secretion in the unanesthetized rats. *Neuroendocrinology*, 47, P. 83.
- Wilson, K. and Ables, (1994):*
A 2 year, open-ended trial of methotrexate in SLE. *J. Rheumatol.*, 21, P. 1674.
- Winchester, R. (1989):*
Genetics of autoimmune disease. *Curr Opin Immunol.*, 1, P. 199.
- Winklemann, R.K. (1970):*
Panniculitides in SLE. *JAMA*, 211, P. 472.
- Winslow, T.M.; Ossipov, M.O.; Fazio, G.P.; Simonson, J.S.; Redberg, R.F.; Schiller, N.B. (1995):*
Five year follow up study of the prevalence and progression of pulmonary hypertension in SLE. *Am. Heart J.*, 129, P. 510.
- Yen, S.S.C. and Jaffe, R.B. (1991):*
Prolactin in human reproduction in reproductive endocrinology ed. by Yen S.S.C. and Jaffe R.B. 3rd edition Saunders Company New York, P. 357.
- Yen, S.S.C.; Ehara, Y. and Siler, T.M. (1974):*
Augmentation of prolactin secretion by estrogen in hypogonadal women. *J. Clin. Invest.*, 53, P. 652.
- Zimmerman, E.A.; Defendini, R. and Frantz, A.G. (1974):*
Prolactin & growth hormone in patients with pituitary adenomas: A correlation study of hormone in tumor and plasma by immunoperoxidase technique and radioimmunoassay. *J. Clin. Endocrinol. Metab.*, 38, P. 577.

Zizic, T.M.; Classen, J.N. and Stevens, M.B. (1982):

Acute abdominal complications of SLE and polyarteritis nodosa. Am. J. Med., 73, P. 525.

Zizic, T.M.; Hungerford, D.S. and Stevens, M.B. (1980):

Ischemic necrosis of bone in SLE I: The early diagnosis of ischemic necrosis of bone and II: The treatment of ischemic necrosis of bone in SLE. Medicine, 59, P. 134 and P. 143.