

References

- Adams JM and Cory S (1998):** The bcl-2 protein family: abrasion of cell survival. *Science*, 281: 1322-1326.
- American Diabetes Association (1996):** Position statement: prevention of type 1 diabetes mellitus. *Diabetes Care*, 19 (suppl 1): S 45-47.
- American Diabetes Association (1997):** Report of the expert committee on the diagnosis and classification of D.M. *Diabetes Care* 20 (suppl 1): 1183-1201.
- American Diabetes Association (1999):** Report of the Expert committee on the diagnosis and classification of D.M. (Committee Report). *Diabetes Care*, 22 (suppl. 1): S5-9.
- Atkinson MA and Maclaren NK (1994):** The pathogeneses of insulin dependent diabetes. *N Engl J Med*, 331: 1428-1436.
- Berneis KK and Krauss RM (2002):** Metabolic orginis and clinical significance of LDL heterogencity. *J Lipid Res*, 43: 1363-79.
- Biden TJ, Robinson D, Cordery D, Hughes WE and Busch AK (2004):** Chronic effect of Fatty acids on pancreatic beta-cell function: new insight from functional genomics. *Diabetes*, 1: S 159-65.
- Bortner CD, and Cidlowski JA (2002):** Cellular mechanisms for repression of apoptosis. *Ann Rev Pharmacol Toxicol*, 42: 258-81.
- Bsoul SA, Terezhalmay GT (2004):** Vitamin C in health and disease: *J Contemp Dent Pract*, 15; 5(2): 1-13.
- Bulger EM and Maier RV (2001):** Antioxidants in critical illness. *Arch Surg*, 136: 1201-7.
- Bunker VW (1992):** free radicals, antioxidants and aging. *Med Lab Sci*, 49: 199-312.

- Butkiewicz EK, Leibson C, O'Brien PC, and Others (1995):** Insulin therapy for diabetic ketoacidosis. *Diabetes care*, 18: 1187-90.
- Butler AE, Janson J, Bonner Weir S and Ritzel R (2003):** Beta cell deficit and increased beta cell apoptosis in humans with type 2 diabetes. *Diabetes*, 52 (1): 102-10.
- Camreon NE, Eaton SE, Cotter MA and Tesfaye S (2001):** Vascular factors and metabolic interactions in the pathogenesis of diabetic neuropathy. *Diabetologia*, 44: 1973-88.
- Ceriello A, Giugliano D, Quatraro A, and Lefebure PJ (1991):** Antioxidants show antihypertensive effect in diabetic and hypertensive subjects. *Clin Sci*, 81: 739-42.
- Ceriello A, Giugliano D, Quatraro A and Lefebure PJ (1997):** Vitamin E reduction of protein glycosylation in diabetes. *Diabetes Care*, 14: 68-72.
- Cheeseman KH and Slatter TF (1993):** An introduction to free radical biochemistry. *British Med Bul* 49(3): 481-93.
- Chen J, Zhou T, Liu C, Shapiro JP, and Others (1994):** Protection from Fas mediated apoptosis by a soluble form of the Fas molecule. *Science*, 263: 1759-1762.
- Chen BH, Jiang DY and Tang LS (2006):** Advanced glycation end products induce apoptosis involving the signaling pathways of oxidative stress in bovine retinal pericytes. *Life Sci* 8, 79(11): 1040-8.
- Cosson E, Brinquier AF, and Paries J (2005):** Fas/Fas-ligand pathway is impaired in patients with type 2 diabetes. Influence of hypertension and insulin resistance *Diabetes Metab*, 31(1): 47-54.
- De Flora S (1995):** Inhibition of invasion, gelatinase activity, tumor take and metastasis of malignant cells by N-acetylsteine. *Int J Cancer*, 61(1): 121-9.
- De Fronzo RA, Bonadonna RC, Ferrannini E (1997):** Pathogenesis of NIDDM. In: Alberti KGMM. Zimmet P, DeFronzo RA,

eds.: International Textbook of Diabetes Mellitus, 2nd ed. Chichester: John Wiley: pp 635-712.

Denecker G, Vercammen D, Declercq W and Vandenabelle P (2001): Apoptotic and necrotic cell death induced by death domain receptors. *Cell Mol Life Science*, 58(3): 356-70.

Donath MY, Gross DJ, Cerasi E, Kaiser N (1999): Hyperglycemia induced β -cell apoptosis in pancreatic islets of psammomys obesus during development of diabetes. *Diabetes*, 48: 783-744.

Draper HH and Hadley M (1990): Malondialdehyde determination as an index of lipid peroxidation. *Methods in Enzymol.*, 186(B): 421-31.

Droge W (1993): Cysteine and glutathione deficiency in AIDS patients: a rationale for the treatment with N-acetylcysteine. *Pharmacology*, 64(2): 61-5.

Duckworth, WC (2001): Hyperglycemia and cardiovascular disease. *Curr Atheroscler Rep*, 3: 383-391.

Eischen CM, Dick CJ and Leibson PJ (1994): Tyrosine Kinase activation provides an early and requisite signal for Fas-induced apoptosis. *J Immunol.*, 153: 1947-1954.

Engelgau M, Thompson T and Herman W (1997): Comparison of fasting and 2-hours glucose and HbA1c for diagnosing diabetes. *Diabetes Care*, 20: 785-91.

Esterbauer H, Cheeseman KH, Dianzani MU, Poli G and Slater TF (1982): Separation and characterization of the aldehydic products of lipid peroxidation stimulated by ADP-Fe₂ in rat liver microsomes. *Biochem J*, 208 (1): 129-40.

Evans WJ (2000): Vitamin E vitamin C and exercise. *Am J Clin Nutr* Aug, 72(2S): 647S-652S.

Fan J and Shen SJ (1994): The role of Tamm-Horsfall mucoprotein in calcium oxalate crystallization. N-Acetylcysteine a new therapy for calcium oxalate urolithiasis. *Br J Urol.*, 74(3): 288-93.

- Fan X, Subramaniam R, Weiss MF and Monnier VM (2003):** Methylalbumin stimulates tumor necrosis factor alpha secretion in RAW264.7 cells through activation of mitogen-activating protein kinase, nuclear factor Kapa B and intracellular reactive oxygen species formation. *Archives of Biochemistry and Biophysics*, 409(2): 274-86.
- Federici M, Hribal ML, Ranalli M and Lauro D (2001):** The common Arg972 polymorphism in insulin receptor substrate-1 causes apoptosis of human pancreatic islets. *FASEB J*, 15: 22-24.
- Finley PR et al (1978):** *Clin Chem*, 24: 931.
- Fisher DE (1994):** Apoptosis in cancer therapy: crossing the threshold. *Cell* 78: 539.
- French LE and T Schoop J (2002):** Defective death receptor signaling as a cause o tumor immune escape. *Semin Cancer Biol.*, 12(1): 51-55.
- Friedewald WT, Levy RI and Fredrickson DS (1972):** Estimation of the concentration of low density lipoprotein cholesterol in plasma, without the use of the preparative ultracentrifuge. *Clin Chem.*, 18: 499-502.
- Fridovich I (1993):** The biology of oxygen radicals. *Sciences*, 201: 875-880.
- Gabbay KH et al (1977):** *J Clin Endocrinol Metab.*, 44: 859.
- Garofalo RP and Goldman AS (1999):** Expression of functional immunomodulatory and anti-inflammatory factors in human milk. *Clinics in Perinatology*, 26: 361-377.
- Garq MC, Chaudhary DP, Bansol DD (2005):** Effect of vitamin E supplementation on diabetes induced oxidative stress in experimental diabetes in rats. *Indian J Exp Biol.*, 43(2): 177-80.
- Gavin JR, Alberti KGMM, Davidson MB, and Others (2003):** Report of the expert committee on the diagnosis and classification of diabetes mellitus. *Diabetes Care*, 26: S5-S20.

- Giugliano D, Ceriello A and Paolisso G (1996):** Oxidative stress and diabetic vascular complications. *Diabetes Care*, 19: 257-267.
- Guillot R, Bringuier AF, Porokhov B, Guillausseau PJ and Feldmann G (2001):** Increased levels of soluble Fas in serum from diabetic patients with neuropathy. *Diabetes and Metabolism*, 27: 315-21.
- Haffner SM, Mykkanen L, Festa A, Burke JP, Stern MP (2000):** Insulin-resistant prediabetic subjects have more atherogenic risk factors than insulin-sensitive prediabetic subjects: implications for preventing coronary heart disease during the prediabetic state. *Circulation*, 101: 975-980.
- Halliwel B (1994):** Free radicals, antioxidants, and human disease: curiosity, cause, or consequence? *Lancet*, 344: 721-24.
- Halliwel B, Gutteridge JMC and Cross LC (1992):** Free radicals, antioxidants and human disease. *J Lab Clin Med.*, 119: 598-620.
- Halliwel B, and Gutteridge JC (1995):** The identification and measurement of antioxidants in biological systems. *Free Radic Biol Med.*, 18: 125-126.
- Harber CA, Lam TKT, Yu Z, Gupta N, Goh T and Others (2003):** N-acetylcysteine and taurine prevent hyperglycemia induced insulin resistance in vivo: possible role of oxidative stress. *Am J Physiol Endocrinol Metab*, 285: E744-E753.
- Holdiness MR (1991):** Clinical pharmacokinetics of N-acetylcysteine. *Clin Pharmacokinet.*, 20(2): 123-34.
- Holley AE and Cheeseman, KH (1993):** Measuring free radical reactions in vivo. *Br Med Bull*, 49: 494.
- Hollstein M, Sidransky D, Vogelstein B and Harris CC (1991):** P53 mutation in human cancers. *Science*, 253: 49.
- Hoing LS and Rosenberg RN (2000):** Apoptosis and neurological diseases. *Am J Med.*, 18: 317-330.

- Institute of Medicine, Food and Nutrition Board (2001):** Dietary Reference Intake: Vitamin A, vitamin K, Arsenic, Boron, Chromium, Molybdenum, Nickel, Silicon, Vanadium, and Zinc. National Academy Press, Washington, DC.
- Itoh N, Tsiyimoto Y and Nagata S (1993):** Effect of Bcl 2 on Fas mediated cell death. J Immunol, 151: 621-27.
- Jain SK, Mc Vie R, Jaramillo JJ, Palmer M and Smith T (1996):** Effect of modest Vitamin E supplementation on blood glycated hemoglobin and triglyceride levels and red cell indices in type 1 diabetes patients. J Am Coll Nutr., 15(5): 458-61.
- Jennings PE, Chirico S, Jones AF, and Lunce J (1987):** Vitamin C metabolites and microangiopathy in diabetes mellitus. Diabetes Res., 6: 151-54.
- Kaneto H, Fujji J, Myint I, Miyazawa N, Islam KN and Others (1996):** Reducing sugars trigger oxidative modification and apoptosis in pancreatic β -cell by provoking oxidative stress through the glycation reaction. Biochem J., 320: 855-863.
- Kaneto H, Kajimoto Y, Miyagawa T and Others (1999):** Beneficial effects of antioxidants in diabetes: possible protection of pancreatic β -cell against glucose toxicity. Diabetes, 48: 2398-2406.
- Kaneto H, Xu G, Song K, suzuma K, Bonner Weir S, Arun Sharma A and Weir G (2001):** Activation of the hexosamine pathway leads to deterioration of pancreatic cell function through the induction of oxidative stress. J Biol Chem 1, 276(33): 31099-31104.
- Kaplan LA (1984):** Glucose. Kaplan A et al. Clin Chem. The CV Mosby Co. St Louis Toronto Princeton, 1032-1036.
- Kaplan A et al (1984):** Triglycerides. Clin Chem. The CV Mosby Co. St Louis Toronto Princeton, 437 and Lipids 1194-1206.
- Kathrin Maedler K, Sergeev P, Ris F, Oberholzer J and Others (2001):** Glucose induced beta cell production of IL-1 contributes to glucotoxicity in human pancreatic islets. J of Clin Invest., 110(6): 851-60.

- Kazi AA and Blonde L (2001):** Classification of diabetes mellitus. Clin Lab Med., 21(1): 1-13.
- Kelly FJ (1998):** Use of antioxidants in prevention and treatment of disease. J Int Fed Clin Chem., 10(1): 21-3.
- Kinloch RA, Treherne JM, Furness LM and Hajimohmadreza I (1999):** The pharmacology of apoptosis. Trends Pharmacol Sci, 20: 35-42.
- Knapp RG (1992):** Describing the performance of a diagnostic test. Clinical epidemiology and statistics, p 42.
- Knight MJ, Riffkin CD, Muscat AM, Ashley DM and Hawkins CJ (2001):** Analysis of FASL and TRAIL induced apoptosis pathways in glioma cells. Oncogene, 20: 5789.
- Krauss RM (1998):** Triglycerides and atherogenic lipoproteins: rationale for lipid management. Am J Med., 105(1A): 58S-62S.
- Krauss RM (2004):** Lipids and lipoproteins in patients with type 2 diabetes. Diabetes Care, 27: 149-54.
- Krommer G, Reed JC, Moulin P (2000):** Mitochondrial control of cell death. Nat Med, 6: 513-19.
- Loetscher H, Pan YC, Lahm H, Gentz M and Tabuchi H (1990):** Molecular cloning and expression of the human 55Kda TNFR. Cell, 61: 351.
- Love A, Cotter MA and Cameron NE (1996):** Effects of the sulphhydryl donor N-acetyl-L-cysteine on nerve conduction, perfusion maturation and regeneration following freeze damage in diabetic rats. Eur J of Clin Invest, 26 (8): 698-706.
- Mandrup Poulsen T (2003):** Apoptotic signal transduction pathways in diabetes. Biochem Pharmacol., 66(8): 1433-40.
- Manzella D (2001):** Chronic administration of pharmacologic doses of vitamin E improves the cardiac autonomic nervous system in patients with type 2 diabetes. Am J Clin Nutr., 73 (6): 1052-57.

- Matsuki Y, Zhang HG, and Hsu HC (2002):** Different role of Apaf-1 in positive selection, negative selection and death by neglect in fetal thymic organ culture. *Scand J Immunol.*, 56(2): 174-84.
- Maxwell SRJ, and Lip GYH (1997):** Free radicals and antioxidants in cardiovascular disease. *Br J Pharmacol.*, 44:307-17.
- Mayes PA (2000):** Biologic oxidation. In: Harper's biochemistry. Eds Appleton and Lange. PP: 130-136.
- Mclarty DG, Athaide I, Bottazzo GF, Swai ABM, and Alberti KGMM (1990):** Islet cell antibodies are not specifically associated with insulin dependent diabetes in rural. Tanzanian Africans *Diabetes Res Clin Pract*; 9: 219-224.
- Miranda M, Muriach M, Roma J, Bosch Morell F (2006):** Oxidative stress in a model of experimental diabetic retinopathy: the utility of peroxynitrite scavengers. *Arch Soc Esp Oftalmol*, 81(1): 27-32.
- Moller DE (2000):** Potential role of TNF-alpha in the pathogenesis of insulin resistance and type 2 diabetes. *Trends in Endocrinol. & Metabolism*. 11(6):212-7.
- Naito HK (1984):** Cholesterol. Kaplan A et al. *Clin Chem*. The CV Mosby Co. St. Louis. Toronto Princeton; 1194-1206 and 437.
- Odetti P, Pesce C, Traverso N, Menini S, and Others (2003):** Comparative Trial of N-Acetyl-Cysteine, Taurine, and Oxerutin on Skin and Kidney Damage in Long-Term Experimental Diabetes. *Diabetes*, 52: 499-505.
- Olefsky M and Kruzynska YT (2001):** Type 2 diabetes mellitus: etiology, pathogenesis and natural history. In "Endocrinology" edited by Leslie J, De Groot J, Larry Jameson and Henry Burger et al., 4th edition, vol. 1, CH. 55, pp. 776-97.
- Oranje WA, Rondas Colbers GJ, Swennen GN and Wolffenbuttel BH (1998):** Lipid peroxidation in type 2 diabetes: Relationship with macrovascular disease? *Netherlands J of Medicine*, 53(2): 61-8.

- Palanduz S, Ademoglu E, Gokkusu C and Tamer S (2001):** Plasma antioxidants and type 2 diabetes Mellitus. *Research Communications in Molecular Pathology and Pharmacology*, 109(5-6): 309-18.
- Papathanmassoglou ED, Moynihan JA, Vermillion DL, Medermott MP and Ackerman MH (2000):** soluble Fas levels correlated with multiple organ dysfunction severity, survival and nitrate levels, but not with cellular apoptotic markers in critically ill patients. *Shock*, 14(2): 107-12.
- Park S and Choi SB (2002):** Effect of alpha-Tocopherol supplementation and continuous subcutaneous insulin infusion on oxidative stress in Korean patients with type 2 diabetes. *Am J Clin Nutr*, 75(4): 728-33.
- Reed DJ (1993):** Interaction of vitamin E, ascorbic acid, and glutathione in protection against oxidative damage. In: *Vitamin E in Health and Disease*, Packer L, J Fuchs, Marcel Decker, (eds). Chapter 2; PP: 269-81.
- Reed JC (2000):** Mechanisms of apoptosis. *Am J Pathol.*, 157 (5): 1415-30.
- Reilly PM, Schiller HJ, and Bulkley GB (1991):** Pharmacologic approach to tissue injury mediated by free radicals and other reactive oxygen metabolites. *Am J Surgery*, 161: 488-503.
- Riise GC, Larsson S, Larsson P, Jeansson S, and Others (1994):** The intrabronchial microbial flora in chronic bronchitis patients: a target for N-acetylcysteine therapy? *Eur Respir J* 7(1): 94-101.
- Roy S, and Nicholson DW (2000):** Programmed cell death regulation: basic mechanisms and therapeutic opportunities. *Mol Med Today*, 6: 264-66.
- Ruffmann R, and Wendel A (1991):** GSH rescue by N-acetylcysteine. *Klin Wochenschr.*, 69(18): 857-62.
- Sack DB, and McDonald JM (1996):** The pathogenesis of type 2 diabetes mellitus: a polygenic disease. *Am J Clin Pathol.*, 105: 149-56.

- Sacks D (1997):** Implications of the revised criteria for the diagnosis and classification of diabetes mellitus. Clin Chem, 43: 2230-2232.
- Sacks DB (2001):** Carbohydrates. In: “Tietz Fundamentals of Clinical Chemistry”, edited by Burtis CA and Ashwood ER, Printed by WB Saunders Company in USA, 5th edition, PP: 427-61.
- Salonen JT, Nyyssonen K, Tuomainen TP, and Others (1995):** Increased risk of non-insulin dependent diabetes mellitus at low plasma vitamin E concentrations. A four year study in men. Br Med J., 311: 1124-27.
- Scaffidi C, Fluda S, Srinivasan A, Friesen C and Others (1998):** Two CD95 (APO-1/Fas) signaling pathways. EMBO J., 17: 1675-87.
- Schoene NW, Morris VC and Levander OA (1986):** Altered arachidonic acid metabolism in platelets and aorta from selenium deficient rat. Nutrition Research; 6: 75-83.
- Schwartz LM and Osborne BA (1993):** Programmed cell death, apoptosis and killer genes. Immunol. Today, 14: 582-590.
- Scott JA and King GL (2004):** Oxidative stress and antioxidant treatment in diabetes. Ann N Y Acad Sci 1031: 204-213.
- Sempoux C, Dubois D, Moulin P and Rahier J (2001):** Human type 2 diabetes: morphological evidence for an abnormal beta cell function. Diabetes, 50(1): S172-S177.
- Sen CK and Packer L (1996):** Antioxidant and redox regulation of gene transcription. FASEB J., 10: 709-20.
- Sen CK, Khanna S and Roy S (2004):** Tocotrienol: The Natural Vitamin E to defend the nervous system? Ann N.Y. Acad Sci., 1031: 127-142.
- Sherwin RS (2004):** Diabetes Mellitus (overview). In: “Cecil Textbook of Medicine”, edited by Goldman L and Ausiello D Saunders, an Imprinter of Elsevier. 22nd Edition, pp: 1424-52.

- Shi Y (2002):** Mechanism of caspase activation and inhibition during apoptosis. *Mol Cell*, 9(3): 459-70.
- Sinclair AJ, Lunec J, and Barnet AH (1991):** Ascorbic acid metabolism and free radical activity in diabetic retinopathy. 14th International Diabetes Federation Congress. *Diabetes*, 40(1): 209A.
- Sinclair AJ, Taylor PB, and Lunec J (1994):** Low plasma ascorbic acid levels in patients with type 2 diabetes mellitus consuming adequate dietary vitamin C. *Diabet Med.*, 11: 893-98.
- Singer GG and Abbas AK (1994):** The Fas antigen is involved in peripheral but not thymic deletion of T-lymphocyte in T-cell receptor transgenic mice. *Immunity*, 1: 365-371.
- Slater AF, Nobel CS, and Orrenius S (1995):** The role of intracellular oxidants in apoptosis. *Biochem. Biophys. Acta*. 127(1): 59-62.
- Som S, Basu S and Mukherjee D (1981):** Ascorbic acid metabolism in diabetes mellitus. *Metabolism*, 30: 572-77.
- Song Z and Steller H (1999):** Death by design: mechanism and control of apoptosis. *Trends Cell Biol.*, 9: M49-52.
- Stahl W, and Sies H (1997):** Antioxidant defense: vitamins E and C and carotenoids. *Diabetes*, 46(2): S14-S18.
- Tesfaye S, Chaturvedi N, Eaton SEM, Ward JD and Others (2005):** Vascular risk factors and diabetic neuropathy. *N Eng J Med.*, 352: 314-50.
- Thome M, Schneider P, Hofmann K, Fickenscher H, Meinel E and Others (1997):** Viral FLICE-inhibitory proteins (FLIPs) prevent apoptosis induced by death receptors. *Nature*, 386: 517-521.
- Thompson CB (1995):** Apoptosis in the pathogenesis and treatment disease. *Science*, 267: 1456-1462.
- Valko M, Leibfritz D, Moncol J and Others (2006):** Free radicals and antioxidant in normal physiological functions and human disease. *Int J Biochem Cell Biol.*, 39(1): 44-84.

- Vaux DL, Weissman IL and Kim SK (1992):** Prevention of programmed cell death in *caenorhabditis elegans* by human Bcl-2. *Science*, 235: 1955-1957.
- Vinik AI, Park TS, Stansberry KB, and Pittenger GL (2000):** Diabetic neuropathies. *Diabetologia*, 43: 957-73.
- Vousden KH and Lu X (2002):** Live or let die: The cells response to p53. *Nat Rev Cancer*, 2: 594.
- Wautier J and Schmidt AM (2004):** Protein glycation: A firm link to endothelial cell dysfunction. *Circulation Research*, 95: 233.
- Willis JA, Scott RS, Brown LJ, Forbes LV, Schmidli RS and Zimmet PZ (1996):** Islet cell antibodies and antibodies against glutamic acid decarboxylase in newly diagnosed adult-onset diabetes mellitus. *Diabetes Res Clin Pract*; 33: 89-97.
- Wing RR, Blair EH, Bononi P, Marcus MD, Watanabe R and Bergman RN (1994):** Caloric restriction per se is a significant factor in improvements in glycemic control and insulin sensitivity during weight loss in obese NIDDM patients. *Diabetes Care*, 17: 30-36.
- Winkler G and Kempler P (2001):** The pathogenesis of diabetic and hepatic neuropathies. *Orvosi Hetilap.*, 142(45): 2459-67.
- Young JS and Woodside JV (2001):** Antioxidants in health and disease. *J Clin Pathol May*, 54(3): 176.
- Zimmet PZ, Tuomi T, Mackay R, Rowley MJ, Knowles W and Cohen M (1994):** Latent autoimmune diabetes mellitus in adults (LADA): The role of antibodies to glutamic acid decarboxylase in diagnosis and prediction of insulin dependency. *Diabet Med.*, 11: 299-303.