

REFERENCES

- Abdel Kawy, R.; El Hennawy, M.; Rashed, M.Y.T; Naga, R.; Amrawy, A. and Koth, M. (1994):***
Anorectal varices in patients having schistosomal portal hypertension. Bull. Alex. Fac. Med., 2:360-5
- Alemdaroglu, K.; Kenan, AL and Norman, S. (1993):***
Single session ligation treatment of bleeding haemorrhoids. Surg. Gynaecol. Obstet., 177: 62-3.
- Alexander, J. (1992):***
The management of piles.
Br. J. Surg., 285:1137-9.
- Armstrong, D.N.; Frangum, C.; Schertzer, M.E.; Ambroze, W.L. and Orangio, G.R. (2002):***
Harmonic scalpel haemorrhoidectomy: five hundred consecutive cases. Dis. Colon Rectum, 45:354-9.
- Awojobi, O.A. (1983):***
Modified pile suture in the outpatient treatment of haemorrhoids: A preliminary report. Dis. Colon Rectum, 26:95-7.
- Basdanis, G.; Michalopoulos, A.; Papadopoulos, V. et al. (2000):***
Surgical treatment of haemorrhoids with the use of circular stapler and open haemorrhoidectomy: A comparative study. Tech. Coloproctol., 4:136-9.

Basile, M.(2001):

A new dedicated device to perform straight forward circumferential rectal mucosectomy (stapled haemorrhoidectomy):

Abstract on disc. Annual meeting of the American society of colon and Rectal surgeons.

Capomagi, A.; Cingolani, F.; Mannelta, V. et al. (2000):

Circular haemorrhoidectomy used a stapler. The ideal solution for the treatment of haemorrhoids preliminary data regarding 151 consecutive patients. *Minerva Chir.* 56 771 -9.

Cataldo, P.A. and Mazier, W.P. (1992):

Haemorrhoids. In : Current surgical therapy, edited by Cameron, J.L. (4th edition), Louis Mosby-Year Book, PP. 220-4.

Charles, V.; Mann, G And Russell, R.C. (1991):

Haemorrhoids. In Bailey and Love's Short Practice of Surgery, edited by Fowler, J.E. (21st edition), London, New York, Tokyo W.B. Saunders Co., pp.421 -9.

Chawla, V. and Dilawari, J.B. (1991):

Anorectal varices. Their frequency in cirrhotic and non-cirrhotic portal hypertension. *Am. J. Gastroenterol.*, 32 310-2.

Cheetham M.J. and Phillips, P.K. (2000):

Evidence-based practice in haemorrhoidectomy. *Dis. Colon Rectum*, 3 126 -9.

Cospite, M., (1994):

Safty of Daflon 500mg in treatment of acute hemorrhoids. *Angiology*, 45 (6 pt2) 566-573.

Cuschieri, A.; Steele, R.J.C. and Moossa, A.R.(2002):

Disorders of the anal canal. In: Essential Surgical Practice, 4th ed Volume I, Ed. By. Cuschieri, A.; Steele, R.J.C. and Moossa, A.R., Hodder headline group, London, Kent, New Delh; PP. 627-47.

David, A.; Cherry M. D. and David A.; Rothenberger, (1988):

Pelvic floor Physiology, Surg. Clin. North Am., 68, No. 6, 1217-1225.

David, S.; Medich and Victor, W.; Fazio, (1995):

Hemorrhoids, anal fissure and Carcinoma of colon, rectum and anus during pregnancy, Surgical Clinics of North America 75, Number I.

David, S.M. and Victor, W.F. (1995):

Haemorrhoids during pregnancy. Surg. Clin. North Am., 75 : 1181-3.

De Roover, D.M.L.R.; A.G.M. Hooofwijk; James, R. et al., (1989):

Lateral internal sphincterotomy in treatment of fourth degree hemorrhoids,
Br J. Surg., 76: 1181- 1183.

Delco, F. and Sonnenberg, A. (1998):

Association between haemorrhoids and other diagnosis. Dis. Colon Rectum, 41: 1534-9.

Dennis, M.B. (2000):

Doppler-guided haemorrhoidal artery ligation for the treatment of haemorrhoids : Results in 1415 patients.
Br. J. Surg., 87 : 423-8.

Dennison, A.R.; Wherry, D.C. and Morris, D.L. (1989):

Haemorrhoids. Non operative management. Surg. Clin. North Am., 68: 1401-6.

Drezink, Z.; Ramadan, E. and Petach-Tikva. (2001):

Harmonic scalpel haemorrhoidectomy preliminary results of a new alternative method. Abstract on disc. Annual Meeting of the American Society of Colon and Rectal Surgeons.

Du Plessis, D. J. and Lee Mc Gregor's, (1986):

Synopsis of Surgical Anatomy, 12 th edition. Edited by Duplessis, D.J. and Mc Gregor's L. Bristol - Wright, PP 1410-6.

Hughe, A. M., C.; Mark K. and David, C. (1983):

Haemorrhoids. In : Colorectal surgery, edited by Hughes, E. (4th edition), Boston, Tokyo Churchill living stone Co., PP. 130-3.

Farag, A.E. (1978):

Pile suture : A new technique for treatment of haemorrhoids. Br. J. Surg., 65 :293-5.

Fazio, E W. and Tjandra, J.J. (1996):

The management of perianal diseases. Adv. Surg. 29 :51-9.

Ferguson (1992):

Closed haemorrhoidectomy. In: Atlas of General Surgery, edited by Carter, R. (2nd edition), London, Toronto: W.B. Saunders Co., PP. 556-9.

Ganio, E.; Altomare, D.F.; Gabrielli, F. et al. (2001):

Prospective randomized multicentre trial comparing stapled with open haemorrhoidectomy.

Br. J. Surg., 88 :670-5.

George Parks, T. (1992):

The usefulness of tests in anorectal disease.

World J. Surg., 16 : 803 -8.

Gibbons, C.P.; J.J. Bannister et al., (1988):

Role of constipation and anal hypertonia in pathogenesis of hemorrhoids,

Br. J. Surg., 75, 656-660.

Gibbons, C.P.; Trowbridge, E.A.; Herand, A.E. et al. (1986):

Role of anal cushions in maintaining continence.

Br. J. Surg., 74 : 827-9.

Gibbons, CF.; Bannister, J.J.; Anna, M.F. et al. (1988):

Role of constipation and anal hypertonia in pathogenesis of haemorrhoids.

Br. J. Surg., 75 : 655 —8.

Goligher, J.C. (1975):

Haemorrhoids. In : Surgery of anus, rectum and Colon, edited by Ballier, T. (3rd edition), London, Boston: W.B. Saunders Co.,

PP. 380-8.

Goligher, J.C. (1976):

Haemorrhoids. In: Surgery of anus, rectum and colon, edited by Ballier, T. (2nd edition), London, Boston: W.B. Saunders Co., PP. 655-8.

Goligher, J.C. (1984):

Haemorrhoids. In : Surgery of anus, rectum and Colon,
edited by Ballier, T. (4th edition), London., Boston: W.B.
Saunders Co.,
PP. 242- 6.

Haas, P. A.; Fox, T.A. and Hass, G.P. (1984):

The pathogenesis of haemorrhoids. Dis. Colon Rectum,
27:442-9.

Hamish Themson, (1982):

The real nature of peri-anal hematoma.
Br. J. Surg., 28:467-9.

Harry, E. Bacon.; Sturat, T. Ross. Et al., (1965):

Hemorrhoids,
Proctology 185-214.

Heaton, N.D.; M. Daven Part and Iain M.L. (1992):

Symptomatic hemorrhoids and anorectal varices in children
with portal hypertension. Jr. Ped. Surg. Volume 27, No. 7,
833-835.

Ho, Y.H.; Cheong, W.K. and Tsang, C. (2000):

Stapled haemorrhoidectomy cost and effectiveness:
Randomized controlled trial. Dis. Colon Rectum,
43 : 1666-9.

Hussein, J.N. (1999):

Haemorrhoids. Primary care. Clinics in office practice,
26 : 35-9.

Hussein, A.M. (2001):

Ligation-anopexy for treatment of advanced haemorrhoidal disease.

Dis. Colon Rectum, 44: 1 886-9.

Ibrahim, S.; Tsang, C; Lee, Y. et al (1998):

Prospective randomized trial comparing pain and complications between diathermy and scissors for closed haemorrhoidectomy.

Dis. Colon Rectum, 41 : 1418-9.

Jane, J. V.; Scow, N. and Choen, F. (2001):

A prospective randomized trial comparing diathermy with Harmonic Scalpel haemorrhoidectomy.

Dis. Colon Rectum, 44 : 677-9.

Jensen, S.L.; Harling, H. and Tang, G. (1988):

Maintenance bran therapy for prevention of symptoms after rubber band ligation.

Surg. Clin North Am., 60: 1295-8.

Johanson, F.J. and Sonnenberg, A. (1990):

The prevalence of hemorrhoids and chronic Constipation, An epidemiologic Study.

Gastro- enterology, No. 98, 380-386.

Keighley M.R.B.; Henty, M.M.; Cohn, M.L. et al (1989):

Anorectal physiology measurement : Report of a working party.

Br.J. Surg., 76:356-9.

Keighley, M.R.B. and Williams, V.S. (1993):

Haemorrhoids. In : surgery of anus, rectum and colon, edited by Bailer, T. (5th edition), London, Boston : W.B. Saunders Co., pp. 295 -9.

Kerreman, R. (1969):

Morphological and physiological aspects of anal continence. Brussels Arscia, 80 128-9. Quoted from Loder, PB.; Kamm, M.A.; Nicholls, R.J. and phillips, R.K.S. Haemorrhoids pathology, pathophysiology and aetiology. Br. J. Surg., 81:946-9.

Khoury G.A.; Lake, S.F.; Smith, A. et al. (1989):

Arandomized trial to compare single with multiple phenol injection treatment of haemorrhoids. Br. J. Surg., 72 :741 -2.

Kluiber, R.M. and Walff, B.G. (1994):

Evaluation of anemia caused by haemorrhoidal bleeding. Dis. Colon Rectum, 37 : 1006 -7.

Konsten, J. and Baeten, M.I. (2000):

Haemorrhoidectomy VS Lord's method: 17-year follow-up of a prospective randomized trial. Dis. Colon Rectum, 43 : 503 -6.

Last, R.J. (1984):

Anal canal. In : Anatomy regional and applied, edited by Lord, P.H. (7th edition), London: Churchill Livingstone Co., PP. 342-8.

Leff, J. (1972):

Hemorrhoids, Current approaches to an ancient problem,
Postgraduate medicine,
Volume 82, Number 7.

Leff, J. (1987):

Haemorrhoids. Current approaches to an ancient problem.
Br. J. Surg., 70 1380 -8.

Lestar, B.; Pennincks, F. and Kerremans, R. (1989):

The composition of anal basal pressure : An in vivo and in
vitro study in man.
Int.J. Colorect. Dis., 4 : 118-9.

Lewis, A.A.M.; H.S. Rogers. and Russell, G. (1983):

Trial of maximal anal dilatation, cryotherapy and elastic
band ligation as alternatives to hemorrhoidectomy in
treatment of large prolapsing hemorrhoids.
Br. J. Surg: 70, 54-56.

Loder, P.B. (2001):

Minor Anorectal conditions. In Colorectal Surgery. 2nd ed.
Ed.by: Phillips, R.K.S New York pp 329-61.

Loder, P.B.; Kamm, M.A.; Nicholls, R.J. and Phillips, P.K.S. (1994):

Haemorrhoids pathology, pathophysiology and aetiology.
Br. J. Surg., 81:946-9.

Loder, P.B.; M.A.Kamm. et al., (1994):

Reversible chemical sphincterotomy by local application of
glyceryl trinitrate,
Br. J. Surg., 81, 1386-1389.

Longo, A. (1998):

Treatment of haemorrhoidal disease by reduction of mucosa and haemorrhoidal prolapse with a circular stapling device A new procedure. 6th world congress of Endoscopic Surgery. Mundozzi Editore. 772 -8.

Mario Pescatori; Biagio Ravo and Read, N.W. (1988):

Diagnostic anorectal functional studies : Manometry, sphincter electromyography and defecography.
Surg. Clin. North Am., 68: 1231-5.

Mattana, C; Maria, C and Pescatori, AL (1989):

Rubber band ligation of haemorrhoids. Dis. Colon rectum, 32 372-5.

Mazier, P.W., (1994):

Hemorrhoids, fissures and pruritis ani. Surg. Clin. of North Am., 74, (6): 1277-1285.

Mc Cormack, T.T.; H.R. Bailey and Gordon, P.H. (1984):

Rectal varices are not piles.
Br. J. Surg., 163.

Mc Minn, R.M.H., (1993):

The rectum Anal canal and perineum. In: Last's anatomy, Regional and applied, eighth ed. Ed. by Mc Minn, R.M.H. p.p 379-406.

McHugh, S.M.; Dianiant, N.E. and Maria, G. (1987):

Anal canal pressure profile : A reappraisal by rapid pull through technique.
Gastro-enterology, 28 : 1234 -9.

Mehigan B.J.; Monson, JR. and Hat/lay, J.E. (2000):

Stapling procedure for haemorrhoids VS Milligan-Morgan haemorrhoidectomy : Randomized controlled trial. Dis. Colon Rectum, 355 : 782-5.

Miles, W. (1919):

Observation upon internal piles.
Surg. Gynaecol. Obstet., 29 497-8 .

Miller, R.D Baflo, CC; Neil, S. et al. (1989):

Air-Filled microballon manometry in anorectal physiology. Br. J. Surg., 76 72-5.

Milligan Morgan (1985) :

Surgical Treatment of piles: Millign-Morgan heamorihoidectomy. Dis. Colon Rectum, 41:160-5.

Morinaga, K.; Hasuda, K. and Lkeda, T. (1995):

A novel therapy for internal haemorrhoids Ligation of haemorrhoidal artery with a newly devised instrument in conjunction with a Doppler flowmeter.
Gastroenterol. Clin. North Am., 90 6 10-3.

Nagle, D. and Rolandelli, R.H. (1996):

Primary Care office management of pen-anal and anal disease. Prim. Care, 23 600-8.

Parks, A. G.(1956):

Surgical treatment of haemorrhoids.
Br. J. Surg., 43 337-9.

Pescatori, M.; Favetta, U.; Dedola, S. and Orsini, S. (1997):

Transanal stapled excision of rectal mucosal prolapse. Tech. Coloproct., 1: 96-8.

Pffenninger, J.L. and Surell, J. (1995):

Non-Surgical treatment options for internal haemorrhoids.
Am. Fam. Physician, 52 821-5.

Polglase, A.L. (1997):

Haemorrhoids : A clinical update.
Med. J. Aust., 167: 85-8.

Quoted From Haas, P.A.; Fox, LA. and Hass, G.P. (1984):

The Pathogenesis of haemorrhoids.
Dis. Colon Rectum, 27 : 442 -9.

Read, M.G.; Read, N.W; Haynes, W.G.; Donnelly, T.C. and Johnson, A.G. (1982):

A prospective study of the effect of haemorrhoidectomy on
sphincter function and faecal continence.
Br. J. Surg., 69 :395-8.

Rifaat, M.A. (1988):

The rectum and anus. In: Manual of surgery 5th edition, Ed.
by Rifaat, M.A. Cairo, p.p. 743-761.

Rowsell, M.; Bello,, M. and Hemingway, D. (2000):

Stapled haemorrhoidectomy VS conventional
haemorrhoidectomy Randomized controlled trial.
Dis. Colon Rectum, 355 : 773-7.

Sagar, P.M. and Wolff B.G. (1999):

The use of modified whitehead procedure. Tech. Colorectol.
3 131-4.

Seow-Choen, F. and Low, H.C. (1995):

Prospective randomized study of radical versus four piles hemorrhoidectomy for symptomatic large circumferential prolapsed piles.

Br. J. Surg., 82, 188-189.

Serdev, N. (1990):

The surgical treatment of haemorrhoids: their suturing ligation without excision. Tech. Coloproct., 43: 65-8.

Shafik, (1975):

A new concept of the anatomy of anal sphincter and physiology of defecation II, Anatomy of levator ani muscle with special reference to puborectalis. Investigation urology, 18, 175-182.

Shafik, (1976):

A new concept of anatomy of anal sphincter mechanism and physiology of defecation III. The longitudinal anal muscle "anatomy and role in anal sphincter mechanism. Investigation urology, 13, 271-277.

Smith L.E.(1992):

Haemorrhoids: A review of current techniques and management.

Gastroenterol. Clin. of North Am., 16:79-91.

Speakman, C. T. M.; S. J. D Burnett and Vicor W. (1991):

Sphincter injury after anal dilatation demonstrated by anal endosonography.

Br. J. Surg., 78, 1429-1430.