

References

- Abrahamson, J. (1997):** Hernias. In: Maingot's abdominal operations. Edited by Zinner, M.J.; Shwartz, S.I. and Ellis, H. 10th Ed. Vol. 1. Stamford CT. Prentice Hall international. P.479-580.
- Abramov, D.; Jeroukhimov, I.; Yinnon, A.M.; Abramov, Y.; Avissar, E.; Jerasy, Z. and Lernau, O. (1996):** Antibiotic prophylaxis in umbilical and incisional hernia repair, a prospective randomized study. Eur. J. Surg; 162 (12): 945-948.
- Ahmed, F. Kh. (1997):** Experience in management of huge incisional hernias, 15th annual meeting of the Egyptian society of surgeons, March. P. 5-7.
- Alimoglu, O.; Akcakaya, A.; Sahin, M.; Unlu, Y.; Ozkan, O.V.; Sanli, E. and Eryilmaz, R. (2003):** Prevention of adhesion formations following repair of abdominal wall defects with prosthetic materials, an experimental study. Hepatogastroenterology; 50(51):725-728.
- Amid, P.K. (1997):** Classification of biomaterials and their related complications in abdominal wall hernias patches. Hernia; 1: 15-21.
- Amid, P.K.; Shulman, A.G.; Lichtenstein, I.L. (1994):** A simple stapling technique for prosthetic repair of massive incisional hernias. Am. J. Surg; 60:934-936.

Andrews, N.J. (1981): Presentation and outcome of strangulated external hernia in a district general hospital. *Br. J. Surg*; 68:329-332.

Anson, B.J. and McVay, C.B. (1988): Inguinal hernia: The anatomy of inguinal region. *Surg. Gynecol. Obstet.*, 66:186-189.

Araki, Y.; Ishibashi, N.; Kanazawa, M.; Kishimoto, Y.; Matono, K.; Sasatomi, T.; Ogata, Y. and Shirouzu, K. (2002): Laparoscopic intraperitoneal repair of postoperative ventral incisional hernia using Composix mesh. *Kurume Med J*; 49(4):167-170.

Artuc, M.; Hermes, B.; Steckelings, U.M.; Grutzkau, A. and Henz, B.M. (1999): Mast cells and their mediators in cutaneous wound healing, active participants or innocent bystanders? *Exp. Dermat.*; 8:1-4.

Askar, O.M. (1984): Aponeurotic hernias: Recent observations upon paraumbilical and epigastric hernias. *Surg. Clin. North Am.*; 64(2):315-333.

Askar, O.M. (1987): Surgical Anatomy of the anterior abdominal wall. *Ann. R.C.S.*; 159:313-321.

Babior, B.M. (1974): Oxygen dependent microbial killing by phagocytes. *N. Engl. Journ. Med.*; 298:659-668, 721-726.

Bain, I.M. and Bishop, H.M. (1995): Spontaneous rupture of an infantile umbilical hernia. *Br.J. Surg.*; 82:35-36.

- Baker, R.J. (1978):** Incisional Hernia. In: Hernia. Edited by: Nyhus, L.M. and Condon, R.E. 2nd Ed. JB Lippincott Co. Philadelphia. P.329-337.
- Ballantyne, G.H.; Hourmont, K. and Wasielewski, A. (2003):** Telerobotic laparoscopic repair of incisional ventral hernias using intraperitoneal prosthetic mesh. JSLS; 7(1): 7-14.
- Bardeen, C.R. and Lewis, W.H. (1901):** The development of the limbs, body wall and back; Am. J. Ann., 25:27-30.
- Basoglu, M.; Yildirgan, M.I.; Yilmaz, I.; Balik, A.; Celebi, F.; Atamanalp, S.S.; Polat K.Y. and Oren, D. (2004):** Late complications of incisional hernias following prosthetic mesh repair. Acta chir Belg, Aug.; 104(4):425-428.
- Bauer, J.J.; Salky, B.A.; Gelernt, I.M. and Kreel, I. (1987):** Repair of large Abdominal wall defects with expanded polytetrafluoroethylene (ePTFE). Annals of surgery; 206(6):765-769.
- Bendavid, R. (1990):** Incisional parapubic hernias surgery; 108:898-901.
- Bergstein, J.M. (1995):** Strangulating external hernia. In: Hernia. Edited by: Nyhus, L.M. and Condon, R.E. 4th Ed. Lippincott JB Company, Philadelphia. P. 285-294.
- Bonatti, H.; Hoeller, E.; Kirchmayr, W.; Muhlmann, G.; Zitt, M.; Aigner, F., Weiss, H. and Klaus, A. (2004):** Ventral hernia repair in bariatric surgery. Obest. Surg., May, 14(5): 655-658.

Bouillot, J.L. (1997): Incisional abdominal hernia after median sternotomy. *Hernia*; 3:129-130.

Bouillot, J.L.; Servajean, S.; Berger, N.; Veyrie, N. and Hugol, D. (2004): How to choose a mesh for the treatment of incisional hernias? *Ann. Chir. Apr.*; 129(3): 132-137.

Boyd, J.D. (1980): Development of striated muscle. In: *Structure and function of muscle*. Published by G.H. Bourne cademic. New York, Vol. 1.

Bremmelgaard, A.; Raahave, D. and Beier-Holgersen, R. (1989): Computer aided surveillance of surgical infections and identification of risk factors. *J. Hosp. Infect.*; 13: 1-18.

Bucknall, T.E.; Cox, P.J. and Ellis, H. (1982): Burst abdomen and incisional hernia, a prospective study of 129 major laparotomies. *Br. Med. J.*; 284:931-933.

Burnard, K.G. and Young, A.E. (1999): The new Airds companion in surgical studies. 2nd Ed. Chruchill and Livingstone Co. P. 687-693.

Carlson, M.A. (1997): Acute wound failure. *Surg. Clin. Nor. Am.*; 77:607-636.

Cassar, K. and Munro, A. (2002): Surgical treatment of incisional hernia. *Br. J. Surg.*; 89:534-545.

Chevrel, J.P. and Flament, J.B. (1990): Les éventrations dela paroi abdominale. In: *Association Française de Chirurgie, 92nd French Congress on Surgery*. Paris, France: Masson.

Chevrel, J.P. and Rath, A.M. (1997): The use of fibrin glues in the surgical treatment of incisional hernias. *Hernia*; 1:9-14.

Chowbey, P.J.; Sharma, A.; Khullar, R.; Mann, V.; Baljal, M. and Vashistha, A. (2000): Laparoscopic ventral hernia repair. *Journal of Laparoscopic and Advanced Surgical Techniques*; 10(2):79-84.

Clark, R.A. (2001): Fibrin and wound healing. *Ann. NY Acad. Sci.*; 936: 355-362.

Clemente, R.L. and Burgos, R.F. (1998): Reconstructive surgery with polypropylene mesh associated with kidney transplant. *Actas Urol. Esp.*; 22:320-321.

Condon, R.E. (1995): Incisional hernia. In: *Hernia*. Edited by Nyhus, L.M. and Condon, R.E. 4th ed. Philadelphia, JB Lippincott Co. P. 319-336.

Cucu, A.; Sculeanu, R.; Durach, L.; Martoma, F. and Cornila, R. (2003): Alloplastic or autoplatic in incisional hernia: *Chirurgia (Bucur)*. Nov.-Dec.; 98(6): 531-534.

Cuschieri, A.; Giles, G.R. and Moossa, A.R. (1995): *Essential surgical practice*, 3rd ed.

Demir, U.; Mihmanli, M.; Coskun, H.; Dilege, E.; Kalyoncu, A.; Altinli, E.; Gunduz and B.; Yilmaz, B. (2005): Comparison of prosthetic materials in incisional hernia repair. *Surgery Today*, March, 35(3): 223-237.

Deodhar, A.K. and Rana, R.E. (1997): Surgical physiology of wound healing, a review. *J. Postgrad. Med.*; 43:52-56.

- Deveney, K.E. (1994):** Hernias and other lesions of the abdominal wall. In: Current surgical diagnosis and treatment. Edited by: Lawrence, W.W. Appleton and Lange. P. 712-724.
- Devlin, H. and Brendan, G. (1983):** Rob & Smith's operative surgery. (Incisional hernia), Alimentary tract and abdominal wall, 4th Ed., P. 428-40.
- Devlin, B. and Kingsnorth, A.N. (1999):** The management of abdominal hernias. 2nd Ed. Arnold, London. P 211-230.
- Dibello, J.N. and Moore, J. H. (1996):** Sliding Myofacial flap of the rectus abdominis muscle for the closure of recurrent ventral hernias. *Plast. Reconstr. Surg.*; 98: 464-69.
- Didementi, D. and Sanders, R.J. (1987):** Principles of abdominal closure. *Arch. Surg.* 112:118-122.
- Diegelmann, R.F.; Cohen, I.K. and Kalpan, A.M. (1981):** The role of macrophages in wound repair: a review. *Plast. Reconstr. Surg.*; 68: 107-108.
- Diegelmann, R.F. and Evans, M.C. (2004):** Wound Healing: An overview of acute fibrotic and delayed healing. *Frontiers in Bioscience*; 9: 283-289.
- Di Vita, G.; D'Agostino, P.; Patti, R.; Arcara, M.; Caruso, G.; Davi, V. and Cillari, E. (2005):** Acute inflammatory response after incisional hernia repair with implantation of polypropylene meshes of different size. *Langenbecks Arch. Surg.*; 2005 February, 3rd.

Docimo, L.; Manzi, F.; Sparavigna, L.; De Rose, M.; Granato, F.; Amoroso, V.; Docimo, G. and Ferraraccio, F. (2003): Dynamic sutures: less repair of incisional hernia. *Acta Biomed. Atenos Parmense*; 74 Suppl.2: P. 38-40.

Dubay, D.A.; Wang, X.; Admson, B.; Kuzon, W.M.; Dennis, R.G. and Franz, M.G. (2005): Progressive fascial wound failure impairs subsequent abdominal wall repairs: A new animal model of incisional hernia formation. *Surgery*, April, 137 (4): 463-471.

Dubay, D.A.; Wang, X.; Kuhn, M.A.; Robson, M.C. and Franz, M.G. (2004): The prevention of incisional hernia formation using a delayed-release polymer of basic fibroblast growth factor. *Ann. Surg. J.*, July, 240(1): 179-186.

Duce, A.M., Lozano, O. and Villeta, R. (1998): Incisional hernia following appendectomy, a surgical experience. *Hernia*; 2: 169-171.

Eaglestein, W.H. (1985): Experience with biosynthetic dressings. *J. Am. Acad. Dermatol*; 12: 434-436.

Eaglestein, W.H. and Mertz, P.M. (1980): "Inert" vehicles do affect wound healing. *J. Invest. Dermatol*; 74:90-93.

Ellis, H.; Coledridge-Smith, P.D. and Joyce, A.D. (1984): Abdominal incisions, vertical or transverse? *Postgraduate Medical Journal*; 60:407-410.

Engeset, J. and Youngson, G.G. (1984): Ambulatory peritoneal dialysis and hernial complications. *Surg. Clin. North Am*; 64:385-392.

Fawcett, A.N.; Atherton, W.G. and Blasitis, M. (1998): A complication of the use of Prolene mesh in the repair of abdominal wall hernias. *Hernia*; 2:173-174.

Flament, J.B. and Palot, J.P. (2000): Prosthetic repair of massive abdominal ventral hernias. In: *Hernia*. Edited by Nyhus, L.M. and Condon, R.E. 5th Ed. JB Lippincott Co. Philadelphia. P. 341-365.

Fogelson, S.J. and Jackson, C.R. (1959): The repair of tissue deficient hernias by aortic implants. *Surg. Gyne. Obstet.* 159:245-46.

Friesel, R.E. and Maciag, T. (1995): Molecular mechanisms of angiogenesis, fibroblast growth factor signal transduction. *Faseb J*; 9:9-19.

Gabbiani, G.; Hirschel, B.J. and Ryan, G.B. (1972): Granulation tissue as a contractile organ, a study of structure and function. *J. Exp. Med*; 135:179-182.

Gallie, W.E. (1923): Living sutures in the treatment of hernia. *Canad. Med. Assoc. J.* 13:469. Quoted from: Ponka 1980: (Hernias of the abdominal wall. P. 534-72., 1980. Philadelphia W.B. Saunders Company).

Gemperli, R.; Neves, R.I.; Tuma, P.J.; Bonamichi, G.T.; Ferreira, M.C. and Manders, E.K. (1992): Abdominoplasty combined with other intraabdominal procedures. *Ann. Plast. Surg*; 29(1): 18-22.

Ger, R. and Duboys, E. (1983): The prevention and repair of huge abdominal wall defects by muscle lian position; a preliminary communication. *Plastic and Surg.* 72:170.

Gillitzer, R. and Goebeler, M. (2001): Chemokines in cutaneous wound healing. *J. Leukoc. Biol;* 69:513-516.

Glaser, R.; Kiecolt-Glaser, J.K.; Marucha, P.T.; MacCallum, R.C.; Laskowski, B.F. and Malarkey, W.B. (1999): Stress-related changes in proinflammatory cytokine production in wounds. *Archives of General Psychiatry;* 56:450-456.

Goslen, B.J. (1989): Physiology of wound healing and scar formation. In: textbook on facial scars. Thomas J.R. and Holf G.R. (eds). CV Mosby Company; P. 10-26.

Gray, S.W.; Skandalakis, J.E. and McClusky, D.A. (1985): Atlas of surgical anatomy for general surgeons. Baltimore, Williams and Wilkins; p. 342-349.

Hadded, V. and Marcon, W.L. (1990): Abdominal wound dehiscence contributing factors & improved mortality. *Am. J. Surg.* 46: 508-511.

Hall, M.C.; Young, D.A.; Waters, J.G.; Rowan, A.D.; Chantry, A.; Edwards, D.R. and Clark, I.M. (2003): The comparative role of activator protein 1 and Smad factors in the regulation of Timp-1 and MMP-1 gene expression by transforming growth factor-beta I. *J. Biol Chem;* 278: 103-104.

Hamilton, W.J. (1976); Anatomy of anterior abdominal wall. In: Textbook of Human Anatomy, published by MacMillan Press, London, p. 361-375.

Hart, J. (2002): Inflammation, its role in the healing of acute wounds. *J. Wound Care*; 11: 205-208.

Hass, B.E. and Schrager, R.E. (1993): Small bowel obstruction due to Richter's hernia after laparoscopic procedures. *Journal of Laparoendoscopic Surgery*; 3:421-423.

Hesselink, V.J.; Luijendijk, R.W.; Heid, R. and Jeekel, J. (1993): An evaluation of the risk factors in incisional hernia recurrence. *Surg. Gyn. Obstet.* 176: 228-34.

Hohn, D.C. (1977): Oxygen and leukocyte microbial killing. Davis, J.C. and Hunt, T.L. (eds). *Hyperbaric Oxygen Therapy*. Bethesda Undersea Med. Soc.; p. 101-110.

Holzman, M.D.; Purut, C.M. and Reintgen, K. (1997): Laparoscopic ventral and incisional hernioplasty. *Surgical Endoscopy*; 11: 132-135.

Hornstra, I.K.; Birge, S.; Starcher, B.; Baily, A.J.; Mecham, R.P. and Shapiro, S.D. (2003): Lysyl oxidase is required for vascular and diaphragmatic development in mice. *J. Biol. Chem*; 278: 143-187.

Houck, J.P.; Rypins, E.B.; Sarfeh, I.J.; Juler, G.J. and Shimoda, K.J. (1989): Repair of incisional hernia. *Surg. Gynecol. Obstet*; 169: 397-399.

Houston, G.C.; Drew, G.S. and Vazques, B. (1988): The extended latissimus dorsi flap in repair of ant. abd. wall defects *Plast. Reconst. Surg.* 81:917-24.

Iain, M.C.A.; and Colin, M. (1988): Acceleration of wound healing in man with zinc sulfate given by mouth. In: *Textbook of Surgical Physiology*, published by Churchill Livingstone, USA, p. 8-9.

Israelsson, L.A. (1999): Incisional hernias in patients with aortic aneurysmal disease, the importance of suture technique. *Eur. J. Endovasc. Surg.*; 17:133-135.

Israelsson, L.A. (2000): Wound failure and incisional hernia, mechanisms and prevention. In: *Hernia*. Edited by Nyhus, L.M. and Condon, R.E. 5th Ed. J.B. Lippincott Co. Pennsylvania. P 327-340.

Israelsson, L.A. and Jonsson, T. (1994): Closure of midline laparotomy incisions with polydioxanone and nylon, the importance of suture-technique. *Br. J. Surg.*; 81: 1606-1608.

Israelsson, L.A. and Jonsson, T. (1994): Physical properties of self locking and conventional surgical knots. *Eur. J. Surg.*; 160: 323-327.

Israelsson, L.A. and Jonsson, T. (1996): Incisional hernia after midline laparotomy, a prospective study. *Eur. J. Surg.*; 162: 125-129.

Israelsson, L.A. and Jonsson, T. (1997): Overweight and healing of midline incisions: the importance of suture technique. *Eur. J. Surg.*; 163: 175-180.

Israelsson, L.A.; Jonsson, T. and Knutsson, A. (1996): Suture technique and healing in midline laparotomy incisions. *Eur. J. Surg.*; 162: 605-609.

Ito, Y.; Bringas, P.; Mogharei, A.; Zhao, J.; Deng, C. and Chai, Y. (2002): Receptor-regulated and inhibitory Smads are critical in regulating transforming growth factor beta-mediated Meckel's cartilage development. *Dev Dyn*; 224: 69-81.

Junge, K.; Klinge, U.; Rosch, R.; Mertsens, P.R.; Kirch, J.; Klosterhalfen, B.; Lynen, P. and Schumpelick, V. (2004): Decreased collagen type I/III ratio in patients with recurring hernia after implantation of alloplastic prostheses. *Langenbecks Arch. Surg. Feb.*; 389(1): 17-22.

Keith, M. (1988): The developing human. In: *Clinically Oriented Embryology*. Published by N.B. Saunders Company, London, 4th ed. P.67-75.

Kendall, S.W.H.; Brennan, T.G. and Gullou, P.J. (1991): Suture length to wound length ratio and the integrity of midline and lateral paramedian incisions. *Br. J. Surg.*; 78: 705.

Kim, W.J.; Gittes, G.K. and Longaker, M.T. (1998): Signal transduction in wound pharmacology. *Arch Pharm. Res.*; 21: 487-489.

Kingsnorth, A. and Bennett, D.H., (2000): Bailey and Love's short practice of surgery. Edited by Russel R.G.G.; Williams, N.S. and Bulstrode, C.J.K.; Ch. 62. 23rd ed. Arnold, London. P. 1143-1162.

Kirck, R.M. and Williamson, R.C.N. (2000): Laparotomy, elective and emergency. In: General Surgical operations. Edited by: Kirck, R.M. Churchill Livingstone, London, New York. P. 80-116.

Knighton, D.R.; Halliady, B. and Hunt, T.K. (1986): Oxygen as an antibiotic, a comparison of the effects of inspired oxygen concentration and antibiotic administration on in vivo bacterial clearance. *Arch. Surg.*; 121: 191-195.

Koller, R.; Miholic, J. and Jaki, R.J. (1997): Repair of the incisional hernias with expanded polytetrafluoroethylene. *Eur. J. Surg.*; 163(4):261-266.

Korenkov, M.; Paul, A.; Sauerland, S.; Neugenbauer, E.; Arndt, M. and Chevrel, J.P. (2001): Classification and surgical treatment of incisional hernia, results of an experts' meeting. *Langenbecks Archives of Surgery*; 386: 65-73.

Krischner, M. and Praktischen, D. (1910): Fascial transplantaion. *Arch. Klin Chir.* 92:888. Quoted from: Ponka, J.L.: (Hernias of the abdominal wall. Philadelphia W.B. Saunders Company) P. 534-72., 1980.

Krug, F.; Herold, A.; Wenk, H. and Bruch, H.P. (1995): Incisional hernia after laparoscopic interventions. *Der Chirurgie*; 66(4):419-423.

Kulber, D.A.; Bacilious, N. and Eric, D. (1997): Use of fibrin sealant in the prevention of seromas, *Plast. & Reconst. Surg.*; 99:842-849.

- Lamb, J. P.; Vitale, T. and Kaminskin, D. L. (1983):** Comparative evaluation of synthetic meshes used for abdominal wall replacement Surg.; 93: 643-48.
- Langer, C.; Schaper, A.; Liersh, T.; Kulle, B.; Flosman, M.; Fuzesi, L. and Becker, H. (2004):** Prognostic factors in incisional hernia surgery; 25 years experience. *Hernia*, July 29: 130-143.
- Larson, G.M. (2000):** Ventral hernia repair by the laparoscopic approach. *Surgical Clinics of North America*; 80(4):1329-40.
- Larson, G.M. and Harrower, H.W. (1978):** Plastic mesh repair of incisional hernias. *Am. J. Surg.*; 135(4): 559-563.
- Larson, G.M. and Vandertoll, D.J. (1984):** Approaches to repair of ventral hernia and full thickness losses of the abdominal wall. *Surg. Clin North Am*; 64(2):335-349.
- La Van, F.B. and Hunt, T.K. (1990):** Oxygen and wound healing. *Clin. Plast. Surg.*; 17:463.
- Lawrence, W.T. and Diegelmann, R.F. (1994):** Growth factors in wound healing. *Clin. Dermatol.*; 12: 157-163.
- Leber, G.E.; Garb, J.L.; Alexander, A.L. and Read, W.P. (1998):** Long-term complications associated with posthetic repair of incisional hernias. *Arch Surg.*; 133:378-382.
- LeBlanc, K.A. (2003):** Tack hernia: a new entity. *JSLs*, Oct-Dec.; 7(4): 383-389.

- Leibovich, S.J. and Ross, R. (1975):** The role of the macrophage in wound repair, a study with hydrocortisone and anti-macrophage serum. *Am. J. Pathol.*; 78: 71-78.
- Levack, J.H. (1963):** En masse reduction of strangulated hernia. *Br. J. Surg.*; 50:582-585.
- Lewis, D. and Walters, W. (1963):** In: *Incisional hernia, Lewis-Walter Practice of Surgery*, vol.7, Maryland. P. 75-88.
- Liakakos, T.; Karanikas, I. and Panagiotidis, H. (1994):** Use of Marlex mesh in the repair of recurrent incisional hernia. *British Journal of Surgery*; 81:248-259.
- Lichtenstein, I.L. and Shore, J.M. (1976):** Repair of recurrent ventral hernias by an internal "Binder". *Am. J. Surg.*; 132:121-126.
- Lipton, S.; Estrin, N. and Bloom, N. (1980):** A study of the costal incision for biliary tract surgery. *Am. J. Surg.*; 46: 576-589.
- Luijendijk, R.W.; Hop, W.C.J. and Van der Tol, M.P. (2000):** A comparison of suture repair with mesh repair for incisional hernia. *N. Engl. J. Med*; 343: 392-398.
- Luijendijk, R.W.; Jeekel, J. and Sorm, R.K. (1997):** The low transverse Pfannenstiel incision and the prevalence of incisional hernia and nerve entrapment. *Ann. Surg.*; 225: 365-369.
- Mann, C.V.; Russell, R.C.G. and Williams, N.S. (1995):** *Baily and Love's short practice of surgery*. 22nd Ed. ELBS, U.K. P. 885-903.

Leibovich, S.J. and Ross, R. (1975): The role of the macrophage in wound repair, a study with hydrocortisone and anti-macrophage serum. *Am. J. Pathol.*; 78: 71-78.

Levack, J.H. (1963): En masse reduction of strangulated hernia. *Br. J. Surg.*; 50:582-585.

Lewis, D. and Walters, W. (1963): In: Incisional hernia, *Lewis-Walter Practice of Surgery*, vol.7, Maryland. P. 75-88.

Liakakos, T.; Karanikas, I. and Panagiotidis, H. (1994): Use of Marlex mesh in the repair of recurrent incisional hernia. *British Journal of Surgery*; 81:248-259.

Lichtenstein, I.L. and Shore, J.M. (1976): Repair of recurrent ventral hernias by an internal "Binder". *Am. J. Surg.*; 132:121-126.

Lipton, S.; Estrin, N. and Bloom, N. (1980): A study of the costal incision for biliary tract surgery. *Am. J. Surg.*; 46: 576-589.

Luijendijk, R.W.; Hop, W.C.J. and Van der Tol, M.P. (2000): A comparison of suture repair with mesh repair for incisional hernia. *N. Engl. J. Med*; 343: 392-398.

Luijendijk, R.W.; Jeekel, J. and Sorm, R.K. (1997): The low transverse Pfannenstiel incision and the prevalence of incisional hernia and nerve entrapment. *Ann. Surg.*; 225: 365-369.

Mann, C.V.; Russell, R.C.G. and Williams, N.S. (1995): Baily and Love's short practice of surgery. 22nd Ed. ELBS, U.K. P. 885-903.

- Marsden, C.M. (1978):** Whole skin graft repair of hernias. *Br. J. Surg.*; 35:490-499.
- Mast, B.A. (1992):** The Skin. In: *Wound Healing, Biochemical and Clinical Aspects*. Edited by: Cohn, I.K.; Diegelmann, B. and Lindblad, W.J.; WB Saunders Company, Philadelphia; P. 344-349.
- Mayer, A.D.; Ausobsky, J.R. and Evans, M. (1981):** Compression suture of the abdominal wall, a controlled trial in 302 major laparotomies. *Br. J. Surg.*; 68: 632-634.
- McCarthy, J.D. and Twiest, M.W. (1981):** Intraperitoneal polypropylene mesh support of incisional herniorraphy. *Am. J. Surg.*; 142:707-711.
- McCord, J.M. (1971):** An enzyme-based theory of obligate anaerobiosis, the physiological function of superoxide dismutase. *Proc. Nat. Acad. Sci.; USA*; 68:1024-1027.
- McDermott, F.T.; Nayman, J.; Debor, W.G. and Path, M.C. (1986):** The effect of acute renal failure upon wound healing. *Ann. Surg.*; (168): 142-146.
- McGreevy, J.M.; Goodney, P.P.; Birkmeyer, C.M.; Finlayson, S.R.; Laycock, W.S. and Birkmeyer, J.D. (2003):** A prospective study comparing the complication rates between laparoscopic and open ventral hernia repairs. *Surg. Endosc.*; 17(11): 1778-1780.
- McLanahan, D.; King, L.T.; Weems, C.; Novotney, M. and Gibson, K. (1997):** Retorectus prosthetic mesh repair of midline abdominal hernia. *Am. J. Surg.*; 173: 445-449.

- McMinn, R.M.H. (2003):** Anterior abdominal wall. In: Last's anatomy, regional and applied. Churchill livingstone Co., 10th Ed. P. 295-312.
- McVay, C.B. (1984):** Surgical Anatomy. 6th Ed. Philadelphia, WB Saunders. P. 484-584.
- Mertz, P.M.; Marshall, D.A. and Eaglestein, W.H. (1981):** Occlusive wound dressings to prevent bacterial invasion and wound infection. J. Am. Acad. Dermatol.; 77: 175-181.
- Millikan, K.W. (2003):** Incisional hernia repair. Surg. Clin. North Am.; 83(5): 1223-1234.
- Molloy, R.G.; Moran, K.T. and Waldron, R.B. (1991):** Massive incisional hernia, abdominal wall replacement with Marlex mesh. Br. J. Surg.; 78: 242-244.
- Monaghan, R.A. and Merban, S. (1990):** Expanded polyterafluoroethylene patch in hernia repair, a review of clinical experience. Can. J. Surg.; 34:502-505.
- Mora, E.M.; Cardona, M.A. and Summons, R.L. (1991):** Enteric Bacteria and ingested inert particles translocate to intraperitoneal prosthetic materials. Arch. Surg.; 126(2): 157-163.
- Moreno, L.G. (1978):** In: Hernia, the rational treatment of hernias and voluminous chronic eventrations, preparation with progressive pneumoperitoneum. Nyhus, L.M. and Condon, R.E. (eds). 2nd Ed. Lippincott JP Co. Philadelphia, Toronto. P. 536-559.
- Morris, P.J. and Malt, R.A. (1994):** In: Oxford Text Book of Surgery, incisional hernia including parastomal

hernia. Oxford medical publication Co. Vol. 1. P. 1408-1415.

Mudge, M. and Hughes, L.E. (1985): Incisional hernia: a 10 years prospective study of incidence and attitudes. Br. J. Surg.; 72: 70-71.

Naraysing, F.I. (1993): Rectus repair of midline ventral abdominal wall hernia. Br. J. Surg.; 80:614-615.

Nieuwkoo, P.P.D.; Johnen, A.G. and Albers, B. (1985): Formation of the Anterior Abdominal Wall in the epigenetic nature of early development. Published by Inductive Interaction and Competence, London, 4th ed. P. 601-613.

Niggebrugge, A.H.P.; Hansen, B.E. and Trimbos, J.B. (1995): Mechanical factors influencing the incidence of burst abdomen. Eur. J. Surg.; 161: 655-661.

Nunn, J.F. (1977): In: Applied Respiratory Physiology, Oxygen. 2nd Ed. Boston, Butterworths. Ch. 12. P. 375-379.

Nyhus, L.M. and Condon, R.E. (1995): Hernia. 4th Ed. Lippincott J.P. Company, Philadelphia, Toronto, USA. P. 515-523.

Park, A.; Gagner, M. and Pomp, A. (1996): Laparoscopic repair of large incisional hernias. Surg. laparoscopy and endoscopy; 2: 123-128.

Paul, A.; Korenkov, M.; Peters, S.; Fischer, S.; Holthausen, U. and Kohler, L. (1997): Mayo's duplication in treatment of incisional hernia of the abdominal wall after conventional laparotomy; Results of

- a retrospective analysis and comparison with the literature. *Zentralbl. Chir.*; 122(10):862-870.
- Peacock, E.E. (1984):** Wound repair. 3rd Ed. Philadelphia. WB Saunders Co; P. 234-248.
- Peacock, E.E. and Kelman, W.I. (1990):** Wound Healing. In: Textbook of Plastic Surgery. 1st Ed. WB Saunders Co.; P. 167-169.
- Peter, L.W.; Roger, W.; Mary, D. and Lawrence, H.B. (1989):** In: Gray's Anatomy, anterolateral abdominal muscle. Churchill Livingstone, UK. 37th ed. P. 599-602.
- Peterkofsky, B. (1991):** Ascorbate requirement for hydroxylation and secretion of procollagen: relationship to inhibition of collagen synthesis in scurvy. *Am. J. Clin. Nutr.*; 54: 1135-1143.
- Petrie, K.J. (2003):** Pre-surgery stress linked to signs of slow wound healing. *Psychosomatic Medicine*; 28: 213-216.
- Piskun, G.; Shaftan, G. and Fogler, R. (1999):** Simplified technique of mesh fixation during laparoscopic repair of abdominal ventral hernia. *Journal of Laparoscopic and Advanced Surgical Techniques*; 9(2):193-196.
- Pollak, R. and Nyhus, L.M. (1985):** In: Maingot's Abdominal Operations, incisional Hernia. Schwartz, S.I.; Ellis, H. (eds) 8th Ed. Appleton-Century-Crofts. P. 335-350.
- Pollock, A.V. and Evans, M. (1989):** Early prediction of the incisional hernias. *Br. J. Surg.*; 76: 953-954.

- Ponka, J.L. (1980):** Hernias of the abdominal wall. W.B. Saunders Co, Philadelphia, Toronto.
- Ponka, J.L. (1999):** Hernias of the abdominal wall, incisional hernia. WB Saunders Co.; Philadelphia, Toronto. P. 369-395.
- Preston, D.J. and Richards, C. F. (1973):** Use of wire prostheses in the treatment of hernia. Surg. Clin. North Am.; 35: 549-54.
- Prockop, D.J. and Kivirikko, K.I. (1995):** Collagens: molecular biology, diseases and potentials for therapy. Annu. Rev. Biochem.; 64: 403-405.
- Prockop, D.J.; Kivirikko, K.I. and Tuderman, L. (1979):** Biosynthesis of collagen and its disorders. N. Engl. J. Med; 301: p. 13-21, p. 77-85.
- Prockop, D.J.; Sieron, A.L. and Li, S.W. (1998):** Procollagen N- proteinase and procollagen C-proteinase. Two unusual metalloproteinases that are essential for procollagen processing probably have important roles in development and cell signaling, Matrix Biol.; 16: 399-403.
- Raftopoulos, I.; Vanuno, D.; Khorsand, J.; Kouraklis, G. and Lasky, P. (2003):** Comparison of open and laparoscopic prosthetic repair of large ventral hernias. JSLS. Jul.-Sep.; 7(3): 227-32.
- Ramirez, M. (1990):** Components separation of anterior abdominal wall muscles.
- Ravitch, M.M. (1969):** Repair of hernias. Year book medical publishers inc. P. 85-124.

Raymond, C.R. and William, E.G. (1991): In: Surgery of Alimentary Tract, management of incisional hernia. Published by Shackelford, vol. 5, ch. 13. P. 150-172.

Read, R. C. (1992): In: Preoperative general surgery, "Recurrent & incisional hernias", Mcquarrie, D. G. and Humphery, E. W. (Eds.), Mosby Yearbook. P. 485-495.

Read, R.C. and Yoder, G. (1989): Recent trends in the management of incisional herniation. Arch. Surg.; 124: 485-488.

Rizk, N.N. (1980): A new description of anterior abdominal wall. J. Anat.; 131: 373-385.

Robert, M.Z. (1991): Complications of general surgery Surg. Clin. N. Am.; 71(6): 1359-1361.

Roberts, A.B.; McCune, B.K. and Sporn, M.B. (1992): TGF-beta; regulation of extracellular matrix. Kidney Int.; 41:557.

Roberts, A.B. and Sporn, M.B. (1993): In: Growth Factors, physiological actions and clinical applications of transforming growth factor-beta (TGF- β); 8: 1-5.

Romanes, G.J. (1984): In: Cunningham's Textbook of Anatomy, muscle of the anterior abdominal wall. Published by Oxford University Press, London. Vol. 2, p. 345-363.

Romanes, G.J. (1998): Cunningham's manual of practical anatomy, 50th Ed. Oxford, New York. P. 91-111.

- Saiz, A.A. and Willis, I.H. (1996):** Laparoscopic ventral hernia repair, a community hospital experience. *Am. J. Surg.*; 5:336-338.
- Santora, T. A. and Roslyn, J. J. (1993):** Incisional hernia, *Surg. Clinics of N. Am.*, vol. 73, no. 3: 557-570.
- Sapala, E.M. and Coworkers, J.L. (1990):** Operative & non operative risks in cardiac patients. *Brit. J. Surg.*; 77: 322-324.
- Schreiner, A. (1974):** Hyperbaric O₂ therapy in bacteroides infections *Acta. Chir. Scand.*; 140:73-76.
- Schumpelick, V.; Klinge, U.; Junge, K. and Stumpf, M. (2004):** In: Incisional abdominal hernia: the open mesh repair. *Langenbecks Arch. Surg.*; 389(1):1-5.
- Scurr, J.H. and Coleridge-Smith, P.D. (2000):** In: Bailey and Love's Short practice of surgery. Edited by Russell, R.C.G., Williams, N.S. and Bulstrode, C.J.K. 23rd Ed. Printed by Arnold International Student Edition. P. 252.
- Sheffield, P.J. (1988):** In: Problems of Wounds, tissue oxygen measurements. Edited by Davis, J.C. New York, Elsevier, P. 17-53.
- Shestak, K.C.; Fedele, G.M. and Rastifo, R.J. (2001):** Treatment of difficult TRAM flap hernias using intraperitoneal synthetic mesh application. *Plastic Reconstructive Surgery*; 107(1):55-62.
- Shwartz, S.I.; Shires, G.T. and Spencer, F.C. (1999):** In: Principles of surgery, abdominal wall hernias. Edited by Schwartz, S.I. 7th Edition. P. 1606-1608.

- Singer, I.I. (1979):** The fibronexus: A transmembrane association of fibronectin-containing fibers and bundles of 5 nm microfilaments in hamster and human fibroblasts. *Cell*; 16:675-677.
- Sitzmann, J.V. and McFadden, D.W. (1989):** The internal retention repair of massive ventral hernia. *Am. J. Surg.*; 55: 719-723.
- Skandalakis, J.E. (1991):** Current surgical diagnosis & treatment. Appleton & Lange Medical Book 9th ed. p. 700-13.
- Skandalakis, J.E. and Golborn, G.L. (1994):** Embryologic and anatomic basis of inguinal herniorrhaphy. *Surg. Clin. North Am.*; 73: 799-836.
- Skandalakis, J.E.; Shandalakis, P.N. and Skandalakis, L.J. (1999):** Surgical anatomy and technique. Hamilton Co., New York. P. 123-155.
- Smith, R.S. (1971):** The use of prosthetic materials in the repair of hernias. *Surg. Clin. North Am.*; 51:1387-99.
- Smith, R.S. (1981):** The use of prosthetic materials in repair of hernias. *Sur. Clin. N. Am.*; 51: 1387-1398.
- Sorensen, L.T.; Hemmingsen, U.B.; Kirkeby, L.T.; Kallhave, F. and Jorgensen, L.N. (2005):** Smoking is a risk factor for incisional hernia. *Arch. Surg.*; Feb.; 140 (2): 119-123.
- Somers, J.M.; Pollard, S.G. and Dixon, A.K. (1991):** The recognition of previous abdominal surgery by computed tomography. *J. Comput. Assist. Tomogr.*; 15: 95-100.

- Stoppa, R. E. (1989):** The treatment of complicated groin and incisional hernias. *World Journal of Surgery*, 13: 545-54.
- Surgerman, H.J.; Kellum, J.M. and Reines, H.D. (1996):** Greater risk of incisional hernia with morbidly obese than steroid- dependent patients and low recurrence with prefascial polypropylene mesh. *Am. J. Surg.*; 171: 80-84.
- Sylvia, C.J. (2003):** The role of neutrophil apoptosis in influencing tissue repair. *J. Wound Care*; 12: 13-15.
- Syzmanski, J.; Voitek, A.; Joffe, J.; Alvarez, C. and Rosenthal, G. (2000):** Technique and early results of outpatient laparoscopic mesh onlay repair of ventral hernias. *Surgical Endoscopy*; 14: 582-584.
- Taveggia, A.; Galassi, G.; Mandrioli, G.; Capozzi, O. and Pezzini, I. (2003):** The use of autologous dermis in the treatment of incisional hernia. *Chir. Ital.*; 55(1) 137-140.
- Temudom, T.; Siadati, M. and Sarr, M.G. (1996):** Repair of complex giant or recurrent ventral hernias by using tension free intraparietal prosthetic mesh (Stoppa technique). Lesson learned from our initial experience (50 patients), *Surgery*.; 120: 738-744.
- Thomas, W.O.; Parry, S. W. and Rodning, C. B. (1993):** Ventral Incisional abdominal herniorrhaphy by fascial partition release. *Plast. Reconst. Surg.* 91: 1080-84.

Throckmorton, T.D. (1948): Tantalum gauge in the repair of hernias complicated by tissue deficiency, *Surgery*, 23: 32-46.

Thurston, A.J. (2000): Inflammation and gunshot wounds, the history and the control of sepsis. *Aust. N. Z. J. Surg.*; 70: 855-869.

Tonnesen, M.G.; Feng, X. and Clark, R.A. (2000): Angiogenesis in wound healing. *J. Investing Dermatol Symp.; Proc.*; 5: 40.

Toy, F.K.; Bailey, R.W. and Carey, S. (1998): Prospective multicenter study of laparoscopic ventral hernioplasty, preliminary results. *Surg. Endo.*; 12: 955-950.

Trimbos, J.B. and VanRooij, J. (1993): Amount of suture material needed for continuous or interrupted wound closure: an experimental study. *Eur. J. Surg.*; 159:141-143.

Trupka, A.W.; Schweiberer, L.; Halffeldt, K. and Waldner, H. (1997): Management of large abdominal wall hernias with foreign implant materials (Gore-Tex). *Zentralbl Chir.*; 122(10): 78-84.

Usher, F.C. (1978): In: *Hernia, hernia repair with Marlex mesh.* Nyhus, L.M. and Condon, R.E. 2nd Ed. JB Lippincott Company, Philadelphia, Toronto. P. 561-575.

Usher, F.C.; Morris, G.C. and Self, M.M. (1954): Lyophilized human and ox fascia in the repair of hernias. *Surgery*, 36: 117-24.

Usher, F.D.; Rober, E. and Nyhus. I.M. (1993): In: *Hernia, incisional hernia*, published by J.B. Lippincott company, Philadelphia, 4th ed., ch. 20, p. 561-571.

Van't, R.M.; De Vas Van Steenwijk, P.J.; Bonjer, H.J.; Steyerberg, E.W. and Jeekel, J. (2004): Incisional hernia after repair of wound dehiscence: incidence and risk factors. *Am. J. Surg. Apr.*; 70(4): 281-286.

Venugopalan, S. (1980): Repair of midline abd. incisional hernia by gracilis muscle transfer, *Br. J. Plast. Surg.* 33: 43-45.

Vebro, A.; Petito, L.; Pedretti, G.; Lurati, M.; D'Alba, P. and Coco, C. (2004): Use of a new type of PTEE mesh in laparoscopic incisional hernia repair. *Int. Surg.*; Jan.-Mar. 89(1): 27-31.

Voeller, G.R. and Mangiante, E.C. (2000): Laparoscopic repair of ventral incisional hernias. Edited by Nyhus, L.M. and Condon, R.E. 5th Ed. JB Lippincott Co. Philadelphia, Pennsylvania. P. 373-379.

Waldrep, D.J.; Shabot, M.M. and Hiatt, J.R. (1993): Mature fibrous cyst formation after marlex mesh ventral hernioraphy: A newly described pathological entity. *Am. J. Surg.* 59: 716-718.

Walker, A.P. (1995): In: *Hernia, biomaterials in hernia repair*. Edited by Nyhus, L.M. and Condon, R.E. 4th Ed. JB Lippincott Co. Philadelphia, Pennsylvania. P. 534-540.

Wantz, G.E. (1991): Incisional hernioplasty with Mersilene. *Surg. Gynecol. Obstet.*; 172: 129-137.

White, T.J.; Santos, M.C. and Thompson, J.S. (1998): Factors affecting wound complications in repair of ventral hernias. *Am. J. Surg.*; 64(3):276-280.

Yates, R.A.; Nanney, L.B.; Gates, R.E. and King, L.E. (1991): Epidermal growth factor and related growth factors. *Int. J. Dermatol.*; 30: 687-695.

Yelimlies, B.; Alponat, A.; Cubukeu, A.; Kuru, M.; Oz, S.; Ercin, C. and Gonullu, N. (2003): Carboxymethylcellulose coated on visceral face of polypropylene mesh prevents adhesion without impairing wound healing in incisional hernia. *Hernia*; 7(3): 130-133.

Zanaboni, G.; Rossi, A.; Onana, A.M. and Tenni, R. (2000): Stability and networks of hydrogen bonds of the collagen triple helical structure: influence of pH and chaotropic nature of three anions. *Matrix Biol.*; 19: 511-520.

Zieren, J.; Proske, J.M.; Neuss, H.; Paul, M. and Muller, J.M. (2004): Trevira: a new polyester implant for the treatment of incisional hernia, results of an experimental study. *Ann. Chir.- Jul.-Aug.*; 129(6-7): p. 343-346.

Zimmerman, L.M. and Anson, B.J. (1967): Anatomy and surgery of hernia. 2nd Ed. The William & Wilkins Co.; p. 48-101, p. 272-294.