

REFERENCES

References

- [1] E. Hecht, and A. Zajac, "Optics". Addison-Wesley, reading Mass. pp. 282-316 (1974).
- [2] A. Francis Jenkins and E. Harvey White, " Fundamentals of Optics". McGraw-Hill, Inc. pp. 546-549 (1976).
- [3] F.B.Bloss, "An Introduction to the Methods of Optical Crystallography", Holt Rinehart and Winston, New York, p.142, (1961).
- [4] D. F. Heller, O. Kafri, J. Krasinski, Appl. Optics, 24, 3037, (1985).
- [5] L. M. Bernardo, O. D. D. Soares, Appl. Optics, 26, 769, (1987).
- [6] P. L.Y. Chuanzeng, L. Guohua, Appl. Optics, 29, 4546,(1990).
- [7] L.Y. Zheng, S. Xiyu, S. Lianke, Appl. Optics, 31, 2968, (1992).
- [8] M. Born, E. W. Wolf, Principles of Optics, Pergamon, Oxford, p.265, (1983).
- [9] V. Chandrsekham, H. Damage, Appl. Optics, 8, 671, (1969).
- [10] R,W.D.ditchburn, Light, Academic Press, London, p. 553, (1976).
- [11]RJ. Sandeman, Appl. Optics, 10, 1087, (1971).
- [12] M. Medhat, S. Y. El-Zaiat, Optics Communications, 141, pp. 145-149, (1997).

- [13] A. Myron Jeppesen, "Some Optical, Thermo-Optical, and Piezo-Optical Properties of Synthetic Sapphire", *Journal of the Optical Society of America*, Vol. 48, No. 9, p. 629, (1958).
- [14] A. C. DeFranzo and B. G. Pazol, "Index of refraction measurement on sapphire at low temperatures and visible wavelengths", *Applied Optics*, Vol. 32, No. 13, 1 May (1993).
- [15] F. Zhang and W. Y. John. Lit, "temperature and strain sensitivities of high-birefringence elliptical fibers", *Applied Optics*, Vol. 31, No. 9, 20 March (1992).
- [16] Vladimir Parfenov, Vladimir Shashkin, and Eugene Stepanov, "Numerical investigation of thermally induced birefringence in optical elements of solid-state lasers", Vol. 32, No. 27, *Applied Optics*, (1993).
- [17] D. F. Heller, Oded Kafri, and J. Krasinski, "Direct birefringence measurements using moire ray deflection techniques", *Applied Optics*, Vol. 24, No. 18, p. 3037, (1985).
- [18] LM. Fabietti and R. Trivedi, "In situ observations of stress induced defect formation at the solid liquid interface", *Journal of crystal Growth*, v. 173, n 3-4, pp. 503-512, (1997).

- [19] Brueckner Rolf, "Anisotropic glasses and glass melts", *Glass Science and technology*, v 69, n 12, pp. 396-411, 12 Dec (1996).
- [20] Jacques Dugas, Isabelle Pierrjean, Jean Farenc, and Jean Philippe peichot, " Birefringence and internal stress in polystyrene optical fibers", *APPLIED OPTICS*, v. 33, n 16, p. 3545, 1 June (1994).
- [21] B. David Chenault and A. Russell Chipman, "Infrared birefringence spectra for cadmium sulfide and cadmium selenide", *Applied Optics*, v. 32, n 22, p. 4223, 1 August (1993).
- [22] J.A. Quiroga and A.Gonzalez-Cano, Phase Measuring Algorithm for Extraction of Isochromatics of Photoelastic Fringe Patterns, *Appl. Optics*, v. 36,n. 32, p.8397, 10 November (1997).
- [23] T. Inoue et al., *Macromolecules*, 24, p.5670, (1991).
- [24] A. Fujita et al., *Polymer preprints, Japan*, 41, p4451, (1992).
- [25] T. Inoue and K. Osaki, "On the Strain- Induced Birefringence of Glassy Polymers", *Polymer Journal*, v. 28, pp. 76-79, (1996).
- [26] T. Inoue and K. Osaki, "Role of Polymer Chain Flexibility on the Viscoselasticity of A morphous Polymers around the Glass Transition Zone", *Macromolecules*, v. 29, pp.1595-1599, (1996).

- [27] T. Inoue, Deug-Soo Ryu and K. Osaki, *Macromolecules*, 31, pp. 6977-6983, (1998).
- [28] Hillar Aben and Juri Josepson, "strange interference blots in the interferometry of inhomogeneous birefringent objects", *App. Optics*, 36, p. 7172, (1997).
- [29] Faiz Dahmani, W. Ansgar Schmid, C. John Lambropoulos, and Stephen Burns, *App. Optics*, 37, n.33, (1998).
- [30] N. J. Harrison and B. R. Jennings, " Laser-induced birefringence measurement for pure liquids" *Meas. Sci. Technol*, 3, pp. 120-125, (1992).
- [31] N. J. Harrison and B. R. Jennings, *Chemical Physics Letters*, 210,p. 393, (1993).
- [32] N. J. Harrison and B.R. Jennings, *J. CHEM. Soc. Faraday Trans*, 90, pp. 55-57, (1994).
- [33] N. J. Harrison and B. R. Jennings, *Journal of Physical Chemistry*, 97, p. 1511, (1993).
- [34] I. Musevic, M. Skarabot, Av. Koityk, R. Blinc, D. Moro, and G. Heppke, "Birefringence and optical rotation in chiral ferroelectric and antiferroelectric liquid crystals", *Ferroelectrics*, 203, pp. 133-151, (1997).

- [35] Ono. Hiroshi, and Kowatari. Nozomu, Journal of physics D. App.Physics, 31, pp.1511-1515, Jul 7 (1998).
- [36] Geiger Kalman, "strain-induced orientation states and nucleation of line disclinations in a thermotropic liquid crystalline polymer melt", Chemical Engineering and Technology, V. 21, n 2, pp. 157-160, (1998).
- [37] Hotate Kazuo, Msaki Koichiro, saida Takashi and Mikami Osamu, "polarization maintaining interferometer fiber optic gyro using a single-mode fiber coil with bend-induced birefringence", Pacific Rim conference lasers and Electro-Optics, CLEO technical Digest, pp. 255-256, (1997).
- [38] R. Eugene Cochran and Ai. Chiayu, "Interferometric stress birefringence measurement", Applied Optics, v. 31, n 31, p. 6702, 1 November (1992).
- [39] Masato Ohmi Masanori Akatsuka, Koji Ishikawa, Kenta Naito, Yoshiyuki Yonezawa, Yoshio Nishida, Masanobu Yamanaka, Yasukazu Izawa, and Sadao Nakai, "High-sensitivity two-dimensional thermal-and mechanical-stress-induced birefringence measurements in a Nd: YAG rod", Applied Optics, v 33, n 27, p.6368, 20 September (1994).
- [40] S. Z. Kurtev, O. E. Denchev, and S. D. Savov, "Effects of thermally induced birefringence in high-output-power electro-optically Q-switched

Nd:YAG lasers and their compensation”, *Applied Optics*, v 32, n 3, p.278, 20 January (1993).

[41] D. Andrew Nurse, “full-field automated photoelasticity by use of a three-wavelength approach to phase stepping”, *Applied Optics*, v. 36, n. 23, p. 5781, 10 August (1997).

[42] Yueai Liu, B. M. A. Rahman, and K. T. V. Grattan, “Thermal-stress-induced birefringence in bow-tie optical fibers”, *Applied Optics*, v. 33, n 24, p. 5611, 20 August (1994).

[43] M. Medhat, S. Y. El-Zaiat and S. K. Hindawy, “Interferometric Investigation of Strain Distribution”, *J. Phys. V* 26, n 1-2, pp. 121-129, (1995).

[44] S. Pearson. Dale, R. Chance Ronald, D. Kiss Andrea, M. Morgan. Kathleen, G. Peiffer Dennis, “Flow induced birefringence of conjugated polymer solutions”, *Synthetic Metals*, v 28, n 3, pp. 689-697, 20 Feb (1989).

[45] Z. Hu, J. J. Vanderwal, D. Walton, “Polarization Anomalies in KBr:KCN Crystals under Uniaxial Stress”, *Solid State Commun.*, v 66, n 1, pp. 99-101, (1988).

- [46] C. N. Pannell, R. P. Tatam, J. D. C. Jones, D. A. Jackson, "Optical Frequency Shifter Using Lineary Birefringent Monomode Fiber", *Electron Lett*, v23, n 16, pp.847-848, 30 jul (1986).
- [47] Zhang. Yuanpeng, "Fully automatic stress-analysis system by using electro-optic modulation", *Exp. Mech.*, v 31, n 4, pp. 344-347, 4 Dec. (1991).
- [48] K. Yoon, K. K. Wang, "Birefringence measurements of injection-molded disks", *In-search-of-Excellence-Annual-Technical*, v 37, pp. 333-337, (1991).
- [49] Y. Shindo, M. Saito, Y. Iwatsuka, H. Hasegawa, "Residual birefringence of amorphous polymers for optical disk substances", *J. Appl. Polm. Sci.* v 43, n 4, pp. 767-773, 20 Aug (1991).
- [50] JE. Logan, NA. Robertson, J. Hough, "Measurements of birefringence in a suspended sample of fused silica", *Optics Communications*, v 107, n 5-6, pp. 342-346, 1 May (1994).
- [51] Y. Oaten, T. Yoshizawa, "Two-dimensional magnetic field distribution measurement using the birefringence effects of magnetic fluids", *Optik (Stuttgart)*, v 100, n 3, pp. 133-136, Sep (1995).

- [52] Yang. Yong, A. Kloczkowski, JE. Mark, B. Erman and I. Bahar, "Experimental studies of elastomeric and optical properties and strain-induced liquid-crystalline phase transitions, in deformed (hydroxypropyl) cellulose networks in the swollen state", *Macromolecules*, v 28, n 14, pp. 4927-4931, 3 Jul (1995).
- [53] W. Winkler, A. Ruediger, R. schilling, KA. Strain and K. Danzmann, "Birefringence-induced losses in interferometers", *Optics Communications*, v 112, n 5-6, pp. 245-252, 1 Dec (1994).
- [54] Ye. Z. G, Burkhardt. E, rivera. J. P, Schmid. H, "Uniaxial stress-induced phase transition, piezo-optical effect and optical domain studies in Cr-Cl boracite", *Ferroelectrics*, v172, n 1-4, pp. 257-270, (1995).
- [55] Fontaine. Marie, Wu. Binruo, P. Tzolov. Velko, J. Bock. Wojtek and Urbanczyk. Wacław, "Theoretical and experimental analysis of thermal stress effects on modal polarization properties of highly birefringent optical fibers ", *Journal of Lightwave technology*, v14, n 4, pp. 585-591, Apr. (1996).
- [56] RR. Gauthier and F. Farahi, "Fiber-optic white-light interferometry, lead sensitivity considerations", *Optics Letters*, v 19, n 2, pp. 138-140, 15 Jan (1994).

- [57] Ohtsuka. Yoshihiro and Tanaka. Satoshi, "Tension-induced modal birefringence in a single-fiber interferometric strain gauge", *Fiber-Integr. Opt.*, v 9, n 3, pp. 245-253, (1990).
- [58] Loch-Manfred and E. Heinlein. Walter, "High-resolution measurement of birefringence profiles in stress-induced polarization-maintaining fibers", *J. Lightwave Technol.*, v 7, n 8, pp. 1213-1216, Aug (1989).
- [59] J. Marrone. Michael, Kersey. Alan. D, Dandridge. Anthony. D, "Polarization-independent array configurations based on Michelson interferometer networks", *Proceeding of SPIE. The International Society for Optical Engineering*, v 1797, pp.196-200, (1993).
- [60] P. Bush. Simon, L. Mazzoni. David, Cho. Kyuman, Christopher. C, "A fiber optic heterodyne sensor for linear birefringence or polarization rotation effects", *Conference Proceedings Lasers and Electro-Optics Society Annual Meeting*, p.109, (1989).
- [61] Al. Mivete, IJ. Lalov, T. Wen, YS. Raptis, E. Anastassakis, "Interference patterns under oblique incidence in birefringent optically active plane-parallel plates", *Journal of Physics D. Applied Physics*, v 29, n 10, pp. 2705-2713, 14 Oct (1996).

- [62] T. Garea. Maria and C. Simon. Maria, "Interference patterns in interferometers of birefringent uniaxial wedges", Proceeding of SPIE The International Society for Optical Engineering, v 2730, pp. 220-223, (1996).
- [63] R. Heidehn. Jeffrey, S. Zediker Mark, "Technique for measuring stress-induced birefringence", Proceeding of SPIE The International Society for Optical Engineering, v 1418, Pub. by Int. Soc. For optical Engineering, Bellingham, WA, USA, pp. 240-247, (1991).
- [64] Liao. Zhaoshu, Tao. Jinguang, Tang. Kuntao, "Birefringence measurement using overlapping of interference fringes", Guangxue Jishu Optical Technique, v 26, n 1, pp. 22-23, 20 Jan (1994).
- [65] Robert Jones, and Catherine Wykes. " Holographic and Speckle Interferometry". Cambridge University Press, pp. 8-15 (1983)
- [66] M. Francon. "Optical Image Formation and Processing". Academic Press, Inc. p. 10 (1979)
- [67] A. Francis Jenkins and E. Harvey White, " Fundamentals of Optics", McGraw-Hill, Inc. pp. 564-569 (1976).
- [68] Max Born and Emil Wolf " Principles of Optics" Pergamon Press, pp. 694-703 (1980).

References

- [69] A. Francis Jenkins and E. Harvey White, "Fundamentals of Optics", McGraw-Hill, Inc. pp. 474-478 (1976).
- [70] M. Francon. "Optical Image Formation and Processing". Academic Press, Inc. p. 98 (1979)
- [71] E. Hecht, and A. Zajac, "Optics", Adison Wesley, Reading Mass, p. 260 (1974).
- [72] R. Cuenther, "Modern Optics". John Wiley & Sons, New York, p.596 (1990).
- [73] C. P. Burger, Photoelasticity In "Handbook on Experimental Mechanics Kobayashi, A. S. (Ed. Prentice-hallinc.,En Jewood Cliffs, p. 207 (1987) .
- [74] S. P. Tnoshenko and J. N. Goodler. "Theory of Elasticity", McGraw-Hill. Kogakusha, Tokyo, p. 150 (1970).
- [75] K. J. Casvik, " Optical Metrology". John Willy & Sons, New York, p. 180 (1987).
- [76] M. Medhat, J. Modern Optics, 38, 121 (1991).
- [77] David Halliday and Robert Resnick, " Fundamentals of physics", John Wiley & Sons, Inc. p. 295 (1988).