Contents

| | Page |
|---------------------------------------|----------|
| Introduction | 1 |
| Review of Literature | 3 |
| > Respiratory Distress of the Newborn | 3 |
| > VEGF | 53 |
| Aim of the Work | 66 |
| Subjects and Methods | 67 |
| Results | 79 |
| Analysis of the results | 99 |
| Discussion | 104 |
| Summary and Conclusions | 111 |
| Recommendations | 114 |
| References | 115 |
| Appendix | |
| Arabic Summary | K |

List of tables

| | Page |
|---|------|
| 1. Clinical grading of RDS accorrding to Downes score. | 26 |
| 2. The three-stage ultrasound scale for RDS severity. | 32 |
| 3. Surfactant preparations. | 42 |
| 4. Guidelines for endotracheal tube size . | 48 |
| 5. Downes score. | 68 |
| 6. Chest X-ray score. | 69 |
| 7. Arterial blood gases (ABG) score. | 69 |
| 8. Clinical data of the studied groups. | 79 |
| 9. Descriptive data of all studied groups . | 80 |
| 10.Gestational age (in weeks) of the studied preterm infants . | 81 |
| 11.Birth weight (in kg) of the studied preterm infants. | 82 |
| 12.Gender effect on VEGF level in all studied group. | 83 |
| 13.Mode of delivery effect on VEGF level in all studied group. | 84 |
| 14.PROM effect on VEGF level in all studied group. | 85 |
| 15.Steroids effect on VEGF level in all studied group. | 86 |
| 16. The correlation between VEGF level and Gestational age for all studied | 87 |
| infants. | |
| 17. The correlation coefficient between VEGF level and Birth weight for all | 88 |
| studied infants. | |
| 18. Comparison between Preterm infants without RDS and Preterm infants | 89 |
| with RDS as regard to VEGF level. | |
| 19. Correlation between the degree of RDS in Preterm infants with RDS | 90 |
| (group II) according to VEGF level. | |

| 20. Correlation coefficient between VEGF level and various variables for all | |
|--|----|
| studied infants. | |
| 21.Surfactant effect on VEGF level in preterm infants with RDS. | 92 |
| 22. Correlation between respiratory assist and VEGF level in preterm infants | 94 |
| with RDS. | 95 |
| 23. Correlation between the incidence of tracheal tube intubation and VEGF | |
| level in preterm infants with RDS. | 96 |
| 24. Correlation between VEGF level and outcome among infants with RDS. | 97 |
| 25. ROC curve results for VEGF as a diagnostic tool for RDS. | 98 |