


References



(VI) REFERENCES

- Akstein, E. (1962). The chromosomes of *Aedes aegypti*, and of some other species of mosquitoes. *Bull. Res. Counc. of Israel*, vol. 11B3, pp. 146-155.
- Ausubel, F.M., Brent, R., Kingston, R.E., Morre, D.D., Seidman, J.G. Smith, J.A. and Struhl, K. (Ed.) 1987. Current protocols in molecular biology. Greene Publishing Associates and Wiley – Interscience, New York.
- Baker, R. H. and Aslamkhan, M. (1969). Karyotypes of some Asian Mosquitoes of the subfamily Culicinae (Diptera: Culicidae). *J. Med. Ent.*, vol. 6, no. 1 : 44-52.
- Baker, R. H., Sakai, R. K. and Mian, A. (1971). Linkage group-chromosome correlation in a mosquito, inversions in *Culex tritaeniorhynchus*. *The Journal of Heredity*. pp. 31-36.
- Baker, R. H. Sakai, R. K., Saifuddin, U.T. and Ainsely, R.W. (1977). Translocation in the mosquito, *Culex tritaeniorhynchus*. *The Journal of Heredity*. vol. 68 : 157-166.
- Bauman. J. G. J., Weigant, J. Borst, P. and van Duijga (1980). A new method for fluorescence microscopical localization of specific DNA sequences by *in situ* hybridization of fluorochrome-labelled RNA. *Exp. Cell Res.* 128. pp 485-490.
- Belling, J. (1926). The iron-aceto-carmin method of fixing and staining chromosomes. *Biol. Bull.* 50: 160-162.
- Birnboim, H. C. and Doly, J. (1979). A rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucleic Acids Research*, vol. 7. no. 6. Pp.1513-1521.

- **Blin, N. and Stafford, D. W. (1976).** A general method for isolation of high molecular weight DNA from eukaryotes. *Nucleic Acids Research*, vol. 3, no. 9. Pp. 2303-2308.
- **Breland, O.P. (1959).** Preliminary observations on the use of the squash technique for the study of the chromosomes of mosquitoes. *The Texas Journal of Science* 11. pp. 183-190.
- **Breland, O.P. (1961).** Studies on the chromosomes of mosquitoes. *Annals of the Entomological Society of America*, vol. 54, pp. 360-375.
- **Breland, O.P. and Gassiner, G. (1961).** Notes on the chromosome complement of the mosquito, *Aedes aegypti* (L). *The Texas Journal of Science* pp. 391-397.
- **Britten, R. J. and Kohne, D.E. (1968).** Repeated sequences in DNA. *Science*, vol. 161. no. 381. pp. 529-540.
- **Brown, S.E., Menninger, J., Difillipantonio, M., Beaty, B. J., Ward, D.C. and Knudson, D.L. (1995).** Toward a physical map of *Aedes aegypti*. *Insect Molecular Biology*, vol. 4. no. 3: 161-167.
- **Brown, S.E. and Knudson, D. L. (1997).** FISH landmarks for *Aedes aegypti* chromosomes. *Insect Molecular Biology*, vol. 6, no. 2: 197-202.
- **Brown, S.E. Wood, S.H., Hochwarter, A.M., Stephens, J.L., Feguson, M.L., Harris, J.R. and Knudson, D.L. (1997).** Second generation FISH physical map of *Aedes aegypti* chromosomes. *Insect Molecular Biology*.
- **Clements, N.A. (1992).** The biology of mosquitoes. Vol. 1, Chapman and Hall, London, 595 pages.

- Collins, J. and Hohn, B. (1978). Cosmids : A type of plasmid gene-cloning vector that is packageable in vitro in bacteriophage λ heads. *Proc. Natl. Acad. Sci. USA*, vol. 75 no. 9 : 4242 - 4246.
- Craig, G. B., Jr. and Hicky, w. a. (1967). Genetics of *Aedes aegypti*. In *Genetics of Insect Vectors of Disease*. J. W. Wright and R. Pal, eds. New York, Elsevier 67-131.
- Ferguson, M. L., Brown, S. E. and Knudson, D. L. (1996). FISH digital imaging microscopy in mosquito genomics. *Parasitology Today*, vol. 12. no. 3. pp. 91-96.
- French, W. L., Baker, R. H. and Kitzmiller (1962). Preparation of mosquito chromosomes. *Mosquitoes news*, vol. 22, no. 4. pp. 377-383.
- Gale, K. and Crampton, J. (1989). The ribosomal genes of the mosquito, *Aedes aegypti*. *Eur. J. Biochem.* 185 : 311-317.
- Gordon, S. W. (1993). Molecular genetics of *Aedes aegypti*. pH. D., Colorado State University, Fort Collins.
- Gubler, D. J. (1988). In The Arboviruses : *Epidemiology and Ecology*. vol. 2. T. T. Monath, ed. Boca Raton, CRC press. In. 223-260.
- Hanson, R. E., Zwick, M. S., Choi, S., Islam-Faridi, M. N., McKnight, T. D., Wing, R. A., Price, H. J. and Stelly, D. M. (1995). Fluorescent *in situ* hybridization of a bacterial artificial chromosomes. *Genome*, vol. 38. 646-651.
- Holems, D. S. and Quigly, M. (1981). A rapid boiling method for the preparation of bacterial plasmids. *Analytical Biochemistry*, vol. 114. pp. 193-197.
- Huff, C.G. (1927). Studies on the infectivity of plasmidia of birds for mosquitoes with special reference to the problem of immunity in the mosquito. *Amer. J. Hyg.* 7. 706-734.

- Huff, C.G. (1935), Natural immunity and susceptibility of Culicine mosquitoes to avian malaria. *Amer. J. trop. Med. Hyg.* 15. 427-434.
- Jiang, J., Gill, B. S., Wang, G., Ronald, P. C. and Ward, D. C. (1995). Metaphase and interphase fluorescence *in situ* hybridization mapping of the rice genome with bacterial artificial chromosomes. *Proc. Natl. Acad. Sci. USA*, vol. 92 : 4487-4491.
- Jones, S. J., Taylor, M. L., Baarslag, M. W., Krol, J. J., Mosterd, B., Mans, A., Brakenhoff, G. J. and Nanninga, N. (1990). Image processing techniques for 3-D chromosome analysis. *Journal of Microscopy*, vol. 158, Pt. 2, pp. 235 - 248.
- Jovin, T. M. and Arndt-Jovin, D. J. (1989). Luminescence digital imaging microscopy. *Annu. Rev. Biophys. Biophys. Chem.* vol. 18. pp. 271-308.
- Jumali, S., Gubler, D. J., Nalim, S., Eram, S., and Sulianti Saroso, J. (1979). Epidemic dengue hemorrhagic fever in rural Indonesia. III. Entomological studies. *Am. J. Trop. Med. Hyg.* 28 : 717-724.
- Kitzmiller, J. B. (1963). Mosquito Cytogenetics (A review of the Literature, 1953-62). *Bull Wld Hlth Org.*, vol. 29 : 345-355.
- Kitzmiller, J.B. (1976). Genetics, Cytogenetics and evolution of mosquitoes. *Advance. Genet.* 18. 315-433.
- Knudson, D. L., Zbeng, L., Gordon, S. W., Brown, S. E., and Kafatos, F. C. (1996). *The Biology Of Disease Vectors* . U.S.A. pp. 175-214.
- Kreutzer, R. D. (1978). A mosquito with eight chromosomes : *Chagasia bathana* Dyar. *Mosquito News*. 38 554-558.

- **Kumar, A. and Rai, K. S. (1990).** Chromosomal localization and copy number of 18S+28S ribosomal RNA genes in evolutionarily diverse mosquitoes (Diptera, Culicidae). *Hereditas*, vol. 113 : 277 - 289.
- **Kumer. A. and Rai, K. S. (1993).** Molecular organization and evolution of mosquito genomes. *Comp Biochem Physiol* 106B : 495-504.
- **Lapitan, N. L. V., Brown, S. E., Kennard, W., Stephens, J. L. and Knudosh, D. L. (1997).** FISH physical mapping with barley BAC clones. *The plant Journal*, vol. 11, no. 1 : 149 -156.
- **Lichter. P., Tang, C. C., Call, K., Hermanson, G., Evans, G. A., Housman, D. and Ward, D. C. (1990).** High-resolution mapping of human chromosome11 by *in situ* hybridization with cosmid clones. *Science*, vol. 247 ; 64-69.
- **Lichter, P. and Ward, D. C. (1990).** Is non-isotopic *in situ* hybridization finally coming of age?. *Nature*, vol. 345, no. 3 : 93-94.
- **Lichter, P.; Boyle, A., Cremer, T. and Ward, D. C. (1991).** Analysis of genes and chromosomes by nonisotopic *in situ* hybridization. *Gen. Anal. Tech. Appl.* vol. 8, no. 1 : 24-35.
- **Marchi, A. and Pili, E. (1994).** Ribosomal RNA genes in mosquitoes : localization by fluorescence *in situ* hybridization (FISH). *Heredity*, vol. 72 : 599-605.
- **Matthews, T. C. and Munstermann, L. E. (1994).** Chromosomal repatterning and linkage group conservation in mosquito karyotypic evolution. *Evolution*, 48 (1), pp. 146-154.
- **McDonald, P. T. and Rai, K. S. (1970).** Correlation of linkage groups with chromosomes in the mosquito, *Aedes aegypti*.. *Genetics*, vol. 66 : 475 - 485.

- Metcalf, R.L. and Metcalf, R.L. (1993). Restrictive and useful insects. Their habits and control. *Mc Grow - Hill, Inc.* New York.
- Miller, B. R., and Mitchell, C. J. (1991). Genetic selection of a flavivirus- refractory strain of the yellow fever mosquito *Aedes aegypti*. *Am. J. Trop. Med. Hyg.* 45 : 399-407.
- Motara, M. A. and Rai, K. S. (1977). Chromosomal differentiation in two species of *Aedes* and their hybrids revealed by giemsa C-banding. *Chromsoma* 64. PP 125-132.
- Munstermann, L. E., Graig, G. B. Jr. (1979). Genetics *Aedes aegypti*, updating the linkage map. *The Journal of Heredity*, vol. 70 : 291-296.
- Munstermann, L. E., Marchi, A. (1986). Cytogenetic and Isozyme profile of *Sabethes cyaeus*, A mosquito of the meotropical canopy. *The Journal of Heredity*, vol. 77: 241-248.
- Murphy. T. D. and Karpen, G. H. (1995). Localization of centromere function in a *Drosophila* minichromosome. *Cell*, vol. 82 : 599-609.
- Nederlof, P. M., van der Flier, S., Wiegant, J., Raap, A. K., Tanke, H. J., Ploem, J. S. and van der Ploeg, M. (1990). Multiple fluorescence *in situ* hybridization. *Cytometry*, vol. 11 : 126 - 131.
- Painter, T. (1934). A new method for the study of chromosome abberations and the plotting of chromosome maps in *Drosophila melanogaster*. *Genetics* 19 : 175-188.
- Pardue, M. L., Gerbi, S. A., Eckhardt, R. A. and Gall, J. G. (1970). Cytological localization of DNA complementary to ribosomal RNA in polytene Chromosomes of Diptera. *Chromosoma*, vol. 29, 268-290.

- hybridization using combinational fluorescence and digital imaging microscopy. *Proc. Natl. Acad. Sci. USA*, vol. 89 : 1388-1392.
- **Rigby, P. W. J., Dieckmann, M., Rhodes, C. and Berg, P. (1977).** Labeling deoxyribonucleic acid to high specific activity in vitro by nick translation with DNA polymerase I. *J. Mol. Biol.*, vol. 113:237-251.
 - **Risler, H., (1959).** Polyploidie and somatische reduction in der larven-epidermis von *Aedes aegypti* L.(Culicidae). *Chromosoma*, 10 : 184-209.
 - **Ritossa, F., and spiegelman, S. (1965).** Localization of DNA complementary to ribosomal RNA in the nucleolus organizer region of *Drosophila melanogaster*. *Proc. nat. Acad. Sci.* 53. 737-745
 - **Rosen, L., Rozeboom, L. E., Gubler, D. J., Lien, J. C. and Chaniotis, B. N. (1985).** Comparative susceptibility of mosquito species and strains to oral and parenteral infection with dengue and Japanese encephalitis viruses. *Am. J. Trop. Med. Hyg.* 34 : 603-615.
 - **Rudkin, G. T. and Stollar, B. D. (1977).** High resolution of DNA-RNA hybrids *in situ* by indirect immunofluorescence. *Nature*, vol. 265.
 - **Severson, D. W., Mori, A., Zhang, Y. and Christensen, B. M. (1993).** Linkage map for *Aedes aegypti* using restriction fragment length polymorphisms. *J. Heredity*, 84 : 241-247.
 - **Schafer, U. and Schafer, M. (1980).** Localization of the ribosomal RNA genes in *Drosophila simulans*. *Chromosoma*, vol. 79 ; 287-291.
 - **Shermoen, A. W. and Kiefer, B. I. (1975).** Regulation in rDNA-deficient *Drosophila melanogaster*. *Cell*, vol. 4 : 275-280.

- Shizuya, H., Birren, B. Kim, U., Mancino, V., Slepak, T., Tachiiri, Y. and Simon, M. (1992). Cloning and stable maintenance of 300-kilobase-pair fragments of human DNA in *Escherichia coli* using an F-factor-based Vector. *Proc. Natl. Acad. Sci. USA*, vol. 89 : 8794-8797.
- Shroyer, D. A., (1986). *Aedes albopictus* and arboviruses : a concise review of the literature. *J. Am. Mosq. Control Assoc.* vol. 2. no. 4. pp. 424-428.
- Sinibaldi, R. M. and Cumming, M. R. (1981). Localization and characterization of rDNA in *Drosophila tumiditarsus*., *Chromosoma*, vol. 81 : 655-671.
- Sinoto, Y., and Suzuki, (1943). Karyotypes in mosquitoes. (In japanese.) *I gaku and Seibutsugaku*, 3 : 175-181.
- Smith, H.O. and Wilcox, K. W. (1970). A Restriction enzyme from *Hemouphilus influenza* I. Purification and general properties. *J. Mol. Biol.* (1970) 51. 379-391.
- Southern, E. M. (1975). Detection of specific sequences among DNA fragments separated by gel electrophoresis. *J. Mol. Biol.*, vol. 98 : 503-517.
- Spear, B. B. (1974). The genes for ribosomal RNA in Diploid and polytene chromosomes of *Drosophila melanogaster*. *Chromosoma* (Berl.). vol. 48 : 159-179.
- Sutton, E., (1942). Salivary gland type chromosomes in mosquitoes. *Proc. Nat. Acad. Sci*, 28 : 268-272.
- Trask, B., Engh, G., Pinkel, D., Mullikin, J., Waldman. F., Dekken, H. and Gray, J. (1988). Fluorescence *in situ* hybridization to interphase cell nuclei in suspension allows flow cytometric analysis of chromosome content and microscopic analysis of nuclear organization. *Hum. Genet.*, vol. 78 : 251 -259.

- Trask, B. J. (1991). Fluorescence *in situ* hybridization : Application in Cytogenetics and Genes Mapping. *Trends Genet.*, vol. 7 : 149-154.
- Van den Engh, G., Sachs, R., and Trask, B. J. (1992). Estimating genomic distance from DNA sequence location in cell nuclei by a random walk modle. *Science*, vol. 257. pp. 1410-1412.
- Ward, D. C., Lichter, P., Boyle, A., Baldini, A., Menninger, J. and Ballard, S. G. (1991). Genes mapping by fluorescent *in situ* hybridization and digital imaging microscopy. In *Etiology of Human Disease at the DNA Level* J. Lindsten and U. Peterson, eds. New York, Raven Press. 291-303.
- White, G. B. (1980). Academic and applied aspects of mosquito cytogenetics. *Insect Cytogenetics R. Entomal Symp. 10* (eds. R. L. Blackman), G. M. Hewitt and M. Ashburner, Blackwell Scientific, Oxford, pp. 245-274.
- Whitning, J. H. Jr., Pliley, M. D., Farmer, J. L. and Jeffery, D. E. (1989). *In situ* hybridization of chromosomal homologies in *Drosophila melanogaster* and *Drosophila virilis.*, *Genetics* 122. pp., 99-109.
- Williams. J. G. K., Kubelik, A. R., Livak, K. J., Rafalski, J., A. and Tiney, S. V. (1990). DNA polymorphism amplified by arbitrary primers are useful as genetic markers. *Nucleic Acids Research*, vol. 18. no. 22. 6531-6535.