

REFERENCES

References

1-Alexiewiez, J.; Smogorzewski, M.; Fadd, Z.; Massry, G.; Perez, J. (1991):

Impaired phagocytosis in chronic renal failure.

Am. J. Nephrol. 11: 1161-1168

2-AL-Timimi, J. and Dormandy, L. (1977):

The inhibition of lipid autooxidation by human ceruloplasmin.

Biochem. J. 168: 283

3-Amado, R.; Aeschbach, R. and Neukon, H. (1984):

Measurement of oxidant stress in vivo.

Methods Enzymol. 107: 337-388

4-Anderson, R.; Theron, J. and Ras, J. (1988):

Ascorbic acid neutralizes reactive oxidants released by hyperactive phagocytes from cigarette smokers.

Lung 166: 149

5-Andreoli, P. (1995):

Mechanism of oxidant mediated cell injury.

Pediatric Nephrol. 9: 27

6-Anon, A. (1988):

Inhibition of free radical chain oxidation by α -Tocopherol and other plasma antioxidants.

Nutr. Rev. 46: 206

7-Babior, M. (1978):

Oxygen-dependent microbial killing by phagocytes.

N. Eng. J. Med. 229: 659-725

8-Babior, M. (1984):

The respiratory burst of phagocytes.

J. Clin. Inve. 73: 504

9-Bast, A.; Haenen, M. and Doelman, A. (1991):

Oxidants and antioxidants.

Am. J. Med. 91(3): 2

10-Battelli, C.; Cole, D. and Strigpe, F. (1972):

Xanthine oxidase type D (dehydrogenase) in the intestine and other organs of the rat.

Biochem. J. 126: 747

11-Baud, L. and Raymond, A. (1986):

Reactive oxygen species: Production and role in the kidney.

Am. J. Physiol. 251: 765-776

12-Baud, L.; Perez, J. and Araillou, R. (1986):

Dexamethazone and hydrogen peroxide production by mesangial cells during phagocytosis.

Am. J. Physiol. 250: 596- 604

13-Bendich, A.; Machlin, J.; Scandurra, O. and Burlon, W. (1986):

The antioxidant role of vitamin C.

Adv. Free Radic. Biol. Med. 2: 419

14-Benon, H.; Bielski, J. and Gebichi, M. (1987):

Application of radiation chemistry to biology.

Pryor, W. (ed.), Academic press, New York, Vol. 3, pp. 1-51

15-Benson, M.; Cha, N.; Bueding, E.; Heine, S. and Talalay, P. (1979):

Elevation of extra-hepatic glutathione-S-transferase and epoxide hydratase activities by 2 (3)-tert-butyl-4-hydroxyanisole.

Cancer Res. 39: 2971-2977

16-Bergesio, F.; Monzani, G.; Ciuti, R.; Pinzani, P.; Fiaschi, N. et al., (1998):

Total antioxidant capacity: Is it an effective method to evaluate the oxidative stress in uremia?

J. Biolumin. Chemilumin. 13(5): 315-9

17-Beyer, F. (1994):

The role of ascorbate in antioxidant protection of biomembranes:
Interaction with vitamin E and coenzyme Q.

J. Bioenerg. Biomembr. 26: 349-358

18-Bieri, G.; Corash, L. and Hubbard, S. (1983):

Medical use of vitamin E.

N. Engl. Med. 308: 1063

19-Bonventre, V. (1984):

Cellular response to ischemia in acute renal failure: Correlation
between morphology and function edited by K. Solez and A. Vhelton.
New York: Dekker: P. 195-218

20-Boyce, N. and Holdsworth, S. (1986):

Hydroxyl radical mediation of immune renal injury.

Kidney Int. 30: 813-817

21-Brown, E.; Alade, L.; Knight, A. and Evans J. (1988):

Serum lipoperoxidation products in an infant with hemolytic
uremic syndrome.

Clin. Chem. 34: 2382-2384

22-Brown, K. and Fridovich, I. (1981):

Antioxidant and diseases.

Arch. Biochem. Biophys. 206: 414-419

23-Buoncrisiani, U.; Galli, F.; Rovidati, S.; Albertini, C. et al., (1997):

Oxidative damage during hemodialysis using vitamin E modified dialysis membrane: A preliminary characterization.

Nephron 77: 57-61

24-Burton, G.; Joyce, A. and Ingold, U. (1983):

Is vitamin E the only lipid-double, chain-breaking antioxidant in human blood, plasma and erythrocyte membrane?

Arch. Biochem. Biophys. 221: 281

25-Burton, G. and Ingold, U. (1981):

The antioxidant activity of vitamin E and related chain breaking phenolic antioxidants in vitro.

J. Am. Chem. Soc. 103: 6472

26-Burton, G. and Ingold, U. (1984):

Beta-carotene: An unusual type of lipid antioxidant.

Science 224:569-73

27-Canestrari, F.; Buoncrisiani, W.; Galli, F.; Giorgini, A. et al., (1995):

Redox state, antioxidative activity and lipid peroxidation in erythrocyte and plasma of chronic ambulatory peritoneal dialysis patients.

Clinica Chimica Acta 234: 127-136

28-Canestrari, F.; Galli, F.; Giorgini, A.; Galitta, P. et al., (1994):

Erythrocyte redox state in uremic anemia: Effects of hemodialysis and relevance of glutathione metabolism.

Acta Hematol. 91: 187-193

29-Canfield, M.; Forage, W. and Valenzula, J. (1992):

Carotenoids as cellular antioxidants.

Proc. Soc. Exp. Biol. Med. 200: 260

30-Carter, P. (1970):

Ultra-micro-estimation of human serum albumin: binding of the cationic dye, 5,5-dibromo-o-cresolsulfonphthalein.

Microchem. J. 15: 531-539

31-Carver, J.; Farb, L. and Frieden, E. (1982):

The effect of albumin, ceruloplasmin and other serum constituents on Fe (II) oxidation.

Biol. Trace Element Res. 4: 1

32-Cavdar, C.; Camsari, T.; Semin, I.; Gonenc, S. and Acikgoz, O. (1997):

Lipid peroxidation and antioxidant activity in chronic hemodialysis patients treated with recombinant human erythropoietin.

Scandinavian J. of Urology and Nephrology 31(4): 371-5

33-Chance, B.; Sies, H. and Boveris, A. (1979):

Hydroperoxide metabolism in mammalian organs.

Physiol. Rev. 59: 527-606

34-Chang, J.; Ludolph, H. and Hadox, H. (1978):

Glutathione reductase in red blood cells.

Ann. Clin. Lab. Sci. 8: 23-29

35-Charles, S. and Robert, B. (1990):

Sensitivity of erythrocyte to oxidant stress in uremia.

Am. J. Nephrol. 10: 61-68

36-Chasseaud, F. (1973):

The nature and distribution of enzymes catalyze the conjugation of glutathione with foreign compounds.

Drug Metab. Rev. 2: 185-196

37-Chau, T. and Khan, V. (1983):

L- Ascorbic acid quenching of singlet delta molecular oxygen aqueous media: Generalized antioxidant property of vitamin C.

Biochem. Biophys. Res. Commun. 115: 932

38-Costagliola, C.; Libondi, M.; Menzione, R. and Auricchio, G. (1985):

Vitamin E and red cell glutathione.

Metabolism 34(8): 124

39-Couser, G.; Baker, J. and Alder, S. (1985):

Complement and the direct mediation of immune glomerular injury: A new perspective.

Kidney Int. 28: 879-890

40-Cross, E.; Halliwell, B.; Borish, T. et al., (1987):

Oxygen radicals and human disease.

Ann. Intern. Med. 107: 526

41-Dacie, J. and Lewis, S. (1996):

Eight edition by Churchill livingstone Inc., 650 Avenue, NY

42-Daniel, W. (1987):

Biostatistics, a foundation for analysis in the health sciences.
Fourth edition. John Wiley & Sons. New York; Chichester;
Brisbane; Toronto & Singapore.

43-Del Maestro, F. (1980):

An approach to free radicals in medicine and biology.

Acta Physiol. Scand. 492: 153.

44-Descamps, B.; Nguyen, T.; Campos, H. and Crosnier, J. (1984):

Investigation of the oxidative metabolism of infiltrating phagocytic cells in human renal allograft.

Proc. 2nd Int. Workshop on renal transplant cytology, p. 151-158.

45-Emoke, E.; Sandor, T.; Zoltan, L. and Katalin, K. (1991):

The effects of vitamin E on tissue oxidation in nephrotoxic nephritis.

Pediatric Nephrol. 5: 312-317

46-Evelyne, P.; Marie, C.; Liliane, D.; Marie, T. et al., (1994):

Lipoperoxidation in plasma and red blood cells of patients undergoing hemodialysis: Vitamin A, E and Iron status.

Free Radical Biology and Medicine 16(3): 339-346

47-Fairbanks, F. and Keel, G. (1994):

Biochemical aspects of hematology in: Tietz NW. ed.

Fundamentals of clinical chemistry. Philadelphia: Saunder

Chapter 37: 789-824

48-Fantone, C. and Ward, A. (1982):

Role of oxygen derived free radicals and metabolites in leucocyte dependent inflammatory reactions.

Am. J. Pathol. 107: 395-418

49-Fatma, H.; Walid, A. and Sidney, S. (1984):

Glutathione, glutathione reductase and glutathione-s-transferase activities in erythrocytes and lymphocytes in chronic renal disease.

Research Commun. In Chemical Pathology & Pharmacology 44(3).

50-Fiorillo, C.; Oliviero, C.; Rizzuti, G.; Nediani, C. et al., (1998):

Oxidative stress and antioxidant defenses in renal patients receiving regular hemodialysis.

Clin. Chem. Lab. Med. 36(3): 149-53

51-Fisher, B. (1988):

Pulmonary oxygen toxicity in pulmonary diseases and disorders by fishman A. P.

Vol. 3 second edition. Mc Grow-Hill books company.

52-Forsmak, P.; Aberg, N.; Dallner, G. and Ersla, L. (1991):

Inhibition of lipid peroxidation by ubiquinol in submitochondrial in the absence of vitamin E.

FEBS Lett. 285: 39

53-Free, A. and Valentine, S. (1976):

Chemical and physical properties of superoxide in Michelson, A.; McCord, J. and Fridovich, I.: Superoxide and superoxide dismutase.

New York: Academic press 239

54-Freeman, A. and Crapo, D. (1982):

Free radicals and tissue injury.

Lab. Invest. 49: 412-423

55-Fridovich, I. (1983):

Superoxide radical: An endogenous toxicant.

Annu. Rev. Pharmacol. Toxicol. 23: 239

56-Getzoff, D.; Tainer, A.; Kollman, A. and Richardson, S. (1983):

Electostatic recognition between superoxide and copper, zinc SOD.

Nature 306: 287

57-Goldberg, M. and Spooner, J. (1983):

Enzymatic analysis (Bergmeyer, H. V. ed.) 3rd edn. Vol. 3, pp. 258-265, Verlag Chemie, Deerfield Beach, Fl.

58-Goldstein, M.; Kaplan, R.; Edelson, S. and Weismann, G. (1979):

Ceruloplasmin, a scavenger of superoxide anion radicals.

J. Biol. Chem. 254: 4040

59-Goldstein, M.; Kaplan, R.; Edelson, S. and Weismann, G. (1982):

Ceruloplasmin: An acute phase reactant that scavenges oxygen derived free radicals.

Ann. NY Acad. Sci. 389: 368

60-Gotoh, N. and Nik, E. (1992):

Rates of interactions of superoxide with vitamin E, C and related compounds as measured by chemiluminescence.

Biochim. Biophys. Acta 1115: 201-207

61-Grisham, B. and McCord, M. (1986):

Chemistry and cytotoxicity of reactive oxygen metabolites in:
Physiology of oxygen radicals.

American Physiological Society, Maryland: 1-18

62-Guarnieri, C.; Flamigini, F. and coldarera, M. (1980):

Role of oxygen in the cellular damage induced by reoxygenation of
hypoxic heart.

J. Mol. Cell. Cardiol. 12:707

63-Gutteridge, C.; Pateisen, K.; Segal, W. and Halliwell, B. (1981):

Inhibition of lipid peroxidation by non-binding protein lactoferrin.

Biochem. J. 199:254.

64-Gutteridge, C. and Quinlan, J. (1983):

Malondialdehyde formation from lipid peroxides in the
thiobarbituric acid test: The role of lipid radicals, iron salts and
metal chelators.

J. Appl. Biochem. 5: 293

65-Gutteridge, C. and Wilkins, J. (1983):

Reaction of free radicals in biological system.

Biochim. Biophys. Acta. 759: 38-41

66-Gutteridge, C. (1995):

Lipid peroxidation and antioxidants as biomarker of tissue damage.

Clin. Chem. 41(12): 1918-28

67-Ha, K.; Sattar, N.; Talwar, D.; Cooney, J. et al., (1996):

Abnormal antioxidant vitamin and carotenoid status in chronic renal failure.

Q. J. M. 89(10): 765-9

68-Haklar, G.; Yegenaga, I.; Yalcin, S. (1995):

Evaluation of oxidant stress in chronic hemodialysis patients: Use of different parameters.

Clinica Chimica Acta 234(1-2): 109-14

69-Halliwel, B. (1987):

Oxidants and human disease: Some new aspects.

FASEB. J. 1: 358

70-Halliwel, B. and Gutteridge, C. (1984):

Oxygen toxicity, oxygen radicals transition metals and disease.

Biochem. J. 219: 1

71-Halliwel, B. and Gutteridge, C. (1986):

Oxygen free radicals and iron in relation to biology and medicine: Some problem and concepts.

Arch. Biochem. Biophys. 246: 501

72-Halliwell, B. and Gutteridge, C. (1990):

Role of free radicals and catalytic metals ions in human disease:
An overview.

Methods Enzymol. 186: 1

73-Halliwell, B. (1991):

Reactive oxygen species in living system: Source, biochemistry
and role in human disease.

Am. J. Med. 91(3c): 14-22

74-Hansson, R.; Jonsson, S.; Lundstam, S. et al., (1983):

Effects of free radicals scavengers on renal circulation after
ischemia in the rabbit.

Clin. Sci. 65: 605-610

75-Hassan, Q.; Hussain, A.; Zaki, A.; Alsharif, Z. et al., (1995):

Protective effects of antioxidants against uremia induced lipid
peroxidation and glutathione depletion in humans.

Pharmacology & Toxicology 77: 407-411

76-Hasselwander, O. and Young, I. (1997):

Oxidation of low-density lipoprotein and atherosclerosis in CRF.

Med. Hypotheses, 49(5): 389-95

77-Hatice, P.; Sabahattin, M.; Mehemt, G. and Cengiz, U. (1996):

The role of the oxidative state of glutathione and glutathione-related enzymes in anemia of hemodialysis patients.

Clinical Biochemistry 29(6): 567-572

78-Heffner, E. and Repine, E. (1989):

Pulmonary strategies of antioxidant defense. State of the art.

Am. Res. Respir. Dis. 140: 531

79-Hertz, W.; Funokoshi, S. and Deutsch, F. (1973):

The levels of superoxide dismutase and catalase in human diseases determined immunochemically.

Clin. Chem. Acta. 46: 125

80-Hideki, N.; Tsutomu, S.; Hiroshi, N.; Megumi, N. and Eizo, A. (1996):

Mechanism of elevated local oxidant stress in early anti-glomerular basement membrane nephritis: An evaluation of oxidant production and SOD expression.

Jap. J. Nephrol. 38: 441-448

81-Hirose, K.; Longo, L.; Oppenheim, J. and Matsushima, K. (1993):

Over expression of mitochondrial manganese SOD promotes the survival of TNF, selected anticancer drugs and ionizing radiation.

FAEB J. 7: 361-368

82-Hussein, A.; Hassan, Q. and Zaki, A. (1994):

Proceeding of the 3rd conference of the college of pharmacy,
Baghdad p. 28

83-Ichikawa, I.; Kiyama, S. and Yoshiok, T. (1994):

Renal antioxidant enzymes: Their regulation and function.

Kidney Int. 45: 1-9

**84-Irene, P.; Chauveau, P.; Guerin, V.; Bardet, J.; Parvy, J. et al.,
(1990):**

Early alterations of plasma free amino acids in chronic renal
failure.

Clin. Chim. Acta 188: 101-108

85-Irene, P.; Veronique, S.; Mansauria, B.; Marc, T. et al., (1996):

Glutathione antioxidant system as a marker of oxidative stress in
chronic renal failure.

Free Radical Biology & Medicine 21(6): 845-853

86-Jacobson, H. and Moldeus, P. (1994):

Whole blood, plasma and red blood cell glutathione and cysteine in
patients with kidney disease and during hemodialysis.

Clinical Nephrology 42(3): 189-192

87-Johnson, J.; Louett, D.; Lehrer, I. and Klebanoff, J. (1994):

Oxidant defense mechanism in renal disease.

Kidney Int. 45: 352-359

88-Kagan, V.; Serbinova, E. and Packer, L. (1990):

Antioxidant effects of ubiquinones in microsomes and mitochondria are mediated by tocopherol recycling.

Biochem. Biophys. Res. Commun. 169: 851

89-Klahr, S. (1997):

Oxygen radicals and renal diseases.

Miner Electrolyte Metab. 23(3-6): 140-3

90-Kalra, J.; Mantha, V. and Prazad, K. (1994):

Oxygen free radicals: Key factors in clinical diseases.

Lab. Medica. International 1: 16

91-Klebanoff, J. (1980):

Oxygen depended cytotoxic mechanisms of phagocytosis; In Gallin, J. and Fauci, A. (eds): Advances in host mechanism.

New York, Raven press 1: 111-162

92-Kobayashi, Y.; Okahta, S.; Tanabe, J.; Tanka, Y. and Usui, T. (1978):

Erythrocyte superoxide dismutase activity in hemolytic uremic syndrome.

Hiroshima J. Med. Sci. 27: 181-183

93-Komidori, K.; Kamada, T.; Yamashita, T. et al., (1985):

Erythrocyte membrane fluidity decreased in uremic hemodialysis patients.

Nephron 40: 185-188

94-Koyama, I.; Bulkley, B. and Williams, M. (1985):

The roles of oxygen free radicals in mediating the reperfusion injury of cold.

Annu. Rev. 5: 432

95-Krinsky, I. (1988):

Membrane antioxidants.

Ann. NY Acad. Sci. 551: 17

96-Krinsky, I. (1989):

Antioxidant function of Carotenoids.

Free Radical Biol. Med. 7: 617

97-Krinsky, I. (1992):

Mechanism of action of biological antioxidants.

Proc. Soc. Exp. Biol. Med. 200: 248

98-Larsen, K. (1972):

Creatinine assay by a reaction-kinetic approach.

Clinica Chimica Acta 41: 209-217

99-Lawrence, T.; Alistair, D.; Elizabeth, M. and Ciaran, C. (1995):

Oxidative stress and erythrocyte membrane fluidity in patients undergoing regular dialysis.

Clinica Chimica Acta 235: 179-188

100-Louderback, A.; Measley, E.; Taylor, N. (1968):

A new dye-binder technique using bromocresol purple for determination of albumin in serum

Clin. Chem. 14: 793-794

101-Loughrey, M.; Young, S.; Lightbody, H.; Mc Master, D. et al., (1994):

Oxidative stress in hemodialysis.

Q. J. Med. 87: 679-683

102-Lunec, J. (1992):

Oxygen radicals: Their measurement and role in major diseases.

JIFCC 4: 58

103-Machlin, J. and Bendich, A. (1987):

Free radical tissue damage: Protective role of antioxidant nutrients.

FASEB J. 1: 441-5

104-Maddipati, R.; Gasparski, C. and Marnett, J. (1987):

Characterization of the hydroperoxide-reducing activity of human plasma.

Arch. Biochem. Biophys. 254: 9-17

105-Maddipati, R. and Marnett, J. (1987):

Characterization of the major hydroperoxide-reducing activity of human plasma: Purification and properties of selenium- dependent glutathione peroxidase.

J. Biol. Chem. 262: 17398-17403

106-Maria, M.; Mircescu, G.; Cristina, C.; Ilena, M. et al., (1995):

Effects of hemodialysis on lipid peroxidation and antioxidant system in patients with chronic renal failure.

Romanian J. Int. Med. 33(3-4): 237-242.

107-Marx, G. and Chevion, M. (1986):

Site-specific modification of albumin by free radicals.

Biochem. J. 236: 397

108-Masor, P. and Chignell, F. (1982):

Free radicals in pharmacology and toxicology.

Pharmacol. Rev. 33: 189

109-Mc Cay, B. (1985):

Vitamin E: Interaction with free radical and ascorbate.

Ann. Rev.Nutr.5: 323

110-Mc Cord, M. and Day, D. (1978):

Superoxide- dependent production of hydroxyl radical catalyzed by iron EDTA complex.

FEBS Lett. 86: 139

111-Mc Cord, M. (1983):

The chemistry and pathophysiology of superoxide.

The Physiologist 26: 156

112-Mc Cord, M. (1985):

Oxygen- derived free radicals in post ischemic tissue injury.

N. Engl. J. Med. 312: 159-163

113-Mc Cord, M. and Fridovich, I. (1969):

SOD: An enzyme function for erythrocyte.

J. Biol. Chem. 244: 6049-6055

114-Mc Cormick, R.; Harkin, M.; Johnson, J. and Ward, A. (1981):

Suppression by superoxide dismutase of immune complex-induced pulmonary alveolitis and dermal inflammation.

Am. J. Pathol. 102: 55-61

115-Mc Coy, N.; Ayon, A.; Hill, E. and Burk, F. (1986):

Oxidant stress following renal ischemia.

Kidney Int. 29: 307

116-Meister, A. (1983):

Selective modification of glutathione metabolism.

Science 220: 472-474

117-Mekinova, D.; Chorvathova, V.; Volkova, K. et al., (1995):

Effect of intake of exogenous vitamins C, E and carotene on the antioxidative status in kidneys of rats with streptozotocin-induced diabetes.

Nahrung 39(4): 257-61

118-Merta, M.; Zima, T.; Stipek, S.; Crkovaska, J. and Platenik, J. (1994): In contributions of nephrology, Vol. 115, Karger, Basel (in press).**119-Michal, T.; Tomasz, W.; Marian, D.; Mariusz, K. et al., (1992):**

Effect of hemodialysis on lipid peroxidation and antioxidant system in patient with chronic renal failure.

Metabolism 41(11): 1229-1232

120-Michelet, F.; Gueguen, R.; Leroy, P.; Wellman, M. et al., (1995):

Blood and plasma glutathione measured in healthy subjects by HPLC: Relation to sex, aging, biological variables and life habits.

Clin. Chem. 41(10): 1509-17

121-Miester, A. and Anderson, E. (1983):

Glutathione.

Ann. Rev. Biochem. 52: 711-60

122-Mimic, O.; Ljubica, D. and Biljana, M. (1988):

Erythrocyte and plasma glutathione level in patients with chronic renal insufficiency.

Biochemical medicine & metabolic Biology 39: 48-54

123-Mizuri, S.; Watanabe, K.; Hirata, K.; Izumi, S. et al., (1989):

Immunocytochemical localization of glutathione peroxidase in uremic rat kidney.

Nephrotoxicity. New York, Plenum publishing, 699-704

124-Morgan, R.; Cone, L. and Flgert, M. (1986):

The mechanism of DNA, breaking by vitamin C and superoxide and protective roles of catalase and superoxide dismutase.

Nucleic Acid Res. 3: 1139-1149

125-Motohashi, N. and Mori, I. (1983):

Superoxide-dependent formation of hydroxyl radical catalyzed by transferrin.

FEBS Lett. 157: 197

126-Nemeth, I. and Boda, D. (1994):

Blood glutathione redox ratio as a parameter of oxidative stress in premature infants with IRDs.

Free Radical Biol. Med. 16: 347-353

127-Olson, A. and Kobayashi, S. (1992):

Antioxidants in health and diseases: Over view.

Proc. Sci. Exp. Biol. Med. 200: 245

128-Ong, A.; Ong, S.; Tiensong, K. and Nilwarangkur, S. (1997):

Reduced free radical scavengers and chronic renal failure.

J. Mem. Asso. Thailand 101: 8

129-Owens, L.; Lazarus, M.; Wolcott, W. and Taylor, B. (1984):

Allopurinol and hypoxanthine pretreatment of canine kidney donors.

Transplantation 17: 424-427

130-Paller, S.; Hoidal, R. and Ferris, F. (1984):

Oxygen free radicals in ischemic acute renal failure in the rat.

J. Clin. Invest. 74: 1156-1164

131-Panzetta, O.; Cominacini, L.; Garbin, U.; Fratta, A. et al., (1995):

Increased susceptibility of LDL to in vitro oxidation in patients on maintenance hemodialysis: Effect of fish oil and vitamin E administration.

Clin. Nephrol. 44(5): 303-9

- 132-Paul, L.; Roch, M.; Man, K.; Wong, N.; Noatti, N. et al., (1991):**
Influence of uremia on PMNL oxidative metabolism in end stage renal disease and dialyzed patients.
Nephron 57: 428-432
- 133-Paul, L.; Sall, N. and Poignet, L. (1993):**
Lipid peroxidation abnormalities in hemodialysis patients.
Nephron 64: 106-109
- 134-Paul, J.; Coldagh, L.; Janet, L.; Peter, M. and Jan, Y. (1995):**
Effect of hemodialysis on total antioxidant capacity and serum antioxidants in patients with chronic renal failure.
Clin. Chem. 41(3): 1135-1138
- 135-Peter, A.; Glascott, R.; Mariya, T.; Mark, Z. et al., (1996):**
The antioxidant function of the physiological content of vitamin C.
Molecular Pharmacology 50: 994-999
- 136-Piantodosi, A. (1992):**
Pulmonary oxygen toxicity in physical, chemical and aspiration injuries of the lung in: Cecil text book of medicine, Vol. 2 19th ed.
By Wyngarden J.B., Saunders W. B. company.
- 137-Piatt, J. and O'Brien, J. (1979):**
Singlet oxygen formation by a peroxidase hydrogen peroxide and halide system.
Eur. J. Biochem. 93: 323

138-Prasad, K.; Klara, J.; Chan, P. and Chaudhary, K. (1989):

Effect of oxygen free radicals on cardiovascular function at organ and cellular levels.

Am. Heart J. 117: 1196

139-Prasad, K.; Klara, J.; Chan, P.; Chaudhary, K. and Debnath, D. (1990):

Effect of polymorphonuclear leucocyte derived oxygen free radical and hypochlorous acid on cardiac function and some biochemical parameters.

Am. Heart J. 119: 538

140-Pryor, A. (1986):

The role of free radical reaction in biological systems in : free radicals in biology, Pryor. W. (ed.).

Academic press, New York, Vol. 1, PP 1-49

141-Rehan, A.; Johnson, J.; Wiggins, C.; Kunkel, C. et al., (1984):

Evidence for the role of oxygen radicals in acute nephrotoxic nephritis.

Lab. invest. 51: 396-403

142-Rehan, A.; Wiggins, C.; Kunkel, C.; Till, D. et al., (1986):

Glomerular injury and proteinuria in rats after intrarenal injection of cobra venom factor: Evidence for the role of neutrophil derived oxygen free radical.

Am. J. Pathol. 123: 57-66

143-Richard, J.; Arnaud, J.; Jurkovitz, C.; Hachache, T. et al., (1991):

Trace elements and lipid peroxidation abnormalities in patients with chronic renal failure.

Nephron 57: 10-15

144-Richie, P.; Skow, L.; Abraham, P. and yuonne, Y. (1996):

Blood glutathione concentration in large scale human study.

Clin. Chem. 42(1): 64-70

145-Roos, D.; Weenig, S.; and Voetman, A. (1980):

Protection of human neutrophil against oxidation damage.

Agents Actions 10: 528-535

146-Rose, C. and Bode, M. (1993):

Biology of free radical scavengers: An evaluation of ascorbate.

FASEB J. 7: 1135-1142

147-Ross, D.; Norbeck, K. and Moldeus, P. (1985):

The generation and subsequent fate of glutathionyl radicals in biological systems.

J. Biol. Chem. 260: 15028

148-Rossi, F.; Della, B. V. and De-togni, P. (1985):

Mechanism and functions of the oxygen radicals producing respiration of phagocytes.

Com. Immunol. Microbiol. Infect. Dis. 8: 187-204

149-Royston, D. (1988):

Free radicals: Formation, function and potential relevance in anaesthesia.

Anaesthesia 34: 315

150-Sachs, G.; Siems, W.; Grune, T.; Schmidt, G.; Gerber, G. et al., (1990):

Nucleotide and glutathione status in erythrocyte of children undergoing chronic hemodialysis under erythropoietin treatment.

Biomed. Biochim. Acta 49: 123-4

151-Saint, G.; Bonnefont, J.; Bourelly, A.; Jaudon, T. et al., (1989):

Correction of selenium deficiency in hemodialysis patients.

Kidney Int. 36(27): 274-277

152-Sandor, T.; Nemeth, I.; Vargha, I.; Matkovics, B. and Dobos, E. (1991):

Erythrocyte defense mechanism against free oxygen radicals in hemodialysis uremic children.

Pediatric Nephrol. 5: 179-183

153-Sandor, T.; Ilona, N.; Attila, T.; Levente, S.; Bela, M. et al., (1997):

Oxidative stress and antioxidant defense mechanism in glomerular diseases.

Free Radical biology & Medicine 1(2): 161-168

154-Schafer, B. (1990):

Lipid peroxidation and antioxidant supplementation in old age.

Scand. Clin. Lab. Invest. 50: 69-75

155-Schlondorff, D. and Ardaillou, R. (1985):

Prostaglandins and other arachidonic acid metabolites in the kidney.

Kidney Int. 29: 108-119

156-Schmidtman, S.; Bachrk, V. and Precht, K. (1990):

Free radical induce increased lysis of red blood cells after hemodialysis.

Nephrol. Dial. Transplant 5: 600-603

157-Schuessler, H. and Schilling, K. (1984):

Lipid peroxidation and glutathione metabolism.

Int. J. Radiat. Biol. 45: 267-287

158-Sellke, W.; Ely, L. and Weintraub, M. (1993):

Coronary endothelial injury after cardiopulmonary bypass and ischemic cardiplegia is mediated by oxygen derived free radicals.

Circulation 88: 395

159-Serbinova, E.; Kagan, E.; Han, D. and Packer, L. (1991):

Free radical recycling and intramembrane mobility in the antioxidant properties of alpha tocopherol.

Free Radical Biology & Medicine 10: 263

160-Shinichi, Y.; Hiroshi, S.; Yosuo, N.; Hideto, S.; YoJi, K. et al., (1996):

Plasma glutathione peroxidase deficiency caused by renal dysfunction.

Nephron 73: 207-211

161-Shurtz, S.; Elisheva, M.; Batia, K. and Tamar, S. (1995):

Antioxidant enzymes activity in polymorphonuclear leukocytes in chronic renal failure.

Nephron 71: 176-179

162-Simic, T.; Mimic, J. and Sidjic, M. (1996):

Glutathione and enzymes associated with glutathione metabolism in adriamycin nephropathy.

Srpski. Arhiv. Za. Celokupno Lekarstvo 124(1): 5-7

163-Simic, O.; Simic, T.; Reljic, Z.; Markovic, S. et al., (1998):

Markers of oxidative stress after renal transplantation.

Transpl. Int. 11(1): 125-9

164-Sinclair, J.; Barnett, H. and Lunec, J. (1990):

Free radicals and antioxidant systems in health and disease.

Br. J. Hosp. Med., 43: 334

165-Southorn, S. and Powis, G. (1990):

Free radicals in medicine: Involvement in human disease.

Mayo Clin. Proc. 63: 390-408

166-Stocker, R.; Yamamoto, Y.; Mc Donagh, F.; Lzer, G. et al., (1987):

Bilirubin is an antioxidant of possible physiological importance.

Science 235: 1043

167-Stocker, R. and Frei, B. (1991):

Oxidants and antioxidants.

Academic press, London, 213-244

168-Stocks, J. and Dormandy, L. (1971):

The autooxidation of human red cell lipids, induced by hydrogen peroxide.

Br. J. Hematol. 20: 95

169-Stocks, J.; Gutteridge, C.; Rosemary, J. and Sharp, L. (1974):

Assay using bramhomogenate for measuring the antioxidant activity of biological fluid.

Clin. Sci. Med. 47: 215

170-Sûha, Y.; Mustafa, Y.; Kamil, D.; and Kaya, E. (1989):

The effect of vitamin E therapy on plasma and erythrocyte lipid peroxidation in chronic hemodialysis patients.

Clinica Chimica Acta 185: 109-112

171-Sunde, A. (1990):

Molecular biology of selenoproteins.

Annu. Rev. Nutr. 10: 451-474

172-Sutherland, H.; Walker, J.; Ball, J.; Stapley, A. et al., (1995):

Oxidation of LDL from patients with renal failure or renal transplant.

Kidney Int. 48(1): 227-36

173-Takahashi, K.; Avissar, N.; Whitin, J. and Cohen, H. (1987):

Purification and characterization of human plasma glutathione peroxidase: A selenoglycoprotein distinct from the known cellular enzyme.

Arch. Biochem. Biophys. 256: 677-686

174-Talke, H. and Schuberet, G. (1965):

Enzymatische harnstoffbestimmung in blut und serum in optischen test nach Warburg, Klin Wschr 41: 174

175-Theron, A. and Anderson, R. (1985):

Investigation of the protective effects of the antioxidants ascorbate, cysteine and dapsone on alpha-1-protease inhibitor.

Am. Rev. Respir. Dis. 133: 1049

176-Thomas, L. (1979):

Enzymatic reduction of phospholipids and cholesterol hydroperoxides in artificial bilayers and lipoproteins.

Infect. Immun. 23: 522-531

177-Thomson, M.; Holdsworth, R.; Glasgow, F. and Atkins, R. (1979):

The macrophage in the development of experimental crescentic glomerulonephritis.

Am. J. Pathol. 94: 223-235

178-Tomas, Z.; Jirina, C.; Miroslav, M.; Stanislav, S. et al., (1995):

Activity of the antioxidant enzyme, glutathione peroxidase on autosomal dominant polycystic kidney disease patient.

Biochemistry and Molecular Biology Int. 35(4): 522-531

179-Tomas, Z.; Stipek, S.; Crkovska, J.; Nemecek, K. et al., (1996):

Antioxidant enzymes, superoxide dismutase and glutathione peroxidase in hemodialysis patients.

Blood Purif. 14: 257-261

180-Tomas, Z.; Stainslav, S.; Jirina, C.; Narel, N. et al., (1996):

Lipid peroxidation and antioxidant enzymes in CAPD patients.

Renal Failure 18(1): 113-119

181-Trevor, F. (1984):

Free radical mechanisms in tissue injury.

Biochem. J. 222: 1-15

182-Uceyar, S.; Erturk, S.; Hamzaoglu, I.; Uygun, N. et al., (1998):

The role of oxygen free radicals in acute renal failure.

HBB Surg. 10(6): 387-93

183-Vina, J. (1990):

Glutathione: Metabolism and physiological functions.

Boca. Raton, F. L. CRC press 378-84.

184-Visner, A.; Block, R.; Butt, M. and Nick, S. (1991):

Regulation of manganese SOD in porcine pulmonary artery endothelial cells.

Am. J. Physiol. 260: 444-449.

185-Wald, N.; Idle, M. and Boreham, I. (1984):

Low serum vitamin A and risk of cancer.

Lancet 2: 813-819

186-Webster, R. and Nunn, F. (1988):

Molecular structure of free radicals and their importance in biological reaction.

Br. J. Anaesth. 60: 95

187-Wharton, C. and Gibson, H. (1968):

Studies of the oxygenated compound of cytochrome oxidase.

J. Biol. Chem. 243: 702

188-Whitehead, P.; Thorpeig, G. and Maxwell, J. (1992):

Enhanced chemiluminescent assay for antioxidant capacity in biological fluids.

Anal. Chim. Acta 226: 265

189-William, H.; Michael, P. and William, J. (1974):

The first enzymatic step in mercapturic acid formation

J. Biological Chemistry 22: 7130-7139

190-Yoshimura, S.; Suemizu, H.; Taniguchi, Y.; Arimori, K. et al., (1994):

The human plasma glutathione peroxidase gene: organization, sequence and localization to chromosome 5q32

Gene 145: 293-297

191-Yoshioka, T.; Homma, T.; Meyrick, B.; Takeda, M. et al., (1994):

Oxidants induce transcription activation of manganese SOD in glomerular cell.

Kidney Int. 46: 405-413