

References

REFERENCES

=====

- Aarden, L.A. : Revised nomenclature for antigen-non specific T cell proliferation and helper factors. J. Immunol., 123 : 2928-2929, 1979.
- Ada, G.L.: Antigen binding cells in tolerance and immunity. Transplant. Rev., 5 : 105-129, 1970.
- Akagi, H., Reynolds, A. and Hjelm, M.: Cyclosporine A and its metabolites distribution in blood and tissues. J. Intern. Med. Resear., 19 : 1-18, 1991.
- Akerblom, I.W., Slater, E.P. ,Deato, M., Baxter, J.D. and Mellon, P.L.: Negative regulation by glucocorticoid throught interference with CAMP responsive enhancer. Science, 241 : 350-3, 1988.
- Alberts, B., Bray, D., Lewis, J., Raff, M., Roberts, K. and Watson, J.D.: Molecular biology of the cell. 2nd ed., London and New York, Garfland Publishing Inc., 554-612, 6906-93, 1989.
- Altman, A., Coggeshall, K.M. and Mustelin, T.: Molecular events mediating T cell activation. Adv. Immunol., 45 : 227-357, 1990.
- Amerdin, A. and Katz, D.H. : Activation of T and B lymphocytes in vitro II. Biological and chemical properties of an allogenic factor active in Triggering specific B lymphocytes. J. Exp. Med., 140: 19, 1974.

- Auron, P.E., Warner, S.J. and Webb, A.C.: Studies on the molecular nature of human interleukin 2. J. Immunol., 138 : 1447, 1987.
- Bader, P., Bendigs, S., Wagner, H. and Heeg, K.: Cyclosporine A (CsA) prevent the generation of mature α/β T cells but spars β/β T lymphocytes. Current topics in Microbiology and Immunology, 173 : 81- 89, 1991.
- Baggiolini, M.A., Walz, S.L. and Kunkel, A. : Neutrophil activating peptide-1 / interleukin-8, a novel cytokine that activates neutrophils. J. Clin. Invest., 84 : 1045, 1989.
- Beatom: Gene regulation by steroid hormones. Cell, 56 : 335-44, 1989.
- Benson, A. and Ziegler, H.K. : Macrophages as targets for inhibition by cyclosporine. Transplant. 47: 696, 1989.
- Berberian, L., Goodglick, L., Kipps, T.J. and Braun, J.: Immunoglobulin VH3 gene products: natural ligands for HIV gp120. Science 261 : 1588-1591, 1993.
- Berek, C., Berger, A. and Apel, M.: Mutation of the immune response in germinal centers. Cell 67 : 1121-1129, 1991.
- Bettens, F., Kristensen, F., Walker, C., Schwulerau and Bonnard, G.D.: Lymphokine regulations of activated lymphocytes. II. Glucocorticoid and anti-tac induced inhibition of human T lymphocyte proliferation. J. Immunol., 132 : 261-5, 1984.

- Beukers, R., de Rare, S., Vanden Berg, J. and Schalm, S.W.: Oral pharmacokinetics of cyclosporine in patients with primary billiary cirrhosis and patients with skin diseases. *Alimentary Pharmacology and Therapeutics*, 6 : 459-968, 1992.
- Billiau, A., Van Damme, J., Ceuppens, J. and Baroja, M.: Interleukin 6, a ubiquitous cytokine with paracrine as well as endocrine functions. In *lymphokine interacting*. PP. 133-142. John Libby Euratext Ltd., London, 1989.
- Bloemena, E., Van Oers, N.H.J., Weinreichs and Schellekens P.T.: Cyclosporine A and prednisolon do not inhibit the expression of high affinity receptors for interleukin 2. *Clinical and exp. Immunol.*, 71 : 308-313, 1988.
- Borel, J.F., Feurer, C., Cubler and H.U. and Stahelin, H.: Biological effect of cyclosporine A: A new antilymphocytic agent. *Agents and actions*, 6 : 468-475, 1976.
- Boumpas, D.T., Anastassiou, E.D., Older, S.A., Toskos, G.C., Nelson, D.L. and Balow, J.E: Dexamethasone inhibits human IL-2 but not IL-2R gene expression in vitro at the level of nuclear transcription. *J. Clin. Invest.* 88: 288-395, 1991a.
- Boumpas, D.T., Paliogianni, F., Anastassiou, E.D. and Balow, J.E.: Glucocorticosteroid action on the immune system: Molecular and cellular aspects. *Clinical and experimental Rheumatology*, 9 : 413-423, 1991b.
- Bowen, D.L. and Fauci, A.S.: Adrenal corticosteroids. In Gallin, J.I., Goldstein, I.M. and Snyderman, R. (Eds.) *Inflammation: Basic and clinical correlates*, New York, Raven press, 935-46, 1988.

- Boyem, A. : Isolation of lymphocytes granulocytes and macrophages. Scand. J. Immunol., 5 : 312-319, 1976.
- Brynskov, J., Freund, L., Campanini, M.C. and Kampmann, J.P.: Cyclosporine pharmacokinetics after intravenous and oral administration in patients with Crohn's disease. Scand. J. of Gastroent., 27 : 961-967, 1992.
- Bunjes, D., Hardt, C., Rollinghoff, M. and Wagner, H.: Cyclosporine A mediates immunosuppression of primary cytotoxic T-cell responses by impairing the release of interleukin-1 and interleukin-2. Europ. J. of Immunol., 11 : 657-661, 1981.
- Bunke, M., Wilder, L. and Martin, A.: protection of glomerular filtration rate by the thromboxane receptor antagonist L655, 240 during low dose cyclosporine administration. Prostaglandins 43 : 351-360, 1992.
- Burdick, J.F.: The biology of immunosuppression mediated by antilymphocyte antibodies. In Williams, G.M., Burdick, J.F. and Solez, K. (Eds.): Kidney transplant rejection: Diagnosis and treatment, Marcel Dekker, New York, P. 307, 1986.
- Butcher, E.C., Rouse, R.V., Coffman, R.L., Nottenburg, C.N., Hardy, R.R. and Weissman, I.L.: Surface phenotype of Peyer's patch germinal center cells: implications for the role of germinal centers in B cell differentiation. J. Immunol., 129 : 2698-2707, 1982.
- Buttler, W.T. and Rossen, R.D.: Effects of corticosteroids on immunity in man. Decreased serum IgG concentration caused by 3 or 5 days of high doses of methylprednisolone. J. Clin. Invest., 52 : 2629-40, 1973.

- Cantrell, D.A. and Smith, K.A. : Transient expression of interleukin 2 receptors (consequences for T cell growth). J. Exp. Med. 158: 1895, 1983.
- Chang, T.W., Kung, P.C., Gingras, S.P. and Goldstein, G.: Does OKT3 monoclonal antibody react with an antigen recognition structure on human T cells? Proc. Natl. Acad. Sci. USA, 78 : 1805, 1981.
- Chen, W.F. and Zlotnik, A.: IL-10 a novel cytotoxic T cell differentiation factor. J. Immunol., 147 : 528, 1991.
- Clarke, E., Quinn, D.G. and McCann S.R.: Inhibitory effect of cyclosporine A on erythroid and stromal colonies. European J. Hematology, 47 : 282-286, 1991.
- Cohen, J.J., Duke, R.C. and Sellins, K.S.: Stimulation by superantigen. Nature 352 : 199-200, 1991.
- Colvin, R.B., Fuller, T.C. Mackeen, R., Kung, P.C. and Cosimi, A.B.: Plasma interleukin-2 receptor level in renal allograft recipient. Clin. Immunopath., 43 : 273, 1986.
- Cosimi, A.B. and Delmonico, F.L.: Antilymphocyte antibody immunosuppressive therapy. In Williams, G.M., Burdick, J.F. and Solez, K. (eds): Kidney transplant rejection: Diagnosis and treatment, Marcel Dekker, New York, P. 335, 1986.
- Cupps, T.R., Gerrard, T.L., Falkoff, R.J.M., Whalen, F. and Fauci, A.S.: Effects of in vitro corticosteroids on B cell activation, proliferation and differentiation. J. Clin. Invest., 75 : 754-6, 1985.

- David, D.S., Grieco, M.H. and Cushman, P.: Adrenal glucocorticoid after twenty years. A review of their clinically relevant consequences. J. Chronic Dis., 22 : 637-711, 1970.
- Dennis, G., June, C.H. and Mizuguchi, J.X. : Glucocorticoid suppress calcium mobilization and phospholipid hydrolysis in anti-Ig-antibody-stimulated B cells. J. Immunol., 139 : 2516-23, 1987.
- Depper, J.M., Leonard, W.J., Drogula, C., Kronke, M., Waldmann, T.A., and Greene, W.C. : Interleukin-2 (IL-2) augments transcription of IL_2R gene. Proc. Natl. Acad. Sci. USA. 82: 4230, 1985.
- Dewaal-Malefyt, R.J., Haanen, H., Spits, M.G., Roncarolo, A. Tevelde, C., Flgdor, K., Johnston, R., Kastelein, H. and de Vires, J.E. : IL-10 and viral IL-10 strongly reduce antigen specific human T cell proliferation by diminishing the antigen presenting capacity of monocytes via down regulation of class II MHC expression. J. Exp. Med., 174 : 915, 1991.
- Dinarello, C.A.: Interleukin-1. Rev. Infect. Dis., 6 : 51-59, 1984.
- Dipadova, F.E.: Pharmacology of cyclosporin (Sandimmune) V. Pharmacological effects on immune function: In vitro studies. Pharmacological Reviews, 4 : 373-405, 1989.
- Disanto, J.P., Keever, C.A., Small, T.N., Nichols, G.L., O'Reilly, R.J., and Flomenberg, N.: Absence of interleukin-2 production in a severe combined immunodeficiency disease syndrome with T cells. J. Exp. Med., 171 : 1697-1740, 1990.

- Donahue, R.E., Yang, Y.C. and Clark, S.C.: Human P40T-cell growth factor (Interleukin-9) Support erythroid colony formation. *Blood*, 75 : 2271, 1990.
- Drath, D.B. and Kahan, B.D.: Alterations in rat pulmonary macrophage function by the immunosuppressive agents, cyclosporine, azathioprine and prednisolone. *Transp. (Baltimore)* 35 : 588-592, 1983a.
- Drath, D.B. and Kahan, B.D.: Pulmonary macrophages and polymorphonuclear leukocyte function in response to immunosuppressive therapy. *Transp. Proc.* 15 (Suppl. 1): 2367-2372, 1983b.
- Drewe, J., Beglinger, C. and Kissel, T.: The absorption site of cyclosporine in human gastrointestinal tract. *British J. Clin. Pharmacol.*, 33 : 39-43, 1992.
- Durum, S.K., Schmidt, J.A. and Oppenheim, J.J.: Interleukin-1: An immunological perspective. *Annu Rev. Immunol.*, 3 : 263-287, 1985.
- Eisen, H.N. : The immune response to a simple antigenic determinant. *Harvey lect.* 60: 1-34, 1966.
- Elias, J.A., Trinchieri, G., Beck, J.M., Simon, P.L., Sehgal, P.M., May, L.T. and Kern, J.A.: A synergistic interaction of IL6 and IL-1 mediates the thymocyte-stimulating activity produced by recombinant IL-1 stimulated thymocytes. *J. Immunol.*, 142 : 509-514, 1989.
- Erard, F., Corthesy, P., Nabholz, M., Lowenthal, J.W. and Zaech, P. : Interleukin-2 is both necessary and sufficient for the growth and differentiation of lectin-stimulated cytotoxic T lymphocyte precursors. *J. of Immunol.*, 134 : 1644-1652, 1985.

- Fahr, A.: Pharmacokinetics, metabolism and biological activity of cyclosporine. *Clinical pharmacokinetics*, 24 : 472-495, 1993.
- Farrar, W.L., Johnson, H.M. and Farrar, J.J.: Regulation of the production of immune interferon and cytotoxic T lymphocytes by interleukin-2. *J. Immunol.*, 126 : 1120, 1981.
- Fauci, A.S. and Dale, D.C.: The effect of in vivo hydrocortisone on subpopulation of human lymphocytes. *J. Clin. Invest.*, 54 : 240-6, 1974.
- Fauci, A.S., Dale, D.C. and Balow, J.E.: Glucocorticosteroid therapy: Mechanism of action and clinical consideration. *Ann. Inter. Med.*, 84 : 304-15, 1976.
- Fischer, G., Wittmann-Liebold, B., Lang, K., Kiefhaber, T. and Schmid, F.X.: Cyclosporine and peptidylprolyl Cis-trans isomerase are probably identical proteins. *Nature*, 337 : 476-478, 1989.
- Fiorentino, D.F., Bond, M.W. and Mosmann, T.R.: Two types of mouse T helper cells. IV. Th2 clones secrete a factor that inhibits cytokine production by Th1 clones. *J. Exp. Med.*, 170 : 2081, 1989.
- Fiorentino, D.F., Zlotnik, P., Viera, T.R., Mosmann, M., Howard, K.W., Moore and O'Garra, A. : IL-10 acts on the antigen presenting cell to inhibit cytokin production by Th1 cells. *J. Immunol.*, 146 : 3444, 1991.

- Fraser, J.D., Straus, D. and Weiss, A.: Signal transduction events leading to T-cell lymphokine gene expression. *Imunol. Today* 14 : 357-362, 1993.
- Freeman, D.J.: Pharmacology and pharmacokinetics of cyclosporine. *Clin. Biochem.* 24 : 9-14, 1991.
- Fries, L.E., Birchman, C.M. and Frank, M.M.: Monocyte receptors for the FC portion of IgG increase in number in autoimmune haemolytic anemia and other hemolytic states and are decreased by glucocorticoid therapy. *J. Immunol.*, 131 : 1240-5, 1983.
- Fuller, R.W., Kelsey, C.R., Colep, J., Dollery, C.T. and Macdermot, J.: Dexamethasone inhibits the production of thromboxane B2 and leukotriene B1 by human alveolar and peritoneal macrophages in culture. *Clin. Sci.*, 67 : 653-6, 1984.
- Fung, J.J., Todo, S. and Jain, A. : Conversion of liver allograft recipients with cyclosporine related complications from cyclosporine to FK506. *Transplant. Proc.* 22 : 6, 1990.
- Furue, M. and Ishibashi, Y.: Differential regulation by dexamethasone and cyclosporine of human T cells activated by various stimuli. *Transplantation*, 52 : 522-526, 1991.
- Galindo, B.: Glucocorticoid modulation of lymphokine-induced giant cell formation. *Inflammation*, 8 : 393-406, 1984.
- Gauchat, J.F., Khandjian, L.W. and Well, R.: Cyclosporine prevents induction of interleukin-2 receptor gene in cultured murine thymocytes. *Proc. Natl. Acad. of Sci. USA.* 83 : 6430-6434, 1986.

- Gery, I., Gershon, R.K. and Waksman, B.H.: Potentiation of the T lymphocyte response to mitogens. I. The responding cell. *J. Exp. Med.*, 136 : 128-142, 1972.
- Gillis, S., Grabtree, G.R. and Smith, K.A.: Glucocorticoid-induced inhibition of T cell growth factor production. The effect on mitogen-induced lymphocyte proliferation. *J. Immunol.*, 123 : 1624-31, 1979.
- Giri, J.G., Lomedico, P.T. and Mizel, S.B.: Studies on the synthesis and secretion of interleukin 1.I. A33,000 molecular weight precursor for interleukin 1. *J. Immunol.*, 134 : 343-349, 1985.
- Go, N.F., Castle, B.E., Barrett, R., Kastelein, R., Dang, W., Mosmann, T.R., Moore, K.W. and Howard, M.: Interleukin-10 (IL-10) a novel B cell stimulatory factor: Unresponsiveness of X-chromosome-linked immunodeficiency B cells. *J. Exp. Med.*, 173 : 1625, 1990.
- Goldstein, G.: Therapeutic use of the monoclonal antibody orthoclone OKT3. *Transplant. Proc.*, 19 : 1, 1987.
- Grace, A.A., Barradas, M.A., Mikhailidis, D.P. and Moorhead, J.F. : Cyclosporine A enhances platelet aggregation. *Kidney International*, 32 : 889-895, 1987.
- Granelli-piperno, A.: Lymphokine gene expression in vivo inhibited by cyclosporine A. *J. Exp. Med.*, 171 : 533-544, 1990.
- Grayson, J., Dooley, N.J., Koski, I.R. and Blaese, R.M.: Immunoglobulin production induced in vitro by glucocorticoid hormones. *J. Clin. Invest.*, 68 : 1539-47, 1981.

- Grevel, J.: Optimization of immunosuppressive therapy using pharmacokinetic principles. *Clin. Pharmacokine.*, 23 : 380-390, 1992.
- Gutman, G.A. and Weissman, I.L.: Lymphoid tissue architecture: Experimental analysis of the origin and distribution of T cells and B cells. *Immunology*, 23 : 465-479, 1972.
- Guy-Grand, D., Griscelli, C. and Vassalli, P.: The mouse gut T lymphocyte: a novel type of T cell. *J. Exp. Med.*, 148 : 1661-1677, 1978.
- Hall, J.G.: An assay on lymphocyte circulation and the gut. *Mongr. Allergy.*, 16 : 100-111, 1980.
- Hanh, B.H., Macdermott, R.P., Jacobs, S.B., Pletscher, L.S. and Beale, M.G.: Immunosuppressive effects of low doses of glucocorticoid: Effects on autologous and allogeneic mixed leukocyte reactions. *J. Immunol.*, 124 : 2812-18, 1980.
- Hardie, D.L., Johnson, G.O., Khan, M. and MacLennan, I.C.: Quantitative analysis of molecules which distinguish functional compartment within germinal centers. *Eur. J. Immunol.*, 23 : 997-1004, 1993.
- Hart, P.H., Vitti, G.F., Burgess, D.R., Whitty, G.A., Piccol., D.S. and Hamilton, J.A.: Potential antiinflammatory effects of interleukin 4: Suppression of human monocyte tumor necrosis factor α , Interleukin 1 and prostaglandin E₂. *Proc. Natl. Acad. Sci. USA*, 86 : 3803-3807, 1989.

- Hazuda, D.J., Lee, J.C. and Young, P.R.: The kinetics of interleukin 1 secretion from activated monocytes. Differences between interleukin 1 a and interleukin 1b. J. Biol. Chem., 263 : 8473-8479, 1988.
- Henricsson, S., Lindholm, A. and Johansson, A.: Identification of a sulfate conjugate of cyclosporine. Transplantation Proceeding 21 : 837-838, 1989.
- Herman, A., Kappler, J.W., Marrack, P. and Pullen, A.M.: Superantigens: mechanism of T-cell stimulation and role in immune responses. Annu. Rev. Immunol., 9 : 745-772, 1991.
- Hess, A.D., and Tutschka, P.J. : Effect of cyclosporin-A on human lymphocyte responses in vitro-I. CsA allows for the expression of alloantigen-activated suppressor cells while preferentially inhibiting the induction of cytotoxic effector lymphocyte in MLR-J. Immunol. 124: 2601, 1980.
- Hess, A.D., Tutschka, P.J., Pu, Z. and Santos, G.W. : Effect of cyclosporin A on human lymphocyte responses in vitro IV. production of T cell stimulatory growth factors and development of responsiveness to these growth factors in CsA-treated primary MLR cultures. J. Immunol. 128(1) : 360, 1982.
- Hirsch, L.J. and Mazzone, T. : Dexamethasone modulates lipomacrophages. Stimulation of scavenger receptor activity. J. Clin. Invest., 77 : 485-90, 1986.
- Ho, F., Lortan, J., Khan, M. and MacLennan, I.C.: Distinct short-lived and long-lived antibody-producing cell population. Eur. J. Immunol., 16 : 1297-1301. 1986.

Holt, D.W. and Johnston, A.: Cyclosporine monitoring: its role in autoimmune indications. J. Autoimmun., 5 (Suppl. A): 177-182, 1992.

Hooks, J.J., Moutsopoulos, H.M., Geis, S.A., Stahl, N.I., Decker, J.L. and Notkins, A.L.: Immune interferons in the circulation of patients with autoimmune disease. N. Engl. J. Med., 301 : 5-8, 1979.

Howard, M., Matis, L., Malek, T.R. and Shevach, E. : Interleukin 2 induces antigen-reactive T cell lines to secrete BCGFI. J. Exp. Med., 158 : 2024-2039, 1983.

Ihle, J.N. and Weinstein, Y.: Immunological regulation of hematopoietic lymphoid stem cell differentiation by interleukin 3. Adv. Immunol., 39 : 1-50, 1986.

Ilfield, D.N., Krakaauer, R.S. and Blaese, R.M. : Suppression of the human mixed lymphocyte reaction by physiologic concentrations of hydrocortisone. J. Immunol., 119 : 428-34, 1977.

Janeway, C.A., Jr. and Bottomly, K. : Signals and signs for lymphocyte responses. Cell 76 : 275-285, 1994.

Jeffery, S., Riegel, B.C., Michael, F.G., Gerald, R. and Crabtree, W. : Regulation of interleukin 2 gene. Chem. Immunol., 51 : 266-298, 1992.

Jorgensen and Lamm's : MLC-A micromodification of the fixed lymphocyte culture technique. Tissue antigens, 4 : 482, 1974.

Kahan, B.D.: Cyclosporine. New Eng. J. Med., 321 : 1725-1738, 1989.

Kaufman, D.B., Kim, T.H. and Slavin, S. : Long-term clinical studies of high-risk renal retransplant recipients given total lymphoid irradiation. *Transplant. Proc.*, 21 : 1798, 1989.

Keown, P.A. and Stiller, C.R.: Control of rejection of transplanted organs. *Adv. Intern. Med.*, 31 : 17-46, 1986.

Kern, J.A., Laumb, R.J., Reed, J.C., Daniele, R.P. and Nowell, P.C.: Dexamethasone inhibition of interleukin-1 beta production by human monocytes. Post transcriptional mechanisms. *J. Clin. Invest.*, 81 : 237-44, 1988.

Kishimoto, T. and Hirano, T.: Molecular regulation of B lymphocyte response. *Annu. Rev. Immunol.*, 6 : 485-512, 1988.

Kirkberg, J., Bruno, L. and Von Bohmer, H.: CD4⁺8⁻ help prevents rapid deletion of CD8⁺ cells after transient response to antigen. *Eur. J. Immunol.*, 23 : 1963-1967, 1993.

Koivisto, V.A., Leirisalo-Repo, M., Pelkonen, R., Turunen, U. and Rapola, J. : Cyclosporine reduces renal prostanoid excretion in type I diabetic patients. *Acta. Diabetologica*, 29 : 1-5, 1992.

Kraal, G., Weissman, I.L. and Butcher, E.C.: Memory B cells express a phenotype consistent with migratory competence after secondary but not short-term primary immunization. *Cell Immunol.*, 115 : 78-87, 1988.

Kronenberg, M., Siu, G., Hood, L.E. and Shastri, N.: The molecular genetics of the T-cell antigen receptor and T cell antigen recognition. *Annu. Rev. Immunol.*, 4 : 529, 1986.

Kumagai, N., Benedict, S.H., Milla, G.B. and Gelfand, E.W.: Requirement for simultaneous lymphocyte proliferation related genes. *J. Immunol.*, 139 : 1393-1399, 1987.

Landegren, U., Ramstedt, U. and Axberg, I. : Selective inhibition of human T cell cytotoxicity at levels of target recognition or inhibition of lysis by monoclonal OKT3 and leu-2a antibodies. *J. Exp. Med.*, 155 : 1579, 1982.

Larson, G.G., Anderson, A.O., Adella, E., Oppenheim, J.J. and Matsushima, K.: The neutrophil-activating protein (NAP-1) is also chemotactic for T lymphocytes. *Science.*, 243 : 1464, 1989.

Larsson, E.L.: Cyclosporine A and dexamethasone suppress T cell responses by selectively acting at distinct sites of the triggering process. *J. Immunol.*, 124 : 2828, 1980.

Larsson, E.L.: I. Mechanism of T cell activation. II. Antigen and lectin-dependent acquisition of responsiveness to TCGF i a non mitogenic, active response of resting T cells. *J. Immunol.*, 126 : 1323, 1981.

Lee, G., Namen, A.E., Gillis, S., Ellingsworth, L.R. and Kincade, P.W.: Normal B cell precursors responsive to recombinant murine IL-7 and inhibition of IL-7 activity by transforming growth factor-*B*. *J. Immunol.*, 142 : 3875-3883, 1989.

Lensmeyer, G.L., Weibe, D.A., Carlson, I.H. and Subramanian, R.: Concentrations of cyclosporin A and its metabolites in human tissues postmortem. *J. Ana. Toxicology*, 15 : 110-115, 1991.

Lewin, B.: Genes IV., Cambridge, cell press, and Oxford, Oxford University Press, 543-77, 1990.

Lillehoj, H.A., Malek, T.R., and Shevach, E.M. : Differential effect of cyclosporin A on expression of T and B lymphocyte activation antigens. J. Immunol. 133: 244, 1984.

Lindberg, A., Odland, B., Tufveson, G., Lindstrom, B. and Gabrielsson, J.: The pharmacokinetics of cyclosporine A in uremic patients. Transplantation proceedings 18 (Suppl. 5) : 144-152, 1988.

Lindholm, A.: Factors influencing the pharmacokinetics of cyclosporine in man. Therapeutic drug monitoring., 13 : 465-477, 1991.

Linton, P.J., Rudie, A. and Klinman, N.R.: Tolerance susceptibility of newly generating memory B cells. J. Immunol., 146 : 4099-4104, 1991.

Lomedico, P.T., Gulber, U. and Mizel, S.B.: Cloning and expression of murine, human and rabbit interleukin-1 genes. Lymphokines 13 : 139-150, 1987.

Lucey, M.R., Kolars, J.C., Merion, R.M., Cambell, D.A. and Aldrich, M.: Cyclosporin toxicity at therapeutic blood levels and cytochrome P-450 III A. Lancet 335 : 11-15, 1990.

MacDonald, R.G. and Cidlowski, J.A.: Glucocorticoid inhibit precursor incorporation into protein in splenic lymphocytes by stimulating protein degradation and expanding intracellular amino acid pools. Biochem. Biophys. Acta., 71 : 236-47, 1982.

- MacDonald, H.R., Baschieri, S. and Lees, R.K.: Clonal expansion precedes anergy and death of V β 8⁺ peripheral T cells responding to staphylococcal enterotoxin B in vivo. *Eur. J. Immunol.*, 21 : 1963-1966, 1991.
- Mackay, C.R.: Immunological memory. *Adv. Immunol.*, 53 : 217-265, 1993.
- Malek, T.R. and Ashwell, J.D.: Interleukin 2 upregulates expression of its receptor on a T cell clone. *J. Exp. Med.*, 161 : 1575-1580, 1985.
- Manca, F., Fenoglio, D., Kunkil, A., Caltabellotta, M. and Celada, F.: Effect of cyclosporine on the antigen presenting function of human and murine accessory cells. *Transpl.*, 46 (Suppl.): 40-43, 1988.
- Marrack, P., Hugo, P., McCormack, J. and Kappler, J.W.: Death and T cells. *Immunol. Rev.*, 133 : 119-129, 1993.
- Mason, J.: The pathophysiology of Sandimmune (cyclosporine) in man and animals. *Pediatric Nephrology*, 4 : 554-574, 1990.
- Maurer, G. and Lemarie, M.: Biotrans formation and distribution in blood of cyclosporin and its metabolites-transplantation. *Proceedings 18 (Suppl. 5)*: 25-34, 1986
- McBride, J.H., Kim, S.S., Rodgeron, D.O., Reyes, A.F. and Otal, M.K.: Measurement of cyclosporine by liquid chromatography and three immunoassays in blood from liver, cardiac and renal transplant recipients. *Clinical Chemistry*, 38 : 2300-2306, 1992.

- McDonald M.L., Ardito, T., Marks, W.H., Kasharian, M. and Lorber, M.I.:
The effect of cyclosporine administration on the cellular distribution and content of cyclosporin. *Transp.*, 53 : 460-466, 1992.
- McDonnell, T.J., Deane, N., Platt, F.M., Nunez, G., Jaeger, U., McKearn, J.P. and Korsmeyer, S.J.: Bcl-2 immunoglobulin transgenic mice demonstrate extended B cell survival and follicular lymphoproliferation. *Cell*, 57 : 79-88, 1989.
- McKenzie, A.N., Cuplepper, J.A., de Waal Malefyt, R., Briere, F., Punnonen, J. and Aversa, G. : Interleukin-13 a novel T cell-derived cytokine that regulates human monocyte and B cell function . *Proc. Natl. Acad. USA*, 90 : 3735, 1992.
- Meuer, S.C., Hussey, R.E. and Cantrell, D.A.: Triggering of the T3-Ti antigen-receptor complex results in clonal T-cell proliferation through an interleukin-2 dependent autocrine pathways. *Proc. Natl. Acad. Sci. USA*, 81: 1509, 1984.
- Miller, J.J., and Nassal, G.J.V.: Antigens in immunity. V. The phagocytic reticulum of lymph node follicles. *J. Exp. Med.*, 130 : 1075-1086, 1964.
- Minakuchi, R., Wacholtz, M.C., Davis, L.S. and Lipsky, P.E.: Delineation of the mechanism of inhibition of human T cells activation by PGE. *J. Immunol.*, 145 : 2616-25, 1990.
- Mitchell, L.C., Davis, L.S. and Lipsky, P.E.: Promotion of human T lymphocyte proliferation by IL-4. *J. Immunol.*, 142 : 1548-1557, 1989.

- Mizel, S.B. and Farrar, T.J.: Revised nomenclature for antigen-nonspecific T cell proliferation and helper factors. *Cell Immunol.*, 48 : 433-436, 1979.
- Mizel, S.B.: Interleukin-1. Biology and molecular biology. In cellular and molecular aspects of inflammation (Poste, G. and Grooke, S.T., eds) PP. 75-96. Plenum, New York, 1988.
- Mizel, S.B.: The interleukins. *FASEB J.*, 3 : 2379-2388, 1989.
- Montminy, M.R. and Bilezikjian, L.M.: Binding of nuclear protein to the cyclic-AMP response element of the somatostatin gene. *Nature*, 328 : 175-8, 1987.
- Morgan, D.A., Ruscetti, F.W. and Gallo, R.C.: Selective in vitro growth of T lymphocytes from normal human bone marrows. *Science*, 193 : 1007-1010, 1976.
- Morrissey, P.J., Goodwin, R.G., Nordan, R.P., Anderson, D., Grabstein, K.H., Cosman, D., Sims, J. and Lupton, S. : Recombinant interleukin-7 pre-B cell growth factor, has costimulatory activity on purified mature T cells. *J. Exp. Med.*, 169 : 707-716, 1989.
- Moskophidis, D., Lechner, F., Pircher, H. and Zinkernagel, R.M.: Virus persistence in actually infected immunocompetent mice by exhaustion of antiviral cytotoxic effector T cells. *Nature*, 362 : 758-761, 1993.
- Mueller, D.L., Jenkins, M.K. and Schwartz, R.H.: Clonal expression versus functional clonal inactivation: A costimulatory signalling pathway determines the outcome of T cell antigen receptor occupancy. *Annu. Rev. Immunol.*, 7 : 445-480, 1989.

- Myburgh, J.A., Meyers, A.M. and Botha, J.R. : Total lymphoid irradiation in clinical transplantation. Clin. Transplant., 1 : 65, 1987.
- Myburgh, J.A., Meyers, A.M. and Thomson, P.D., et al.: Total lymphoid irradiation: Current status. Transplant. Proc., 21 : 826, 1989.
- Nairmpn, Schwartz, S.A: Immunomodulatory effect of corticosteroids on natural killer and antibody-dependent cellular cytotoxic activities of human lymphocytes. J. Immunol., 132 : 2876-82, 1984.
- Nakagawa, H., Miyai, H., Hirata, M., Watanabe, K. and Onuma, I.: Synergism between interleukin 1 and tumor necrosis factor- α in production by 3T3 cells of a chemotactic factor for rat polymorphonuclear cells. Inflammation 13 : 553, 1989.
- Neilsen O.H., Bukhave, K., Ahnfelt-Ronne, I. and Elmgreen J., :Arachidonic acid metabolism in human neutrophils: Lack of effect of cyclosporine A. Intern. Immunopharmacology, 8 : 419-426, 1986.
- Northrop, J.P., Crabtree, G.R. and Mattila, P.S.: negative regulation of interleukin-2 transcription by glucocorticoid receptor. J. Exp. Med., 175 : 1235-1245, 1992.
- Nossal, G.J.V., Abbot, A., Mitchell, J. and Lammus, Z.: Antigens in immunology. XI Ultrastructural features of antigen capture in primary and secondary lymphoid follicles. J. Exp. Med., 121 : 277-290, 1968.
- Nouri, G. and Nouri, A.M. : Comparison of the inhibition by glucocorticoids and cyclosporin A of mitogen-stimulated human lymphocyte proliferation. Clin. Exp. Immunol., 44: 287, 1981.

- Nowill, A., Hansen, J.A. and Maltezos, D.: Interleukin-2 dependent release of interleukin 3 activity by T4⁺ human T cell clones. Proc. Natl. Acad. Sci., 82 : 7020, 1985.
- Ochiai, T., Nakajima, K. and Nagata, M. : Effect of a new immunosuppressive agent KF506, on heterotopic cardiac allotransplantation in the rat. Transplant. Proc., 19 : 1284, 1987.
- O'Garra, A., Umland, S., DeFrance, T. and Christiansen, J.: "B-cells factors" are pleiotropic. Immunol Today., 9 : 45-54, 1988.
- O'Mally, B.W.: Steroid hormone action in eukaryotic cells. J. Clinical Invest., 74 : 307-11, 1984.
- Opelz, G. and Terasaki, P.I.: Studies on the strength of HLA antigens in related donor kidney transplants. Transplant., 24 : 106, 1977.
- Ostensen, M., Hoyeraal, H.M. and Kass, E.: Tolerance of cyclosporine A in children with refractory juvenile rheumatoid arthritis. Journal of Rheumatology, 15 : 1536-1538, 1988.
- Paavonen, T.: Glucocorticoids enhance in vitro Ig synthesis of pokeweed mitogen-stimulated human B cells by inhibiting the suppressive effect of T8-T cells. Scand. J. Immunol., 21 : 63-71, 1985.

Phawa, R., Chatila, T., Pahwa, S., Paradise, C., Day, N.K., Geha, R., Schwartz, S.A., Slade, H., Oyaizu, N. and Good, R.A.: Recombinant interleukin-2 therapy in severe combined immunodeficiency disease. Proc. Natl. Acad. USA, 86 : 5069-5073, 1989.

Pankewycz, O., Kelley, V.E. and Stram, T.B.: The cascading effect of IL-1, and IL-2 in T-cell proliferation. Clin. Immunol. Immunopathol. 88: 217-220, 1988.

Parker, C.W., Huber, M.G. and Baumann, M.L.: Alterations of the cyclic AMP metabolism in human bronchial asthma. III. leukocyte and lymphocyte responses to steroids. J. Clin. Invest., 52 : 1342-8, 1973.

Paul, W.E. and Ohara, J.: B cell stimulatory factor 4 interleukin-4. Annu. Rev. Immunol., 5 : 429-460, 1984.

Paul, W.E. and Seder, R.A. : Lymphocyte responses and cytokines. Cell 76 : 241-251, 1994.

Penn, I.: malignancies associated with immunosuppressive or cytotoxic therapy. Surgery 83 : 492, 1978.

Petit-Frere, C. : Interleukin 9. Immunol, 79: 146, 1993.

Pober, J.S., Gimbrone, M.A., Jr. and Cotran, R.S. : Ia expression by vascular endothelium is inducible by activated T cells and by human gamma interferone. J. Exp. Med., 157 : 1339, 1983.

Povlsen, J.V., Møller, B.K., Christiansen, B.S. and Petersen, C.M.: Cyclosporine A mediated immunosuppression in vitro: effect on high affinity interleukin-2 receptor expression and turnover. *Tissue Antigens*, 33 : 4-14, 1989.

Punnonen, J.G., Aversa, B.G., Cocks, A.N.J., McKenzie, S., Menon, G., Zurawski, R. de Waal Malefyt, and de Vries, J.E.: Interleukin-13 induces interleukin-4 independent IgG4 and IgE synthesis and CD23 expression by B cells. *proc. Natl. Acad. Sci. USA*, 90 : 3730, 1992.

Radeke, H.H., Christians, U., Seweing, K.F. and Resch, K.: The synergistic immunosuppressive potential of cyclosporine metabolite combinations. *Intern J. Immunopharmacology*, 14 : 595-604, 1992.

Razzeca, K.J., Pillemer, E., Weissman, I.L. and Rouse, R.V.: In situ identification of Idiotypic-positive cells participating in the immune response to phosphorylcholine. *Eur. J. Immunol.*, 16 : 393-399, 1986.

Reed, J.C., Abbleah, J.D., Hoover, R.G., Robb, R.J. and Nowell, P.C.: Effect of cyclosporine A and Dexamethasone on interleukin-2 receptor gene expression. *J. Immunol.*, 137 : 150-4, 1986.

Reichert, R.A., Gallatin, W.M., Weiss, I.L. and Butcher, E.C.: Germinal center B cells lack homing receptors necessary for normal lymphocyte recirculation. *J. Exp. Med.*, 157 : 813-827, 1983.

Renauld, J.C., Houssiau, F., Louahed, J., Vink, A., J. Van Snick, and Uyttenhove, C.: Interleukin-9. *Adv. Immunol.*, 54 : 79-97, 1993.

- Riesbeck, K., Gullberg, M. and Forsgren, A. : Evidence that the antibiotic ciprofloxacin counteracts cyclosporine-dependent suppression of cytokine production. *Transpl.* 57(2) : 267, 1994.
- Rinehart, J.J., Balcerzak, S.P., Sagone, A.L. and Lobuglio, A.F.: Effects of corticosteroids on human monocyte function. *J. Clin. Invest.*, 54 : 1337-1349, 1975.
- Robb, R.J., Mun, K. and Smith, K.A.: T cell growth factors. Quantitation, specificity and biological relevance. *J. Exp. Med.*, 154 : 1455, 1981.
- Rocha, B. and Von Boehmer, H.: Peripheral selection of the T cell receptor. *Science*, 251 : 1225-1228, 1991.
- Rouse, R.V., Ledbetter, J.A. and Weissman, I.L.: Mouse lymph node germinal centers contain a selected subset of T cells: The helper phenotype. *J. Immuno.*, 128 : 2243-2246, 1982.
- Rubin, L.A., Jurman, C.C., Fritz, M.E., Biddison, W.E., Boutin, B, Yarchoan, R. and Nelson, D.L.: Soluble interleukin-2 receptors are released from activated human lymphoid cells in vitro. *J. Immunol.*, 135 : 3172, 1985.
- Ruscetti, F.W., and Gallo, R.C.: Human T lymphocyte growth factor regulation of growth and function of T lymphocytes. *Blood*, 57 : 379, 1981.
- Ryffel, B., Woerly, G., Quesniaux, V.F.J., Husi, H. and Foxwell, B.M.J.: Covalent binding of cyclosporine inhibits irreversibly T-lymphocyte activation. *Biochemical Pharmacology*, 43 ; 953-960, 1992.

Salmon, J.E., Kapur, S., Merylew, N.L., Rungquist, O.A. and Kimberly, R.P.: High dose plus intravenous methyl prednisolone enhances Fc receptor mediated mononuclear phagocyte function in systemic lupus erythematosus. *Arthritis Rheum.*, 32 : 717-25, 1989.

Sanderson, G.J., Campell, H.D. and Young, I.G.: Molecular and cellular biology of eosinophil differentiation factor (interleukin-5) and its effects on human and mouse B cells. *Immunol. Rev.* 102 : 29-50, 1988.

Saper, V., Chow, D. and Engleman, E.D. : Clinical and immunological studies of cadaveric renal transplant recipients given total-lymphoid irradiation and maintained on low dose prednisone. *Transplant.* 45 : 540, 1988.

Sawada, S., Suzuki, G., Kanase, Y. and takaku, F.: Novel immunosuppressive agent, FK506: In vivo effects in the cloned T cell activation. *J. Immunol.*, 139 : 1797, 1987.

Schibler, K.R., Yang, Y.C. and Christensen, R.D.: Effect of interleukin-11 on cycling status and clonogenic maturation of fetal and adult hematopoietic progenitors. *Blood*, 80 : 900, 1992.

Schrader, J.W.: The panspecific hemopoietin of activated lymphocytes (interleukin-3). *Annu. Rev. Immunol.*, 4 : 205-230, 1986.

Shepard, V.L., Ronish, M.G. and Stahl, P.: Dexamethasone increases expression of mannose receptors and decreases extracellular lysosomal enzyme accumulation in macrophages. *J. Biol. Chem.*, 260 : 160-6, 1985.

- Shi, Y., Sahar, B.M. and Green, D.R.: Cyclosporine A inhibites activation-induced cell death in T-cell hybridomas and thymocytes. *Nature* 339 : 625-626, 1989.
- Shirakawa, F., Tanaka, Y., Suzuki, I.I., Jodie, J. and Yamashita, U.: Effect of interleukin-1. on expression of interleukin 2-receptors (Tac antigen) on human natural killer cells and natural killer-like cell line (YT) cells. *J. Immunol*, 137: 551-556, 1986.
- Smith, K.A., Crabtree, G.R., Kennedy, S.J. and Munck, A.: Glucocorticoid receptors and glucocorticoid sensetivity of mitogen-stimulated and unstimulated human lymphocytes. *Nature*; 267: 523-6, 1977.
- Smith, K.A. and Cantrell, D.A.: Interleukin 2 regulates its own receptors. *Proc. Natl. Acad. Sci: USA* 82: 864-868, 1985.
- Spragg, J., Weinbilatt, M.E., Coblyn, J., Fraser, P. and Austen, K.E.: Effect of cyclosporine on urinary kallikrein excretion in patients with rheumatoid arthritis, *J of lab. and clinic. Med.* 112: 324-332, 1988.
- Sprent, J. : Fate of H-2-activated T lymphocytes in syngeneic hosts. Fate in lymphoid tissues and intestines traced with ³H-thymidine, ¹²⁵I-deoxyuridine and chromium. *Cell Immunol.* 21: 278-302, 1976.
- springer, A., Th, : Traffic signals for lymphocyte recirculation and leukocyte emigration: The multistep paradigm. *Cell*, 76: 301-314, 1994.
- Starzl, T.E., Todo, S. and Fung, J. : FK 506 for liver, kidney and pancreas transplantation. *Lancet* 2: 1000, 1989.

- Strasser, A., Harris, R.M., and Cory, S.: Bcl-2 transgene inhibits T cell death perturbs thymic self. censorship-cell 67: 898-899, 1991.
- Strieter, R.M., Kunkel, H.J., Showell, D.G., Remick, S.H. Phan, P.A., Ward, and Marks, R.M.: Endothelial cell gene expression of neutrophil chemotactic factor TNF , Lps and IL-1 β . Science 243 : 1467, 1989.
- Strober, S., Slavin, S. and Gottlieb, M. : Allograft tolerance after total lymphoid irradiation (TLI). Immunol. Rev. 46: 27, 1979.
- Strober, S., Dhillon, M. and Schubert, M. : Acquired immune tolerance to cadaveric renal allografts. N. Engl. J. Med. 321: 321: 28, 1989.
- Strom, T.B.: Immunosuppressive agents in renal transplantation. Kidney Int. 26: 353, 1984.
- Suda, T.A., O'Garra, I. MacNeil, M., Fisher, M., Bond and Zlotnik, A.: Identification of a novel thymocyte growth promoting factor derived from B cell lymphomas. Cell. Immunol. 129: 228, 1990.
- Swain, S.L., Mckenzie, D.T., Dutton, R.W., Tonkonogy, S.L., and English, M.: The role of IL-4 and IL-5 characterization of distinct helper T cell subset that makes IL-4 and IL-5 (th2) and required priming before induction of lymphokine secretion. Immunol. Rev. 102: 77-106, 1988.

- Thomson, A.W., The effect of cyclosporine a on non T cell components of the immune system. J. autoimmunity 5 (supp;. A): 167-176, 1992.
- Thompson-Snipes, L.V., Dhar, M.W., Bond, T.R., Mosmann, K.W., Moore D. and Rennick: Interleukin-10: a novel stimulatory factor for mast cells and their progenitors. J. Exp. Med. 173: 507, 1991.
- Tigges, M.A., Czasey, L.S. and Koshlaand, M.E.: Mechanism of interleukin-2 signaling: Mediation of different outcomes by a single receptor and transduction pathway. Science 243: 781-786, 1989.
- Todo, S., Fung. J.J. and Starzl, T.E. : Liver, kidney and Thoracic organ transplantation under FK 506. Ann. Surg, 212-295, 1990.
- Treamura, M. : Interleukin 11 enhances human megakaryocyte to poiesis in vitro. Blood . 78: 1448, 1992.
- Triggiana. M., Cirillo, R., Lichenstein, L.M. and Marone, G: Inhibition of histamineand prostaglandine D2 release from human lung mast cell by cyclosporine A. Inter. Arch. of allergyand applied Immunol. 88: 253-255, 1989.
- Trunch, A., Albert, F., Glostein, P., Schmitt and Verhulst, A.M.: Early steps of lymphocyte activation by passed by synergy between calcium ionophores and phorbolester. Narture, , 313: 318-321., 1985.

- Vacca, A., Mortinottis, Screpantin, I., Maroder, M., Felli, M.P., Farina, A.R., A.R., Gismondi, A., Santoni, A., Frati, L. and Gulino, A.: Transcriptional regulation of interleukin 2 gene by glucocorticoid hormones. Role of steroid receptor and antigen responsive 5-flanking sequences. J. Biol. Chem , 265: 8075-8080. 1990
- Vaux, D.L., Aguila, H.L., and Weissman, I.L: Bcl-2 prevents death of factor deprived cells but fails to prevent a popptosis in targets of cell mediated killing. Int. Immunol. 4: 821-824, 1992a.
- Vaux, D.L., Weisman, I.L., and Kim, S.K., Prevention of programmed cell death in caenorhabditis elegans by human bcl-2 Science 285: 1955, 1957, 1992b.
- Venkatarmanan, R, Starzl, T.E. and Yang, S. : Biliary excretion of cyclosporin in liver transplant patients. Transplantation proceedings 17 (Suppl.2): 286-289, 1985.
- Vezzio, N., Gately, M., kliniwa, M., Wu, C.V. and Delespesse, G.,: IFN -idenpendent suppression of IgE synthesis by IL-12. J. Immunol (Abs.) 150: 16A, 1993.
- Vickers, A.E.M., Fischer, V., Connors, S., Fisher, R.L. and Baldeck, J.P. : Cyclosporin A metabolism in human liver, kidney and intestine slices. Comparison to rat and dog slices and human cell lines. Drug metabolism and disposition 20: 802-809, 1992.
- Vine, W. and Bowers, L.D. Cyclosporine: Structure, pharmacokinetics and therapeutic drug monitoring. Critical reviews in clincial laboratory Science 25: 275-311, 1987

- Voss, B.L., Hamilton, K.K., Samara, E.N. and McKee, P.A., Cyclosporine suppression of endothelial prostacyclin generation: a possible mechanism for nephrotoxicity. Transplant. 45: 793-796. 1988.
- Waer, M., Leenaerts, P. and Vanrenterghem, Y. : Factor determining the success rate of a total lymphoid irradiation in clinical kidney. Transplantation Transplantation . Proc. 21: 1796, 1989.
- Wahl, L.M. and Winter, C.C.: Regulation of guinea pig macrophage collagenase production by dexamethasone and colchicine. Arch. Biochem. Biophys; 230: 661-7, 1984.
- Waldmann, T.A., Blasse, R.M., Border, S. and Frankauer, R.S.: Disorder of suppressor immunoregulatory cells in the pathogenesis of immunodeficiency and autoimmunity. Ann. Inter. Med, 88: 266-38, 1978.
- Waldmann, T.A., . The structure, function and expression of interleukin-2 receptors on normal and malignant lymphocytes. Science. 232: 727, 1986.
- Warty, V., Diven, W. and Cadoff, E. : FK 506: A novel immunosuppressive agent: characteristics of binding and uptake by human lymphocytes. Transplantation 46: 453, 1988.
- Watson, J. and Mochizuki, D.: Interleukin 2: A class of T cell growth factors. Immunol Rev. 51: 257-278, 1980.

- Webb, S., Morris, C., and Sprent, J. Extrathymic tolerance of mature T cell: clonal elimination as a consequence of immunity. *cell* 63: 1249-1256, 1990.
- Webb, S.R., and Sprent, J., Factors controlling the reactivity of immature and mature T cells to M/S antigens in vivo. *Immunol. Rev.* 131: 168-188, 1993.
- Webber, I.R., Peters W.H.M. and Back, D.J., Cyclosporin metabolism by human gastrointestinal mucosal microsomes 33: 661-664, 1992.
- Weiss, A., Imboden, J. and Hardy, K. : The role of the T3/ antigen receptor complex in T-cell activation. *Annu. Rev. Immunol.* 4: 593, 1986.
- Weiss, L.M., Warnke, R.A., Sklar, J., and Cleary, M.L.,: Molecular analysis of the t (14; 18) chromosomal translocation in malignant lymphomas. *N. Engl. J. Med.* 317: 1185-1189, 1987.
- Weiss and Littman, D.R. : Signal transduction by lymphocyte antigen receptors., *Cell*, 76: 263-274, 1994.
- Weissman, J.I.: Developmental switches in the immune system. *Cell* 76: 207-218, 1994.
- Weston, W.L., Mandel, M.J. and Yeckley : Mechanism of cortisol inhibition of adoptive transfer of tuberculin sensitivity. *J. Lab. Clin. Med.* 82: 366-71, 1973.

- Wuthrich, K., Von Freyberg, B., Weber, C., Wider, G. and Traber, R. :
Receptor induced conformation change of the
immunosuppressant cyclosporin A. Science 254: 953-
954, 1991.
- Yamamoto, K.R.: Steroid receptor regulated transcription of specific
and gene network. Ann. Rev. Genet. 19: 209-15, 1984.
- Yang-Yen, H.F., Chambard, J.C. and Sun, Y.L. : Transcriptional
interference between C-Jun and the
glucocorticosteroid receptor: mutual inhibition of
DNA binding due to direct protein-protein interaction.
Cell; 62: 1205-15, 1990.
- Yee, G.C.,: Recent advances in cyclosporin pharmacokinetics.
Pharmacotherapy II 36 : 1305-1345, 1991.
- Yin, T., Tetsugataga, L.S.T., Kiyoshi, Y., Tadamitsu, K., and Chang
Yang, Y.U. : Involvement of IL-5 signal transducer
gp¹³⁰ in IL-11 mediated signal transduction. J.
Immunol. : 151: 2555., 1993.
- Zeevi, A., Duquesnoy, R. and Eiras, G. : In vitro immunosuppressive
effect of FR 900506 on liver T cell alloactivation.
Surg. Rej. Commun. 1: 315, 1987.