

References

REFERENCES

REFERENCES

- Adriaansen HJ, Boekhorst PAW, Hagemeiger AM, et al., (1993):** Acute myeloid leukaemia M4 with bone marrow eosinophilia (M4 Eo) and inv (16) (P13;q22) exhibits a specific immunophenotype with CD2 expression. *Blood*, 81:3043.
- Agard DA and Sedat JW, (1983):** Three dimensional architecture of a polytene nucleus. *Nature*; 301:676.
- Allsop RC, Vaziri H, Patterson C, Goldstein S, Younglai EV, Futcher AB, (1992):** Telomere length predicts replicative capacity of human fibroblasts. *Proc. Natl. Acad. Sci. USA*, 89:10114.
- Allsop RC and Harely CB, (1995):** Evidence of a critical telomere length in senescent human fibroblasts. *Exp. Cell Res.*, 219:130.
- Andrews RG, Bryant EM, Bartelmez SH, Muirhead DY, Knitter GH, Bensinger W, (1992):** CD34+ marrow cells, devoid of T and B lymphocytes, reconstitute stable lymphopoiesis and myelopoiesis in lethally irradiated allogenic baboons. *Blood*, 1693.
- Andrew PC, Jacquelyn B, Deboreh AT, Sandra G, Jessica Broni, Alison M, Guennadi K, Parkinson EK, Cooper CS, Newbold RF, (1999):** Telomerase repressor sequences on chromosome 3 and induction of permanent growth arrest in human breast cancer cells. *J. Nalt. Cancer Instit.*, 91;37.
- Arthur DC and Bloomfield CD, (1983):** Partial deletion of long arm of chromosome 16 and bone marrow eosinophilia in acute non lymphocytic leukaemia. A new association. *Blood*, 61:994.

- Avillion AA, Piatyszek MA, Gupta J, et al., (1996):** Human telomerase RNA and telomerase activity in immortal cell lines and tumour tissues. *Cancer Res.*, 56: 645-650.
- Aziz DC and Peter JB, (1991):** DNA ploidy and cell cycle synthesis, Tools of assessment of cancer diagnosis. *J. Clin. Lab. Anal.*, 5: 422-438.
- Baccchetti S and Counter C, (1995):** Telomeres and telomerase in human cancer. *Int. J. Oncol.*, 7: 423-32.
- Ball ED, Davis RB and Griffin JD, (1991):** Prognostic value of lymphocytes surface markers in acute myeloid leukaemia. *Blood*, 77:2242.
- Bauman P and Cech TR, (2000):** Protection of telomeres by the ku protein in fission yeast. *Mol. Biol. Cell*, 11: 3265-75.
- Belair CD, Yeager TR, Lopez PM, et al., (1997):** Telomerase activity: A biomarker of cell proliferation, not malignant transformation. *Proct. Natl. Acad. Sci.(USA)*, 94:13677-82.
- Berger R, Berheim AI, Brouet JC, (1979):** Translocation t(8;14) in a Burkitt's type lymphoblastic leukaemia (L3). *Br. J. Haematol.*, 43:87.
- Berger R, Berheim AI, Sigaux FG, et al., (1982):** Acute monocytic leukaemia, Chromosome studies. *Leuk. Res.*, 6:17.
- Bestilny LJ, Brown CB, Miura Y, et al., (1996):** Selective inhibition of telomerase activity during terminal differentiation of immortal cell lines. *Cancer Res.*, 56: 3796-3802.
- Biessmann H and Manson J, (1992):** Genetics and molecular biology of telomeres. *Adv. Genet.*, 30: 185-247.

- Biondi AA, Rambaldi AM and Alealay ML, (1991):** RAR-alpha gene rearrangement as a genetic marker for diagnosis and monitoring in acute promyelocytic leukaemia. *Blood*, 77:1418.
- Bitter MA, Neilly ME and Le Beau MM (1985):** Rearrangement of chromosome 3 involving bands 3q21 and 2q26 are associated with normal or elevated platelet counts in acute non-lymphocytic leukaemia. *Blood*, 66:1362.
- Blackburn EH, (1991):** Structure and function of telomeres. *Nature*, 350: 569-73.
- Blackburn EH, (1992):** Telomerases. *Annu. Rev. Biochem.*, 61:113.
- Blackburn EH and Greider CW, (1995):** Telomeres. Gold spring Harbor Laboratory Press, 1-396.
- Blackburn EH, (2000):** Telomeres and telomerase. *Keio. J. Med.*, 49: 59-65.
- Blasco MA, Lee HW, Hande MP, et al., (1997):** Telomere shortening and tumour formation by mouse cells lacking telomerase RNA. *Cell*, 91: 25-34.
- Bisoff M, Chakerian AE, Fore ML, et al., (1998):** Inhibition of human telomerase by a retro-virus expressing telomeric antisense RNA. *Eur. J. Cancer*, 34: 1242-49.
- Bondar AG, Kim NW, Effors RB, et al., (1996):** Mechanism of telomerase induction during T cell activation. *Exp. Cell Res.*, 228: 58-64.
- Bondar AG, Quellette M, Frolkis M et al., (1998):** Extension of life span by introduction of telomerase into human cells. *Science*, 279: 349-52.

- Bondaz G, Klapper W, Barten A, et al., (1998):** Analysis of telomerase expression and proliferative activity in the different layers of cyclic endothelium. *Biochem. Biophys. Res. Commun.*, 253: 214-21.
- Borgstorm GH, Teenenhovi LH and Voupio PI, (1980):** Clinical implication of monosomy 7 in acute non-lymphocytic leukaemia. *Cancer Genet. And Cytogenet.*, 2: 115.
- Bradstock KF, Mattheus JA, Benson EM, Page FA, Bishon JK and Australian Leukaemia Study Group, (1994):** Prognostic value of immuno-phenotyping in acute myeloid leukaemia. *Blood*, 84; 1220.
- Brocoli D, Young JW, De Lange T, (1995):** Telomerase activity in normal and malignant haematopoietic cells. *Proct. Natl. Acad. Sci. (USA)*, 92: 9082-86.
- Brown W, Mackinnon P, Villasante A, Spurr N, Buckle VJ, Dobson MG, (1990):** Structure and polymorphism of human telomere associated DNA. *Cell*, 63: 119-132.
- Bryan T, Engelzou A, Gupta J, Bacchetti S, Reddel R, (1995):** Telomere elongation in immortal human cells without detectable telomerase activity. *EMBO J.*, 14: 4240-4248.
- Buchkovich K and Greider CW, (1996):** Telomerase regulation during entry into the cell cycle in normal human T cells. *Mol. Biol. Cell*, 7: 1443-1454.
- Campos L, Guyotat D and Archimbaud E, (1989):** Surface marker expression in acute myeloid leukaemia, Correlation with initial characteristics, morphology and response to therapy. *Br. J. Haematol.*, 72: 161.

- Catovsky D and Hoffbrand AV, (1989):** Acute leukaemia. In: "Hoffbrand AV, Lewis SM, eds. Postgraduate Haematology", London: Heineman in Professional Publishing, 14: 319.
- Catovsky D, (1995):** Leukocyte cytochemical and immunological techniques. In: "Dacie SM, Practical Haematology", Edinberg, Hong Kong. Churchill-Livingstone, 9: 143.
- Catovsky D and Hoffbrand AV, (1999):** Acute Leukaemia. In "Postgraduate Haematology", 4th ed., By Hoffbrand AV, Lewis SM, Tuddenham LCD, Butter worth Heinerman, Oxford, Boston, Melbourne, Chap 18, P 373.
- Chandeneau C, Hay K, Hirte H, Gallinger S, Bacchetti S, (1995):** Telomerase activity associated with acquisition of malignancy in human colorectal cancer. Cancer Res., 55: 2533-36.
- Chaves-Dias C, Hundley TR, Gilfillan AM, et al., (2001):** Induction of telomerase activity during development of human mast cells from peripheral blood CD34+ cells: Comparisons with tumour mast-cell lines. J. Immunol., 166: 6647-56.
- Chiu CP, Dragowska W, et al., (1996):** Differential expression of telomerase activity in haematopoietic progenitors from adult human bone marrow. Stem Cell, 14: 239-248.
- Christopher MC, Hahn WC, Wie W, Caddie SD, et al., (1998):** Dissociation among in vitro telomerase activity, telomere maintenance and cellular immortalization. Proct. Natl. Acad. Sci. (USA), 25: 14723.
- Collins K, (2000):** Mammalian telomeres and telomerase. Curr. Opin. Cell Biol., 12: 378-383.

- Copelan EA and Mc Gurirwe EA, (1995):** The biology and treatment of acute lymphoblastic leukaemia. *Blood*, 85: 1151-68.
- Counter C, Avillon A, Le Feuvre C, Stewart N, Greider C, Harley C, Bacchetti S, (1992):** Telomere shortening associated with chromosomal instability is arrested in immortal cells which express telomerase activity. *EMBO J.*, 5: 293-297.
- Counter CM, Hirte HW, Bacchetti S, Harley CB, (1994):** Telomerase activity in human ovarian carcinoma. *Proc. Natl. Acad. Sci. (USA)*, 91: 2900-4.
- Counter CM, Gupta J, Harley CB, et al., (1995):** Telomerase activity in normal leukocytes in haematologic malignancies. *Blood*, 85: 2315-2320.
- Cranfield and Bunch C, (1992):** Acute Leukaemia. *Med. Int. J.*, 97: 4038.
- Dahse R, Fiedler W, Ernest G, Kosmehl H, Schlicher A, Schubert J, Claussen U, (1996):** Changes in telomere length in renal cell carcinomas. *Cell Mol. Biol.*, 42: 477-85.
- Dawei X, Astrid G, Churt P, et al., (1998):** Telomerase activity and the expression of telomerase components in acute myeloid leukaemia. *Br. J. Haematol.*, 102: 1367-75.
- De Lange T, Shiue L, Myers RM, et al., (1990):** Structure and variability of human chromosome ends. *Mol. Cell Biol.*, 10: 518-27.
- De Lange T, (1992):** Human telomeres are attached to the nuclear matrix. *EMBO J.*, 11: 717-724.
- Department of Pathology, (1991):** Cancer Pathology Registry (1985-1989): National Cancer Institute, Cairo University. Published by the Department of Pathology, 1991.

- Engelhardt M, Ozkayanak MF, Drullinsky P, Sandoval C, et al., (1998):** Telomerase activity and telomere length in paediatric patients with malignancies undergoing chemotherapy. *Leuk. Res.*, 12 (1): 13-24.
- Engelhardt M, Mackenzie K, Drullinsky P, et al., (2000):** Telomerase activity and telomere length in acute and chronic leukaemia, pre and post ex-vivo culture. *Cancer Res.*, 60: 610-17.
- Engelhardt M, Wasch R, Guo Y, (2004):** Telomere and telomerase in normal and leukaemic haematopoietic cells. *Leuk. Res.*, 28 (10): 1001-1004.
- Feng J, Funk WD, Swang SS, et al., (1995):** The RNA component of human telomerase. *Science*, 269: 1236-41.
- Frenkel EP, Bick RL, Rutherford CJ, (1996):** Anaemia in malignancy. *J. Chr. Dis.*, 10: 861.
- Gall JG and Blackburn EH, (1987):** Biochemical nature of telomeres. *J. Mol. Biol.*, 120: 33-39.
- Geller RB, Zuhurk M, Hurwitz CA, et al., (1990):** Prognostic importance of immunophenotyping in adults in acute myelocytic leukaemia: the significance of stem cell glycoprotein CD34 (MY10). *Br. J. Haematol.*, 76: 340-47.
- Geogine E, (1996):** Molecular and cytogenetic abnormalities in acute myeloid leukaemia and myelodysblastic syndromes. *Baillier's Clinical Haematology*, 1: 17.
- Greaves MF, (1981):** Analysis of clinical and biological significance of lymphoid phenotypes in acute leukaemia. *Cancer Res.*, 41: 4752.
- Greaves MF, (1996):** Is telomerase activity in cancer due to selection of stem cells and differentiation arrest? *Trend. Genet.*, 12: 127-28.

- Greenberg RA, Chin L, Femino A, et al., (1999):** Short dysfunctional telomeres impair tumorigenesis in INK4a (delta 213) cancer prone mouse. *Cell*, 97: 515-25.
- Greer JP, Baer MK, Kinney MC, (1999):** Acute myelogenous leukaemia. In: Lee GR, Forster J, Lukens J, (eds.): *Wintrobe's Clinical Haematology*. 16th ed. William's and Wilkins Middle East Edition, P 2272.
- Greider C and Blackburn E, (1985):** Identification of a specific telomere terminal transferase activity in tetrahymena extracts. *Cell*, 43: 405-413.
- Greider CW, (1996):** Telomere length regulation. *Annu. Rev. Biochem.*, 65: 337-365.
- Greider CW and Blackburn EH, (1996):** Telomeres, telomerases and cancer. *Sci. Am. J.*, 274: 92-97.
- Gu Y, Nakamura T, Alder H, et al., (1992):** The t(4;11) chromosome translocation of acute leukaemias fuses the A 11-1 gene, related to *Drosophila trithorax* to the AF-4 gene. *Cell*, 11: 701.
- Hahn WC, Counter CM, Landberg AS, et al., (1999a):** Creation of human tumour cells with defined genetic elements. *Nature*, 400: 464-68.
- Hahn WC, Stewart SA, Brooks MW, et al., (1999b):** Inhibition of telomerase limits the growth of human cancer cells. *Natl. Med.*, 5: 1164-70.
- Harle-Bachor and Boukamp P, (1996):** Telomerase activity in the regenerative basal layer of the epidermis in human skin and in immortal and carcinoma derived skin keratocytes. *Proct. Natl. Acad. Sci. (USA)*, 93: 6476-81.

-
- Harley CB, Futcher AB, et al., (1990):** Human telomeres. *Nature*, 345: 458-460.
- Harley CB, (1991):** Telomere loss: A mitotic clock or genetic time bomb? *Mutat. Res.*, 256: 271.
- Harley C, Kim N, Prowse K, et al., (1994):** Telomerase: Cell immortality and cancer. *Cold-Spring Harbor Symposia on Quantitative Biology*, 59: 307-19.
- Harley CB, (1995):** Telomeres and ageing: Fact, fancy and the future. *J. NIH Res.*, 7: 64.
- Hastie ND, Dempster M, Dunlop MG, et al., (1990):** Telomere regulation in human colorectal carcinoma and with ageing. *Nature*, 346: 866-68.
- Hayflick L and Moorhead PS, (1961):** Cell biology. *Exp. Cell Res.*, 25: 585-621.
- Hebert B, Pitts AE, Baker SI, et al., (1999):** Inhibition of human telomerase in immortal human cells leads to progressive telomere shortening and cell death. *Proc. Natl. Acad. Sci. (USA)*, 96: 14276-81.
- Heim S and Mitelman FH, (1986):** Numerical chromosomal aberrations in human neoplasia. *Cancer Genet.*, 22: 99.
- Heim S and Mitelman FH, (1992):** Cytogenetic analysis in diagnosis of acute leukaemia. *Cancer*, 70: 1701.
- Herrera E, Samper E, Martin-Caballero J, et al., (1999):** Disease states associated with telomerase deficiency appear earlier in mice with short telomeres. *EMBO J.*, 18: 2950-60.
-

- Hirsch MS and D'Aquila RT, (1993):** Therapy for human immunodeficiency virus infection. *N. Engl. J. Med.*, 328: 1686-95.
- Hisatomi H, Ohmura Y, Nagoa K, et al., (1997):** Detection of telomerase RNA component in liver tissues. *Int. Hepatol. Comm.*, 6:175-78.
- Hiyama E, Hiyama K, Yokoyama T, et al., (1992):** Length of telomeric repeats in neuroblastoma, correlation with prognosis and other biological characteristics. *Jpn. J. Cancer Res.*, 83:159-64.
- Hiyama E, Hiyama K, Yokoyama T, Matsura Y, et al., (1995a):** Correlating telomerase activity levels with human neuroblastoma outcome. *Nature Med.*, 1: 249-55.
- Hiyama E, Hirai Y, Kyoizumi S, et al., (1995b):** Activation of telomerase in human lymphocytes and haematopoietic progenitor cells. *J. Immunol.*, 155: 3711-15.
- Hiyama E, Gollahon L, Kataoka T, et al., (1996a):** Telomerase activity in human breast tumours. *J. Natl. Cancer Inst.*, 88: 116-22.
- Hiyama E, Hiyama K, Tatsumoto N, et al., (1996b):** Telomerase activity in human intestine. *Int. J. Oncol.*, 9: 453-58.
- Holt SE, Wright WE, Shay JW, (1996a):** Regulation of telomerase activity in immortal cell lines. *Mol. Cell Biol.*, 16: 2932-39.
- Holt SE, Wright WE, Shay JW, (1996b):** Refining of the telomere-telomerase hypothesis of ageing and cancer. *Nature Bio.*, 14: 836-39.
- Horikawa I, Cable PL, Cynthia A, et al., (1999):** Cloning and characterization of the promoter region of human telomerase reverse transcriptase gene. *Cancer Res.*, 59: 826.
- Hu BT and Insel RA, (1999):** Upregulation of telomerase in human B-lymphocytes occurs independently of cellular proliferation and with

expression of the telomerase catalytic subunit. *Eur. J. Immunol.*, 29: 3745-53.

Huhn D, Thiel E, Rodt H, et al., (1981): Cytochemistry and membrane markers in acute lymphocytic leukaemia. *Scand. J. Haematol.*, 26: 311.

Hyun BH, Gulati GL, Ashton JK, (1993): Laboratory evaluation of acute lymphoblastic leukaemia. In: Rodger L, Bick MD, eds., *Haematological Clinical and Laboratory Practice*, Moby-Year Book Inc., St Lois, Baltimore, Boton, Chicago, London, Vol. 1, 53:79.

Igarashi H and Sakagaushi N, (1996): Telomerase activity is induced by the stimulation of antigen receptor in human peripheral lymphocytes. *Biochem. Res. Commun.*, 219: 649-55.

Iwama H, Ohyashiki K, Ohyashiki JH, et al., (1997): Relationship between telomere length and therapy associated cytogenetic responses in patients with chronic myeloid leukaemia. *Cancer*, 79: 1552.

Januszkiewicz D, Wysoki J, Lewandowski K, et al., (2003): Lack of correlation between telomere length and telomerase activity and hTERT expression in leukaemic cells. *Int. J. Mol. Med.*, 12 (6): 935-38.

Jeffery SD, Seung C, Tracy B, Christopher BU, et al., (1999): High telomerase reverse transcriptase (hTERT) messenger RNA level correlates with tumour recurrence in patients with favorable histology in Wilm's tumour. *Cancer Res.*, 59:4301.

Jenny CD and Foon KA, (1997): Recent advances in flow cytometry application to the diagnosis of malignancy. *Blood*, 90: 2863.

- Junko H, Ohyashiki K, Kazuma O, Hiroshi L, Shigefumi H, Jerry W, (1997):** Clinical implications of telomerase activity in acute leukaemia. *Clin. Cancer Res.*, 3: 619-25.
- Kalluri R, (1996):** Telomere (telomerase) hypothesis of aging and immortalization. *Indian J. Biochem. Biophys.*, 33: 88-92.
- Katinka M and Bourgain F, (1992):** Interstitial telomeres are hot spots for illegitimate recombination with DNA molecules injected into the macro-nucleus of paramecium primaurelia. *EMBO J*, 11: 725-32.
- Kavalaraa, Landman J, Chang Y, et al., (1998):** Detecting human bladder carcinoma cells in voided urine samples by assaying for the presence of telomerase activity. *Cancer*, 82: 708-14.
- Keating MJ, Estry E, Kanterjian H, Devita VT, et al., (1993):** Acute leukaemia. *Principles and Practice of Oncology*, 4th ed., Philadelphia, NY: JB Lippincott Co., 1988.
- Kenny MC and Lukens JN, (1999):** Classification and differentiation of acute leukaemias. In: Wintrobe S, *Clinical Haematology*, 10th eds. Williams and Wilkins, Baltimore, Chap86, Vol. 4, 2208.
- Kim NW, Piatyszek MA, Prowse KR, et al., (1994):** Specific association of human telomerase activity with immortal cells and cancer. *Science*, 266: 2011-2015.
- Kim SH, Kaminker P, Campisi J, et al., (2002):** Telomeres, aging and cancer: in search of happy ending. *Oncogene*, 21: 503-11.
- Kipling D and Cooke HJ, (1990):** Hypervaluable ultralong telomeres in mice. *Nature*, 347: 400-2.
- Kita K, Nakase K, Miwa H, Yang J, (1992):** Phenotypical characteristics of acute myelocytic leukaemia associated with the t(8;21) (q22;q22)

- chromosomal abnormality: Frequent expression of immature B-cell antigen CD19 together with stem cell antigen CD34. *Blood*, 80: 470.
- Kita K, Miwa H, Nakase K, (1993):** Clinical importance of CD7 expression in acute myelocytic leukaemia. The Japan cooperative group of leukaemia lymphoma. *Blood*, 81: 2399.
- Kjeldsberg CR, Jhonson KE, Foucar K, et al., (2000):** Acute myeloid leukaemia. In: Practical diagnosis of haematologic disorders. 3rd ed; Joshua Weikersheimer- publisher, P 411.
- Kniyasu H, Domen T, Hamamoto T, et al., (1997):** Expression of human telomerase RNA is an early event of stomach carcinogenesis. *Jpn. J. Cancer Res.*, 88: 103-107.
- Kocki J, Kolano J, Cioch M, et al., (2004):** The activity of human telomerase in the cells of acute leukaemias. *Folia Morphol. (Warsz)*, 63(1): 127-28.
- Kolquist KA, Ellisen LW, Counter CM, et al., (1998):** Expression of TERT in early premalignant lesions and a subset of cells in normal tissues. *Nat. Genet.*, 19: 182-86.
- Koyonagi Y, Kobayushi D, Yajima T, Asanuma K, et al., (2000):** Telomerase activity is downregulated via decreases in hTERT mRNA but not TEP1 mRNA or hTERT during the differentiation of leukaemic cells. *Stem Cell*, 14: 239-48.
- Kuuk P, Rampino N, Bohr V, (1995):** DNA damagr and repair in telomeres. Relation to aging. *Pro. Natl. Acad. Sci. USA*, 92: 258-62.
- Kyo T, (1994):** Characteristic clinical features and treatment of acute myeloid leukaemia with 8;21 translocation. *Rinsho- Ketsueki*, 35(3): 245.

- Langford L, Piatyszek M, Xu R, Schold S, Shay J, (1995):** Telomerase activity in human brain tumours. *Lancet*, 346: 1267-68.
- Larson RA, Konda KH, Vardiman JF, (1984):** Evidence for a 15;17 translocation in every patients with acute promyelocytic leukaemia. *Am. J. Med.*, 76: 827.
- Larson RA, Williams SF, Le Beau MM, (1986):** Acute myelomonocytic leukaemia with abnormal eosinophils and inv (16) or t(16:16) has a favorable prognosis. *Blood*, 86: 1242.
- Larson D, Spangler EA, Blackburn EH, (1987):** Dynamics of telomere length variation in *tetrahymena thermophila*. *Cell*, 50: 477.
- Lansdrop PM, (1995):** Telomere length and proliferation potential of haematopoietic stem cells. *J. Cell Sci.*, 108: 1-6.
- Le Beau MM, (1992):** The role of cytogenetics in the diagnosis and classification of haematopoietic neoplasms. In: "Knowles DM, Neoplastic Haematology" : Williams and Wilkins, Philadelphia, Baltimore, 9: 299.
- Lee EJ, Yang J, Leavit RD, (1992):** The significance of CD34 and TdT determination in patients with untreated denovo acute myeloid leukaemia, *Leukaemia*, 6: 1203.
- Lee S, Tolmachoff Y, Marchevsky AM, (1994):** DNA Content Analysis by image analysis. Clinical applications and comparison with flowcytometry. In: *Image Analysis: A primer for pathologists*. Edited by Marchevsky AM and Bartels PH. Raven Press. Ltd. NewYork, 3261-288.
- Lee HW, Blasco MA, Gohieb GJ, et al., (1998):** Essential role of mouse telomerase in highly proliferative organs. *Nature*, 392: 569-74.

- Leith CR, Kopecky TKJ, Godwin J, et al., (1997):** Acute myeloid leukaemia in elderly: Assesment of multidrug resistance (MDR1) and cytogenetics distinguishes biologic subgroups with remarkably distinct responces to standard chemotherapy. A southwest Oncology Group Study. *Blood*, 89: 3323.
- Levy M, Allsopp R, Futcher A, Greider C, Harley C, (1992):** Telomeres end replication problem and cell ageing. *J. Mol. Biol.*, 225: 951-60.
- Li Y, Wu J, Wang L, Chen F, Hu L, (2004):** Detection of telomerase activity and the expression of telomerase subunits in the patients with acute leukaemia. *J. Huazhong Univ. Sci. Technolog. Med. Sci.*, 24(1): 48-51.
- Lichtman MA, (2001):** Classification and clinical manifestation of clonal myrloid disorders. In: Williams Haematology; Beutler E, Lichtman MA, Collar BS, Kipps TJ,(eds) 6th ed; Mc Graw – Hill Inc, p1019.
- Lichtman MA and Liesveld JL, (2001):** Acute myelogenous leukaemia. In: Beutler E, Coller B, Lichtman M, Kipps TJ, (eds), Williams Haematology, 6th ed. Mc Graw-Hill, NewYork,1047.
- Lie B, Yang J, Andrews C, et al., (2000):** Telomerase activity in preleukaemia and acute myelogenous leukaemia. *Leuk. and Lymph.*, Vol. 36 (5-6): 579-87.
- Liesner R and Goldstone AH, (1997):** ABC of clinical haematology : The acute leukaemia. *Br. Med. J.*, 314-733.
- Lindsay J, Mc Gil N, Lindsay L, Green D, Cooke H, (1991):** In vivo loss of telomeric repeats with age in humans. *Mutat. Res.*, 256: 45-48.
- Lougharn O, Clark LJ, Bond J, et al., (1997):** Evidence for the inactivation of multiple replicative lifespan genes in immortal human squamous cell carcinoma keratinocytes. *Oncogene*, 14: 1955-64.

L,wenberg B and Burnett A, (1999): Acute myeloid leukaemia in adults.

In: Text book of Malignant Haematology. Degos L, Linch DC, L,wenberg B, Martin Dunitz, chapter 34, P743.

Ludblad V and Blackburn E, (1993): An alternative pathway for yeast telomere maintenance rescuesest 1-senescence. Cell, 73: 347-60.

Lusug AJ, Kurts S, Shore D, (1990): Involvement of the silencer and UAS binding protein RAP1 in regulation of telomere length. Science, 250: 549.

Mantell L and Greider C, (1994): Telomerase activity in germline and embryonic cells or xenopus. EMBO J., 13: 3211-3217.

Marsha C, Kinney A, Jhon Leukens, (1993): Classification and differentiation of acute leukaemia. In: Ritchard G, Thomas C, Bithell, Jhon Leukens, eds; Wintrobe's clinical Haematology. 9th ed, Baltimore, Maryland: Williams and Wilkins; 1873-86.

Marshal E, Elichtman G, (2001): Acute Leukaemia. In: Williams Haematology, ed., Beutler FA, Coller BS, Kipps T, Lichtman N. Mc Graw-Hill Co. NewYork, London, Madrid, Tokyo, Chap 93, P 1147.

Martines- Clement JA, Lane NH, Rubin CM, et al., (1995): Clinical and prognostic significance of chromosomal abnormalities in childhood acute myeloid leukaemia de novo. Leukaemia, 9: 95.

Meyerson M, (2000): Role of telomerase in normal and cancer cells. J. Clin. Oncol., Vol. 18, no.(13): 2626-34.

Millar DR, et al., (1985): Prognostic implication and concordance of FAB morphology in childhood acute lymphoblastic leukaemia. Cancer Treat. Res., 69: 1211.

- Mitelman F, Nilsson PG, Brandt CN, (1981):** Chromosomal pattern, Occupation and clinical features in patients with acute non-lymphoblastic leukaemia. *Cancer Genetics and cytogenetics*, 4: 187.
- Morales CP, Holt SE, Quellette M, Kaur KJ, Yan Y, et al., (1999):** Absence of cancer associated changes in human fibroblasts immortalized with telomerase. *Nat. Genet.*, 21: 115-18.
- Morin G, (1989):** The human telomere terminal transferase enzyme is a ribonucleoprotein that synthesizes TTAGGG repeats. *Cell*, 59: 521-29.
- Morin GB, (1996):** The structure and properties of mammalian telomerase and their potential impact on human diseases. *Stem Cell Dev. Biol.*, 7: 5-13.
- Moyzis RK, Buchingham JM, Cram LS, et al., (1988):** A high conserved repetitive DNA sequence (TTAGGG)_n present at the telomeres of human chromosomes. *Proc. Natl. Acad. Sci. USA*, 85: 6622-26.
- Munoz- Jordan JL, Cross GA, De-Lange T, Griffith JD, (2001):** t-loops at trypanosome telomeres. *EMBO J.*, 20: 579-88.
- Murnane J, Sabatier L, Marder B, (1994):** Telomere dynamics in an immortal cell line. *EMBO J.*, 13: 4953-62.
- Nakajama A, Tauchi T, Sachida G, et al., (2003):** Telomerase inhibition enhances apoptosis in human acute leukaemia cells: possibility of anti-telomerase therapy. *Leukaemia*, 17 (3): 560-67.
- Nakamura TM, Morin GB, Chapman KB, Weinrich SL, et al., (1997):** Telomerase catalytic subunit homologs from fission yeast and human. *Science*, 277: 955.

- Nawas S, Hashizumi TL, Markham NE, et al., (1997):** Telomerase expression in human breast cancer with or without lymphnode metastases. *Am. J. Clin. Pathol.*, 107: 542-47.
- Nguyen D and Imbert M, (1992):** Classification, morphology and cytochemistry of acute leukaemia. In: *Leukaemia*, JA Whitaker eds., Oxford: Blackwell Scientific Publications, London, Edinburgh, Boston, Melbourne, Paris, Berlin, Vienna; 2nd ed. Chap. 7, P234.
- Nida H, Matsumoto T, Satoh K, et al., (1998):** Sever growth defect in mouse cells lacking telomerase RNA component. *Nat. Genet.*, 19: 203-6.
- Nilsson P, Mehle C, Remes K, Roos G, (1994):** Telomerase activity in vivo in human malignant haematopoietic cells. *Oncogene*, 9: 3043.
- Nurenberg P, Thief G, Weber F, Epplen J, (1993):** Changes of telomere length in human intracranial tumours. *Hum. Genet.*, 91: 190-92.
- Ohyashiki JH, Jiroh N, Ohyashiki K, et al., (1997):** Cytological detection of telomerase activity using an in situ telomeric repeat amplification protocol assay. *Cancer Res.*, 57: 2100-03.
- Ohyashiki JH, Ohyashiki K, Iwama H, Hayashi S, et al., (1997):** Clinical implication of telomerase activity levels in acute leukaemia. *Clinical Cancer Res.*, 3: 619-25.
- Ohyashiki JH, Hayashi S, Yahata N, et al., (2001):** Impaired telomere regulation mechanism by TRF1 (telomere binding Protein), but not TRF2 expression in acute Leukaemia cells. *Int. J. Oncol.*, 18 (3): 593-98.
- Ohmura E, Tahara H, Suzuki M, (1995):** Restoration of the cellular senescence program and repression of telomerase by chromosome 3. *Jap. J. Cancer Res.*, 86: 899.

- Oliver EB, Eisterer W, Pall G, Hilbe W, Kuhr T, Thaler J, (1998):** Telomere length and telomerase activity predict survival in patients with B- cell chronic lymphocytic leukaemia. *Cancer Res.*, 58: 4918.
- Olovinkov A, (1973):** A theory of marginotomy. The incomplete copying of template margin in enzymatic synthesis of polynucleotides and biological significance of the phenomenon. *J. Theor. Biol.*, 41: 181-90.
- Osamu Y, Oshimi K, Motoji T, Mizoguchi H, (1995):** Telomeric DNA in normal and leukaemic cells. *J. Clin. Invest.*, 95: 1117.
- Pennisi E, (1996):** Premature aging gene discovered. *Science*, 272: 193-94.
- Polychronopoulou S and Koutroumba P, (2004):** Telomere length variation and telomerase activity expression in patients with congenital and acquired aplastic anaemia. *Acta Haematol.*, 111(3): 125-31.
- Prowit- Mac Donald A, Janossy GF, Ivory K, et al., (1996):** Leukaemia-associated changes identified by quantitative flow cytometry, IV CD34 over expression in acute myelogenous leukaemia M2 with t(8;21). *Blood*, 87: 1162.
- Prowse KR and Greider CW, (1995):** Developmental and tissue specific regulation of mouse telomerase and telomere length. *Proc. Natl. Acad. Sci. USA*, 92: 4818-22.
- Pui CH, (2001):** Acute lymphoblastic leukaemia. In: Beuller E, Lichtman MA, Collier BS, Kipps TJ, Seligsohn U, eds., *Williams Haematology*, 6th ed., New York, St. Louis, Mc Graw- Hill Company, 3: 1141-61.

- Reems JA and Torok – Storb B, (1995):** Cell cycle and functional differences between CD34+/ CD38 hi and CD34+/ CD38 lo human marrow cells after in vitro cytokine exposure. *Blood*, 85: 1480-87.
- Rekha BP, Pai SB, Marina K, Dutschman G, Guo DX, Cheng YC, (1998):** Telomerase from human leukaemia cells: Properties and its interaction with deoxynucleoside analogues. *Cancer Res.*, 58: 1909.
- Robert KM, Darly KG, Peter AM, Victor WR, (2000):** Harper's Biochemistry. 25th edition by Appleton and Lange. Middle East Edition, Chap. 38, P416.
- Robertson MJ and Ritz J, (1994):** Prognostic significance of the surface antigens expressed by leukaemia cells. *Leuk. Lymph.*, 13: 15.
- Rowe JM, (1995):** Acute leukaemias in adults. In: "Mazza J, eds., Manual of clinical haematology", 2nd ed., Boston, NewYork, Little Brown Company, 11:222.
- Rudolph KL, Chang S, Lee HW, et al., (1999):** Longevity stress response and cancer in aging telomerase deficient mice. *Cell*, 96: 701-12.
- Rufer N, Dragowska W, Thornburg G, Roosnek E, Lansdrop PM, (1998):** Telomere length dynamics in human lymphocyte subpopulations measured by flowcytometry. *Nat. Biotechnol.*, 16: 743.
- Rufer N, Brummendorf TH, Kolvraa S, (1999):** Telomere fluorescence measurements in granulocytes and T- lymphocyte subsets point to a high turn over of haematopoietic stem cells and memory T cells in early childhood. *J. Exp. Med.*, 190: 157.
- Ruutu P, Ruutu T, Vuopio P, (1977):** Defective chemotaxis in monosomy 7. *Nature*, 265: 146.

- Sallinen P, Mietlinen H, Sallinen SL, et al., (1997):** Increased expression of telomerase RNA component is associated with increased cell proliferation in human astrocytomas. *Am. J. Pathol.*, 150: 1159-64.
- Sandberg AA, (1990):** The chromosomes in human cancer and leukaemia. New York, Elsevier- North Holland Inc., Amsterdam, pp. 320- 25.
- San Miguel JF, Ljeda EM, Gonzalez MO, et al., (1989):** Prognostic value of immunological markers in acute myeloblastic leukaemia. *Leukaemia*, 3: 108.
- Sawyers CL, Denny CT, Witte ON, (1991):** Leukaemia and the disruption of normal haematopoiesis. *Cell*, 64: 337-50.
- Schmitt H, Lin N, Zank L, Scherthan H, (1994):** Telomere length variation in normal and malignant human tissues. *Genes Chromosome Cancer*, 11: 171-77.
- Schultz V, Zakian V, Ogburn C, Mc Kay J, et al., (1996):** Accelerated loss of telomeric repeats may not explain accelerated replicative decline of Werner syndrome cells. *Hum. Genet.*, 97: 750-54.
- Scwarzinger I, Valent L, Locher U, et al., (1990):** Prognostic significance of surface marker expression on blasts of patients with de novo acute myeloblastic leukaemia. *J. Clin. Oncol.*, 8: 423.
- Schwartz H, Juliano S, Sciadini M, Millar L, Bulter M, (1995):** Telomerase activity and oncogenesis in giant cell tumours of bones. *Cancer*, 75: 1094-96.
- Secker- Walker LM, Lawler SD, Hrdisty RM, (1978):** Prognostic implication of chromosomal findings in acute lymphoblastic leukaemia diagnosis. *Br. Med. J.*, 2: 1529-30.
-

- Secker- Walker LM, Stewart EL, Chan L, et al., (1985):** The (4;11) translocation in acute leukaemia of childhood: The importance of additional chromosomal aberration. *Br. J. Haematol.*, 61: 101-11.
- Secker- Walker LM and Craig JM, (1993):** Prognostic implication of break point and lineage heterogeneity in Ph +ve acute lymphoblastic leukaemia. A review, *Leukaemia*, 7: 147-51.
- Shampay J, Szostak J, Blackburn E, (1984):** Dna sequences of telomeres maintained in yeast. *Nature*, 310: 154-57.
- Sharma HW, Malt JY, Zhu X, et al., (1996):** Twlomeres, telomerase and cancer: Is the magic bullet real? *Anticancer Res*, 16: 511-16.
- Shay J, (1995):** Aging and cancer are telomeres and telomerase the connection. *Mol. Med. Today*, 1: 378-84.
- Shay H, Werbin H, Wright W, (1996):** Telomeres and telomerase in human leukaemias. *Leukaemia*, 10: 1255-61.
- Shay JW and Bachetti S, (1997):** A survey of telomerase activity in human cancer. *Eur. J. Cancer*, 33: 787-91.
- Singer M and Gottschling D, (1994):** TLCI template RNA component of *saccharomyces cerevisiae* telomerase. *Science*, 266: 404-409.
- Soder AI, Hoare SF, Muir S, et al., (1997):** Amplification increased dosage and in situ expression of the telomerase RNA gene in human cancer. *Oncogene*, 14: 1013-21.
- Soel JG, Kim ES, Park WH, Jung CW, et al., (1998):** Telomerase activity in acute myelogenous leukaemia: clinical and biological implications. *Br. J. Haematol.*, 100: 156-65.
- Solary E, Casanova RO, Campos L and the Group d'Etude Immunologique des Leucemies (GEIL), (1992):** Surface markers

- in acute myeloblastic leukaemia: Correlation of CD19+, CD34+ ND cd14+/DR phenotypes with shorter survival. *Leukaemia*, 6: 393.
- Sommerfeld HJ, Meeker A, Piatyszek M, et al., (1996):** Telomerase activity a prevalent marker of malignant human prostate tissue. *Cancer Res.*, 56: 218-22.
- Stables G and Morley W, (1994):** Hutchinson Gilford syndrome. *J. R. Soc. Med.*, 87: 243-44.
- Stacey FH, Lisa AB, Weisman GBA, Burns S, et al., (2001):** Lack of telomerase RNA gene hTERC expression in alternative lengthening of telomeres cells is associated with methylation of the hTERC promoter. *Cancer Res.*, 61: 72.
- Sullivan AK, (1993):** Classification, Pathogenesis and etiology of neoplastic diseases of the haematopoietic system. In: "Lee GR, Bithell TC, Foerster J, Athens JW, Lukens JN, eds., *Wintrobe's Clinical Haematology*", 9th eds. Philadelphia, London: Lee and Febiger, 3 (68): 1725.
- Sumita T, Hamakawa H, Sogawa K, Sugita A, et al., (1999):** Telomerase component as a diagnostic tool in human oral lesions. *Int. J. Cancer*, 80:1.
- Tahara H, Yasuni W, Tahara E, et al., (1999):** Immuno- histochemical detection of human telomerase catalytic component, hTERT, in human colorectal tumour and non tumour tissue sections. *Oncogene*, 18: 1561-67.
- Takubo K, Nakamura K, Izumiyama N, et al., (1997):** Telomerase activity in oesophageal carcinoma. *J. Surg. Oncol.*, 66: 88-92.
- Tatematsu K, Nakayama J, Dambara M, Shionoyo S, et al., (1996):** A novel quantitative stretch PCR assay, that detects a dramatic increase

References

in telomerase activity during the progress of myeloid leukaemia. *Oncogene*, 13: 2265-74.

Tauchi T, Shin-ya K, Sashida G, et al., (2003): Activity of novel G-quadruplex interactive telomerase inhibitor, telomestatin (SOT-O95), against human leukaemic cells: involvement of ATM- dependent DNA damage response pathway. *Oncogene*, 22 (34): 5338-47.

Taylor RS, Ramirez RD, Ogoshi M, (1996): Telomerase activity in malignant and non malignant skin conditions. *J. Inves. Derm.*, 106: 759.

Thommpson MW, Mc Innes RR, Willard HF, (1991): Genetics in medicine, 5th ed., WB- Saunders Co., Philadelphia, London, Toronto, 161: 365.

Uchida N, Otsuka T, Arima F, Shigematsu H, et al., (1999): Correlation of telomrtase activity with development and progression of adult T-cell leukaemia. *Leuk. Res.*, 23(3): 311-16.

Van-den-Heuvel-Ebrink MM, Wiamer EA, De-Boevere, et al., (2001): MDR1 expression in poor risk acute myeloid leukaemia with partial or complete monosomy 7. *Leukaemia*, 15 (3): 398.

Verstovesk S, Manshouri T, Smith FO, et al., (2003): Telomerase activity is prognostic in pediatric patients with acute myeloid leukaemia: comparison with adult acute myeloid leukaemia. *Cancer*, May 1, 97 (9): 2212-17.

Verstovesk S, Giles FJ, O'Brien S, et al., (2004): Telomerase activity is not a prognostic factor in chronic lymphocytic leukaemia. *Leuk. Res.*, 28 (7): 707-11.

References

- Vonderheide RH, Hahn WC, Schultze JL, et al., (1999):** The telomerase catalytic subunit is a widely expressed tumour associated antigen recognized by cytotoxic T-lymphocyte. *Immunity*, 10: 673-79.
- Wainwright J, Middleton PG, Rees JL, (1995):** Changes in mean telomere length in basal cell carcinoma of the skin. *Genes Chromosome Cancer*, 12: 45-49.
- Wang J, Hannon GJ, Beach DH, (2000):** Risky immortalization by telomerase. *Nature [Lond.]*, 405: 401-2.
- Watson JD, (1972):** Cellular division and lagging strand problem. *Nature*, 239: 197-200.
- Weitzman JB and Yany M, (1999):** Rebuilding the road to cancer. *Nature [Lond.]*, 400: 401-402.
- Weng N, Levine BL, June CH, et al., (1995):** Human Naïve and memory T-lymphocyte differ in telomeric length and replication potential. *Proc. Natl. Acad. Sci. USA*, 92: 11091-94.
- Weng N-P, Levine BL, June CH, et al., (1996):** Regulated expression of telomerase activity in human T-lymphocyte development and activation. *J. Exp. Med.*, 183: 2471-79.
- Weng N-P, Levine BL, June CH, et al., (1997):** Regulation of telomerase RNA template expression in human T-lymphocyte development and activation. *J. Immunol.*, 158: 3215-20.
- Whitlock JA, Gaynon S, (1999):** Acute lymphocytic leukaemia. In: "Wintrobe's Clinical Haematology" 10th eds., Williams and Wilkins, Baltimore, Chap. 87, Vol. 4, P2241.
- Wright E and Shay J, (1992):** Telomere positional effects and the regulation of cellular senescence. *Trends in Genetics*, 8: 193-97.

References

- Wright W, Piatyszek M, Rainey W, Byrd W, Shay J, (1996):** Telomerase activity in human germline and embryonic tissues and cells. *Dev. Genet.*, 18: 173-79.
- Xu D, Pisa P, Peterson C, et al., (1997):** Telomerase activity in acute myelogenous leukaemia. High level is associated with advanced stage of disease. *Molecular Haematology*, Sep. 1, 52 I, 535.
- Xu D, Gruber A, Peterson C, et al., (1998):** Telomerase activity and the expression of telomerase components in acute myelogenous leukaemia. *Br. J. Haematol.*, 102: 1367-75.
- Xu D, Erickson S, Zeps M, et al., (2000):** Interferon alpha down regulates telomerase reverse transcriptase and telomerase activity in human malignant haematopoietic cells. *Blood*, 96 (13): 4313-18.
- Yahata N, Ohyashiki K, Ohyashiki JH, et al., (1998):** Telomerase activity in lung cancer cells obtained from bronchial washings. *J. Natl. Cancer Inst.*, 90: 684-90.
- Yamada O, (1996):** Telomeres and telomerase in human haematopoietic neoplasia. *Int. J. Haematol.*, 64: 87.
- Yang J, Andrews C, Chen YX, et al., (2000):** Telomerase activity in preleukaemia and acute myelogenous leukaemia. *Leuk. Lymphoma*, 36 (5-6): 587-97.
- Yasumoto S, Kunitura C, Kikuchi K, et al., (1996):** Telomerase activity in normal human epithelial cells. *Oncogene*, 13: 433-39.
- Yokoyama T, Hiyama E, Tatesmoto N, Hiyama K, Imamura Y, Murakami Y, et al., (1995):** Telomerase activity in gastric cancer. *Cancer Res.*, 55: 3258-62.

References

- Yoshida K, Sugino T, Tahara H, et al., (1997):** Telomerase activity in bladder carcinoma and its implication for non invasive diagnosis by detection of exfoliated cancer cells in urine. *Cancer*, 79: 362-69.
- Yui J, Chin CP, Lansdrop PM, (1998):** Telomerase activity in candidate stem cell from fetal liver and adult bone marrow. *Blood*, 99: 3255-62.
- Zhang W, Piatyszek MA, Kobayashi T, Estey E, et al., (1996):** Telomerase activity in human acute myelogenous leukaemia: inhibition of telomerase activity by differentiation inducing agents. *Clin. Cancer Res.*, 2: 799- 803.
- Zhu X, Kumar R, Mandal M, et al., (1996):** Cell cycle dependent modulation of telomerase activity in tumour cells. *Proc. Natl. Acad. Sci. USA*, 93: 6091- 95.