

SUMMARY AND CONCLUSION

The present work was intended to evaluate the cardiac functions and hemodynamics in children with acute poststreptococcal glomerulonephritis with variable degrees of severity. Moreover, to uncover the relative role played by the different unfavourable stress factors, including increased preload with or without an associated increase in afterload, in impairing ventricular systolic and diastolic function; if any. Also, to note whether the congestive manifestations commonly observed in APGN represent a pure state of circulatory congestion or congestive heart failure. Furthermore, to prove if there is an impairment in myocardial functions in those patients who present with clinical manifestation of heart failure.

It included fifty children with APGN admitted to Alexandria University Children's Hospital. The diagnosis of APGN was based on the presence of hematuria, edema together with clinical and serological evidence of recent streptococcal infection.

Patients were divided into three main groups according to the presence of hypertension with or without heart failure: group one: normotensives, group two: hypertensives without heart failure and group three: hypertensives with heart failure. The patients had their initial cardiac assessment within 72 hours of admission and a recovery assessment two weeks after the initial one.

In addition to a thorough history taking, a full clinical examination and laboratory investigations (including urine analysis, ESR, C-RP, serum urea and creatinine), the cardiac assessment was carried out including : chest x ray P-A view, ECG and echocardiography including Mmode, 2D and Doppler examination).

In our study no significant difference was noticed between G2 and G3 as regards SBP, DBP, HR and CNV. Only in G3, RR was significantly increased together with the presence of gallop rhythm and basal rales. Only serum creatinine that was significantly increased in both G2 and G3 but not significantly different between G2 and G3. Both cardiothoracic ratios (initial and recovery) were not significantly different between the three groups. Pulmonary venous congestion was most severe in G3 and correlates positively with RR. The only ECG abnormality was flat or inverted T waves in lead I, which was not confined to one group, however, it was most common in G3 (33.3%).

Initial echo-Doppler study of patients in one group (PG-I) compared with the control subjects revealed a significant increase in LV walls (PW and IVS) and mass, LA dimensions and volumes, RA dimensions, RV volumes, mitral and tricuspid valve diameters as well as IVC minimal diameter in PG-I, whereas, there was an insignificant increase in LV and RV systolic functions as well as the mitral and tricuspid inflow parameters, however, IVC collapsibility was significantly depressed in PG-I. Comparing initial and recovery echo-

Doppler measurements, in addition to the aforementioned increase in dimension and volumes, left and right ventricular systolic and diastolic functions were insignificantly different. Moreover, the LA dimensions and ejection indices did not return to the control levels by the time of recovery evaluation. Comparing G2 with G3 revealed that LA end systolic volume, aortic and tricuspid valve diameters were significantly increased in G3, however, the ejection phase indices were significantly depressed in G3 especially EF%, FS%, COP and AO PP-ET. In some patients, transient mitral and tricuspid valve regurgitations were noted in G1, G2 and G3, however they were more severe and prolonged in G3, although they were clinically inaudible.

The CTR was positively correlated to RV and PV diameters, whereas, T_1 abnormality on ECG was correlated to diastolic dysfunction (IVRT and LA-EF). The SV and COP were positively correlated to increased LV preload while some diastolic function parameters were negatively correlated to afterload (ABP). Furthermore, heart failure was negatively correlated to LV systolic function indices whereas it was positively correlated to LA volumes, duration of MR and severity of TR. Regression analyses revealed that MR time of disappearance was highly dependent on both LA cross sectional area and EF%, whereas TR time of disappearance was highly dependent on both TR grade and LVD-V. Heart failure was highly dependent on AO-FT, TR and MR grades.

From our study we concluded that:

- Increased preload on the right side of the heart mediated by sodium and water retention seems to be the main determinant of right sided congestive manifestations without ventricular function impairment.
- Increased left ventricular preload is relatively well tolerated, in children with APGN, through the effect of compensatory mechanisms including LA and LV dilatation with concomitant increase in stroke volume and cardiac output together with pulmonary venous congestion.
- No direct evidence indicating the occurrence of myocarditis, however, mild myocarditis can not be rolled out as a cause of systolic dysfunction and/ or MR.
- The encountered AV valvular regurgitations seem to be influenced by different pathogenetic factors. The major determinants of transient MR were LA dilatation from increased preload together with increased afterload that subsequently increase the mitral annular diameter in addition to the possible mild myocardial damage in this post-streptococcal event. Transient TR seems to be preload dependent, however, heart failure may augment its severity.
- Echo-Doppler has proved to be superior over chest x ray or ECG in evaluating cardiac functions and hemodynamics including valvular regurgitation that should be followed up after clinical recovery as the persistence of TR signifies persistence of hypervolemia while that of MR signifies persistence of a relative myocardial dysfunction.

RECOMMENDATIONS

- Early assessment of the cardiac performance by echocardiography is of great value in early detection of cases with impaired systolic function who should be managed promptly before the appearance of overt heart failure.
 - Proper adjustment of sodium and water balance, and frusemide therapy, particularly in those patients with associated TR, could alleviate the stress of hypervolemia on both sides of the heart and help in saving, the cardiac compensatory mechanisms.
 - Prompt control of hypertension helps in alleviating an additional stress on cardiac functions and hemodynamics.
 - Avoiding misdiagnosis of other causes of MR through the knowledge that MR can occur in children with APGN.
 - Prevention of streptococcal infection for 3-6 months could be helpful in those patients with impaired systolic function and MR as a second attack with nephritogenic streptococci, although rare, may increase the risk of cardiac mortality.
 - Further study of a common pathogenetic mechanism responsible for the cardiac involvement in the two post streptococcal events; APGN and ARF, is needed.
-

REFERENCES

- *Abe H, Holt W, watters TA et al :** Mechanics and energetics of overstretch: The relationship of altered left ventricular volume of the Frank-Starling mechanism and phosphorylation potential. *Am Heart J* 116: 447-454, 1988.
- *Abuelo JG and Dreut B :** Circulating immune complexes in the general hospital population and in patients who have renal disease. *Am J Clin Pathol* 73:547, 1980.
- *Aguirre FS, Pearson AC, Lewen M et al :** Usefulness of Doppler echocardiography in the diagnosis of congestive heart failure . *Am J Cardiol.* 63:1098-1102,1989.
- *Ahmed UG, Treser J, Jackson J et al :** The relation of a recently identified streptococcal antigen (endostreptosin) to renal disease. In : Parker MT (ed). *Pathogenic streptococci*. Windsor; Reedbooks, PP 137-139, 1979.
- *Albert MS, Leeming JM and scaglione PR :** Acute glomerulonephritis without abnormalities of the urine. *J Pediatr* 68 : 525-9, 1966.
- *Anand SK, Trygstad CM, Sharma HM et al :** extracapillary proliferative glomerulonephritis in children. *Pediatrics* 56 : 434, 1975.
-

- *Anthony BF, Kaplan EL, Wannamaker LW et al:** Attack rates of acute nephritis after type 49 streptococcal infection of the skin and of the respiratory tract. J Clin Invest 48 : 1697-1704, 1969.
- *Appleton CP, Hatle LK, Popp RL :** Relation of transmitral flow velocity patterns to left ventricular diastolic function: New insights from combined hemodynamic and Doppler echocardiographic study. J Am Coll Cardiol 12:426-440, 1988.
- *Arant BS, Edolmann CM and Spitzer A :** The congruence of creatinine and inulin clearances in children : use of technicon Autoanalyser. J Pediatric 81:559-61, 1972.
- *Archilla RA, Thilenius O, Chiemmongkoltip P et al :** Left atrial volume calculation by angiography in children. Chest 63:189-197, 1973.
- *Armitage P :** Statistical methods in medical research 5th ed N Y: Wiley, 1983.
- *Balat A, Baysal and Koçak H :** Myocardial functions in children with acute post streptococcal glomerulonephritis, Clincal Nephrology 39(3):151-5, 1993.
- *Baldwin DS :** Post streptococcal glomerulonephritis : A progressive disease ?. Am J Med 62:1-11, 1977.
- *Baldwin DS, Gluck MC, Schacht RG et al :** The long-term course of post streptococcal glomerulonephritis. Ann. Intern Med 80:342-58, 1974.

- *Bansal RC, De Lange M, Racker M** : Pericardial disease. In: Craig M (ed) Diagnostic Medical Sonography, Vol II, Echocardiography. J B Lippincott Co 253-272, 1991.
- *Bedetto JB, Eichhorn EJ, Grayburn PA**: Effects of left ventricular preload and afterload on ascending aortic blood velocity and acceleration in coronary artery disease. Am J Cardiol. 64 856-9, 1989.
- *Ben Dov I, Berry EM and Kopolovic J** : Post streptococcal nephritis and acute rheumatic fever in two adults. Arch Intern Med 145:338-9, 1985.
- *Bergstein JM** : Glomerular disease. In : Behrman RE, Kliegman RM and Arvin AM (eds). Nelson Textbook of Pediatrics 15th ed Philadelphia : WB Saunders, PP 1484-97, 1996.
- *Berine GJ, Wagnild JP, Zimmerman SW et al** : Idiopathic crescentic glomerulonephritis. Medicine 56:349, 1977.
- *Birkenhäger WH, Schalekamp MA, Kolesters G et al**: Interaction between arterial pressure, fluid volume and plasma renin concentration in the course of acute glomerulonephritis. Lancet 1:1086, 1970.
- *Binso AL, Pierce IA, Wall HP** : Contrasting epidemiology of acute rheumatic fever and acute glomerulonephritis : Nature of the antecedent streptococcal infection. N Engl J Med 283:561, 1971.
- *Binso AL, Nelson KE, Waytz P** : Factors influencing serum antibody response in streptococcal pyoderma J Lab Clin Med 81:410, 1973.

- *Boltwood CM, Tei C, Wong M et al :** Quantitative echocardiography of the mitral complex in dilated cardiomyopathy: the mechanism of functional mitral regurgitation. *Circulation* 68:498-508, 1983.
- *Bommer W, Weinert L, Neumann A et al :** Determination of right atrial and right ventricular size by two dimensional echocardiography. *Circulation* 60:91-100, 1979.
- *Bonow RO, and Udelson JE :** Left ventricular diastolic dysfunction as a cause of congestive heart failure. *Ann Intern Med* 117:502-10, 1992.
- *Borow KM, Green LH, Grossman W et al :** Left ventricular end-systolic stress-shortening and stress-length relations in human : Normal values and sensitivity to inotropic state. *Am J Cardiol* 50:1301-8, 1982.
- *Braunwald E and Ross J :** Control of cardiac performance. In : Berne RM, Sperclakis, Geiger SR (eds). *Handbook of Physiology* section 2 : The cardiovascular system, Vol 1. Baltimore : Williams and Walkins Co. PP 123-9, 1979.
- *Brutsaert DL, Rademakers FE, Sys SU:** Triple control of relaxation : Implications in cardiac disease. *Circulation* 69:190-196, 1984.
- *Burnett JW :** Management of pyogenic cutaneous infection. *N Engl J Med* 266:146, 1982.

- *Burt RK, Burt SG, Suki WN et al :** Reversal of ventricular dysfunction after renal transplantation. *Ann Intern Med.* 111:635-40, 1989.
- *Burwarsh IG, Blackmore GL, and Koilpillai CJ:** Usefulness of left atrial and left ventricular chamber sizes as predictors of the severity of mitral regurgitation. *Am J Cardiol* 70:774-9, 1992.
- * Caffey JM (ed) :** Pediatric X-Ray diagnosis. USA Year book Medical Publ. 544-601, 1976.
- *Caidahl K, Mellander M, Sabel KG et al :** Estimation of stroke volume using Doppler echocardiography and left ventricular endiastolic dimensions in infants and children. *Acta Pediatr Scand. Suppl* 329:114-9, 1986.
- *Castaigne A:** Silent heart failure as observed by a french cardiologist ; 65:54K-57K, 1990.
- *Channer KS, Culling W, Wilde P et al :** Estimation of left ventricular end diastolic pressure by pulsed Doppler ultrasound. *Lancet* 3:1005-7, 1986.
- *Colan SD, Sanders SP, Ingelfinger JR et al :** Left ventricular mechanics and contractile state in children and young adults with end stage renal disease : effect of dialysis and renal transplantation. *J Am Coll Cardiol* 10:1085-94, 1987.
-

***Colan DS** : Cardiovascular disease. In: Ichikawa L (ed) Pediatric Textbook of fluid and electrolytes. Williams and Walkins Co. PP. 88, 1990.

***Colan DS** : Assessment of ventricular and myocardial performance. In: Fayer DC (ed) Nadas Pediatric Cardiology. St Louis, Mosby- Year book Inc. 225-48, 1992.

***Colina-Chourio JA, Rodriguez-Iturbe B and Baggio B**: Urinary excretion of prostaglandins (PGE₂ and PGF₂ α) and Kallikrein in acute glomerulonephritis Clin Nephrol. 20:217-24, 1983.

***Courtois M, Kovacs SJ and Ludbrook PA** : Transmitral pressure flow velocity relation : importance of regional pressure gradients in the ventricle during diastole. Circulation 78:661-671, 1988.

***Crozier IG, Li E, Milne MJ et al** : Cardiac involvement in systemic lupus erythematosus detected by echocardiography. Am J Cadiol. 65 : 1145-8, 1990.

***Cueto-Garcia L, Herrera J, Arriaga J et al** : Echocardiographic changes after successful renal transplantation. Chest 83 : 56-62, 1983.

***Dacie JV, Lewis SM (eds)** : Practical Hematology 5th ed London : Churchill Livingstone 580-3, 1975.

***Daffner RH** : Cardiac Radiology. Introduction to Clinical Radiology Saint Louis CV Mosby Co : 130 - 159, 1978.

***Daniels SR, Meyer RA, Liang Y et al:** Echocardiographically determined left ventricular mass index in normal children, adolescents and young adults. *J Am Coll Cardiol* 12 : 703 - 8, 1988.

***Devereux RB and Reichek N :** Echocardiographic determination of left ventricular mass in man. *Circulation* 55 : 613 - 18, 1977.

***Devereux RB, Savage DD, Sachs I et al :** Relation of hemodynamic load to LV hypertrophy and performance in hypertension. *Am J Cardiol* 51: 171 - 6, 1983.

***de Simone G, Di Lorenzo L, Costantini G et al :** Supranormal contractility in primary hypertension without left ventricular hypertrophy. *Hypertension* 11: 457, 1988.

***de Wardner HE :** Treatment of acute glomerulonephritis. *Am Heart J.* 98 : 523 - 5, 1979.

***Dillon HC:** Impetigo contagiosa : Suppurative and non-suppurative complications. I. Clinical, bacteriologic and epidemiologic characteristics of impetigo. *J Dis Child* 115 - 30, 1968.

***Dillon HC :** Streptococcal infection of the skin and its complications : Impetigo and nephritis. In : Wannamaker CW and Masten JM (eds). *Streptococcal Diseases*. NY academic Press PP 571, 1972.

***Dillon HC and Reeves MS :** Streptococcal immune response in nephritis after skin infection *Am J Med.* 56:333, 1974.

***Dillon MJ** : Hypertension. In: Postlethwaite RJ (ed) Clinical Pediatric Nephrology 2nd ed. Oxford, Butterworth - Heinemann Ltd PP 175 - 195, 1994.

***Dodge WF, Spargo BF and Travis LB** : Occurance of acute glomerulonephritis in sibling contacts of children with sporadic acute glomerulonephritis. Pediatrics 40 : 1029, 1967.

***Dodge WF, Spargo BF, Travis LB et al** : Post streptococcal glomerulonephritis : A prospective study in children N Engl J Med 286 : 273, 1972.

***Donnerstein RL and Marx GR** : Simplified method for estimation of Doppler cardiac output in the great arteries Am J Cardiol 62 : 155 - 6, 1988.

***Drummond KN** : Diseases of the glomerulus. In: Nelson Textbook of Pediatrics 11th ed. Vol II WB Saunders Co. 1130 - 4, 1979.

***Drummond KN** : Diseases of the glomerulus. In Vaughan VC, Mackey RJ, Behrmen RE (eds). Nelson Textbook of Pediatrics, 12th ed. Philadelphia : WB Saunders Co : 1330 - 34, 1983.

***Duarte CG, Elveback LR, and Lied AL** : Renal Function Tests. In : Clinical Laboratory Procedures and Diagnosis. Boston. Little Brown and Co: PP 811, 1980.

***Edelstein CL and Bates WD**: Subtypes of acute post infectious glomerulonephritis : A clinicopathological correlation. Clin Nephrol 38:311-317, 1992.

***Endre ZH, Pusell BA, Charles-Worth JA et al:**

C3 Metabolism in acute glomerulonephritis :Implication for sites of complement activation. *Kideny Int.* 25 : 937, 1984.

***Engle SJ, Di Sessa TG, Perloff JK et al:** Mitral valve E point to ventricular septal separation in infants and children. *Am J Cardiol.* 52: 1084-7, 1983.

***Fairley K and Brich DF:** Hematuria. A simple method for identifying glomerular bleeding. *Kidney Int.* 21: 105, 1982.

***Fasset RG, Horgan B, Gove D et al:** Scanning electron microscopy of glomerular and non-glomerular red blood cells. *Clin Nephrol* 20:11, 1983.

***Fast J, Van Dam I, Heringa A et al:** Limits of reproducibility of mitral pulsed Doppler spectra. *Am J Cardiol* 61: 891-4, 1988.

***Feigenbaum H:** Evolution of echocardiography. *Circulation* 93:1326-7, 1996.

***Fish AJ, Herdman RC, Micheal AF et al:** Epidemic acute glomerulonephritis associated with type 49 strepto -coccal pyoderma. II correlative study of light, immunoflourescent and electron microscopic findings. *Am J Med* 48:28, 1970.

***Fisher DC, DuBrow IW, Hastreiter AR:** Comparison of ejection phase indices of left ventricular performance in infants and children. *Circulation.* 52:916-25, 1975.

***Fiumara AE:** A rapid dilution technic for ASO titre. Am J Clin Pathol. 57:538-40, 1972.

***Fleisher DS, Voci G, Garfunkel J et al:** Hemodynamic findings in acute glomerulonephritis. J Pediatr 69:1054-62, 1966.

***Franklin RGC, Wyse RKH, Graham TP et al:** Normal values for noninvasive estimation of left ventricular contractile state and afterload in children. Am J Cardiol. 65: 505-10, 1990.

***Gaasch WH:** Left ventricular radius to wall thickness ratio. Am J Cardiol 43:1189-94, 1979.

***Gamble WH, Shaver JA, Alvaras RF et al:** A critical appraisal of diastolic time intervals as a measure of relaxation in left ventricular hypertrophy. Circulation 68: 76-87, 1983.

***Gardin JM:** Doppler measurement of aortic blood flow velocity and acceleration : Load independent index of left ventricular performance. Am J Cardiol. 15: 935-6, 1989.

***Gardin JM, Burn CS, Childs WJ:** Evaluation of blood flow velocity in the ascending aorta and main pulmonary artery of normal subjects by Doppler echocardiography. Am Heart J 107: 310-319, 1984.

***Geltman EM:** Mild heart failure: Diagnosis and treatment. Am Heart J. 118: 1277-91, 1989.

***George SA and Craig M :** M mode echocardiography. In : Craig M Diagnostic Medical Sonography, vol II, echocardiography. J B lippincott Co: 77-90, 1991.

- *Geormaneanu M, Iagaru M, Petraru D et al:** Uncommon pneumonia associated with acute post-streptococcal glomerulonephritis. *Morphologie et Embryologie* 28(2): 145-152, 1982.
- *Ghali JK, Kadakia S, Cooper RS et al:** Bedside diagnosis of preserved versus impaired left ventricular systolic function in heart failure. *Am J Cardiol* 76: 1002-6, 1991.
- *Gibney R, Reineck HJ, Bannayan GA et al:** Renal lesions in acute rheumatic fever. *Ann Intern Med.* 94: 322-6, 1981.
- *Glassock RJ, Adler SG, Ward HJ et al :** Primary glomerular disease: In Brenner BM , Rector FC (eds): *The Kidney*. Philadelphia. WB Saunders PP 1184-1256, 1991.
- *Glassock RJ, Cohen AH and Adler SG:** Post streptococcal glomerulonephritis. In Brenner BM (ed). *The Kidney*. 5th ed. vol II. Philadelphia, WB Saunders Co. 1394-1472, 1996.
- *Goorno W, Ashworth CT and Carter NW:** Acute glomerulonephritis with absence of abnormal urinary findings. *Ann Intern Med* 66: 345-353, 1967.
- *Graham TP, Franklin RCG, Wyse RKH et al:** Left ventricular wall stress and contractile function in childhood . *circuation* 74: 1-61-9, 1986.
- *Griffith JM and Henry WL:** An ultrasound system for cardiac imaging and Doppler blood flow measurement in man. *Circulation* 57: 925, 1978.
-

***Guntheroth WG:** Initial evaluation of the child for heart disease. *Pediatric Clin North Am.* 25: 657-675, 1978.

***Gutgesell HP, Paquet M, Duff DF et al :** Evaluation of left ventricular size and function by echocardiography. Results in normal children. *Circulation* 56: 457-462, 1977.

***Habib R:** Acute glomerulonephritis or the syndrome of postinfectious glomerulonephritis of acute onset. In: Royer P, Habib R, Mathieu H et al (eds). *Pediatric Nephrology*. Philadelphia, WB Saunders Co. PP 271-282, 1974.

***Hamburger J, Ricket G and Crosnier J:** Acute glomerulonephritis In: *Nephrology vol I*, Philadelphia, WB Saunders Co. PP 620-709, 1969.

***Hammermeister KE, and Warbasse JR:** The rate of change of left ventricular volume in man. II diastolic events in health and disease. *Circulation* 49: 739-47, 1974.

***Harizi RC, Bianco JA, Alpert JS :** Diastolic functions of the heart in clinical cardiology. *Arch Intern Med.* 148: 99-109, 1988.

***Harrigan P:** Two dimensional and Doppler echo-cardiography. In: Craig M (ed) *Echocardiography vol II* JB Lippincott Co. PP 91-148, 1991.

***Harrison MR, Clifton GD, Berk MR et al:** Effect of blood pressure and afterload on Doppler echocardiographic measurements of left ventricular systolic function in normal subjects. *Am J Cardiol.* 64: 905-8, 1989.

***Hart DH, Scheinkestel C, Whitworth JA et al:** Acute post-streptococcal glomerulonephritis without proteinuria. *J Royal Soc Med.* 78: 842-3, 1985.

***Henry WL, Gardin JM, Ware JH:** Echocardiographic measurements in normal subjects from infancy to old age. *Circulation.* 62: 1054-61, 1980.

***Hingalis N, Garcia-Torres R and Kleinknecht D:** Long term prognosis in acute glomerulonephritis: The predictive value of early clinical and pathologic features observed in 65 patients. *Am J Med.* 56: 52-60, 1974.

***Hiraishi S, Di Sessa TG, Jarmakani JM et al:** Two dimensional echocardiographic assessment of right, ventricular volume in children with congenital heart disease. *Am J Cardiol.* 50: 1368-75, 1982.

***Hofstetter T, Bartz-Bazzanella P, Kentrup H et al:** Determination of left atrial area and volume by cross sectional echocardiography in healthy infants and children. *Am J Cardiol.* 68: 1073-8, 1991.

***Hogg RS :** Diagnostic, prognostic and therapeutic implicators of renal biopsy in children with renal disase. *Semin Nephrol.* 5: 240-254, 1985.

***Houtman P and Dillon MJ:** Routine measurement of blood pressuse in school children. *Arch Dis Child* 66: 567-8, 1991.

***Inglefinger JR, Mc Cluskey RT, Scheenberger EE et al:** Nectrotizing arteritis in acute post-streptococcal glomerulonephritis. *J Pediatr.* 91: 228-232, 1977.

- *Iriart M, Murga N, Sagastagoitia D, et al:** Congestive heart failure from left ventricular diastolic dysfunction in systemic hypertension. *Am J Cardiol.* 71: 308-312, 1993.
- *Isaaz K, Ethevenot G, Admant P, et al :** A new Doppler method of assessing left ventricular ejection force in chronic congestive heart failure. *Am J Cardiol.* 64: 81-7, 1989.
- *Isaaz K, Ethevenot G, Admant P et al:** A simplified normalized ejection phase index measured by Doppler echocardiography for the assessment of left ventricular performance. *Am J Cardiol.* 65: 1246-51, 1990.
- *Ishida Y, Meisner JS, Tsujioka K et al:** Left ventricular filling dynamics: Influence of left ventricular relaxation and atrial pressure. *Circulation* 74: 187-196, 1986.
- *James JA (ed):** Acute glomerulonephritis. In: *Renal Disease in Childhood.* Los Angeles, California: CV Mosby Co. PP 175-183, 1972.
- *James JA, lieberman E and Fine RN (eds):** Acute glomerulonephritis. In: *Renal Disease in Childhood* 3rd ed. Saint Louis, CV Mosby Co:PP 191-213, 1976.
- *John AJ, Ellin L, Richard NF:** Renal disease in children, 3rd ed. St Louis: CV Mosby Co: PP 176-191, 1976.
- *Jones CJH, Song GJ, Gibson DG:** An echocardiographic assessment of atrial mechanical behaviour. *Br. Heart J* 65: 31-6, 1991.

- *Johnson KH and Zabriskie JB:** Purification and partial characterization of the nephritis strain-associated protein from sterptococcus pyogenes. J Exp Med. 163: 697-703, 1986.
- *Jordean SC and Lemire JM:** Acute glomerulonephritis diagnosis and treatment. Ped Clin North Am 29: 857-72, 1982.
- *Kamenetskii MS, Pervak MB, Tkachenko GD et al:** The x-ray diagnosis of a predisposition to nephritogenic pulmonary edema in glomerulonephritis patients. Vestnik Rentgenologii Radiologii (5): 17-22, 1995.
- *Kamisago M and Hirayama T:** Echocardiographic evaluation of left ventricular hemodynamics in children with post-sterptococcal acute glomerulonephritis (Jap.) English abstract. Nippon Ika Daigaku Zasshi 61(4): 306-19, 1994.
- *Kantor FS:** Fibrinogen percipitation by sterptococcal M protein. II Renal lesions induced by intravenous injection of M protein into mice and rats. J Exp Med 121: 861, 1965.
- *Kanwar YS and Rosenzweig LJ:** Altered glomerular permeability as a result of focal detachment of the visceral epithelium. Kidney Int 21: 565-9, 1982.
- *Kaplan NM :** Systemic hypertension. In: Braunwald E(ed) Heart Disease. 4th ed, Philadelphia WB Saunders Co PP 817-851, 1992.

***Kaul S, Tei C, Hopkins JM et al:** Assessment of right ventricular function using two dimensional echocardiography. Am Heart J 107: 526-31, 1984.

***Keith JD, Rowe RD and Vlad P:** Cardiac involvement in acute glomerulonephritis. In: Heart Disease in Infancy and Childhood. 2nd ed. New York, London, Mac Millan Co. PP 1013-9, 1967.

***Kessler KM:** Heart failure with normal systolic function: Update of prevalence, differential diagnosis, prognosis and therapy. Arch Intern Med 148: 2109-11, 1988.

***Kherr KK and Makker SP:** Post-streptococcal glomerulonephritis. In: Clinical Pediatric Nephrology. New York. Mc Grow-Hill Inc. PP 212-221, 1992.

*** Kil KS , Cunningham MW and Barnett LA:** Cloning and sequence analysis of a gene encoding a 67- Kilodalton myosin-cross-reactive antigen of streptococcus pyogenes reveals its similarity with class II major histocompatibility antigens . Infection and Immunity. 62(6) : 2440-9 ,1994.

***Kircher PJ, Himelman Rb and Schiller NB:** Noninvasive estimation of right atrial pressure from the inspiratory collapse of the inferior vena cava. Am J Cardiol 66:493-6,1990.

***Kirkpatrick JA and Fleisher DS:**The roentgen appearance of the chest in acute glomerulonephritis in children. J Pediatr 64:492-8 ,1964.

***Kitabatake A, Inoue M, Asao M et al :** Noninvasive evaluation of pulmonary hypertension by pulsed Doppler technique . Circulation 68:302-9,1983.

***Kronick G, Slany J, Mossbacher H :** Comparative value of eight M-mode echocardiography formulas of determining left ventricular stroke volume :A correlative study with the modilution and single plane cine angiography. Circulation 45:1038-1146.1979.

***Lange K, Seligson G and Cronin W :** Evidence for in-situ origin of post-streptococcal glomerulonephritis: Glomerular localization of endostreptosin and clinical significance of the subsequent antibody response. Clin Nephrol 19:3-10, 1983 .

***Lange CF:** Tracking the in-vivo localization of streptococcal cell membrane antibodies:Potential model for post -sterptococcal sequelae.Research Communications in Molecular Pathology and Pharmacology 89(2):241-55,1995.

***Layrisse Z, Rodriguez-Iturbe B, Garcia R et al :** Family studies of the HLA system in post-streptococcal . glomerulonephritis. Human Immunol 7:177-183,1983 .

*** Leatham A , Bull C and Braimbridge MV (eds):** Electrocardiography. In Lecture Notes on Cardiology 3rd ed, Blackwell Scientific Publication, PP 267-318, 1991.

- *Lester RL, Howie VM, Ploussard JH:** Treatment of streptococcal pharyngitis with different antibiotic regimens : Observation on the effectiveness of 7- chlorolincomycin on twice a day dosage. Clin Pediatr 13:239-42,1974.
- *Lewis JE:** Pattern of circulating complement in renal diseases. Ann Rev Med 30:445 , 1979.
- *Lewis J, Lawrence CK, Nelson JG et al :**Pulsed Doppler echocardiographic determination of stroke volume and cardiac output. Circulation 70:425-31,1984.
- *Lewis BR, Makhoul N, Dakak N et al :** Atrial naturetic peptide in severe heart failure: Response to controlled change in atrial pressure during intravenous nitroglycerine therapy. Am Heart J 124:1009-16,1992.
- *Lewy JE :** Acute post-streptococcal glomerulonephritis. Pediatric Clinics of North America 23:751-9,1976.
- *Lewy JE, Herdson PB, Howie VM et al :** Clinicopathological correlation in acute post-streptococcal glomerulonephritis. Medicine 50:453-501,1971.
- *Liberman E and Donnell GN :** Recovery of children with acute glomerulonephritis. Am J Dis Child 109:398-407, 1965.
- *Lin CY:** Serial studies of circulating immune complexes in post-streptococcal glomerulonephritis. Pediatrics 70:725-7,1982.
-

- *Lin SS, Reynertson SI, Louie EK et al :** Right ventricular volume overload results in depression of left ventricular ejection fraction. Circulation 90(part2) : II-209-213,1994.
- *Llash F(ed.):** Acute nephritic syndrome: In Papper's Clinical Nephrology. 3rded. Boston Little Brown &Co . PP 142-150,1993.
- *Madaio Mp and Harrington JT :** The diagnosis of acute glomerulonephritis. N Engl J Med. 309:1299-1302, 1983.
- *Mahler F , Ross JJr, O' Rourke et al :** Effects of changes in preload, afterload and inotropic state on ejection and isovolumic phase measures of contractility in the conscious dogs. Am J Cardiol 35:626,1975 .
- *Majeed HA, Yousof AM, Pokorny J et al :** Human heart sarcolemmal sheath antibodies in children with non- suppurative sequelae of group A streptococcal infections: a follow up study. Annals of the Rheumatic Diseases 50:752- 4,1991 .
- *March WH, Fiagerhut B, Miller H:** Automated and manual methods for determination of blood urea. Clin Chem 11:622-7,1965.
- *Marriot HJ:** Practical echocardiography.6thed Baltimore . William and Willkins Co: 47-9 and 51-61 ,1978.
- *Martinez J, Piedrahita V, Suarez G et al :** Acute glomerulonephritis in children: Clinical manifestations . (spanish). Boletin Medico del Hospital Infantil de Mexico 38(1):111-8,1981.

***Massie BM, Schiller NB, Ratshin RA et al :** Mitral septal separation: A new echocardiographic index of left ventricular function. Am J Cardiol 88:1008 -16,1977.

***Mc Crory WW :**The heart in acute glomerulonephritis (editors column). J Pediatr 69:1176-8,1966.

***Mc Intosh RM, Garica R, Rubio L et al :** Evidence for an autologous immune complex pathogenic mechanism in acute post-streptococcal glomerulonephritis. Kidney Int 14:501,1978.

***Mc Lean RH and Michael AF :** Properdin and C₃ proactivator : Alternative pathway components in human glomerulonephritis. J Clin Invest 52:634,1973.

***Mendoza SA:** Hypertension in infants and children. Nephron 54:289-295,1990.

***Miller TR, Anderson RJ, Linas SL et al :**Urinary diagnostic indices in acute renal failure. Ann Intern Med 89:47,1978.

***Mintz GS, Kotler MN, Parry WR et al:** Real time inferior vena cava ultrasonography : Normal and abnormal findings and its use in assessing right heart function. Circulation 64:1018-25,1981.

***Miyatake K, Okamoto M, Kinoshita N et al :**Evaluation of tricuspid regurgitation by pulsed Doppler and two dimensional echocardiography. Circulation 66:777-84,1982.

***Moreno FL, Hagan AC, Holmen JR et al :** Evaluation of size and dynamics of the inferior vena cava : An index of right sided cardiac function. *Am J Cardiol* 53:85,1984.

***Morgera T, DiLenarda A, Dreas L et al:** Electrocardiography of myocarditis revised : Clinical and prognostic significance of electrocardiographic changes . *Am Heart J* 124:455-467,1992.

***Morsi MR , Madina EH, Anglo AA et al :**Evaluation of captopril versus reserpine and frusemide in treating hypertensive children with acute post-streptococcal glomerulonephritis . *Acta Paediatr* 81:145-9,1992.

***Mosquera J and Rodreguiz-Iturbe B :** Extracellular neuraminidase production of streptococci associated with acute nephritis . *Clin Nephrol* 12:21, 1984.

***Myreng Y, Smiseth OA, and Risoe C :** Left ventricular filling at elevated diastolic pressures:Relationship between transmitral Doppler flow velocities and atrial contribution . *Am Heart J* 119:620-6, 1990.

***Nand N, Argent NB , Morley AR et al :** Garland pattern post-streptococcal glomerulonephritis. *Nephrol Dial Transplant* 7:155-7,1992.

***Natio S , Hohara M , and Arakawa K :** Association of class II antigens of HLA with primary glomerulopathies. *Nephron* 45:111-6,1987.

***Nishimura RA, Miller FA, Callahan MJ et al :** Doppler echocardiography : Theory, instrumentation , technique and applications . Mayo Clin Proc 60:321-343, 1985.

***Nishimura RA, Horsmans PR, Hatle LK et al :** Assessment of diastolic function of the heart : Background and current application of Doppler echocardiography. Part I. Physiology and pathophysiologic features. Part II Clinical studies. Mayo Clin Proc 64:71-81 and 181-204, 1989.

***Nissenson AR, Baraff L, Fine RN et al:** Post-streptococcal acute glomerulonephritis. Fact and controversy. Ann Intern Med 91:76, 1979.

***Nixon JV, Murray RG, Leonard PD et al :** Effect of large variation in preload on left ventricular performance characteristics in normal subjects. Circulation 65:698-703, 1982.

***Nolasco FEB, Cameron JS, Hartely B et al:** Introaglomerular T cells and monocytes in nephritis : Study with monoclonal antibodies. Kidney Int 31:1160, 1987.

***Norman A, Thomas N, Coakley J et al :** Distinction of becker from limb girdle muscular dystrophy by means of cDNA probe. Lancet 1: 466-8, 1989.

***Ossi E, Prenza A, Sepulveda M et al :** Immune deposits in the spleen of a patient with acute post-streptococcal glomerulonephritis . Clin Immunol Immunopathol 6:306, 1976.

***Otto CM and Pearlman AS** : Echocardiographic evaluation of left and right ventricular systolic function : Otto CM and Pearlman AS (eds), Textbook of Clinical Echocardiography. Philadelphia WB Saunders Co. PP 85-136,1995.

***Parra G, Rodriguez-Iturbe B, Colina-Chourio J et al** : Short-term treatment with captopril in hypertension due to acute glomerulonephritis . Clin Nephrol 29:58-62,1988.

***Parra G , Mosquera J and Rodriguez-Iturbe B** : Migration inhibition factor in acute serum sickness nephritis. Kidney Int 38:1118,1990.

***Pastan SO and Braunwald E** : Renal disorders and heart disease. In: Braunwald E (ed.). Heart Disease 4th ed. , Philadelphia. WB Saunders : 1865-74,1992 .

***Phibbs B, Taylor J, Zimmerman RA** : A community wide streptococcal control project : The natrona country primary prevention program, Casper, Wyo. J A M A 214:2018-24, 1970.

***Phillips RA, Caplan NL, Krakoff LR** : Doppler echocardiographic analysis of left ventricular filling in treated hypertensive patients. J Am Coll Cardiol 9:317-22, 1987.

***Pinamonti B, Albert E, Cigalotto A et al**: Echocardiographic findings in myocarditis. Am J Cardiol 62 :285-91,1988 .

***Poole-Wilson PA, and Buller NP** : Causes of symptoms in chronic congestive heart failure and implications for treatment. Am J Cardiol 62:31 A - 34 A,1988.

***Poon King T, Mohammed I, Cox R et al :** Recurrent epidemic nephritis in south Trinidad. *N Engl J Med* 227:728,1967.

***Powell HR , Rotenberg E, Williams AL:** Plasma renin activity in acute post-streptococcal glomerulonephritis and the hemolytic uremic syndrome. *Arch Dis Child* 49:802,1974.

***Quinones MA, Gaasch WH, Cole JS et al :** Echocardiographic determination of left ventricular stress velocity relations in man. With references to the effects of loading and contractility . *Circulation* 51:689-700,1975.

***Quinones MA, Gaasch WH and Alexander JK:** Influence of acute change in preload, afterload, contractile state and heart rate on ejection and isovolumic indices of myocardial contractility in man. *Circulation* 53:293-302,1976.

***Raff GL and Glantz SA :**Volume loading slows left ventricular isovolumic relaxation in the intact dog heart. *Circ Res* 48:813-824,1981.

***Rahko PS :** Prevalence of regurgitant murmurs in patients with valvular regurgitation detected by Doppler echocardiography. *Ann Intern Med* 111:466-72,1989.

***Raine AE :** Hypertension in renal disease and renal failure. In: *Advanced Renal Medicine*. Oxford University Press. N Y, Tokyo: PP 142-3,1992.

- *Read SE, Reid H, Pooni-King T et al :**HLA and predisposition to the nonsuppurative sequelae of group A streptococcal infections. Transplant Proc 9:543,1977.
- *Reichek N:** Echocardiographic assessment of left ventricular structure and function in hypertension. Am J Med 26:16-21,1983.
- *Repetto HA, Lewy JE, Braudo JL et al :** The renal functional response to furosemide in child with acute post -streptococcal glomerulonephritis. J Pediatr 50,660-6,1972.
- *Ricket G, Fillastre JP, Morel-Maroger L et al :** Change from diffuse proliferative to membranous glomerulonephritis . Serial biopsies in four cases. Kidney Int 5:57,1974.
- *Riggs TW and Snider AR :** Respiratory influence on right and left ventricular diastolic function in normal children. Am J Cardiol 63:858-861,1989.
- *Rivera JM, Vandervoot PM, De Prada AV et al :** Which physical factors determine tricuspid regurgitation jet area in the clinical setting ? Am J Cardiol 72:1305-9,1993.
- *Robson SC, Murray A, Peart I et al :**Reproducibility of cardiac output measurement by cross sectional and Doppler echocardiography. Br Heart J 59:680-4,1988.
-

***Rodriguez-Iturbe B, Garcia R, Carr RI et al :** Circulating immune complexes and serum immunoglobulins in acute post-streptococcal glomerulonephritis . Evidence for circulating immune complex pathogenesis. Clin Nephrol 13:1,1980.

***Rodriguez- Iturbe B, Rubio L, Garcia R:** Attack rate of post-streptococcal glomerulonephritis in families. A prospective study. Lancet 1:401-3 ,1981.

***Rodriguez-Iturbe B:** Nephrology from: Epidemic post-streptococcal glomerulonephritis. Kidney Int 15:129-36,1984.

***Rodriguez-Iturbe B , Baggio B, Colina-Chourio J et al :** Studies on the renin-aldosterone system in the acute nephritic syndrome. Kidney Int 19:47,1988.

***Rodriguez-Iturbe B:** Acute post-streptococcal glomerulonephritis. In: Schrier RW and Gottschalk CW (eds), Diseases of the Kidney . 4th ed . Boston, Little Brown &Co. PP 1929-47 ,1988.

***Rodriguez-Iturbe B,Colic C, Parra G et al :**Atrial naturetic factor in the acute nephritic and nephrotic syndromes . Kidney Int 38:512-7,1990.

***Rodriguez-Iturbe B:** Acute post-streptococcal glomerulonephritis. In: Schrier RW and Gottschalk CW (eds).Disease of the Kidney . 5th ed . Vol II Boston ,Little Brown &Co . 1715-30,1993.

***Rodriguez-Iturbe B:** Post-streptococcal glomerulonephritis In: Textbook of Nephrology. 3rd ed. Vol II Baltimore, Williams &Walkins PP 698-703,1995.

***Roguin N, Greif Z, Schneeweiss A et al :**Transient mitral regurgitation in acute glomerulonephritis. *Pediatr Cardiol* 14:86-88,1993 .

***Rockey R , Kuo LC, Zoghbi WA et al :**Determination of Parameters of left ventricular diastolic filling with pulsed Doppler echocardiography : Comparison with cine angiography . *Circulation* 71:543 -50,1985.

***Raman GV, Pead L, Lee HA et al :** A blind controlled trial of phase contrast microscopy by two observers for evaluating the source of hematuria. *Nephron* 44: 304,1986.

***Rosen S, Galvanek E, Levy M et al :** Glomerular disease. *Human Pathol* 12:964-78,1981.

***Ross J :** Cardiac function and myocardial contractility : A perspective. *J Am Coll Cardiol* 1: 52-62,1983.

***Roy S, Pitcock JA and Etteldrof JN:** Prognosis of acute post-streptococcal glomerulonephritis in childhood: prospective study and review of literature. *Adv Pediatr* PP 35-69,1976.

***Sabbah HN and Stein PD :** Pressure-diameter relations during early diastole in dogs: Incompatibility with the concept of passive left ventricular filling. *Circ Res* 48:357-365, 1981.

***Sabbah HN, Gheorghiade M, Smith ST et al :** Serial evaluation of left ventricular function in congestive heart failure by measurement of peak aortic blood acceleration. *Am J Cardiol* 61:367-370,1988.

***Sabbah HN, Kono T, Rosman H et al :** Left ventricular shape: A factor in the etiology of functional mitral regurgitation in heart failure. *Am Heart J* 123:961-6,1992.

***Sagel I, Treser G, Ty A et al :** Occurrence and nature of glomerular lesions after group A streptococcal infection in children. *Ann Intern Med* 79:492-9,1973.

***Sahn DS, De Maria A, Kisslo J et al :** The committee on M mode standardization of the american society of echocardiography : Results of survey of echocardiographic measurements. *Circulation* 58:1072-83, 1978.

***Schmidt WC :** Streptococcus. In: Hoeprich PD(ed.) *Infectious Diseases*. New York : Harper and Row PP 255-267,1972.

***Schwartz GJ, Brion LP, and Spitzer A:** The use of plasma creatinine concentration for estimating glomerular filtration rate in infants, children, and adolescents. *Pediatr Clin North Am* 34:571-590,1987.

***Schwartz WB and Kassirer JP:** Clinical aspects of acute glomerulonephritis in children. In: Strauss MB and Welt LE (eds). *Diseases of the Kidney*. 2nd ed . Boston, Little Brown and Co. PP 414-62,1971.

***Serwer GA, Cougle AG, Eckerd JM et al :** Factors affecting use of the Doppler determined time from flow onset to maximal pulmonary artery velocity for measurement of pulmonary artery pressure in children. *Am J Cardiol* 58:352-6 ,1986.

***Sesso RCC, Ramos OL, and Pereira AB:** Detection of IgG-rheumatoid factor in sera of patients with acute post-streptococcal glomerulonephritis and its relation with circulating immuno complexes. *Clin Nephrol* 26:55,1986.

***Sieck JD, Awad M, Saour J et al :** concurrent post -streptococcal carditis and glomerulonephritis : Serial echocardiographic diagnosis and follow-up . *European Heart Journal* 13:1720-3,1992.

***Silverman NH, Lewis AB, Heyman MA et al:** Echocardiographic assessment of ductus arteriosus shunt in premature infants . *Circulation* 50:821,1974.

***Silverman NH, Ports TA, Snider AR et al :** Determination of left ventricular volume in children : Echocardiographic and angiographic comparisons. *Circulation* 62:548-57,1980.

***Silverman NH (ed.):** Quantitative methods to enhance morphologic information using M mode, Doppler and cross-sectional echocardiography. In: *Pediatric Echocardiography*, Baltimore: Williams and Wilkins PP 35-108,1993.

***Skinho JE and Strandgaard S :** Pathogenesis of hypertensive encephalopathy. *Lancet* 1:461-3,1973.

***Tei C, Pilgrim JP, Shah PM et al :** The tricuspid valve annulus : Study of size and motion in normal subjects and in patients with tricuspid regurgitation. *Circulation* 66 : 665-71, 1982.

***Teichholz LE, Kreulen T, Herman MV et al :** Problems in echocardiographic volume determinations: Echocardiographic-angiographic correlations in the presence or absence of asynergy. *Am J Cardiol.* 37 : 7- 11, 1976.

***Tejani A and Ingulli E :** Post-streptococcal glomerulonephritis : Current clinical and pathologic concepts. *Nephron* 55: 1-5, 1990.

***Thomas JD and Weyman AE :** Echocardiographic Doppler evaluation of left ventricular diastolic function : Physics and physiology. *Circulation* 84: 977-990, 1991

***Thomas VS, Muller RM, Piske GJ et al :** Non-invasive measurement of left ventricular filling pressure : by means of transmitral pulsed Doppler ultrasound. *Am J Cardiol* 64 : 655-60, 1989.

***Tornorth T :** The fate of subepithelial deposits in acute post-streptococcal glomerulonephritis. *Lab Invest* 35: 461, 1976.

***Travis LB , Dodge WF, Beathard GA et al :** Acute glomerulonephritis in children. A review of the natural history with emphasis on prognosis. *Clin Nephrol*, 1 : 169-181, 1973.

***Travis LB** : Acute postinfectious glomerulonephritis In : Edelmann C (ed) : Pediatric Kidney Disease. Boston, Little Brown and Co. PP 621-6, 1978.

***Travis LB and Kalia A** : Acute nephritic syndrome . In Postlethwaite RJ (ed). Clinical Pediatric Nephrology. 2nd ed. Oxford, Butterworth-Heinemann Ltd. PP 201-9, 1994.

***Van- Dijk APJ, Van-Oort AM and Daniels O** : Right-sided valvular regurgitation in normal children determined by combined colour-coded and continuous- wave Doppler echocardiography. Acta Paediatr. 83 : 200-3 1994.

***Vardi P, Makiewicz W, Levy J et al** : The heart in acute glomerulonephritis : An echocardiographic study. Pediatrics 63 : 782-7, 1979.

***Varley H, Gowenlock AH, Bell M (ed)**: Practical Clinical Biochemistry. 5thed. Vol I, London : William Heinemann Medical Books Ltd. 1 : 1123, 1980.

***Vermillion RP, Snider AR, Meliones JN et al** : Pulsed Doppler evaluation of right ventricular diastolic filling in children with pulmonary valve stenosis before and after balloon valvuloplasty. Am J Cardiol 66 : 79-84, 1990.

***Villareal H, Fischetti VA, Van de Rijn I et al :** The occurrence of a protein in the extracellular products of streptococci isolated from patients with acute glomerulonephritis. *J Exp Med.* 149 : 459-72, 1978.

***Vogt A, Batsford S, Rodriguez-Iturbe B et al :** Cationic antigen in post-streptococcal glomerulonephritis *Clin Nephrol* 20 : 271-9, 1983.

***Waggoner AD, Quinones MA, Young JB et al :** Pulsed Doppler echocardiographic detection of right sided valve regurgitation : experimental results and clinical significance. *Am J Cardiol.* 47 : 279-286, 1981.

***Wallmeyer K, Wann LS, Sagar KB et al :** The influence of preload and heart rate on Doppler echocardiographic indexes of left ventricular performance : Comparison with invasive indexes in an experimental preparation. *Circulation* 74 : 181-6, 1986.

***Watschinger B, Brunner C, Wagner A et al :** Left ventricular diastolic impairment in type I Diabetic patients with microalbuminuria. *Nephron* 63 : 145-151, 1993.

***Weber KT and Janicki JS :** The heart as a muscle- pump system and the concept of heart failure. *Am Heart J.* 98 : 371-384, 1979.

***Wilson CB and Dixon FJ :** Diagnosis of immuno-pathologic renal disease. *Kid Int* 5: 398-401, 1974.

***Wisenbaugh T, Harlamert E and De Maria AN :** Relation of left ventricular filling dynamics to alteration in load and compliance in patients with or without pressure-overload hypertrophy. *Circulation* 81:101-6, 1990.

***Wollam GL, Holl DW, Porter VS et al :** The course of regression of left ventricular hypertrophy in treated hypertensive patients. *Am J Med* 26 :100-110, 1983.

***Yock PG and Popp RL :** Noninvasive estimation of right ventricular systolic pressure by Doppler echocardiography in patients with tricuspid regurgitation. *Circulation* 70:657-662, 1984.

***Yoshizawa N, Oshima S, Sagel I et al :** Role of a streptococcal antigen in the pathogenesis of acute post-streptococcal glomerulonephritis. *The Journal of Immunology*. 148:3110-6, 1992.

***Zeitoun MM, Madkour AA, Osman MZ et al :** The heart in acute glomerulonephritis : Clinical electrocardiographic, radiological, echocardiographic and enzymatic studies *Alex J Pediatr* 1 : 219-228, 1987.