

REFERENCES

REFERENCES

- Abbasiano, V.; Bader, G.; Graziano, L.; Mazzotta, D.; Vecchiatti, G.; Guglielmini, C. and Sartori, S.:** Serum and Erythrocyte levels of Magnesium in microcytosis : Comparison Between Heterozygous Beta-Thalassemia and Sideropenic Anemia. *Haematology* 1991 Jul-Aug; 76 (4): 339-41.
- Abdou R.A. (1990) :**
Thyroid Function in children with Beta Thalassaemia major.
M.S.C. Thesis, Supervised by: Salem A.A., Doos S.H., Gohary, S.M. Cairo University.
- Abd-El-Fattah, Sh. M.T (1993):**
Deferoxamine Induced Bone changes in Patients With Thalassaemia Major.
M.Sc. Thesis. Supervised by : El-Beshlawy A, Shafeek, M. and Fouad. Cairo University.
- Abd- Allah, A.A.R. (1991):**
Serum Zinc in Thalassemic Patients.
M.Sc. Thesis, Supervised by: Abdel-Khalek E.R.; Amin I.A.; Eldorh, S.S., Saleh. H.M. Zagazig University.
- Aboria, F.M.A. (1989):**
Estimation of some trace Elements in the Serum of Children with Rheumatic Fever Before and After Treatment.
M.Sc. Thesis, Supervised by: Shoheib S.A., Abd El-Rasol. O., Fouda A. Tanta University.
- Abu EL-Hassan, A.M.; Abdel-Hafez, M.A.; El-Khassab, M.A.; Kaddah, N. El-Sadek, E.S. and Farag, E. (1994):**
Trace elements in chronic hemolytic anemias in Egyptian children.
J. Arab. Child. The Association of Arab Pediatric Societies. March 1994.

Afifi, A.M. (1984) :

National plan for the Mangement of thalasaemia Major by Hyper transfusion/ intensive deferrioxamine therapy in Egypt. In Hypertrasfusion and iron chelation in thalassemia PP: 19-29 Ed. by Askoy, M. ad Birdwood G.F.B. Hans Hurber Publishers Berne, Stuttgart, Toronto.

Ahmed, H.A. (1994):

Lipid pattern in thalassemia.
M.S.c. Thesis supervised by Kashaba A.A. Abou Amer, A.A. and El-Bermawy, A. Benha Faculty of Medicine.

Akar, N.; Berberoglu, M.; Arcosoy, A.: Effect of Zinc Supplementation on Somatomedin C- level in beta thalassemia (letter). Am. J. Hematol. 1992 Oct., 41 (2), 142-3.

Ali, N.I. (1993):

Zink and copper status in children with bronchial asthma.
M.Sc. Thesis Supervised by Abou El-Ela, S.S. Raof, A.A. and El-Rashidy, F.H. Menoufiya University.

Allain, P. (1987):

Pharmacokinetics and renal elimination of desferrioxamine and ferrioxamine in healthy subjects and patients with haemochromatosis.
Brit. J. Clin. Pharmacol., 24, 207.

Ambrus, C.M.; Stadler, I.; Toumbis, C.A.; Stadler, A.; Anthone, S.; Anthone, S.; Alorcon. P.D.; Deshponde, G.; Conway, J. and Vladutiu A.L (1993):

Removal of non-transferrin-Bound Iron with Immobilized Desferrioxamine, From Blood with Iron Overload.
Blood. December 6 & 7.

Angastiniotis, M.A. and Hadjiminias, M.G. (1984):

Thalassaemia Post-graduate Doctor-Middle East, Dec.P.756.

Arcasoy, A. and Cavadar, A.O. (1981) :

Growth Retardation in Beta-Thalassemia.
J. Pediat. 99-671.

Arcasoy, A.; Cavadar, A.; S.; Erten. J., Babacan, E.; Gozdasoglu, Cin.S. and Akar. N. (1987):

Effects of Zinc supplementation on linear growth in beta-thalassemia (a new approach).

Am. J. Hematol. Feb, 24 (2): 127-36.

Asakura, T. and Schwartz, E (1990):

Human Hemoglobin, in Miller and Baehner : 6th ed., Blood Disease of Infancy and child hood.

The C.V. Mosby Co., 358.

Barrat, P.S.; Toogood, I.R.G. (1987):

Hearing loss attributed to Desferrioxamine in patients with beta-thalasaemia Major.

Med. J. Austr. 147, 77.

Barness, L.A. (1992):

Nutrition and nutritional disorders. In "Nelson textbook of Pediatrics" Ed. by Behrman, R.E. etal.

W.B. Saunders Company Philadelphia, London, Toronto, Montrial, Sydney, Tokyo. Ch. 4, PP. 105-146.

Bassuney, E.M. (1987):

Essential Elements in serum of patietns with Amoebic & Giardia Diarrhea. M.Sc. Thesis, Supervised by: Kabil. S.M., Hifney. A.A., Youssef. S.M. Zagazig University.

Berkovitch. M.; Collins, A.F.; Papadouris, D.; Wesson, D.; Sima, J.B.; Brittenham, G.M. and Olivieri, N.F. (1993):

Need for Early low-dose chelation therapy in young children with transfused Homozygous B thalosseemia Blood, December 6 & 7. 1993.

Bennett. M.J. in Nelson, 1992.

Benz. E.I. and Schwartz, E. (1990):

Thalassemia syndromes, in Miller and Baehner : 6th. ed, Blood Diseases of Infancy and Childhood. The C.V. Mosby Company, 428.

Bentur, Y. (1991):

Desferrioxamine, new toxicities for an old drug.

Drug Safety 6, 37-46.

Bhambhani, K. and Aronow, R. (1990):

Lead poisoning and thalassemia trait or iron deficiency the value of red blood cell distribution width.

Am. J. Dis. Child. Nov. 144 (11): 1231-3.

Bianco, I. (1984):

A study of the mechanisms and sites of action of desferrioxamine in thalassaemia major.

Acta Haemat., 71, 100, 1984.

Blake, D.R. (1985):

Cerebral and Ocular toxicity induced by Desferal Quart.

J. Med. 56, 345.

Boyce, N. (1985) :

Life Threatening Sepsis complicating heavy metal chelation therapy with Desferrioxamine.

Aust. N.Z.J. Med. 15, 654.

Bolla, K.L.; Briefel, G.; Spector, D.; Herron, J.; Gimenez, L.; Wieler, L. and Schwartz, B.S. (1992):

Neurocognitive effect of aluminum.

Arch. Neurol. (U.S.A.), 49 (10). 1021-1026, Oct.

Brill, P.W.; Winchester, P.; Giardina, P.J. and Cunningham-Rundles, S. (1991):

Desferal induced bone dysplasia in patients with thalassemia major.

A.J.R., 156-561-565.

Brittenham, G.M. (1992):

Development of iron. Chelating Agents for Clinical Use.

Blood, (80): 3, (Aug. 1) 569-574.

✓ Brown, M.A.; George, C.R.P.; Dunstan, C.R.; Kalowski, S. and Corrigan, A.B. (1992):

Prurigonodularis and Aluminium Overload in Maintenance Haemodialysis (correspondence). Lancet (GB) 340 (8810)

48, July 4.

Brown, D.J. (1982):

Treatment of dialysis osteomalacia with desferrioxamine.
Lancet 2, 343.

Cao, A.; Gabutti, V.; Masera, G.; Modell, B.; Sarchia, G. and Vullo, C. (1992):

In cooperation with W.H.O., Cooley's Anemia Foundation
U.S.A. and Thalassemia International Federation: Management
Protocol for the treatment of thalassemia patients.
Tenny Graphics.

Chisolm, J.J. (1987): Increased lead Absorption and lead poisoning, In
Nelson Text Book of pediatrics : ed. by. Behrman R.E.,
Vaughan. V.C. and Nelson. W.E., 13 th ed.
Saunders Company, Philadelphia, London, Toronto,
Montrial, Sydney, Tokyo, 1507-1511.**Chisolm, J.J. (1992):**

Increased lead Absorption and lead Poisoning (Plumbism), In
Nelson textbook of Pediatrics, 1992, 4th, ed. ed. by: Behrman
R.E. et al., W.B. Saunders 1788-91.

**Ciancioni, C.; Poignet, J.L.; Mauras, Y.; Panther, G.; Delons, S.;
Allain, P. and Man, N.K. (1984):**

Plasma. Aluminum and Iron kinetics in Hemodialyzed
patients After IV Infusion of Desferrioxamine.
Vol.XXX. Trans. Am. Soc. Artif. Intern. Organs.

Clark, M.; Royal, J. and Seeler, R. (1988):

Interaction of Iron Deficiency and lead and the Hematologic
Findings in Children with severe lead Poisoning Pediatrics.
(81) : 2. Feb, 1988, Article, 249.

Cohen, A. (1981):

Response to long-term deferoxamine therapy in thalassemia.
J. Pediat., 5, 689.

Cohen, A.R.; Trotzky, M.S. and Pincus, D. (1981):

Reassessment of the Microcytic Anemia of lead Poisoning.
Prediatrics. (67) : 9, Article 905.

Cohen, L.; Bitterman, H.; Froom, P. and Aghai, E. (1986):

Decreased bone magnesium in beta thalassemia with spinal osteoporosis.

Magnesium, 5 (1): 43-6.

Cooley, T.B. and Lee, P. (1925):

Series of cases of splenomegaly in children with anemia and peculiar bone changes.

Trans. Amer. Pediat. Soc., 37, 29.

Cossu, P. (1981):

Iron overload and desferrioxamine chelation therapy in B. thalassemia intermedia.

Europe, J. Pediat. 137, 267.

Corrigan, J.J. (1992):

Diseases of the Blood, in Nelson; Textbook of pediatrics, Behrman. R.E. et al: 4th ed.; W.B. Saunders 1251.

Cunningham, J.M.; Al. Rabaie, F.N.; Hunter, A.E.; Sheppard, L.N. and Haffbrand, A.V. (1994):

Differential toxicity of alpha-keto hydroxypyridine Iron chelators.

Eur. J. Haematol; 52 (3) 176-9.

Dacie, J.V. and Lewis, S.M. (1991):

Investigation of the abnormal hemoglobins and thalassemia, in 7th ed.;

Practical Hematology Churchill Livingstone. 7th ed.

Desferal (1989):

Desferal for the treatment of chronic Iron over. load especially in thalassemia, a Manuscript of Ciba., Jan, 1989.

De-Kaloustian, V.M. (1985):

Genetic counseling In sirchia. G., zanella. A., (editors):

Thalassemia Today, the Mediterranean experience, Proceeding of the 2nd. Mediterranean Meeting on thalassemia. Milane, Nov., 28-30.

De-Sanctis, V. (1986) :

The development of diabetes Mellitus and chronic liver disease in long-term chelated B. Thalassaemic. Patients. Postgrad. Med. J. 62. 831.

De-Vernejoul, M.C.; Girot, R.; Gueris, J.; Cancela, L.; Rang, S.; Bielakoff, J.; Mautalen, C.; Goldberg, C. and Miravet, L. (1982):

Calcium phosphate metabolism and bone disease in patients with homozygous thalassemia.

J. Clin. Endocrinol. Metab., 54 (2): 276-81.

Dixon, R.M.; Styles, P.; Al. Refaie, F.N.; Kemp, G.J.; Donohue, S.M.; Wonke, B. Hoffbrand, A.V.; Radda, G.K. and Rajagopalam, B. (1994):

Assessment of Hepatic Iron Overload in Thalassaemic patients by magnetic resonance spectroscopy. Hepatology 1994. 19 (4): 904-10.

Editorial (1981):

Antenatal diagnosis of Haemoglobin Disorders.

Lancet 2, 1147.

Editorial (1985) :

Marrow transplantation for thalassaemia.

Lancet. 2, 428.

Ehlers, K.H. (1991) :

Prolonged survival in patients with B-thalassaemia Major treated with deferoxamine. J. Pediat. 118, 540-545.

Giardina P. J., Lesser M.L. Engle. M.A. Hilgartner M.W.

Eid, Kh. M.A. (1993):

Prevalence of B-Thalassaemia Carriers in Egyptian Population. M.D. Thesis, Supervised by: El-Beshlawy. A., Omran, N. Moustafa, A., Kaddah, N. Cairo University.

El-Beshlawy, A. (1996):

Anemia in Egyptian children in Kasr El-Eini annual conference Cairo 2-5 April.

El-Beshlawy, A.; Omran, N.; Rezk, S.; El-Tagui, M. and Sobh. H. (1990):

Osmotic Fragility as a Screening test for Detection of B. Thalassemia Trait in Egypt. 1990.

El-Beshlawy, A. (1995): The head of Hematology Clinic. Abu. El-Rish Pediatric Univesity. Hospital; Faculty of Medicine, Cairo University. In the conference on recent trends in thalassemia held in Cairo 3-4 April.

El-Mishad, A.M. (1995):

Diagnostic molecular biology methods in manual of practical microbiology 5th Ed.

Ed. by Modern Egyptian Press, Egypt, 33-38.

El-Sadek, S.S. (1991):

Trace Elements and chronic Haemolytic Anaemias in Egyptian Children. M.D. Thesis :(pediatrics) Supervised by: Aboul Hassan. A.M., Abdel-Hafez, and M.A. Kaddah, N. Cairo University.

El-Sherbini, M.M. (1984):

Studies on some trace Elements in Protein Energy Malnutrition.

M.Sc. Thesis (paediatrics), Supervised by : Khashaba. A.A., Mohamed. Z.M. and Rizk, M.K. Banha University.

El-Shafie, N.A.; El-Mahrouky, F.E.; Nosair, A.E.; Omar, N.F.; Amin, A.E. and Abdollah, M.A. (1992):

Aluminium level in Breast-Fed versus Artificially- Fed Infants. The Gaz. Egyptian. Ped. Ass. (40) : 3-4. June & Dec.

El-Shazly, A.N.; El-Baz, M.A.; Amer, E.A.; El-Shaer, O.S. and El-Dakrouy, A. (1994):

Microcytic hypochromic anemia among children in Kaliobiya governorate : High lights on β -thalassemia trait. Benha Medical Journal, (11) : 2 319-336.

Fairbanks and Beutler (1990):

Iron Deficiency, in Williams, Hematology. 4th ed. New York, Mc. Grow Hill- 482.

Fassas, F.F.; Lee, F.; Einarson, T.R.; Tyler, B.J.; Muraca, M. and Koren, G.; Olivieri, N.F. (1993): Analysis of the cost of treatment of transfusion. Dependent Homozygous. Beta. Thalassemia (H.B.T.): Comparison of two Chelating Regimens.
Blood. December 6 & 7.

Fouad, M.M.R. (1985):
Serum trace Elements in Neoplasia of childhood. M.D. Thesis, Supervised by: Bahaa El-Deen H.K., El-Haddad, Sh-Rizk. M.K., and Ayyad, A.E. Banha University.

Fouda, N.M. (1988):
A study on computerised Tomography (CT) and some trace Elements in schizophrenia : M.Sc. Thesis, Supervised by: Gad. E.A.H., Abdel-Hamid. S. and Chaleb, M.M. Tanta University.

Fraga, M.; Blance, E. and Sanz, Medel, A. (1993):
✓ Chromatographic Determination of Desferrioxamine (DFO) and its iron and aluminum chelates in serum from patients with Renal Failure in Bone, 14 (1): 81, Jan/Feb, 1993.

Gallant, T. (1987):
Serial studies of Auditory Neurotoxicity in Patients Receiving Desferoxamine Therapy.
Amer. J. Med. 83, 1085.

Gascon, P.; Zoumbos, N.C. and Young, N.S. (1984):
Immunological Abnormalities in Patients receiving Multiple blood transfusions.
Ann. Internal Medicine, 100 : 173-177.

Gelzer, J. (1992):
Present and Future perspectives for desferal in clinical studies in Desferrioxamine, History, clinical value, perspectives, symposium zurich. Ed. by Gross. K., Aumiller. J. and Glzer. J. (M.M.W., Munich, 1992).

Giardina, P.J. (1987):
Improved survival in beta-thalassemia major.
Pediatr. Res., 21 : 299A.

Gold-Stone, L.A. (1983):

Understanding medical statistics, William Heinemann Medical Books Limited, London.

Grady, R.W.; Giardina, P.J.; Salbe, A.D. and Hilgarther M.W. (1993):

A clinical trial of HBED : An orally Effective Iron Chelator.
Blood, Dec. 6 & 7.

Graziano, J.H. (1981):

Chelation therapy in B-thalassemia Major. III. The role of splenectomy in achieving iron balance.
J. Pediat. 99, 695.

Grisaru, D. (1986):

Desferoxamine improves left ventricular function in B. Thalassemia.
Arch. Intern. Med. 146, 2344.

Gross, K. (1992):

Milestones in the History of desferal. In Desferrioxamine History, clinical value, prespectives. Ed. by: Gross. K., Aumiller, J. and Gelzer.
J. MMV. Medizin Verlag. Munich .

Gruskin, A.B. (1988):

Aluminium : A pediatric Over view.
Adv. Pediatr. in Year Book of Medical Publishers., Inc.

Halliwell, B. (1982):

Ascorbic acid, iron over load, and Desferrioxamine.
Brit. Med. J. 2., 296, 1982.

Hassan, M.H.A. (1992):

The Acquired immunodeficiency Syndrome in Egyptian Thalassaemic Children. M.D. Thesis, Supervised by:
Hassan. A., El-Deshlawy, A., Moustafa, A., Abd Alah. Cairo University.

Hernburg, S.; Hannen, H. and Manfere (1989):

Environmental lead pollution in urban and rural area.
JAMA 30 : 332-340, 1989.

Harrison, R.M. and Lexen, D.P.H. (1981):

Lead Pollution, causes and control Ed-by Chabman and Hall,
London, New York.

**Hewitt, C.D.; Garstang, F.M.; O' Hara, M.; Metcalfe, P.J.; Ackrill, P.
and Day, J.P. (1986):**

Copper removal from renal patients using desferrioxamine
chelation to reduce aluminium overload.

Acta Pharmacol. (DK). 59, Suppl. VII, 431-434.

Highlights, M.M.W. (1991):

Pharmaceutical Award Technical University of Zurich Nov.
16. V. Prelog, J. Nuesch, Zurich.

- Vilma Gabutti, Turin.

- Ch-Kattamis.

Hoffbrand, A.V. and Wnke, B. (1989) :

Results of long-term subcutaneous desferrioxamine therapy
Baillieres's Clinical Haematology, (2) : 2.

Honig, G.R. (1992):

Thalassaemia Syndromes In Nelson Textbook of Pediatrics,
14 th ed.

Ed. by: Behrman, R. and Kliegman, R. Senior editors Nelson,
W.E. and Vaughan, V.C. W.B. Saunders Company, Phila;
London, Toronto, Tokyo, Montreal, Sydney, 1251-54.

Howell, D.C. (1989):

Fundamental statistics 2nd Ed.

PWS-Kent, Boston, P. 159-178, 333.

Hyman, C.B.; Ortego, J.A.; Costin, G. and Takahashi, M. (1980):

The clinical significance of magnesium depletion in
thalassemia.

Ann., N.Y. Acad. Sci. 344 : 346-43.

Hyman, C.B.; Gonick, H.C.; Neufeld, N. and Angess, C.L. (1989):

Mineral balance (iron-aluminum, copper, Zinc) after high-
dose intravenous Desferal in a child with hemoglobin
Hammersmith and Turner's Syndrome-Amer. J. Pediat,
Hemat. Oncol. (USA) 11 (4) 450-455.

- Hyman, C.B.; Marcus, C.; Flaum, E. and Santulli, T. (1993):**
Hypertransfusion and Desferal treatment for chronic Anemia.
Blood, December 6 & 7.
- Ibrahim, S.A.H. :(1988)**
A study of the cellular and humeral immunity in thalassemia
Major Patients before and after splenectomy. M.D. Thesis,
Supervised by: Beshlawy, A.; Omran, N.; Soud, I. and Nour,
S. Cairo University.
- Janka, G.E. (1981) :**
Intravenous and subcutaneous desferrioxamine therapy in
children with severe Iron-over load. Europe.
J. Pediat. 137, 285.
- Jason, J.; Hilgartner, M.; Halman, R.C.; Dixon, G.; Spira, J.J.;
Aldedort, L. and Evatt (1985):**
Immune status of blood products recipients Jama 253 (8):
1140-45.
- Kathryn, H.; Ehlers, Patricia, J.; Giardina, M.L.; Lesser, M.; Allen;
E.M.; and Higartner, W. (1991):**
Prolonged survival in patients with beta - thalassemia major
treated with deferoxamine.
J. Pediatrics, (118): 4, Part 1, 540-545.
- Kattamis, C.; Liakopoulou, T. and Kattamis, A. (1990):**
Growth and Development in Children with thalassemia
Major.
Acta. Paediatr. Scand (suppl.) 366 : 111-117.
- Kattamis, C. (1985):**
Experience with desferal in thalassemic patients in Greece : In
Aksoy, M. and Birdwood, G.F.B. Hypertransfusion and iron
chelation in thalassemia :
A symposium held during the meeting of the Mediterranean
Blood Club. Izmir Turkey, June 1984. Hanz Huber
Publishers, Berne, Stuttgart, Toronto, 30-47.
- Kennedy, J.A. (1984):**
Analytical chemistry principles.
HBJ. Publishers New York, 392.

Kepple, G. (1982):

Design and analysis, a researcher hand book, 2nd ed.
N.J. Prentice-Hall, Inc.

Khalifa, A.S.; Abdel-Fattah, S.; El-Sokkary, S.; El-Dammasy, H. and Mahfouz, K. (1982):

Thyroid functions in β -thalassaemia major in Egyptian Children.
Egypt. J. Haemat. 7, 65-76.

Klein, G.L.; Snodgrass, W.R.; Griffin, M.P.; Miller, N.L. and Alfrey, A.C. (1989):

Hypocalcemia complicating deferoxamine therapy in an infant with parenteral nutrition associated aluminum over-load: Evidence for a role of aluminum in the bone disease of infants.
J. Pediat. Gastroent. Nutr (USA), (3) 400-403, Oct.

Kolkaila, A.A. (1988):

Evaluation of some trace elements in atopic dermatoses.
M.D. Thesis, Supervised by : Kato, A.M.; Baghagho, S.A.
Tanta, University.

Kulozik, A.E. (1991):

β -thalassemia, Molecular pathogenesis and clinical variability. Clinical Pediatrics, 2034 (270-283).

Kutlar, A.; Kutlar, F.; Gu, L.G.; Mayson, S.M. and Hisman, T.H. (1990):

Fetal hemoglobin in normal adults and β -thalassemia heterozygotes.
Hum. Genet-Jun, (85) : i, 106-10.

Lin, K.H. and Lin, K.S. (1992):

Results of therapy for beta-thalassemia major.
J-Formos-Med- Assoc. 1992. Feb, 91 (2) 126-30.

L. Loyd-Still, J.D. (1986):

Hepatic involvement in thalassemia major (TM): biochemical, morphologic and ultrastructural responses to chelation Therapy, Hepatology, 6, 1147.

Loukopoulos, D. (1980):

Screening for thalassaemia.
Lancet 2, 1188.

Lucarelli, G.; Galimberti, M.; Polchi, P.; Angelucci, E.; Baronciani, D.; Giardini, C.; Pokiti, P.; Durazzi, S.M.T. and Murett, P. and Albetini, F. (1990):

Bone Marrow Transplantation in patients with thalassemia,
The New England J. of Medicine 322 : 417-421.

Mahmoud, S.M. (1994):

Genotypes, phenotypes in B-thalassaemia and sickle cell Anemia. M.Sc. thesis, supervised by: El-Beshlawy, A.; Ragab, L.A.; Hussien, L.M.R. Cairo University.

Mahaffey, K.R.; Gartside, P.S. and Glueck, Ch. J. (1986):

Blood lead levels and Dietary Calcium Intake in 1- to 11 year old children : the Second National Health and Nutrition Examination Survey, 1976 to 1980.
Pediatrics, (78) : 2.

Malluche, H.H.; Smith, A.J.; Abreo, K. and Faugere, M.C. (1984):

The use of Deferoxamine in the Management of Aluminum Accumulation in Bone in Patients with Renal Failure
Reprinted from the New England Journal of Medicine.
311-140- 144.

Makhluf, A.B. (1992):

Clinical and laboratory Evaluation of cases presenting with Anemia and Rickets with special Emphasis on vitamin. D. Metabolism. M.D. Thesis, supervised by : El-Beshlawy, A.; Omran, N. Ragab, L.; El-Tagui, M. Cairo University.

Marantidou, A.B.; Nakau, S.H. and Micheloyannis, J. (1988):

Neurobehavioral Estimation of children with life-long Increased lead Exposure.
Archives of Environmental Health. Nov./ Dec., (43) : 6.

Mohammed, A.A. (1991):

Some trace Elements in Acute Leukemia in Children.
M.D. Thesis, supervised by: Mahfouz, M.H. Bakry M.A. Abdel Khalek, E.R. Khidr H.E. Zagazig University.

- Molitoris, B.A.; Alfery, P.S.; Miller, N.L.; Hasbargen, J.A.; Kaehney, W.D.; Alfrey, A.C. and Smith, B.J. (1987):**
Efficacy of intramuscular and intraperitoneal deferoxamine for aluminum chelation.
Kidney International, (31) 986-991.
- Mostafa, N.O.M. (1994):**
Genetic study of Egyptian thalassemic children.
M.D. Thesis supervised by El-Bishlawy, A.; Hafez, M.; Abdel Aziz, T. and Kaddah, N., Cairo University.
- Mareno, S.C.; Baamonde, E.; Hernandez, J. and Botella, J. (1993):**
Increase of Plasma Aluminum levels post Iron i : v. Infusion (abstr. of paper) Bone (USA). 41 (1) 82.
- Navarro, J.A.; Granadillo, V.A.; Gacia, R.; Rodriguez, Inturbe, B.; Salgado, O. and Romero, R.A. (1991):**
Removal of trace Metals by continuous ambulatory Peritoneal dialysis after Desferrioxamine B-chelation therapy/clin-Nephrol. (D). 35 (5) 213-217.
- Needleman, H.L.; gunnve, C.; Leviton, A. and Reed, R. (1993):**
The concentration of certain trace Metals in food items.
N. Engl. J. Med. 310 : 632-642.
- Olivieri, N.F.; Koren, G.; Hermaann, C.H.; Bentur, Y.; Chung, D.; Klein, J.; Louis, P.; Freedman, M.H.; Mcclelland, R.A.; Templeton, D.M. (1990):**
Comparison of Oral Iron Chelator L. 1 and desferrioxamine in Iron loaded patiens.
Lancet 1990, (336) : 1275-79.
- Olivieri, N.F.; Koren, G.; Matsui, D.; Liu, P.P.; Blendis, L.; Cameron, R.; Mc. Clelland, R.A. and Templeton, D.M. (1992):**
Reduction of tissue Iron stores and Normalization of Serum Ferritin During treatment with the Oral Iron chelator L1 in Thalassaemia Intermedia Blood, (79) : 10 (May 15) 2741-2748.
- Olivieri, N.F. (1986):**
Visual and Auditory neurotoxicity in Patients Receiving subcutaneous Deferoxamine Infusions.
New England. J. Med. 314, 869.

- Ong, C.N.; Phoon, W.O.; Low, H.W.; Tye, C.V. and Lim, H.H. (1985):**
Concentrations of lead in Maternal Blood, Cord Blood, and Breast Milk, Archives of Diseases in Childhood. 60; 756-759.
- Othman, A.A. (1991):**
Correlation Between Foetal Hemoglobin and Bone Marrow in cases of Beta thalassaemia Major. M.Sc. Thesis, Supervised by : Hassan A.M. Ragab L.A. Cairo University.
- Orzincolo, C.; Scutellori, P.N. and Castaldi, G. (1992):**
Growth plate Injury of the long Bone in treated Beta-Thalassemia skeletal.
Radiol, 21 (1): 39-44.
- ✓ **Petraglia, A.; Olaizola, I.; Caorsi, H.; Jorgetti, V.; Rodriguez, P.; Ambrosoni, P. and Mazzuchi, N. (1993):**
Evaluation of different diagnostic methods in aluminum intoxication.
Bone 14 (1) 74.
- Piomelli, S. (1987):**
Bone marrow transplantation for thalassemia.
New Engl. J. Med. 317, 964.
- Pippard, M.J. (1982):**
Ferrioxamine Excretion in Iron.
Loaded Man Blood 60, 288.
- Piomelli, S.; Rosen, J.F.; Chisolm, J.J. and Graef, J.W. (1984):**
Mangement of child hood lead poisoning. The Journal of Pediatrics, (105): 4.
- Propper, R.D. (1977):**
Continuous subcutaneous administration of desferrioxamine in patients with iron overload.
New Eng. J. Med., 297, 418.
- Propper, R.D.; Button, L.N. and Nathan, D.G. (1980):**
New approaches to the transfusion mangement of Thalassaemia Blood, 55 : 55-60.

Rea, F.; Perrone, L.; Mastrobuono, A.; Toscano, G. and D'Amico, M. (1984):

Zinc levels of serum, hair and urine in Homozygous beta-thalassemic subjects under hypertransfusional treatment. *Acta. Haematol*, 71 (2): 139-42.

Rabinowitz, M. and Leviton, A. (1985):

Lead in milk and infant blood: A dose response model. *Archives of Environmental Health*. 1985 pvd. 40, (5).

Sanz, P.; Amoros, E.; Prat, A.; Izquierdo, J. and Nogue, S. (1992):

Aluminium Exposure in Children Associated with Industrial waste (Letter in *Lancet*, Jun 13, 339 (8807): 1488-9.

Sauthipark, K.U.; Likidlilid, A.; Fucharoen, S.; Pootrakul, P.; Shumnumsirivath, D.; Ong. ajyoath, S.; Plaskett, D. and Webb, J. (1991):

Red cell and plasma calcium, Copper and Zinc in beta-thalassemia/hemoglobin South east. *Asian. J. Trop-public. Health*, 22 (2): 171: 5.

Salusky, I.B.; Foley, J.; Nelson, P. and Goodman, W.G. (1991):

Aluminum Accumulation During treatment with Aluminum Hydroxide and Dialysis in Children and Young Adults with Chronic Renal Disease in N-England. *J. Med*. 324 (8): 527-31.

Seif, I.M. (1987):

Study of the Effects of Normal pregnancy & Toxemia on the Scalp Hair Tissue & Serum Mineral contents. M.Sc. Thesis, Supervised by: Kato A.M. & El-Gharib. M.N. Hasan, S.A. Tanta University.

Shalaby, A.I.K. (1994):

Lead status in Maternal Blood And Its Effect on Neonatal Haematological Disorders in Benha Community. M.Sc. Thesis, Supervised by: El-Saadany. A. El-Shaer, O.S. Khalifa. S.G. Dabour. SH.A. Benha Faculty of Medicine Zagazig University.

Shalev, O.; Mogilner, S.; Shinar, E.; Rachmilewitz, E.A. and Schrier, S.L. (1984):

Impaired erythrocyte calcium homeostasis in beta thalassemia.

Blood, Aug. 64 (2): 564-6.

Sheppard, L.N. and Kontoghiorghes, G.J. (1993):

Competition between deferiprone, desferrioxamine and other chelators for iron and effect on other metals.

Arzneim. Forsch/Drug. res., 43 (1) Nr.6.

Shukla, R.; Bornschein, R.L.; Dietrich, K.N.; Buncher, C.R.; Berger, O.G.; Hammond, P.S. and Succop, P.A. (1989):

Fetal and Infant Lead Exposure: Effects on Growth in status. Pediatrics, (84) : 4.

Silvestroni, E. (1982):

Intensive iron chelation therapy in beta-thalassemia major: some effects on iron metabolism and blood transfusion dependence.

Acta. Haemat. 68, 115, .

Stockman, J.A. (1992):

Transfusions, In Nelson textbook of pediatrics, 4th. ed. Ed. by: Behrman, R. and Kliegman, R., Senior of editors : Nelson, W.E and Vaughan, V.C., Saunders, W.B. Co., Philadelphia, Sydney, London, Toronto, Tokyo, and Motrial, 1260-62.

Tsuchiya, H.; Mitani, K.; Kodama, K. and Nahata, T. (1984):

Placental transfer of Heavy Metals in Normal pregnant Japanese Women. Archives of Environmental Health. (39) : No.1.

Uysal, Z.; Akar, N.; Kemahli, S.; Dincer, N. and Arcasoy, A. (1993):

Desferrioxamine and Urinary Zinc Excretion in beta-thalassemia Major.

Pediatr-Hematol-Oncol.

Wacker, P.; Halperin, D.S.; Ruedin, D.B.; Oberhansli, I. and Wys, M. (1993):

Regression of Cardiac Insufficiency After Ambulatory Intravenous Deferoxamine in Thalassaemia Major.
Chest/ 103/4.

Warneke, G.; Saelter, D.; Verwiebe, R.; Schelar, F.; Henning and H.V. (1990):

Aluminum, Iron, Copper and zinc Balance of Deferoxamine in Renal Failure. Nieren-U. Hochdruck Kr (D) 19 (9) 423, in German (English Abstract).

Wang, G.L. and Semenza, G.L. (1993):

Desferrioxamine Induces Erythropoietin Gene Expression and Hypoxia- Inducible Factor I DNA. Binding Activity: Implications for Models of Hypoxia Signal transaction. Blood, (82) :12, 3610-3615.

Warneke, G.; Soelter, D.; Verwiebe, R.; Henning, H.V.; Kraft, B. and Scheler, F. (1991):

Aluminium, Iron, Copper and Zinc levels in Hemofiltration Patients After Deferoxamine Infusion (Abst of paper) Kidney int. (U.S.A) 39 (6) 1315.

Weatherall, D.J. (1981):

Molecular basis of mild forms of homozygous beta thalassaemia.
Lancet, 1, 527.

Weatherall, D.J. (1990):

The thalassemias, in Williams W.J. et al., 4th ed, Hematology, New York, McGraw, Hill, 510.

Willers, S.; Schutz, A.; Attewell, R. and Skerfving, S. (1988):

Relation between lead and cadmium in blood and the involuntary smoking of children.
Second. J. Work. Environ. Health, 14 : 385-389.

✓ **Yaqoob, M.; Ahmad, R.; McClelland, P.; Shivahumar, K.A.; Sallomi, D.F.; Fahal, I.H.; Roberts, N.B. and Helliwell, T. (1993):**
Resistance to Recombinant Human Erythropoietin Due to Aluminium Overload and its Reversal by low Dose Deferrioxamine Therapy.
Postgrad. Med. J. (GB). 69 (808) 124-128.

Yip, R.; Norris, T. N. and Anderson, A.S. (1981):
Iron status of children with elevated Blood lead concentrations.
The Journal of Pediatrics.

Zayan, A.M.M. (1990):
Calcium Balance in some chronic Haemolytic Anaemias.
M.Sc. Thesis, Supervised by: Aboul Hassan. A.M.Ragab. L.
Cairo University.

Zilva, J.F. and Pannall, P.R. (1994):
"Iron metabolism" in clinical chemistry in diagnosis and treatment" 6th ed. PP. 413-427.
Ed. by Leoyed-Luke Medical Books. London.