




REFERENCES

REFERENCES

Aack, Rd.; Szmuness, W.; Mosley, Jw.; et al:

Serum alanine aminotransferase of donors in relation to the risk of non-A, non-B hepatitis in recipients: The transfusion. Transmitted viruses study.

N. Engl. J. Med. 304:989-994, 1981.

Abdel-Latif, Z.; Abdel-Wahab, MF.; El-Kady, NM.:

Evaluation of portal hypertension in cases of hepatosplenic schistosomiasis using ultrasound.

JCu, g: 409-12, 1981.

Queted from: De cock, 1986.

Abdel Salam, E.; Ishaac, S.; and Mahmoud, A.A.F.;;

Histocompatibility for hepatosplenomegaly in human schistosomiasis mansoni.

J. Jmmunol. 123: 1829-1831, 1979.

Abdel-Wahab:

Sonography in schistosomiasis.

First Egyptain American conference. Cairo-Egypt

PP.11, January, 1983

Ahmed, S.E.A:

Value of Serological methodes in diagnosis of liver disease,

M.D. Thesis, Fac. Med. Cairo Univ., 1983.

Aidaros, S.M.; and Soliman, L.A.:

Portal vascular Changes in human bilbarzial cirrhosis.

J. Path. Bact. 82:91, 1961.

Alagille, D.; and Odievre, M.:

Hepatitis in children. In Magille, D. (ed): Liver and Biliary tract in children.

John Wiley and sons, New York, PP 125, 1978.

Albasousy, A.M.:

Computer package approach to simplified medical statistics.

1st ed. University book house, Cairo, 1990

Alberti, A.; Realdi, G.; Bortolotti, F. & Rigool, A.M.:

T lymphocyte cytotoxicity to HBSAg coated target cells in hepatitis B virus infection.

Gut 19: 1004, 1977.

Aldershvile, J.; Frosner, G.G., Nielson, J.O. et al.,:

Hepatitis Be antigen and antibody measured by radioimmunoassay in acute hepatitis B surface antigen positive hepatitis.

J. Infect. Dis. 141: 293-298, 1980.

Alexander, G.J.M.; Nouri-Aria, K.T.; Eddleston, A.L.W.; et al.:

Contrasting relations between suppressor cell function and suppressor cell number in chronic liver disease.

Lancet 11: 1291, 1983.

Alexander, G.J.M.; Mondelli, M., Naumou, N.V.; et al.:

Functional characterization of peripheral blood lymphocytes in chronic HBs Ag Carriers.

Clin. Exp. Immunol., 63: 498, 1986.

Alter, HJ.; Purcell, RH.; Holland, Pv.; Alling, Dw. Koziol, De:

Donor transaminase and recipient hepatitis: impact on blood transfusion services.

Jama 246: 630-634, 1981.

AL-Tonbary, Y.A.:

Evaluation of certain parameters as diagnostic or prognostic indices in some childhood malignancies M.D.Thesis(Pediatr.) Faculty of Medicine , Mansoura University , 1982.

Al-Ziny, M.A.:

Significance of correlation between erythrocyte sedimentation rate and differential proteinogram in some disease affecting Egyptian children. M.D. Thesis (Pediatrics). Faculty of Medicine, Mansoura University, 1981.

Andrade, Z.A.:

Hepatic schistosomiasis.: Morphological aspects in. Popper, H., and schaffner, F. (eds): Progress in liver disease. William Heinemann Medical Bookd, London, Vol II. PP 228, 1965.

Andrade, Z.A.; Cheever, A.W:

Alterations of the intrahepatic vasculature in hepatosplenic schistosomiasis mansoni.

Am. J. Trop. Med. Hyg. 20: 425-32, 1971.

Anthony, PP., Jshak, KG.; Nayak, NC.; et al.:

The morphology of cirrhosis ; definition , nomenclature and classification. Bull. Who 55: 521, 1977.

Quoted from: Sher lock 1989-b.

Antunes, L.T., Reis, A.P.; pessegrino, J. et al.:

Immunoglobulins in human schistosoma mansoni.

J. Parasit 57 (3): 539-542, 1972.

Arenson, DM.; and Bissell, DM.:

Glucosaminoglycan, proteoglycan and hepatic fibrosis.

Gastroenterology 92: 536, 1987.

Armitag, P:

Statistical Methods in Medical Research. Blackwell scientific publications. Edinburgh, 1971.

Arnold, W.; and Meyersum Buschenfelde, K.H.:

Immune complexes of HBc Ag/anti-HBc in nuclei of HBs Ag positive chronic liver disease.

N. Engl. J. Med. 296: 818, 1977.

Attallah, A.M.; et al.:

Harmonization of the immuno suppressive state during schistomansoni infection.

J. immunol. 122 (4): 1413, 1979.

Baraoum, J.S.; Dahawi, H.S.S.; Gamil, F.M.; et al.:

Immune responses and immunoregulation in relation to human schistosomiasis in Egypt. II. Cimetidine reversal of histamin mediated suppression of antigen-induced blastogenesis.

J. Immunol. 133 (3): 11576-1580, 1984.

Barrett, J.T.:

Immunocytology PP.27-53

Chemical properties of Ig PP. 85-109

In: Textbook of immunology, Barrett, J.T. (ed). The C.V.

Mosby company, saint louis, 1978.

Bassily, S.; Higashi, G.I; Farid, Z.; and Williams, R.E.:

Serum immunoglobulins in schistosomiasis mansoni.

J. Trop. Med. Hyg. 75 (4): 73, 1972.

Beasley, R.P.; Hwang, L.Y.; Lee, G.C.L.; et al.:

Prevention of perinatally transmitted hepatitis B virus in
fections with hepatitis B immunoglobulin and hepatitis B
vaccine.

Lancet ii: 1099-1102, 1983.

Becker, M.D.; Baptista, A.; Scheuer, P.J.; and Sherlock, S.:

Prognosis of chronic persistent hepatitis.

Lancet i: 53-57, 1970.

Berger, J.; Yaneva, H.; Nabarra, B.:

Glomerular changes in patients with cirrhosis of the liver.

Adv. Nephrology 7:3, 1977.

Bessey, O.A.; et al:

J. Biol. Chem. 164: 321, 1946.

Bjorneboe, M.; Prytz, H.; Orskov, F.:

Antibodies to intestinal microbes in serum of patients with
cirrhosis of the liver.

Lancet i: 58, 1972.

Bonino, F.; et al.:

Hepatitis B virus DNA in the sera of HB_s Ag carriers: A
marker of active hepatitis B replication in the liver.

Hepatology 1: 386, 1981.

Bonino, F.; Rosina, F.; Rizzetto, M.; et al.:

Chronic hepatitis in HB_s Ag carriers with serum HBV-DNA and
anti-HB_e.

Gastroenterology 90: 1268, 1986.

Bortolotti, F.; Calzia, R.; Cadrobbi, P.; et al.:

Liver Cirrhosis associated with chronic hepatitis B virus infection in childhood.

J. Pediatr. 108: 224-227, 1986.

Bout, D.; Rousseaux, R.; Carlier, Y.; and Capron, A.:

Kinetics of classes and sub-classes of total immunoglobulins and specific antibodies to schistosoma mansoni during murine infection.

Parasitology 80: 274, 1980.

Boyum, A:

Isolation of mononuclear cells and granulocytes from human blood.

Scand. J. Clin. Lab. Invest. 21 (suppl. 97): 77, 1968.

Brain, P.; Gordon, J.; and Willets, W.A.:

Rosette formation by peripheral lymphocytes.

Clin. Exp. Immunol. 6: 681-688, 1970.

Brattig, N.W.; and Berg, P.A:

Immunosuppressive serum factors in viral hepatitis. Characterization of serum inhibition factor(s) as lymphocyte anti-activator (s).

Hepatology 3: 638, 1983.

Cadrobbi, P.; Bortolotti, M.; Zacchello, Z.; et al.:

Hepatitis B virus replication in acute glomerulonephritis with chronic aggressive hepatitis.

Arch. Dis. Child. 65: 83, 1985.

Camus, D.; Carlier, Y.; Capron, M.; et al.:

Immunological studies in human schistosomiasis. (1). Immunoglobulin levels, antibodies and delayed hypersensitivity.

Am. J. Trop. Med. Hyg. 26 (3): 482-490, 1977.

Cantor, H.; Hugenberger, J.; McVay-Boudreau, L.; et al.:

Immunoregulatory circuits among T-Cell subsets. Identification of a subpopulation of T helper cells that induces feedback inhibition.

J. Exp. Med. 148: 871, 1978.

Cantor, H.; Shen, F.W.; and Boyse, E.A.:

Separation of helper T cells from suppressor T cells expressing different ly components. II. Activation by antigen: after immunization specific suppressor and helper activities are mediated by distinct T cell subclasses.

J. Exp. Med. 143: 1391, 1976.

Capron, A.; Dessaint, A.J.; Copron, M.; Joseph, M.; et al.:

Effector mechanisms of immunity to schistosomes and their regulation.

Immunol. Rev. 61: 41-66, 1982.

Casciato, D.A.; et al.:

Aplastic anemia associated with type B viral hepatitis.

Arch. Intern. Med. 138: 1557, 1978.

Catovsky, D.;

Cell markers in acute lymphoblastic leukemia and lymphoproliferative disorders. In.. Hoffbrand, A.V.; Brain, A.C.; and Hirsh, J. (eds): Recent Advances in Hematology. Churchill livingstone. Edinburgh, London, New York. PP 201-217, 1977.

Celis, E.; and Chang, T.W.;

HBs Ag-serum protein complexes stimulate immune T lymphocytes more efficiently than do pure HBs Ag. Hepatology 4: 1116, 1984.

Chandra, R.K:

Immunology of liver diseases.
liver and biliary diseases. 16: 264, 1979.

Chang, T.W.; Lee, C.Y.; Chen; D.S.; et al.:

In vitro response to Bs Ag of peripheral blood lymphocytes from recipients of hepatitis B vaccine. Hepatology 4: 824, 1984.

Cheever, A.W.:

A quantitative post-mortem study of schistosomiasis mansoni in man.
Am. J. Trop. Med. Hyg. 17: 38-64, 1968.

Chensue, S.W.; and Baros, D.L.:

Modulation of granulomatous Hypersensitivity, I. Characterization of T-Lymphocytes involved in the adaptive suppression of granular formation in schistosoma mansoni-infected mice. J. Immunol. 123: 1409, 1979.

Chisari, F.V.; Bieber, M.S.; Josepho, C.A.; et al.:

Functional properties of lymphocyte subpopulations in hepatitis B virus infection. II. Cytotoxic effector cell killing of targets that naturally express hepatitis B surface antigen and liver-specific lipoprotein.

J. Immunol. 126: 45, 1981.

Chisari, F.V.; Routenberg, J.A.; Fiala, M.; and Edgington. T.S.:

Extrinsic modulation of human T lymphocyte E rosette function associated with prolonged hepatocellular injury after viral hepatitis.

J. Clin. Invest. 59: 134, 1977.

Choo, Q-L.; Kuo, G.; Weiner, Aj.; Overby, LR.; et al.,

Isolation of a cDNA clone derived from a blood borne non-A, non-B viral hepatitis genome.

Science 244: 359-362, 1989.

Chu, C-M.; shyu, W.C.; Kuo, R.W.; et al.:

HLA class 1 antigen display on hepatocyte membrane in chronic hepatitis B virus infection: its role in the pathogenesis of chronic type B hepatitis.

Hepatology 7: 1311, 1987.

Clegg, J.A.; Smithers, S.R.; and Terry, R.I.:

Aquisition of human antigens by schistosoma mansoni during cultivation in Vitro.

Nature 232: 653, 1971.

Clement, B.; Grimaud, J.A.; Campion, J.P.; et al.:

Cell types involved in collagen and fibronectin production in normal and fibrotic human liver.

Hepatology 6: 225, 1986.

Cohen, J.J.:

Mechanism of adaptive immunity. In soothill, J.F.; Hayward, A.R.; and Wood, C.B.S. (eds): Pediatric Immunology. 1st ed. Blackwell Scientific publications: Oxford, London, Edinburgh, Boston, and Melbourne. PP. 11-20, 1983.

Cohen, M.D.; Rubin, L.J.; Taylor, W.E.; and Cuthbert, J.A.:

Primary pulmonary hypertension: An unusual case associated with extrahepatic portal hypertension.
Hepatology 3: 588, 1983.

Colley, D.G.:

Immune responses to a soluble schistosomal egg antigen preparation during chronic primary infection with schistosoma mansoni.

J. Immunol. 115: 150-156, 1975.

Colley, D.G.; Katz, N.; Rocha, R.S.; Abrantes, W.; et al.:

Immune responses during human schistomiasis mansoni IX. T. Lymphocytes subset analysis by monoclonal antibodies in hepatosplenic disease.

Scand. J. Immunol. 17: 297, 1983.

Colley, D.G.; Todd, C.W.; Lewis, F.A.; and Goodgame, R.W.:

Immune responses during human shistosomiasis mansoni.

VI. In vitro non-specific suppression of phytohemagglutinin reponsiveness induced by exposure to certain schistosomaal preparations.

J. Immunol. 122: 1447, 1979.

Colombo, M. M.; Cambieri, R.; Rumi, NG.; et al.:

Long-term delta superinfection in hepatitis B surface antigen carriers and its relationship to the course of chronic hepatitis.

Gastroenterology 85: 235, 1983.

Colombo, M.; Gerber, M.A.; Varnaca, S.J.; et al.:

Immune response to hepatitis B virus in children with papular acrodermatitis.

Gastroenterology 73: 1103, 1977.

Colten, H.R.:

Ontogeny of the human complement system: in vitro biosynthesis of individual complement components by fetal tissues
J. Clin. Invest., 51: 725, 1972.

Colucci, G; Colombo, M.; Delninno, E.; and Paronet. F.:

In situ characterization by monoclonal antibodies of the mononuclear cell infiltrate in chronic active hepatitis.

Gastroenterology 85: 1138, 1983.

Combes, B.; et al.:

Glomerulonephritis with deposition of Australia antigen-antibody immune complexes in glomerular basement membrane.

Lancet 2: 234, 1961.

Coombs, R.R.A.; Gurner; B.W.; Wilson, A.B.; et al.:

Rosette formation between human lymphocytes and sheep red cells not involving immunoglobulin receptors.

Int. Arch. Allergy 39: 658-663, 1970.

Cooper, M.D.; Kearney, J.F.; Lawton, A.R.; Abney, E.R.; et al.:
Generation of immunoglobulin class diversity in B cells: A
discussion with emphasis on IgD development.
Immunol. 127: 573-581, 1976.

Cooper, M.D.; Peterson, R.D.A.; and Good, R.A.:
Delineation of the thymic and bursal lymphoid systems in the
chicken.
Nature 205: 143-145, 1965.

Cottrel, B.J.; Humber, D.; and Sturrock, R.F.:
An immunosuppressive factor in the serum of patients with
schistomiasis
Trans. Roy. Soc. Trop. Med. and Hyg. 3: 445-416, 1980.

Courouce, A.M.; Holland, P.V.; and Soulier, J.P.:
Proceedings of the international workshop of HBs antigen
subtypes.
Bibli. Haematologica 42: 1, 1976.

Coursaget, P.; Yvonne, B.; Bourdil, C.; et al.:
HBs Ag positive reactivity in man not due to hepatitis B
virus.
Lancet. ii: 1354-1358, 1987.

Cupps, T.R.; Gerin, J.L.; Purcell, R.H.; et al.:
In vitro antigen-induced antibody responses to hepatitis B
surface antigen in man.
J. Clin. Invest. 74: 1204, 1984.

Davis, G.I.; Hoofnagle, J.H.; Waggoner, J.G.:
Spontaneous reactivation of chronic hepatitis B virus infec-
tion. Gastroenterology 86: 203, 1984.

Dean, D.A.; Wistar, R.; and Murrell, D.:

Combined in vitro effects of rat antibody and neutrophilic leucocytes on schistosomula of schistosoma mansoni.

Amr. J. Trop. Hyg. 23: 420-428, 1974.

De cock, K.M.:

Hepatosplenic schistosomiasis: a clinical review.

Gut 27: 734, 1986.

De cock, KM.; Govindarajan, S.; sandford, N.; et al.:

Fatal reactivation of chronic hepatitis B.

J. Am. med. Ass. 256: 1329, 1986.

Degos, F.; Lugassy, C.; Degott, C.; et al.:

Hepatitis B virus and hepatitis B-related viral infection in renal transplant recipients. A prospective study of 90 patients.

Gastroenterology 94: 151, 1988.

De Groote, J.; Desmet, VJ.; Gadigk, P.; et al.:

A classification of chronic hepatitis.

Lancet ii: 626, 1968.

Deodhar, KP.; Tapp, E.; Scheuer, PJ.:

Orcein staining of hepatitis B antigen in paraffin sections of liver biopsies.

J. Clin. Pathol. 28: 66, 1975.

Deritis, F. et al.:

Lancet 1: 685, 1972.

Devusser, Ph.; Bounameaux, H.; verhaeghe, R.; and Degroote, J.:

Liver cirrhosis, ascites, and peripheral vascular resistance.

Lancet 9: 1078, 1985.

Dienes, H.P., et al.:

Histologic observations in human hepatitis non-A, non-B.

Hepatology 2: 562, 1982.

Dienstag, J.L:

Non-A, non-B hepatitis. Recognition, epidemiology and clinical features.

Gastroenterology 85: 439, 1983.

Dienstag, J.L.; and Bhan, A.K.:

Enhanced in vitro cell-mediated cytotoxicity in chronic hepatitis B virus infection: absence of specificity for virus expressed antigen on target cell membranes.

J. Immunol. 125: 2269, 1980.

Dietrichson, O.:

Chronic persistent hepatitis. A clinical, serologic and prognostic study.

Scand. J. Gastroenterol. 10: 249-255, 1975.

Drupt, F.:

Pharm. Biol. 9: 777, 1974.

Dubois, R.S.; and Silverman, A.:

Treatment of chronic active hepatitis in children.

Postgrad. Med. J. 50: 386, 1974.

Dudley, Fj.; Fox, RA.; Sherlock, S.:

Cellular immunity and hepatitis associated (Australia) antigen liver disease.

Lancet i: 743, 1972.

Dudley, FJ.; O'shea, MJ.; Ajdukiewicz, A.; et al.:

Serum autoantibodies and immunoglobulins in hepatitis-associated antigen (HAA)-positive and-negative liver disease.

Gut 14: 360, 1999973.

Dudley, FJ.; Scheuer, PJ.; Sherlock, S.:

Natural history of hepatitis-associated antigen-positive chronic liver disease.

Lancet ii: 1388, 1972.

Dusheiko, G. M.; Hoofnagle, J.H.; Cooksley, W.G.; et al.:

Synthesis of antibodies to hepatitis B virus by culture lymphocytes from chronic hepatitis B surface antigen carriers.

J. Clin. Invest. 71: 1104, 1983.

Dusheiko, G.; Song, E.; Bowyer, S.; et al.:

Natural history of hepatitis B virus infection in renal transplant recipients-a fifteen-year follow-up.

Hepatology 3: 330, 1983.

Eddleston A.L.W.F, Williams R:

Inadequate antibody response to HBsAg or suppressor T cell defect in development of active chronic hepatitis.

Lancet 2: 543, 1974.

Eddleston, A.L.W.F.; Mondeli, M.; Mieli-vergani, G.:

lymphocyte cytotoxicity to autologous hepatocytes in chronic hepatitis B virus infection.

Hepatology 2: 122_s, 1983.

Eggink, H.F.; Houthoff, H.J.; Wolters, S.H.G.:

Cellular and humoral immune reactions in chronic active liver disease. II. Lymphocyte subsets and viral antigens in liver biopsies of patients with acute and chronic hepatitis B
Clin exp. Immunol. 46: 121, 1984.

Ekladios, E.M.; Ageab, M.; Milad, M.; and Khairy, M.:

Autoantibodies in hepatic schistosomiasis.

Kasr. El Aini. J. Surg. 12: 298, 1971.

Ekladios, E.M.; Higashi, G.I; Ageab, M. and El-Ghorab, N.M.:

Suppression of T. lymphocytes in chronic bilharziasis.

Proc. Int. Conf. Schist. Cario. Vol. II, 609, 1978.

El-Defrawy, M.S.:

Humoral immunity in chronic liver disease. MD thesis
pediatrics. Faculty of Medicine. Benha Univ., 1987.

El- Gawhry, S.M.:

Study of autoantibodies in various stages of intestino-hepatic bilharziasis M.Sc. Thesis. Clinical and chemical pathology; Faculty of Medicine. Cairo University, 1981.

El-Mofty, A.; and Kattab, M.:

Proc, 1st, Int. Symp. Bith. (Cairo), part II, P. 79, 1962.

El-Sayed, H.M.:

Study of chronic active hepatitis in children, M.D. Thesis,
Cairo Univ., 1985.

Epstein, O.; Ajdukiewicz, AB; Dick, R.; et al.:

Hypertrophic hepatic osteoarthropathy.

Am. J. Med. 67: 88, 1979.

Evans, R.L.; Breard, J.M.; Lazarus, A.; et al.,

Detection isolation and functional characterization of two human T-cell subclasses bearing unique differentiation antigens.

J. Exp. Med. 145: 221, 1977.

Evans, R.L.; Lazarus, H.; Penta, A.C.; and Schlossman, S.F.:

Two functionally distinct subpopulations of human T cells that collaborate in the generation of cytotoxic cells responsible for cell mediated lympholysis.

J. Immunol. 120: 1423, 1978.

Facchini, A.; Stefanini, G.F; Bernardi, M.; et al.:

Lymphocytotoxicity against rabbit hepatocytes in chronic liver disease.

Gut 19: 189, 1978.

Fagan, E.A., and Williams, R:

Non-A, non-B hepatitis.

Semin, Liver Dis, 4: 314, 1984.

Farci, P.; Narnera. C.; Navone, C.; et al.:

Infection with the delta agent in Children.

Gut 26: 4-7, 1985.

Farid Abdel Wahab:

Proceedings of the Egyptain Society of Clinical shemistry.

The 15th Scientific Meeting. Faculty of Medicin, Cairo

University February 16, 1977.

Fattovich, G.; Rugge, M.; Brollo, L. et al.:

Clinical, Virologic and histologic outcome following seroconversion from HBe Ag to anti-HBe in chronic hepatitis type B.

Hepatology. 6: 167, 1986.

Fauerholdt, L.; Schlichting, P.; Christensen, E.; et al.:

Conversion of micronodular cirrhosis into macronodular cirrhosis.

Hepatology 3: 928, 1983.

Feldmeir; Castl, G.A.; Paggensee, V.; Christina Kortmann:

Relationship between intensity of infection and immunomodulation in human schistosomiasis. T.Lymphocyte subpopulation and specific antibody responsis.

Clin. Exp. Immunol. 60: 234, 1985.

Fernandez-Cruz, E.; et al.:

Hepatocyte damage induced by lymphocytes from patients with chronic liver diseases, as detected by LDH release.

Clin. Exp. Immunol. 31: 436, 1978.

Feroldi, J.; and Mallet-Guy, Y.:

Arch. Anat. Cytol. Path. 27: 376, 19979.

Queted from El Dafrawy (1987).

Fischer, E.; camus, D.; Santoro, F.; and Carpon, A.:

Schistosoma mansoni: auto-antibodies and polyclonal B-cell activation in infected mice.

Clinical and Exp. Immunol. 46: 89-98, 1981.

Fraser, C.L.; and Arieff, A.J.:

Hepatic encephalopathy.

New Engl. J. Med. 313: 865, 1985.

Gabbiani, G.; Lelous, M.; Bailey, A.J.; et al.:

Collagen and myofibroblasts of granulation tissue: a chemical ultrastructural and immunologic study.

Virchows Arch. Abt. B. Cell. Path. 21: 133, 1976.

Queted from: El-Dafrawy (1987).

Gerber, M.A.; et al.:

Antibodies to ribosomes in chronic active hepatitis.
Gastroenterology 76: 139, 1979.

Geubel, A.P.; et al.:

Lymphocyte cytotoxicity and inhibition studied with
autologous liver cells: observations in chronic active Liver
disease and the primary biliary cirrhosis syndrome.
Gastroenterology. 71: 450, 1976.

Ghamen, M.H.; El-Sherif, A.F.; Issa, I.A.; Wafy, A.A.; et al.:

Immunopreiptins to schistosoma mansoni somatic antigen in
hepatic schistosomiasis.
Egypt. J. Bith. 2: 271, 1975.

Ghanem, M.; Guirgis, F.K.; and El-sawy, M.:

J. Trop. Med. 75: 126, 1970.

Ghareeb, A.B.:

Proc. 1st Int. symp. Bilh. (Cairo). Part II, P. 265, 1962.

Gianotti, F.:

HBs Ag and papular acrodermatitis of childhood.
N. Engl. J. Med. 298: 460, 1978.

Giorgio, A.; Amoroso, P.; Lettieri, G.; et al.:

Cirrhosis: Value of caudate to right lobe ratio in diagnosis
with VS.
Radiology. 161: 443, 1986.

Goldring, O.L.; Clegg, J.A.; Smithers, S.R.; and Tevry, R.J.:

Acquisition of human blood group antigens by schistosoma
mansoni.
Clin. Exp. Immunol. 26: 181-187, 1976.

Good, R.A.:

Crucial experiments of nature that have guided analysis of the immunologic apparatus. In: Immunologic Disorders of Infants and Children, 2nd ed. Ed (Stiehm, E.R. and Fulginiti, A. V.). W.B. Saunders company: Philadelphia, London, and Toronto. PP. 3-19, 1980.

Gornall, A.; et al.:

J. Biol. Chem. 177: 731, 1968.

Govindrajan, S.; De Cock, K.M.; Redeker, A.G.:

Natural course of delta superinfection in chronic hepatitis B-Virus infected patients: histopathologic study with multiple liver biopsies
Hepatology 6: 640, 1986.

Graudal, N.; Milman, N; Kirkegaard, E.; et al:

Bacteremia in cirrhosis of the liver.
Liver. 6: 297, 1986.

Grauer, W.; Bratting, N.W.; Schomerus, H., Frosner. et al.,

Immunosuppressive serum factors in viral hepatitis III.
Prognostic relevance of rosette inhibitory factor and serum inhibition factor in acute and chronic hepatitis.
Hepatology. 4: 15, 1984.

Grimaud, J.A.; Borojevic, R.:

Chronic human schistosomiasis mansoni. Pathology of the Disse's space.
Lab. Invest. 36: 268-73, 1977

Hadziyannis, S.; Gerber, M.A.; Vissoulis, C.; popper, H.:

Cytoplasmic hepatitis B antigen in ground-glass hepatocytes of carriers. Arch pathol. 96: 327-330, 1973.

Hadziyannis, S.J.; Lieberman, H.M.; Karvountzis, G.G.; et al.:

Analysis of liver disease, nuclear HBc Ag, viral replication, and hepatitis B virus DNA in liver and serum of HBe Ag versus anti-HBe positive carriers of hepatitis B virus. Hepatology. 3: 656, 1983.

Hadziyannis, S.J.; Lieberman, H.M.; Karvountzis, G.G.; et al.:

Lancet i: 976, 1972.

Hagler, L.; Pastore, R.N.; and Bergin, J.J.:

Aplastic anemia following viral hepatitis. Medicine. 54: 139, 1975.

Hanson, R.G.; Hoofnagle, J.H.; Minuk, G.Y.; et al.:

Cell mediated immunity to hepatitis B surface antigen. Clin. Exp. Immunol. 57: 257, 1984.

Harris, A.R.C.; Russell, R.J.; Charters, A.D.:

A review of schistosomiasis in immigrants in western Australia, demonstrating the unusual longevity of schistosoma mansoni.

Transactions of the Royal society of tropical Medicine and Hygiene 78: 385-388, 1984.

Harris, J.E. and Sinkovics, S.G.:

Normal immune response in man and its relation to malignant disease. In: The Immunology of Malignant Disease. Harris, J.E. and Sinkovics, S.G. Saint Louis, PP. 1-92, 1976.

Harrison, T.J.; Bal, V.; Wheeler, E.G.; et al.:

Hepatitis B virus DNA and e antigen in serum from blood donors in the United Kingdom positive for hepatitis B surface antigen.

Br. Med. J. 290: 663, 1985.

Hassanein, B.M.:

Study of Enzymatic activity in chronic liver disease in Egyptian children.

M.D. Thesis Zagazig Univ., 1984.

Heiner, D.C.; and Rose, B.:

A study of antibody responses by radioimmunodiffusion with demonstration of gamma-D antigen binding activity in four sera.

J. Immunol. 104: 691-697, 1970.

Hodgson, H.J.F.; Wands, J.R.; and Isselbacher, K.J.:

Alteration in suppressor cell activity in chronic active hepatitis.

Proc. Natl. Acad. Sci. U.S.A. 75: 1549, 1978.

Quoted from: James (1988).

Hoefs, J.C.; Aufrichtig, D.; Lottenberg, S.; et al.:

Non-invasive evaluation of hepatic fibrosis using frequency demodulation of ultrasound signals. Dig. dis. Sci. 31: 1046, 1986.

Quoted from: Sherlock (1989-b).

Hofesfeteer, M.; Poindexter, R.W.; Ruiz-Tiben, E.; et al.:

Modulation of the host response in human schistosomiasis: III. Blocking antibodies specifically inhibit immediate hypersensitivity responses to parasite antigens.

Immunol. 46: 777-85, 1982.

Hoffman, R. M., Rieber, E.P.; Eisenburg, J.; et al.:

Cytotoxic T lymphocyte clones derived from liver tissue of patients with chronic hepatitis B (abstract).

Hepatology. 5: 980, 1985.

Hoofnagle:

Chronic type B hepatitis.

Gastroentrology 84: 422, 1983.

Hoofnagle, J.H. and Schafer, D.F.:

Serologic markers of hepatitis B virus infection.

Semin. Liver Dis. 6: 1-10, 1986.

Hoofnagle, J.H.; Sharfritz, D.A. Popper, H.:

Chronic type B hepatitis and the healthy HBs Ag carrier state.

Hepatology. 7: 758, 1987.

Hokama, Y. and Nakamura, R.M.:

(a) The immune system PP. 1-27.

(b) Immunoglobulin PP. 1-53.

(c) T. lymphocyte system, PP. 55-72.

In: Immunology and Immunopathology Basic concepts, Hokama, Y. and Nakamura, R.M. (ed); 1st.ed, Little Brown company. Boston, 1982.

Hong, R.:

The T-lymphocyte syystem. In stiehm, E.R. and Fulginiti, V.A. (eds). Immunologic Disorders in Infants and Children. 2nd ed. W.B. Saunders company. Philadelphia, London and Toronto. PP. 82-97, 1980.

Ikeda, T.; Lever, AML,; Thomas, HC.:

Evidence for a deficiency of interferon production in patients with chronic hepatitis B virus infection acquired in adult life.

Hepatology. 6: 962, 1986.

International group:

Acute and Chronic hepatitis revisited.

Lancet. ii: 914, 1977.

Jacobson, IM.; Dienstag, IL.; Werner, BG.; et al.:

Epidemiology and clinical impact of hepatitis D virus
(delta) infection.

Hepatology. 5: 188, 1985.

Jain, V.K. and Chaandra, R.K.:

Chronic liver disease. In Milla, P.J. (ed): Harries
pediatric Gastroenterology. 2nd. ed. Churchill livingstone,
Edinburgh, PP 463, 1988.

James, S.P:

Immunology of hepatobiliary diseases . In Samter, M.; Tal
mage, D.W., Frank, MM.; Austen, K.F. and claman, H.N. (eds):
Immunological Diseases. 2nd ed. Vol II. Little Brown & Com
pany, Boston, Toronto, Ch 78, PP 1945, 1988.

Janeway, C.A.:

The immunologic system. In Vaughan, V.C.; McKay, R.J.; and
Nelson, W.E. (eds): Nelson Textbook of pediatrics 10th ed.
W.B. Saunders company, philadelphia, London, and Toronto.
PP. 474-480, 1975.

Jendrassik, L.; et al.:

Biochem. 2: 297, 1938.

**Jensen, D.M.; Mcfarlane, I.G.; Portmann, B.; Eddleston, A.L.W.F.;
and Williams, P.:**

Detection of antibodies directed against a liver specific
membrane lipoprotein in patients with acute and chronic ac
tive hepatitis. N. Engl. J. Med. 299:1, 1978.

Jolly, H.:

Diseases of Children. 3rd ed. The English Language Book Society and Blackweel Scientific publications. Oxford, London, Edinburgh. P. 481, 1976.

Jordan, P.:

Diagnostic and laboratory techniques, In: Jordan, P.; Webbe, G. (eds) Schistosomiasis, epidemiology, treatment and control. Heinemann, London. PP 165-83, 1982.

Kakumu, S.; Yata, K.; and Kashio, T.:

Immunoregulatory T cell function in acute and chronic liver disease.

Gastroenterology 79: 613, 1980.

Kamal, K.A.; and Higashi, G.I.:

Suppression of mitogen-induced transformation by plasma from patients with hepatosplenic schistomiasis mansoni: role of immune complexes

Immunology. 4: 283-298, 1982.

Kamel, I.A.; Elwi, A.M.; Cheever, A.W. Mosimann, J.E.; et al.:

Schistosoma mansoni and S. haematobium infection in Egypt IV Hepatic lesions.

Am. J. Trop. Hyg. 27: 939-43, 1978.

Kaplan, J.; and Peterson, W.D.:

Detection of human T-lymphocyte antigens (HTLA) on thymosin-inducible T-cell precursors.

Clin. Immunol. Immunopathol. 9: 436, 1978.

Kavasawa, T.; and Shikata, T.:

Necrosis of the hepatocytes with hepatitis B surface antigen. Arch. Pathol. Lab. Med. 101: 280, 1977.

Kashio, T.; Hotta, R.; and Kakumu, S.:

Lymphocyte suppressor cell activity in acute and chronic liver disease.

Clin. Exp. Immunol. 44: 459, 1981.

Kawanishi, H.:

Morphologic association of lymphocytes with hepatocytes in chronic liver disease.

Arch. Pathol. Lab. Med. 101: 286, 1977.

Kemp, C.H.; Silver, H.K.; and O'Brien, D.:

Disorders of immune mechanisms. In Kemp, C.H.; Silver, H.K.; and O'Brien, D. (eds): Current pediatric Diagnosis and treatment. 4th ed. Lange Medical publication, Los Altos. and California. PP 403-413, 1976.

Keren, G.; Boichis, H.; Swas, T.S.; and Frand, M.:

Pulmonary arterio-venous fistulae in hepatic cirrhosis.

Arch. Dis. Child. 58: 302, 1983.

Kew, M.C.; Hodgkinson, J.; Paterson, A.C.; Song, E.:

Hepatitis-B virus infection in black children with hepatocellular carcinoma.

J. Med. Virol. 9: 201-207, 1982.

Khalifa, A.S.; Take, H.; Cejka, J.; and Zuelzer, W.W.:

Immunoglobulins in acute Leukemia in children.

J. Pediatr. 85: 788-791, 1974.

Khalil, H.J.; Fahmy, M.I.; Ghanem, M.M.; et al.:

Study of cell mediated immune responsiveness to soluble egg antigen and phytohemagglutinin using the lymphoblast transformation in human. S. mansoni.

Egypt. Rev. Inst. Med. Trop. 23 (3): 97. 1981.

Khashaba, M.T.:

Study of immune competence of the newborn infants and its relation to some neonatal disorders. M.D. Thesis.

(Pediatrics). Faculty of Medicine Mansoura University, 1983.

Khashaba, A.A.; Al-Basousy, A.M.; Abdel Nabi, L.; El-Shobaki, F.A.; Fahmy, H.A. and Ibrahim, Z.:

Gaz. of Egypt, Ped Assoc., 27: 199, 1979.

Quoted from: Al-Tonbary, Y.A. (1982).

Khattab, A.K., Abd El-Fattah, S.M., Osman, G.A., et al.:

Serum immunoglobulins in common types of egyptian liver cirrhosis.

G. Egypt. Ped. Assoc, 3-4: 141-147, 1982.

Kincade, P.W.; Lawton, A.R.; Bockman, D.E.; and Cooper, M.D.:

Suppression of immunoglobulin G synthesis as a result of antibody-mediated suppression of immunoglobulin M synthesis in chickens.

Proc. Natl. Acad. Sci. 67: 1918-1925, 1970

Klatskin, G.:

Persistent HB antigenemia: Associated clinical manifestations and clinical lesions.

Am. J. Med. Sci. 270: 33, 1975

Kleinman, R.E.; Harmatz, P.R.; Walker, W.A.:

The liver: an integral part of the enteric mucosal immune system.

Hepatology. 2: 379, 1982.

Koike, K.; Lino, S.; Kurai, K.; et al.:

IgM anti-HBc in anti-HBe positive chronic type Bhepatitis with acute exacerbations. Hepatology. 7: 573, 1987.

Kojima, M.; et al.:

Correlation between titer of antibody to hepatitis B core antigen and presence of viral antigen in the liver.
Gastroenterology. 73: 664, 1977.

Konda, S.; Stockert, E.; and Smith R.T.:

Immunologic properties of mouse thymus cells:
membrane antigen patterns.
Cell. Immunol. 7: 275, 1973.

Kongshavan ,P.A.L.;Hawkins,D.;and Shuster,J:

The biology of the immune response.In Freedman,S.O.and Gold,P.(eds):Clinical Immunology.2nd ed.Medical Department Harper and Row,Publishers:Hagerstown,Maryland,New York,San Francisco,and London .pp.1-64,1976.

Koziol, DE., Holland, PV.; Alling, DW.; et al.:

Antibody to hepatitis B core antigen as a paradoxical marker for non-A, non-B hepatitis agents in donated blood.
Ann. Jntern. Med. 104: 488-495, 1986.

Kung, P.C.; Godstein, G.; Reinherz, E.L.; Schlossman, S.F.:

Monoclonal antibodies defining distinctive human T cell surface antigens.
Science 206: 397, 1989.

Kuo, G.; Choo, Q.L.; Alter, HJ.; et al.:

An assay for circulating antibodies to a major etiologic virus of human non-A, non-B hepatitis.
Science 244: 362-364, 1989.

Lancet Editorial:

Schistosomiasis: a useful new insight.
Lancet ii:83, 1985.

Larcher, V.F.; Manolaki, N.; Vegnente, A.; Vergani, D.; and Mowat, A.P.

Spontaneous bacterial peritonitis in children with chronic liver disease: Clinical features and aetiological factors. J. Pediatr. 106: 907, 1985.

Lawton, A.R.; and Cooper, M.D.:

Ontogeny of immunity. In: Immunologic Disorders in Infants and Children, 2nd ed. Ed. (Stiehm, E.R. and Fulginiti, V.A.). W.B. Saunders company: Philadelphia, London, and Toronto. PP. 36: 51, 1980

Lay, W.H.; Mendes, N.F.; Bianco, C.; and Nussenzweig, V.:

Binding of sheep red cells to a large population of human lymphocytes.

Nature 230: 531-532, 1971.

Lee, W.M.; Reed, W.D.; Osman, C.G.; et al.:

Immune responses to the hepatitis B surface antigen and liver-specific lipoprotein in acute type B hepatitis. Gut 18: 250, 1977.

Lemm, G.; Salzer, K.; and Warnatz, H.:

Studies on immunoregulatory mechanisms in acute and chronic hepatitis B.

Clin. Exp. Immunol. 52: 250, 1983.

Levine, O.R.; Harries, R.C.; Blance, W.A.; Mellins, R.B.:

Progressive pulmonary hypertension in children with portal hypertension.

J. Pediatr. 83: 964-973, 1973.

Levo, Y.; et al.:

Association between hepatitis B virus and essential mixed cryoglobulinemia.

N. Engl. J. Med. 296: 1501, 1977.

Liaw, Y.F.; CHu, C.M.; Su, I.J.; et al

Clinical and histological events preceding hepatitis Be antigen seroconversion in chronic type B hepatitis.

Gastroenterology 84: 216, 1983.

Lieberman, H.M.; et al.:

Detection of hepatitis B virus DNA directly in human serum by a simplified molecular hybridization test: Comparison to HBe Ag/anti-HBe status in HBs Ag carriers.

Hepatology 3: 285, 1983.

Long, E.G.; McLaren.; Goddard, MJ.; Bartholomew, RK.; Peters, P.:

Comparison of ELISA, radioimmunoassay and stool examination for schistosoma mansoni infection.

Trans. R. Soc. Trop. Med. Hyg. 75: 365-71, 1981.

Quoted from: De Cock, 1986.

Lum, L.G.; Benveniste, E.; and Blaese, R.M.:

Functional properties of human T-cells bearing Fe receptors for JgA. Mitogen responsiveness, mixed Lymphocyte culture reactivity and helper activity for B cell immunoglobulin production.

J. Immunol. 124: 702-707, 1980

Lydyard, P. M.; and Fanger, M.W.:

Characteristics and Function of Fc receptors on human lymphocytes.

Immunol. 471: 1-17, 1982

Mabry, C.C.; and Tietz, N.W.:

Reference ranges for Laboratory tests. In Behrman R.E.; Vaughan, V.C.; and Nelson, W.E. (eds): Nelson Textbook of pediatrics, 12th ed. W.B. Saunders company, Philadelphia, London, and Toronto. PP. 1827-1851, 1983.

Mackay, P.; Lees, J.; and Murray, K.:

The conversion of hepatitis B core antigen synthesized in E. Coli into e antigen.

J. Med. Virol. 8: 236, 1981.

Mackenzie, M.K.R.; Coovadia, H.M.; Chutte, C.H.J.:

Clinical recognition of mild hepatic schistosomiasis in an endemic area.

Transactions of the Royal Society of Tropical Medicine and Hygiene 78: 13015, 1984.

Quoted from: De Cock, 1986.

Madalinski, K.; and Bragiel, I.:

HBs Ag immune complexes in the course of infection with hepatitis B virus.

Clin. Exp. Immunol. 36: 371, 1979.

Maddrey, W.C.:

Subdivision of idiopathic autoimmune chronic active hepatitis.

Hepatology. 7: 1372, 1987.

Madusur, M.A.; Oshea, J.M.; Skelton, J.A.; and Smoothill, J.F.:

Clin exp. immunol, 34: 354, 1978.

Quoted from Zakaria et al. (1982).

Maggiore, G.; Giacomo, C.D.; Marzani, D.; Sessa, F.; Scotta, M.S.:

Chronic viral hepatitis in infancy.

J. Pediatr, 103: 749-752, 1983.

Maher, JJ.; Friedman, Sl.; Roll, Fj.; et al.:

Immuno, localization of Laminin in normal rat liver and biosynthesis of Laminin by hepatic hepocytes in primary culture.

Gastroenterology. 94: 1053, 1988.

Mancini, G.; Carhonara, A.O.; and Hereman, J.F.:

Immunochemical quantitation of antigens by single radial immunodiffusion.

Immunochemistry V2: 235-245, 1965.

Manns, M.; et al.:

Detection and characterization of liver membrane autoantibodies in chronic active hepatitis by a solid phase radioimmunoassay.

Clin. Exp. Immunol. 42: 263, 1980

Matsubara, O.; Nakamura, T.; Vehara, T.; and Kasuga, T.:

Histometrical investigations of the pulmonary artery in severe hepatic disease.

J. Pathol. 143: 31, 1984.

Mc Connell, J.:

T and B lymphocytes, in the immune system. In Hobart, M.J.; and Mc connell, J. (eds): A Course of the Molecular and Cellular Basis of Immunity. Oxford: Blackwell scientific, PP. 98-119, 1975.

Mc Connell, I.:

Lymphocyte and Lymphoid system. In Lachmann, P.J.; and Peters, D.K. (eds). Clinical Aspects of Immunology. 4th ed. Blackwell scientific publications: Oxford, London, Edinburgh, Boston and Melbourne. PP. 72-100, 1982.

Mclaren, D.J.; and Hockley, D.F. :

Blood flukes have a double outer membrane.
Nature 269:147-149, 1977.

Mclaren, M.; Draper, CC.; Roberts, JM.; et al.:

Studies on the enzyme linked immunosorbent assay (ELISA) test for schistosoma mansoni infections.
Ann. Trop. Med. Parasitol 72:243-53, 1978.

Mclaren, lillywhite, JE., Dunne, DW.; Doenhoff, MJ.:

Serodiagnosis of human schistosoma mansoni infections: enhanced sensitivity and specificity in (ELISA) using a fraction containing S. mansoni egg antigens w, and a,.
Trans. R. Soc. Trop. Med. Hyg. 75:72-9, 1981.
Quoted from: De cock, 1986.

Medical news and prospectives :

Research seems to be gaining upper hand on what's been called non-A, non-B hepatitis.
Jama 263:14, 1990.

Meliconi, R.; et al.:

Antibodies against human liver specific protein (LSP) in acute and chronic viral hepatitis types A, B and non-A, non-B.
Clin. Exp. Immunol. 46:382, 1981.

Mendes, N.F. :

Immunological identification of human lymphoid cell populations.

Immunol. 10:85-93, 1975.

Menghini, G.:

One second needle biopsy of the liver.

Gastroentrology 35:190-199; 1958.

Meyer Zum Buschenfelde, K.H.; Kossling, F.K.; and Miescher, P.A:

Experimental chronic active hepatitis in rabbits following immunization with human liver proteins.

Clin. Exp. Immunol. 10:99, 1972.

Michel, M.L.; and Tiollais, P.:

Structure and expression of the hepatitis B virus genome.

Hepatology 7:615-635, 1987.

Miller, D.J.; Dwyer, J.M.; and Klatskin, G.:

Identification of lymphocytes in percutaneous liver biopsy cores. Different T:B cell ratio in HBs Ag positive and negative hepatitis.

Gastroenterology 6:119,1977.

Millward-Sadler, GH.; Hahn, E.G.; Wright, R.:

Cirrhosis: an appraisal. In wright R., Millward-Sadler G.A., Albert K. G.M.M., Karran S(eds): Liver and biliary disease. Bailliere Tindall, London, PP. 821:860,1986.

Mondelli, M.; and Eddleston, A.L.W.F.:

Mechanisms of liver cell injury in acute and chronic hepatitis B.

Semin. Liver Dis. 4:47, 1984.

Mondelli, M.; Mieli-vergani, G.; and Albertti, A.:

Specificity of T lymphocyte cytotoxicity to autologous hepatocytes in chronic hepatitis B virus infection. Evidence that T cells are directed against HBV core antigen expressed on hepatocytes.

J. Immunol. 129:2773, 1982.

Montano, L.; Aranguibel, F.; Boffill, M.; et al.:

An analysis of the composition of the inflammatory infiltrate in autoimmune and hepatitis B virus-induced chronic liver disease.

Hepatology 3:292, 1983.

Moore, M.A.S.; and Owen, J.J.T.:

Experimental studies on the development of the thymus.

J. Exp. Med. 126:715, 1967.

Moretta, L.; Ferrarini, M.; Mingari, M.C.; Moretta, A.; and Webb, S.R.:

Subpopulations of human T cells identified by receptors for immunoglobulins and mitogen responsiveness.

J. Immunol. 117:2171, 1976.

Moretta, L.; Webb, S.R.; Grossi, C.E.; Lydyard, P.M.; and Cooper, M.D.:

Functional analysis of two human T-cell subpopulation: help and suppression of B-cell responses by T cells bearing receptors for IgM or IgG.

J. Exp. Med. 146:185, 1977.

Morimoto, C.; Distaso, J.; Borel, Y.; Schlossman, S.F.; and

Reinherz, E.L.:

Communicative interactions between subpopulations of human T lymphocytes required for generation of suppressor effector function in a primary antibody response.

J. Immunol. 128:1645, 1982.

Morimoto, C.; Reinherz, E.L.; Borel, Y.; and Schlossman, S.F.:

Direct demonstration of the human suppressor inducer subset by anti-T cell antibodies.

J. Immunol. 130:157, 1983.

Mosley, J.W.; Aach, R.D.; Hollinger, F.B.; et al.:

Non-A, Non-B hepatitis and antibody to hepatitis C virus.

Jama 5:17, 1990.

Mousa, A.H.; El-Mofty, A.; Khattab, M.; El-Deeb, A.; and Hashem, M.; et al.:

Gaz. Kaser El-Aini Faculty of Medicine, special No.on Bilharziasis. P. 67, 1957.

Mousa, A.H.; El-Rauby, A.; and El-Garem, A.:

Tropical Medicin and Jnfectious Disease, Modern Cairo Book shop, Cairo. PP. 4, 1960.

Mowat, A.P.:

a) Viral infection of the liver PP 89.

b) Chronic hepaitis PP 225.

c) Cirrhosis and its complications PP. 256.

In Mowat, A.P. (ed): Liver Disorders In childhood. 2nd ed. Butterworths, London, Boston, 1987.

Munoz, L.E.; et al.:

Complement activation in chronic liver disease.

Clin. Exp. Immunol. 47:548, 1982.

Murakami, H.; et al.:

The specificity of human liver membrane lipoprotein: studies with monoclonal antibodies.

Hepatology 4:192, 1984.

Nash, T.E.; Cheever, A.W.; Ottesen, E.A.; and Cook, J.A.:

Schistosome infections in humans: Perspectives and recent findings.

Ann. Inter. Med. 97:740-754, 1982.

Naumov, N.V.; Mondelli, M.; Alexander, G.I.M.; et al.:

Relationship between expression of hepatitis B virus antigens in isolated hepatocytes and autologous lymphocyte cytotoxicity in patients with chronic hepatitis B virus infection.

Hepatology 4:63, 1984.

Nielson, J.O., Dietrichson, O.; Elling, P.; et al.:

Incidence and meaning of persistence of Australia antigen in patients with acute viral hepatitis: development of chronic hepatitis.

N. Engl. J. Med. 285:1157-1161, 1971.

O'Brien, C.J.; Vento, S.; Donaldson, P.T. et al.:

Cell mediated immunity and suppressor T cell defects to liver derived antigens in families of patients with autoimmune chronic active hepatitis.

Lancet 1:350-353, 1986.

Odievre, M.; Maggiore, G.; Homberg, J.C.; et al.:

Seroimmunologic classification of chronic hepatitis in 57 children.

Hepatology 3:407-409, 1983.

OttesmönduEaAien of the host response in human schistosomiasis:

1. Adherent suppressor cells which inhibit lymphocyte proliferative responses to parasite antigens.

J. Immunol. 123:1683-44, 1979.

Owen, J.; cooper, M.D.; and Raff, M.:

In vitro generation of B lymphocytes in mouse foetal liver, a mammalian "bursa equivalent".

Nature 249:361-363, 1974.

Owen, J.J.T.; and Raff, M.C.:

Studies on the differentiation of thymus-derived lymphocytes.

J. Exp. Med. 132:1216, 1970.

Owen, J.J.T.; and Ritter, M.A.:

Tissue interactions in the development of thymus lymphocytes.

J. Exp. Med. 129:431, 1969.

Pape, G.R.; Rieber, E.P.; Eisenbarg, J.; et al.:

Involvement of the cytotoxic suppressor T-cell subset in liver tissue injury of patients with acute and chronic liver diseases.

gastroenterology 85:657, 1983.

Paronetto, F.; and vernace, S.:

Immunological studies in patients with chronic active hepatitis. Cytotoxic activity of lymphocytes to autologous liver cells grown in tissue culture.

Clin. Exp. Immunol. 19:99, 1975.

Pauel, W.E.:

Lymphocyte biology. In Parker, E.W. (ed): Clinical Immunology. Vol. 1. W. B. Saunders company, Philadelphia, London, Toronto. PP. 19, 1980.

Pelley, R.P.; and Pelley, R.J.:

S. mansoni soluble egg antigens. IV Biochemistry and immunology of major serological antigens with particular emphasis on MSAI. In van den Basche, H. (ed): Biochemistry of parasite and host-parasite relationship. Elsevier North Holland Biomedical press, Amsterdam, PP. 283-290, 1976.

Pelley, R.P.; Pelley, R.J.; Hamburger, J.; Peters, P.A.; and Warren, K.S.:

Schistosoma mansoni soluble egg antigens: I. Identification and purification of three major antigens and the employment of radioimmuno assay for their further characterisation.

J. Immunol. 117:1553-1560, 1976.

Pernice, W.; et al.:

Antigen specific detection of HBsAg containing immune complexes in the course of hepatitis B virus infection.

Clin. Exp. Immunol. 37:376, 1979.

Perrillo, P.R.; et al.:

Acute non-A, non-B hepatitis with serum sickness like syndrome and anemia. Jama 245:494, 1981.

Peters, P.A.; El-Alamy, M.; Warren, K.S.; and Mahmoud, A.A.F.:
Quick kato smear for filed quantification of schistosoma
masoni eggs.

Am. J. Trop. Med. Hyg. 29(2): 217-219, 1980.

Peters, R.L.; Collins, M.J.; O'Beirne, A. J.; Howton, P.A.; et al:
Enzyme-linked immunosorbent assay for detection of an-
tibodies to murine hepatitis virus.

J. Clin. Microbiol. 10:595-597, 1979.

Phillips, S.M.; Reid, W.A.; Daughy, B.L.; and Bently, G.A.:
The immunologic modulation of morbidity in schistosomiasis.
Am. J. Trop. Med. and Hyg. 29:829, 1980.

Pignata, C. Vagro, P.; Troncone, R.; Monalo, G. and Ciriaco, M.:
Immunoregulatory T subsets in chronic active viral
hepatitis: characterization by monoclonal antibodies.
J. pediatr. Gastroentrol. and Nutrit. 2:229-233, 1983.

Popper, H.:

Pathological aspects of cirrhosis.

Am.J. pathol. 87(1): 228-258, 1977.

Popper, H.; Shafritz, D.A.; Hoofnagle, J.H.:

Relation of the hepatitis B virus carrier state to
hepatocellular carcinoma.

Hepatology 7:764, 1987.

Poralla, T.; et al.:

Cellular cytotoxicity against autologous hepatocytes in
chronic hepatitis B-its relationship to the HBe/anti-HBe
status.

Gastroenterology 23:183, 1985.

Potter, B.J.; Elias, E.; thomas, H.C. and sherlock, S.:

Complement metabolism in chronic liver disease: Catabolism of C₁q in chronic active liver disease and primary biliary cirrhosis.

Gastroenterology, 78:1034-1040, 1980.

Prate, A.:

Schistosomiasis mansoni.

Clin. Gastroenterol. 7:49, 1978.

Prate, A.; Schroeder, S.A.:

Comparison of whites and Negroes infected with schistosoma mansoni in a hyperendemic area.

Gaz. Med. Bahia. 67:93-8, 1967.

Quoted From: De Cock, 1986.

Pugh, R.N.H.; Murray-Lyon, I.M.; Dawson, J.L.; et al.:

Transection of the oesophagus for bleeding oesophageal varices.

Brit. J. Surg. 60:646-649, 1973.

Raff, M.C.:

Surface antigenic markers for distinguishing T and B lymphocytes in mice.

Transplant. Rev. 6:52, 1971.

Rake, M.O.; Murray-Lyon, I.M.; Ansell, I.M.; and Williams, R.:

Improved liver biopsy needle.

Lancet ii:1283, 1969.

Redeker, A.G.:

Viral hepatitis: clinical aspects.

Am. J. Med. Sci 270:9-16, 1975.

Regenatein, F.G.; Roodman, S.T.; and Perrillo, R.P.:

Immunoregulatory T cell subsets in chronic hepatitis B virus infection: The influence of homosexuality.
Hepatology 3:951, 1983.

Reinherz, E.L.; and Schlossman, S.F.:

Con A-iducible suppression of MLC: evidence for mediation by the TH_2^+ T cell subset in man.
J. Immunol. 122:1335, 1979.

Reinherz, F.L.; and Schlossman, S.F.:

The differentiation and function of human T lymphocytes.
Cell 19:821-827, 1980.

Reinherz, E.L.; Strelkauskas, A.J.; Brien, C.O.; and Schlossman, S.F.:

Phenotypic and functional distinctions between the TH_2^+ and JRA^+ T cell subsets in man.
J. Immunol 123:83, 1979a.

Reinherz, E.L.; Parkman, R.; Rapoport, J.; Rosen, F.S.; and Schlossman, S.F.:

Aberrations of suppressor T cells in human graft as host disease.
N. Engl. J. Med. 300:1061, 1979b.

Reinherz, E.L.; Rubinstein, A.; Geha, R.S.; strelkauskas, A.J.; Rosen, F.S.; and Schlossman, S.F.:

Abnormalities of immunoregulatory T cells in disorders of immune function.
N. Engl. J. Med. 301:1018, 1979c.

Reinherz, E.L.; Kung, P.C.; Goldstein, G.; and Schlossman, S.F.:

A monoclonal antibody with selective reactivity with functionally mature human thymocytes and all peripheral human T cells.

J. Immunol. 123:1312, 1979d.

Reinherz, E.L.; Kung, P.C.; Goldstein, G.; and Schlossman, S.F.:

Separation of functional subsets of human T cells by a monoclonal antibody.

Proc. Natl. Acad. Sci. 76:4061, 1979e.

Reinherz, E.L.; Kung, P.C.; Goldstein, G.; and Schlossman, S.F.:

Further characterization of the human inducer T cell subset defined by monoclonal antibody.

J. Immunol. 123:2894, 1979f.

Reinherz, E.L.; Kung, P.C.; Goldstein, G.; and Schlossman, S.F.:

A monoclonal antibody reactive with the human cytotoxic/suppressor T cell subset previously defined by a heteroantiserum termed TH₂.

J. Immunol. 124:1301, 1980a.

Reinherz, E.L.; Kung, P.C.; Bread, J.M.; Goldstein, G.; and Schlossman, S.F.:

T-cell requirement for generation of helper factors in man: analysis of the subsets involved.

J. Immunol. 124:1883, 1980b.

Reitman, S.; and Frankel, S.:

Am. J. Clin. Path. 28:56, 1957.

Reyes, GR.; Purdy, MA.; Kim, JP.; et al.:

Isolation of a cDNA from the virus responsible for enterically transmitted non-A, non-B hepatitis.

Science 247:1335-9, 1990.

Ribeiro, M.A.G.; and Ndtto, C.F.:

Rev. Inst. Med. Trop. S. Paulo, 23:3-111, 1981.

Queted from Zakaria et al. (1982).

Rieder, H.; Ramadori, G.; Dienes, H-P.; et al.:

Sinusoidal endothelial cells from guinea pig liver synthesize and secrete cellular fibronectin in vitro.

Hepatology 7:856, 1987.

Riisom, K.; and Diederichsen, H.:

Demonstration of organ nonspecific antigens in liver specific protein.

Gastroenterology 85:1271, 1983.

Rimola, A.; soto, R.; Bory, F.; et al.:

Reticuloendothelial system phagocytic activity in cirrhosis and its relation to bacterial infections and prognosis.

Hepatology 4:53, 1984.

Rizzetto, M.; Shih, J.W.K.; Gocke, D.J.; et al.:

Incidence and significance of antibodies to delta antigen in hepatitis B viurs infection.

Lancet 11:986, 1979.

Rizzetto, M.; Verme, G.:

Delta hepatitis-present status.

Hepatology 1:187-193, 1985.

Robinson, W.S.; Miller, R.H.; Marion, P.L.:

Hepadnaviruses and retroviruses share genome homology and features of replication.

Hepatology 7:645-735, 1987.

Rocklin, R.E.; Brown, A.P.; and Warren, K.S.:

Factors that modify the cellular-immune response in patients infected by schistosoma mansoni.

J. Immunol. 125:1916-23, 1980.

Roggendorf, M.; Deinhardt, F.; Fronser, G.G.; et al.:

Immunoglobulin M antibodies to hepatitis B core antigen:

Evaluation of enzyme immunoassay for diagnosis of hepatitis B virus infection.

J. Clin. Microbiol. 13:618-626, 1981.

Rojkind, M.; and Dunn, M.A.:

Hepatic fibrosis.

Gastroenterology 76:849, 1979.

Rojkind, M.; Giambone, M.A.; and Biempica, L.:

Collagen types in normal and cirrhotic liver.

Gastroenterology 76:710, 1979.

Rowe, D.S.; Hug, K.; Forni, L.; and Pernis, B.:

Immunoglobulin D as a lymphocyte receptor.

J. Exp. Med. 138:965-969, 1973.

Rudolph, R.; McClure, W.J.; and Woodward, M.:

Contractile fibroblasts in chronic alcoholic cirrhosis.

Gastroenterology 76:704, 1979.

Sadun, E.H.; Von lichtenberg, F.; cheever, A.W.; et al.:

Schistosomiasis mansoni in the chimpanzee. The natural history of chronic infections after single and multiple exposures.

Am. J. Trop. Med. Hyg. 19:258-77, 1970.

Sagnelli, E.; et al.:

Dane particles-associated hepatitis B. core antigen in patients with HBsAg-positive chronic hepatitis.

Gastroentrology 75:864, 1978.

Sanchez-Tapias, J.; Thomas, H.C.; and Sherlosk, S.:

Lymphocyte populations in liver biopsy specimens from patients with chronic liver disease.

Gut. 18:472, 1977.

Scnders, G.E.; and Perrillo, R.P.:

Suppression of T helper function: an immunoregulatory effect of rosette inhibitory factor in hepatitis B virus infection.

Hepatology 5:392, 1985.

Scheuer, P.J.:

Chronic hepatitis. In Mac swee, R.N.H.; Anthony, P.P.; and cheuer, P.J. (eds).: Pathology of the liver. 1st ed. Churchill livingstone, Edinburgh, London & New york, PP. 248-252, 1979.

Scheuer, P.J.:

Liver biopsy intrepretation, 3rd ed. Bailliere tindall, London PP. 117:132, 1980.

Scheuer, P.J.:

Changing views an chronic hepatitis.

Histopathology 10:1, 1986.

Scheuer, P.J.:

Liver Biopsy Interpretation, 4th ed. Balliere Tindall, London, 1988.

Scheuer, P.J.; Texeira, M.R.; Weller, Iv.D.; et al.:

Pathology of acute hepatitis A, B and non-A, non-B.
J. pathol. 134:323, 1981.

Schlichting, P.; Holund, B., Poulson, H.:

Liver biopsy in chronic aggressive hepatitis. Diagnostic reproducibility in relation to size of specimen.
Scand. J. Gastroenterol. 18:27, 1983.

Schlossman, S.F.; Chess, L.; Humphreys, R.E.; and Strominger, J.L:

Distribution of La-like molecules on the surface of normal and leukemic human cells.
Proc. Natl. Acad. Sci. 73:1288, 1976.

Schrempf Decker, G.E.; et al.:

Biological and immunological characterization of a human liver immunoregulatory protein.
Hepatology 3:939, 1983.

Scotto, J.; et al.:

Detection of hepatitis B virus DNA in serum by a simple spot hybridization technique : Comparison with results for other viral markers.
Hepatology 3:279, 1983.

Segool, R.A.; Lejtenyl, C.; and T aussing, L.M.:

Articular and cutaneous prodromal manifestations of viral hepatitis.
J. Pediatr. 87:709, 1975.

Shafritz, D.A.; and Lieberman, H.M.:

The molecular biology of hepatitis B virus.

Ann. Rev. Med. 35:2119, 1984.

Shamma, A.H.; Ali, A.T.; and Rassam, A.:

Demonstration of auto-antibodies in schistosoma haematobium infections by fluorescent antibody technique.

J. Path. Bact. 92:589, 1966.

Sher, A.; and Moser, G.:

Immunologic properties of developing schistosomula.

Am. J. Path. 102:121-126, 1981.

Sher, A.; Hall, B.F.; and Vadas, M.A.:

Acquisition of murine major histocompatibility complex gene products by schistosomula of schistosoma mansoni.

J. Exp. Med. 148:46-57, 1978.

Sherlock, S.:

Chronic hepatitis and cirrhosis.

Hepatology 4:255, 1984.

Sherlock, S.:

a) Chronic hepatitis PP. 339.

b) Hepatic cirrhosis PP. 410.

In Sherlock, S. (ed): Diseases Of The Liver And Biliary system. 8th ed. Blackwell scientific publications, oxford, 1989.

Sherwin, J.W.:

Liver function. In clinical chemistry, Theory, Analysis and correlation by kaplan, L.A.; pesce, A.J. The C.V. Mosby company, P:435, 1984.

Shimazaki, T.; Saito, K.; Shiraki, K.:

HBsAg - positive giant cell hepatitis with cirrhosis in a 10-month-old infant.

Arch. Dis. Child. 56:64-66, 1981.

Shokry, Awwad, S.,; and Hashem, M.:

Fatty liver disease and liver cirrhosis among improperly weaned Egyptian children.

Gaz. Egypt pediat. Assoc., 1:1, 1972.

Shusterman, N.; and London, W.T.:

Hepatitis B and immune complex disease.

N. Engl. J. Med. 310:43, 1984.

Sleigh, A.C.; Mott, K.E.; Hoff, R.; et al.:

Three-year prospective study of the evolution of Manson's schistosomiasis in North-east Brazil.

Lancet ii 63:66, 1985.

Simmons, P.:

Gaz, of Egypt. Ped, Assoc., 25:101, 1977.

Quated from: Al-Tonbary, Y.A.: (1982).

Smith, J.L.; et al.:

Studies of the "e" antigen in acute and chronic hepatitis.

Gastroentrology 71:208, 1976.

Smith, M.A.; Clegg, J.A.; Snary, D.:

Monoclonal antibodies demonstrate schistosomula.

Trans. R. Soc. Trop. Med. Hyg., 78:187-189, 1984.

Sobhi, F.S.; Safouh, M.; Aboul Hassan, A.; et al.:

Innune response in schistosomiasis II, Humoral immune response.

J. Cairo Univ. 49(3):309-318, 1981.

Sodum, E.H.; and Core, R.W.:

Schistosma mansoni and S. haematobium: Homocytotropic reagin-like antibodies in infections of man and experimental animals.

Exper. Parasitol. 28:435, 1970.

Soloway, R.D.; Summerskill, W.J.H.; Baggenstoss, A.H.; et al.:

Clinical, biochemical, and histological remission of severe chronic active liver disease: a controlled study of treatment and early prognosis.

Gastroenterology 68:820-833, 1972.

Stiehm, E.R.:

a) The B lymphocyte system PP 52-81

b) Immunodeficiency disorders. general consideration PP 183-218

In: Immunologic Disorders of infants and children, Stiehm, E.R. and Fulginiti, A.V. (Ed), 2nd ed., W.B. Saunders company, Philadelphia, London, and Toronto, 1980.

Stobo, J.D.:

T cells. In: Stites, D.P.; Stobo, J.D.; Fudenberg, H.H.; and Wells, J.V.; (eds). Basis clinical immunology. 5th ed. Low Altos, Lange medical publication. ch. 7, P. 69, 1984.

Stutman, O.; and Good, R.A.:

Immunocompetence of embryonic hematopoietic cells after traffic to thymus.

Transplant. Proc. 3:923, 1971.

Szmuness, W.A.:

Recent advances in the study of the epidemiology of hepatitis B.

Am. J. Pathol. 81:629, 1975.

Takahashi, S.; Dunn, M.A.; and Seifter, S.:

Liver collagenase in murine schistosomiasis.

Gastroenterology 78:1425, 1980.

Tanner, S.:

a) Viral hepatitis PP 133

b) Chronic hepatitis PP 165

c) Non viral infections of the liver PP 184

d) Cirrhosis PP 273

In Tanner, S. (ed): Pediatric Hepatology. 1st ed. Charchill livingstone, Edinhhburgh, 1989.

Tiollais, P.; Pourcel, C.; and DiJan, A.:

The hepatitis B virus.

Nature 317:489, 1985.

Thomas, H.C.:

The delta agent comes of age.

Gut 26:1-3, 1985.

Thomas, H.C.:

Non-A, non-B hepatitis.

Quarterly J. Med. 65:793-798, 1987.

Thomas, H.C.; Bown, D.; Routhier, C. et al.:

Inducer and suppressor T cells in hepatitis B virus induced liver disease.

Hepatology. 2:202, 1982.

Thomas, H.C.; Lever, A.M.L.; Scully, L.J.; Pignatelli, M.:

Approaches to the treatment of hepatitis B virus and delta related liver disease.

Semin. Liver Dis. 6:34-41, 1986.

Thomas, H.C. & lock ASF:

The immuno-pathology of autoimmune and hepatitis B virus-induced chronic hepatitis.

Semin. Liver Dis. 4:36, 1984.

Thomas, H.C.; et al.:

Immune complexes in acute and chronic liver disease.

Clin. Exp. Immunol. 31:150, 1978.

Thomas, H.C.; et al.:

Metabolism of the third component of complement in acute tupe B hepatitis, HBs antigen positive glomerulonephritis, polyarteritis nodosum, and HBs antigen positive and negative chronic active liver disease.

Gastroenterology 76:673, 1979.

Thomas, H.C. and Monjardino, J.:

The natural history of hepatitis B virus infection: impact of molecular biology.

Recent Advances in medicine, vol 19:1-11, 1984.

Thomas, HC.; Ryan, CJ.; Benjamin, IS.; et al.:

The immune response in cirrhotic rate: the induction of tolerance to orally administered protein antigens.

Gastroenterology 71:114, 1976.

Thomas, S.E.; De cock, KM.; Raja, RS.:

Comparison of barium swallow and fiberoptic oesophagoscopy for diagnosis of oesophageal varices in Nairobi, Kenya. Trop. Doct. 14:76-7, 1984.

Thomas, S; Sosman, Y.J.; rigoyen, O.I.; Fridman, S.; et al.:

Functional analysis of human T-cell subsets defined by monoclonal antibodies. I collaborative T-T. interaction in the immunoregulation of B-cell differentiation. J. Immunol. 125:2402, 1980.

Thompson, A.D.; Cochrane, M.A.G.; Mc farlane, I.G.; et al.:

Lymphocyte cytotoxicity to isolated hepatocytes in chronic active hepatitis. Nature 252:721, 1974.

Tong, J.M.:

Chronic hepatitis. In Zakim and Boyer (eds): Hepatology Text Book of liver Diseases. W.B. Saunders company, Philadelphia, London, Toronto, Mexico city, ch 37, PP 972, 1982.

Tong, M.J.; Sampliner, R.E.; Govindarajan, S.; et al.:

Spontaneous reactivation of hepatitis B in Chinese patients with HBs Ag-positive chronic active hepatitis. Hepatology 7:713, 1987.

Tong, M.J.; Thursby, M.W.; Lin, J.H.; et al.:

Studies on the maternal-infant transmission of the hepatitis B virus and HBV infection within families. In: Melnick, J.L. (ed) Hepatitis B virus and primary liver cancer. Progress in Medical virology, volume 27, 1981.

Tong, M.J.; Wallace, A.M.; Peters, R.L. of Reynolds, T.B.:

Lymphocyte stimulation in hepatitis B infections.

N. Engl. J. Med. 293:318, 1975.

Trepo, CG.; et al.:

Detection of e-antigen and antibody: correlations with hepatitis B surface and hepatitis B core antigens, liver disease, and outcome in hepatitis B infections.

Gastroenterology 71:804, 1976.

Trevisan, A.; Realdi, G.; Alberti, A.; et al.:

Core antigen-specific immunoglobulin G bound to the liver cell membrane in chronic hepatitis B.

Gastroenterology 82:218, 1982.

Triger, DR.; Wright, R.:

Hyperglobulinaemia in liver disease.

Lancet i:1494, 1973.

Tsega, E.; Mengesha, B.; Hansson, B.G.; Lindberg, J.; Nordenfl, E:

Hepatitis A, B, and delta infection in Ethiopia: a serologic survey with demographic data.

Am. J. Epidemiol. 123:344-351, 1986.

Tsubouchi, A.; Yoshioka, K.; and Kakuma, S.:

Naturally occurring serum anti-idiotypic antibody against anti-liver specific membrane lipoprotein in patients with hepatitis.

Hepatology 5:752, 1985.

UytdeHaag, F.; Heijnen, C.J.; Pot, K.H.; Ballieux, R.E.:

Antigen specific human T cell factors. II. T cell suppressor factor: biologic properties.

J. immunol. 126:503, 1981.

Vegnete, A.; Larcher, V.F.; Mowat, A.P.; Portmann, B.; Williams, R.:

Duration of Chronic active hepatitis and the development of Cirrhosis.

Arch. Dis. in Childhood. 59: 330-335, 1984.

Vergani, D.; Locasculli, A.; Masera, G.; et al.:

Histological evidence hepatitis B virus infection with negative serology in children with acute Leukaemia who develop chronic Liver disease.

Lancet i: 361, 1982.

Vergani, G.M. and Mowat, A. P.:

Infectious and drug induced acute liver damage. In Milla, PPS.; and Muller, D. PP. (eds): Harries pediatric Gastroenterology. 2nd ed. Churchill Livingstone, Edinburgh, PP. 436, 1988

Vierling, J.M.; et al.:

In vitro cell-mediated cytotoxicity in primary biliary cirrhosis and chronic hepatitis: dysfunction of spontaneous cell-mediated cytotoxicity in primary biliary cirrhosis.

J. Clin. Invest. 60: 1116, 1977.

Viola, L.A.; Barrison, I.G.; Coleman, J.C.; et al.:

Natural history of liver disease in chronic hepatitis B surface antigen carriers.

Lancet ii: 1156, 1981.

Vischer, T.L.:

Australia antigen and autoantibodies in chronic hepatitis.

Br. Med. J. 2: 695, 1970.

Waldimarsson, H.; Agnarsdottir, G.; and Lachmann, P.J.:

Measler virus receptor on human T lymphocytes.

Nature. 255: 554-556, 1975.

Walter, J.B.; and Israel, M.S.:

The immune response. In: General pathology, walter, J.B. and Israel, M.S. (ed.), 4the ed, pp. 374, Churchil livingstone, Edinburgh and London, 1974.

Wands, J.R.; Mann, E.; and Jsselbacher, K.J.:

The pathogenesis of arthritis associated with acute hepatitis B surface antigen positive hepatitis. Complement activation and characterization of circulating immune complexes.

J. Clin. Invest. 55: 930, 1975.

Warren, K.S.:

The pathogenesis of hepatosplenic schistosomiasis: from man to monkey to mouse to molecule. In proper H. Schaf fner F. (eds.): progress in liver diseases. Vol. VI. New York, Grune and stratton, PP. 439: 455, 1979.

Warren, K.:

Schistosomiasis. In: Oxford textbook of medicine.

Weatherall, D.J.; Ledingham, J.G.G.; Warrrell, D.A. (Eds).

Oxford: Oxford university press, 5: 449-55, 1983.

Warren, K.S.; Reboucas, G.; and Baptista, A.G.:

Ammonia metabolism metabolism and hepatic coma in hepatosplenic schistosomiasis: patients studied before and after portocaval shunts.

Ann. Intern. Med. 62L 1113-1133, 1965.

Weichselbaum, P.E.:

Am. J. Clin. path. 16:40, 1946.

Weissberg, J.I.; Andres, L.L.; Smith, C.I.; et al.:

Survival in chronic hepatitis B: An analysis of 379 patients.

Ann. Intern. Med. 101:613, 1984.

Weller, I.V.D.; Bassendine, M.F.; Murray, A.; et al.:

The effects of prednisolone azathioprine in chronic hepatitis B viral infection.

Gut. 23: 650, 1982.

WHO/IARC Technical report:

Identification, enumeration, and isolation of B and T lymphocytes from human peripheral blood.

Scand. J. Immunol. 3: 521-532, 1974.

Wilkinson, S.P.; portmann, B.; Cochrane, A.M.G.; et al.:

Clinical course of chronic lobular hepatitis.

Quarterly J. Med. 47: 421, 1978.

Wisdom, G.B.:

Enzyme immunoassay

Clin. Chem., 22: 1243-1255, 1970.

Wolters, G.; Kuijpers, L.; Kacaki, J.; and Schuurs A.:

Solid phase enzyme immunoassay for detection of hepatitis B surface antigen.

J. Clin. Path. 29: 873-879, 1976.

Woodruff, J.; and Gesner, B.M.:

Lymphocytes circulatio altered by trypsin

Science 161: 176-178, 1968.

Wright, R.:

Australia antigen and smooth muscle antibody in acute and chronic hepatitis.

Lancet 1: 521, 1970.

Wu, T.C.; Tong, M.J.; Hwang, B.; Lee, S.D.; Hu, M.M.:

Primary hepatocellular carcinoma and hepatitis B infection during childhood.

Hepatology 7: 46-48, 1987.

Wyler, D.J.; Standecker, M.J.; Dinarello, C.A.; and O'Dea, J.F.:

Fibroblast stimulation in schistosomiasis. Egg Granuloma macrophages spontaneously secrete a Fibroblast-stimulating factor.

J. Immunol. 132 (6): 3142-3148, 1984.

Young, B.W.; and Podesta, R.B.:

Serum factors affecting choline uptake and incorporation in schistosoma mansoni adults.

J. Parasit. 70(s): 849-885, 1984.

Zakaria, S.; Kamel, M.A.; Zakaria, M.S.; Nasef, S.; and Mabrouq, M.A.:

Screening of C₃ and C₄ in human schistosomiasis mansoni.

Egypt J. Bilh. 9, No 2: 111, 1982.

Zeldis, J.B.; Dienstag, J.L.; and Gale, R. P.:

Aplastic anemia and non-A, non-B hepatitis.

Am. J. Med. 74: 64, 1983.

Zuckerman, A. J.:

Hepatitis E virus.

Br. Med. J. 300: 1475, 1990.