

REFERENCES

REFERENCES

- Ader R, Chatterjee K, and ports T. (1979):
Beneficial haemodynamic effects of angiotensin
converting enzyme inhibitor in chronic heart failure,
Am . J . cardiol., 43: 404
- Aellig, W. H. ,1984):
Pindolol, a B- adrenoreceptor blocking drug withpartial
agonist activity; Clinical pharmacological
considerations. Br. J. clin. pharmacol., 13: 187.
- Amann F, Buhler F, and conen D. (1980)
Captopril- associated agranulocytosis. Lancet, 1: 150.
- Ambrosioni E, Costa F, and Borghi c. (1986):
Influence of captopril on intra- cellular ions.
poutgrad. Med.J., 62 (Suppl-1) 16- 22.
- Anavekar, S.N. : Barter, C. et al.. :
A double- blind comparison of verapamil and labetalol

Lundquist, G.R., and Reed, W.G.,:

Current concepts in treatment of hypertensive urgencies.

Am. Heart. J. Vol. 111, 1986.

Anderson, C.H.; Springery J.; Tivnan, E.; Kearney, M. and Streeten D.H.P. (1980).

Hypotensive mechanism of captopril. Clinical Research 28: 328 A. Anderson, I; Lundquist, G.R., and proctor, D.F. (1971): Human nasal mucosal function in a controlled climate.

Arch. Environm. Health, 23:408.

Angg Ard, A., and E., Dwall, L. (1979):

The effect of sympathetic of nasal mucosa Act-Otolaryngology 7, 125-131.

Aoki, K., Kondo, S., and Morchizuki, A.,:

Antihypertensive effect of cardiovascular calcium antagonists in hypertensive patients in the presence and absence of beta-adrenergic blockade,

Am. Heart. J. 96:216, 1978.

Arroyo, V., Bosch, J. and Kravetz, D. (1981) :

Plasma renin activity and urinary sodium excretion as prognostic indicators in non azotemic cirrhosis with ascites. Ann. Intern. Med., 94: 198.

Ascljam, G., Dretner, B. and Ronge, H. (1958) :

A new techniaue for measuring nasal resistance to breathing, illustrated by the effects of histamine and physical effort.

Annals Acad. Reg. Sci. Ups, 2, 111.

Atkinson A., and Rbertson, J. (1979) :

Captopril in the treatment of clinical hypertension and cardiac failure. Lancet, 2: 836-9 .

Atlas, S.A.; Case, D.B., Sealey, J.E., Laragh, J.H. and Mo Kinstry, .N. (1979):

Interruption of the renin-angiotensin system inhypertensive patients by captopril induces suetained reduction in aldosterone secretion, potassium prtention and natriurests. Hypertension 1:274.

Bachmann, W. (1976) :

The present status of rhinomanometry. rhinology, 145.

Bachmann, W. (1978) :

Technik and bedeutungder funktionsprufung desostium maxillae

H, No, 26-25.

Bailey, R.R. (1979):

Labetolol in the treatment of patients with hypertension and renal functional impairment.

Br. J. Clin. Pharmacol., 8: 135 - 140 .

Ballenger, J.J. (1985) :

Disease of the nose, throat, ear, Head and neck.

Bedition. Lea, febiger, philadelphia.

Barbieri, C.; Layovere, M.T., et al.:

Prolactin stimulation by intravenous labetalol is mediated inside the central venous system.

Clin. Endocrinol. (Oxf.), 16: 615. 1982.

Barer, V.; Johns, D., and Ayersc. (1980) :

Ischaemic cardiovascular complications concurrent with administration of captopril. Hypertension, 2:73-4 .

Bauerj, H. (1984) :

Role of angiotensin converting enzyme inhibitors in essential and renal hypertension. Effects of captopril and enalapril on renin-angiotensin-aldosterone, Renal function and haemodynamic, Salt and Water Excretion, and Body Fluid Composition.

Am. J. Med., 20: 43-51.

Bloom Field, S.S.; Lucas, C. P. et al.:

Step II treatment with labetalol for essential hypertension.

Am. J. Med., Oct., 17.75:81-86. 1983.

Bogin, R.M., Monstrad, T.T., and yong, M.J. (1987) :

Propranolol for treatment of the alchoholic hangover.

Am. J. Drug. Abuse (Eng. Abst.), 12(3): 279-284.

Bonelli, J., (1982) :

Relevance od selctivity and non-selectivity in B-adrenoreceptor blopcking drugs.

Br. J. Clin. Pharmacol., 13: 199 .

Bridger, G.P. (1970) :

Physiology of the nasal valve.1

Archives of otolaryngology, 92, 543-553.

Brogden, R.N.; Heel, R.C. et al.:

Labetalol: A review of its pharmacology and therapeutic uses in hypertension.

Drugs, 15: 251-270, 1978.

Bruner, H.R.; Govras, H.; Waeber, B.; Textor, S.C; Turini, G.A., and Wanters, J.P. (1980):

Clinical use of an orally acting converting enzyme inhibitor; Captopril, Hypertension, 2: 559.

Carlsen, J.E.; Trap-Jensenm, J, et al. :

The effects of labetalol on plasma catecholamines at rest and during increased sympathetic activity.

Postgrad. Med. J., 56 (Suppl. @): 43-48, 1980.

Chimura, T.:

Effects of beta-adrenoreceptor blockade on parturition and Fetal cardiovascular and metabolic system.

Nippan-Sanka-Fujinka-Gazzai, Zasshi, 37: 691-695.

Clement, P.A.R. (1984) :

Committee report on standardisation of rhinomanometry.

Rhinology, 22, 151.

Cole, P. (1989) :

Rhinomanometry.

Laryngoscope, 99, 3111.

Coltart, D.J., and Shand, D.G. (1970):

Plasma propranolol levels in quantitative assessment of B-adrenergic blockade inman.

Br. Med. J., 3: 731.

Conn, H.O. (1982b):

Propranolol in treatment of portal hypertension a
caution.

Hepatology, 2(5): 641.

Connell, J.T. (1989) :

Rhinomanometric measurement of nasal patency.

Ann, allergy., 49, 179.

Connell, J.T. (1966) :

An instrument for measuring the effective cross-
sectional nasal airway.

J. Allergy Clin. Immunol., 37: 127.

Conolly, M.E.; Kersting, F., and Dollery, C.T. (1976):

The clinical pharmacology of B-adrenoreceptor
blocking drugs.

Progress in Cardiovascular Dis., 19(3); 203 .

Cope, D.H.P. and Crawford, M.C.:

Labetolol in controlled hypotension-administration
of labetalol when adequate hypotension is difficult
to achieve.

Br. J. Anaesth., 51: 359-365, 1979.

Cottle, M.H.; Loring, R.M. and Gaynon, I.E. (1963):

Rhinomanometry and rhino-eyma-schymomanometry.

Int. Rhinology., 1,23.

Cottle, M.H. (1968) :

Rhino-sphygmo-manometry an aid in physical diagnosis.

Rhinology, 6,7.

Cunningham, R.J., and Brouhard, B.H. (1980) :

Captopril and kallikrein. Lancet 1:832.

Da Hlstrom, A. and Fux, K (1962) :

The adrenergic innervation of the nasal mucosa of certain mammals.

Acta otolaryngologica, 59, 69-72.

Daneshmend, T.K. and Roberts, C.J.C. (1981) : b

Cimetidine and bioavailability of labetalol, Letter to the editor.

Lancet, 1: 565.

Dishoeck, Van H.A.G. (1965):

The part of the valve and turbinate in total resistance.

International Rhinology, 3, 19-26.

Dixon, W.R.; Mosimann, W.F. and Weiner, N. (1979):

The role of presynaptic feedback mechanism in regulation of epinephrine release by nerve stimulation.

J. Pharm. Exp. Ther., 209:196.

Douek, E. (1974):

The sense of smell and its anomalies.

Churchill Living stone, Edinburgh and London.

Eccles, R. (1978a):

The domestic pig as an experimental animal for studies on nasal cycle.

Acta-otolaryngologica, 85, 431-436.

Espiner, E.A.; and Nichols, M.G. (1982) : b

Hormones and fluid retention in cirrhosis Lancet; 11:501.

Fagard, R., Amery A and Reybrouck, (1980):

Acute and chronic systemic and pulmonary hemodynamic effects of captopril in hypertensive patients.

Am.J. Cardiol., 46:295-300

Farber, M.O.; Roberts L.R., and Manfred, F. (1982):

Abnormalities of sodium and H₂O handling in chronic obstructive lung disease.

Arch. Intern Med., 142:1325.

Favre, L.; Frazet, M.G. and Hollifield, J.L. (1978):

Orally active angiotensin I-converting enzyme inhibitor for therapy of hypertension. clinical

Research 26:23A.

Ferguson, R.K; Brunner, H.R; Turini, G.A. and Gavvas,
H. (1977):

Aspecificorully active inhibitor of angiotensin -
converting enzyme in man.

Lancet 1 : 7750

Farris, B.G., Mead, J. and Opie, L. H (1964):

partitioning of Respiratory flow resistance in
man journal of applied physiology, 19, 653-658.

Forssman B., Henrikssen K.; and Johnnssen V. (1976):

propranolol for migraine prophylaxis.

Headache, 16:238.

Foxen, E.H.M. Preston, T.D. and Lack, J.A. (1971): b

The assessment of nasal airflow: a review of past and
present methods.

J.Laryngol.otol. 85:811.

Frishman, W. and Halprin, S.:

Clinical pharmacology of the new betaadrenergic
blocking drugs. part 7. New horizons in beta-
adrenoreceptor blockade therapy: Labetalol

Am. Heartj., 98:660-779, 1979.

Frishman, W.H.; Michelson, E.L. et al:

Multiclinic comparison of labetalol to metoprolol in
treatment of mild to moderate systemic hypertension.
Am. j. Med., 17.75:54-67, 1983.

Frishman, W. H., Weinberg, P., Peled, H.B., Kimmel, B.,
Charlap, S., and Beer, N., :

Calcium entry blockers for treatment of severe
hypertension crisis.
Am. j. Med. 75:35, 1984.

Frolich E.D., Dunn F.G., and Messerli F.H., (1983):

pharmacologic and physiologic considerations of B-
adrenoreceptor blockade.
Am. j. Med., 75(4A):9

Fry, F.A., and Black, A (1973) :

Regional deposition and clearance of particles in the
human nose.
Aerosol sci., 4:113.

Gavras H, Brunner HR, and Turini. G.A (1978):

Antihypertensive effect of the oral angiotensin
converting enzyme inhibitor SA 1422 in man.
N. Engl. j. Med., 298:991

Gavras H, Faxon DP, Berkoben J. Brunner HR, Ryan JJ (1978):

Angiotensin Converting enzyme inhibition in
patients with congestive heart failure.

Circulation. 58:770

George, R.B.,; Light, R.W. et al:

Comparison of the effects of labetalol and
hydrochlorothiazide on the ventilatory function of
hypertensive patients with asthma and propranolol.
Chest, 88:819-821 1985.

Goodman L.S. and Gilman A., (1985):

B- adrenergic blocking agents.

pharmacological basis of therapeutics.

The Macmillan co., London, chapter: 192-199

Grossman A.; Eckland, D, Pricep, et al., (1980):

Captopril: reversible renal failure with severe
hyperkalaemia.

Lancet, 1; 712.

Guyton A.C., (1986):

Textbook of medical physiology, 7th. edition.

W.B. Saunders Co., Philadelphia-London, chap. 12.

HAIGHT, J.S.J. and col E,F (1983a):

Nasal responses to local unilateral stimuli in man.

Rhinology, 21,67-72.

Hamilton, L.H(1979):

Nasal airway resistance its measurement and regulation.

Physiologist, 22,43.

Hampton J.R. (1984):

The use of B-blockers for the reduction of mortality after myocardial infarction.

Europ. Heart J.,2:259-268.

Hannas H.H., Deventer J., and Zuagsma J., (1984):

B-adrenoreceptor blocking agents and lipolysis.

Brit. y. pharm., 13-181.

Hatch, T.F (1961):

Distribution and Deposition of inhaled particles in respiratory tract.

Bact. Rev., 24:237.

Haugar, H. and Kleven. J.H.:

Treatment of severe essential hypertension with labetalol: effect of active and inactive renin.

Pharmaco therapeutic, 3(1): 46-59, 1981.

Hedstrand, H.:

Labetalol in resistance hypertension.

Acta. Med. Scand. (suppl.), 665:125-128 1982.

Heel R., Brogden R, and speight T, (1980):

Captopril: A preliminary review of its
pharmacological proerties and therea peutic
efficacy.

Drugs, 20:409-52.

Hemens WS; Merkus FW (1987):

The infleunco of drug on nasal ciliary morement.

Pharm. Res; Dec; 4(6); P 445-9.

Henry, P.D,: Comparative pharmacology of calcium antagonists:
Nifedipine, verapamiland diltiazem.

Am.J. Cardiol. 46:1047, 1980.

Hills W.S., Hutton J., and Lawriet.D., (1974):

The effects of a new B-adrenerece ptor blocking
compound "talomolol" on haemodynamics and myocardial
function inman.

Brit.J. pharm., 51:15.

Hoffman B.B., and Lefkowitz R.,J., (1980):

Alpha-adrenergic receptor subtypes.

N. Eng.J. Med 202 (25) : 1390

Hollenberg N.K, swartzal, parson DR, and williams CH (1979):

Increased glomerular filtration rate after
converting enzyme inhibition inessential hypertens.

N. Engl. J. Med.; 301 : 9-12.

Hollifield J.W., Sherman J., and Zwagg R.V., (1976):

proposed mechanism of propranolol antihypertensive effect in essential hypertension.

N. Eng. J. Med., 295 : 68.

Holmes, T.H.; Trenting, T. and Wolfe, H.G. (1951):

Life situations, emotions and nasal disease Evidence on summative effects inhibited in patients with "hayfeve" .

Psychosom.Med., 13:17.

Holtzman J.L., Finley D., Johnson B., Berry D.A, and Sigro M.A., (1986):

The effects of single-dose atenolol, labetalol and propranolol on cardiac and vascular function.

Clin. pharm., 40(3): 268-275.

Hori R., Okumura R., and Yasuhara M., (1985):

Reduced hepatic uptake of propranolol in rats with acute renal failure.

Biochem-pharm., 34(15):2679-2683.

Hricik DE, Browning FJ, Kopelman R, and Dzau V.J (1983):

Captopril-induced functional renal insufficiency in patients with bilateral renal artery stenosis or renal-artery stenosis in kidney.

N.Engl. J. Med., 308:373.

Ingelstedt, S. and Tormalm, N.G. (1961):

Airflow pattern and heat transfer within the
respiratory tract.

Acta physiol. scand., 51, 1.

Ingelstedt, S.; Jonson, B. and Rundcrant, Z.H. (1969):

A clinical method for determination of nasal airway
resistance.

Acta-oto-laryngol., 68, 189.

Jacob-H., Brandt L.J., Farks P., and Frishman W., (1983):

B-adrenergic blockade and the gastrointestinal
system.

Am.J. Med., 14: 1042-1050.

Johnson, G. I.; McGrath, B.P.; Millar, J.A and Matthes.,
P.G. (1979):

long-term effects of captopril (SG 14225).

On blood pressure and hormone levels in essential
hypertension.

Lancet, 2:497.

Jones, A.B.; Lander, J.M; Stevens, J.C. (1987):

Rhinomanometry: Do anterior and posterior methods
give equivalent results?

Clin. otolaryngol., 12:109.

Kanto, J.; Allonen, H. et al :

Pharmacokinetics of labetalol in healthy volunteers
Int. J. Clin. Pharmacol. Ther. Toxicol. 19:41-44 1981.

Kaplan, N.M., :

Use of non drug therapy in Treating hyper tension.
Am. J. Med. Vol. 77 No.4A, 1984.

Karlberg B, Ohman, K, and Nilsson O, (1980):

Captopril lowers urinary kallikrein in
hypertensive Patients. Lancet, 1:15-1

Kaul, U. et al. et al:

Effect of labetalol on left ventricular mass and
function in hypertension - assessment by serial
echocardiography.

Int. J. Cardiol., 5:461-473, 1984

Kayser, R. (1983) :

Die exakte messung des luftdurchgangskoeffizienten nase.

Archiv. Fur Otorhinolaryngologie und Rhinologie, 3 101-120

Kern, E, B (1977) : Standardization of Rhinomanometry

Rhinology, 15,115

Keusch, G; Schiffle, H et al : Diasoxide and labetalol in

acute hypertension during haemodialysis.

Brit. J. Clin. Pharmacol., 25: 523-527, 1983.

Koch weber., J. i

Vasodilator drug in the treatment of hyper. tension

Arch Int. Med. 133:1017,1974.

Kollar W.C., (1986):

Dose-response relation ship of propranolol in
thetneatment of essential tremor.

Arch-Neurol., 43(1):42-43.

Korneryp, H. J.; Pedersen, E.B. et al:

Plasma catecholamines, renin and asdoslerone during
combined alpha and beta adrenoreceptor blockade in
patients with sever arterial hyper tension postgrad.
Med. J. 56.(sull 1.2) 49.52. 1980.

Kumlien, J.and schiratzki, H. (1979) :

Methodological aspects of Rhinomanometry.
Rinology, 17, 107.

Kuniyama, H., Yuski, I., and suzulci, H., :

Factors modify contraction- relaxation aycle in
vascular smoth muscles. Am. j.physial. 243:64, 1982.

Laurence D.R. and Bennett P.N., (1980):

B-adrenoreceptor bloc kers.

Clinical pharmacology, 5th. edition churchill
livingstone, Great Britain cne P. 21.

Label, M.; Laug losis, s.et al :

Labetalol infusion in hypertensive emergencies
clinical pharmacol. Ther., 37 (4): 615: 622, 1985.

Lebrec D., Bernually. Rueff B., and Benhamou J.P. (1982a):

Gastrointestinal bleeding after abrupt cessation of
propranolol administration in cirrhosis.
N. Eng.J. Med., Aug. 26-260.

Lechi, A.; picotti, G. B. et al.:

Intravenous labetalolo in severe hypertension
effects on Blood pressure, plasma, renin and
Catecholamines.
Arzneimittel for schung, 31(3): 524:526, 1981

Lee wai Hung and parker Milton (1986):

Pathophysiology and natural History. Congestive
heart failure, prognostic importance of serum sodium
concentration and its modification by converting Enz
yme inhibition in patients with severe chronic heart
failure.
Circulation 73, No. 2:257-267.

Lere, P., Foss, P.O. and Helgeland, A.:

Effect. of propranolol and prazosin on blood lipid.
Lancet, 11:4, 1980.

Lewinter M.H., Grawford M.H, and Karliner J.s. (1975):

Effect of oral propranolol on normal subjects.

Clin. pharm. ther., 17:709.

Liedholm H., Wahlin-Boll E., Hanson A., and Melander A.,
(1982):

Influence of food on bioavailability of real and
apparent hydralazine and propranolol from
conventional and slow release preparations.

Drug-Nutr.Inter., 1:293-307

Liedholm H., and Melander A., (1986):

Concomitant food intake can increase the bioavailability
of propranolol by transient inhibition of
its presystemic primary conjugation.

Clin. pharm. ther., vol. 40(1):29-36.

Lilja, M., Jounela, A.J. et al.:

Comparison of labetalol and clonidine in
hypertension.

EU.J clin. pharmacol., 21:363-367, 1982.

Lopewovejero J, Gaal S, and D'Angelow. (1977):

Reversal of vascular and renal crisis of scleroderma
by captopril.

N.Engl.J. Med., 300: 1717-9.

Lowenstein, J. and Neusy, A.,:

Effects of prazosin and propranolol on serum lipid
inputients with essential nyportension

Am. J. Med. 76:79, 1984.

Lubbe, W.F. and white, D.A. : Beneficia leffect of labetalol
in hypertensive patients with angina pectoris.

AFr. Med.J., 15:67-71, 1983.

Lunell, N.O.; H jemdahl, P. et al.:

Circulatory and metobolic effects of a combined
alpha and beta adrenoreceptor blocker (labetalol in
hypertension of pregnancy.

Br.J. clin. pharmacol., 12(3): 345-348 1981.

Lunell, N.O., Fredholm, B. et al.:

labetalol, a combined alpha and betablocker, in
hypertension in pregnancy acta Med. Scand. (suppl)
665:143-141, 1982

Mac Gregor, Markandu N and roulston J. (1979):

Essential hypertension: effect of an oral innibitor
of angiotensin-converting enzyme.

Br. Med J., 2:1106-9.

Maran, A.G.; walker, F.; Rimmer, A. and Gibb, al (1971):

A method for the measurement of nasal airway
resistance

Marshall, A.J. Barritt, D.W. and pocock, , J., Eva luation of
beta-blockade, bendr of -luawide and prazosin in
severe hyprtension lancet, 1:271, 1977.

Mariani, P.J.:

pseudoepiphrine induced hypertensive emergency:
Treatment with lubetalol
Am.J. Emerg. Med., 4(2): 141-142, 1986.

Massie, B.M., Hirsch, A.T., Inouye, I.k., and Tubau, J.F.,:

Calcium channel blockers as antihypertensive agents
Am.J. Med vol.77, No 4A, 1984.

Mawwola, C.; Della Torre, F. et al, :

labetalolo in acute management of Malignant
essential hyper tension complicated y loft
ventricular failure.
Curr.ther Res.,28:980-991,1980.

Mawwola, C.; Dellatoree f. et al.:

Acute antihypertensive and antiarry thmic effects of
labetalol.
Curr. Ther.Res., 29:613-633, 1981.

Mc carron, D.A., :

Calcium and Magnrsium nutrition in human
hypertension. Ann. Int.
Med 198(part2) 2:800, 1983.

Mc. Carron, D.A.,:

Calcium in the pathogenesis and therapy of human hypertension.

Am.J.Med vol. 78(suppl.2B), 1985.

McLaurin, J. W., Shipman, W. F.; Kirkley, D. E., Jr. (1960):

A modified technique of Rhinomanometry - with a preliminary note on the effect of nasal decongestants administered orally.

Laryngoscope, 70,155.

McLeay, R., A., B., Stullard, T.S., and Weston, R., D.S.,:

The effect of nifedipine on arterial pressure and reflex cardiac control circulation, 62:1084, 1983.

McMahon, F.G:

Management of essential hypertension, chapter 1, edited by McMahon Futura publishing company, Inc. Mounticisco, New York page 1:30 and page 316-327, 1984.

Mecklenborg, C.V.; Merke, V. Hakanson, C.H. and Tore malm, N.G(1974):

Morphological changes in Glial cell, due to heat exposure .

Cell. Tiss. Res., 145,45.

- Mehta, J. and cohn, J.N. :
Haemodynamic effect flabetol, circulation, ss: 370-375, 1977.
- Melander A., and Mclean A., (1983):
Influence of food intake on presynaptic clearance for drugs .
Clin. pharmacokinetic, 8:286-197.
- Melander A, Liedholm H., (1985):
Concomitant food intake does enhance the bioavailability of hydralazine and propranolol.
Clin. pharm. Ther., 38:475.
- Meltzer, E.O.; Zeige, R.S; (1983):
Chronic phinitis in infants and children.
Pediatr. clin north Am. 30:847-871.
- Mercke, U.; Hakansson, C.H (1974):
The influence of Temperature on mucociliary activity
acta- otolaryngol. (stockh.) 78, 444
- Matha J., Mathap. (1978):
platelet aggregation in acute myocardial infarction
blood in patients with coronary disease. Role of
tachycardia.

Morel, D.r; Foster, A.et al :

Evaluation of Intravenous labetalol for reutment of
post. Traumatic hyperdynamic state.

Intensive care Med 10:132-137, 1989.

Myberg, G.; vedin, A. et al. :

Acont rolled study of propranolol and labeta 10 1
for two weeks.

Curr. ther-Res., 25:400-405 1979.

Mygind.; N. (1978):

Nasalallergy. Blackwell scientific publications,
oxford.

Naden, R.P. and Redman, C.W. :

Antinyper tensive drug in proynuncy. clin.
perinatal, 12: 521-538, 1989.

Naumann, H.H (1980):

The defence mechanisms of therespira -tory muccosa
to-ward infection.

Act. otolaryngol., 89:165-176.

Ne Neil, J. J; Anderson, A.; (1979):

Taste loss associated withoral captopril treatment.

British Medical Journal 2:1555.

Nagata, V. E. (1934):

Physiology of nose and paranasal sinuses.

In : Scott-Brown's Diseases of the Ear, nose and
throat Vol. P. 157. (1979).

NHLBI (1982):

B-blocker Heart attack trial Research Group.

JaMa, 247; 1707-1741.

Norman, P. S. (1985):

Allergic Rhinitis

J. allergyclin. Immunology Vol 75: 331-345.

Nottle, D.; Schlote, C. and Ulmer, W. (1966):

Der Stromungs widerstand der nose.

Arch. klin. Exp. Ohren-Nasen Kehlkopfheilk. 188-
408.

Nottle, D.; (1973):

Comparing measurements of nasal resistance by body
plethysmography and by Rhinomanometry.

Respiration, 30, 338.

Ogura, J. H., Nelson, J. R. et al (1964):

Experimental observation of the relationship between
upper airway obstruction and pulmonary function.

Ann. Otol., 73: 381.

Ohman, R.P; weiner, L et al.:

Antihypertensive and metabolic effects of nifedipine
and labetalol alone and in combination in primary
hypertension.

EU. J. Clin. pharmacol., 29(2): 129:194 1985.

Okan, R.:

Effectiveness of prazosin as initial antihypertensive
therap.

Am. J. Cardiol. 51: 644, 1983.

Opiel. H., (1980):

Drugs and the heart. Lancet, 1:693.

Peatfield R. (1983):

Migraine. Current concepts of pathogenesis and
treatment.

Drugs, 26:364-371.

Perks, E-R.; Rozner, L. (1964):

A method of measuring nasal obstruction.

Arch. Otolaryngol., 80:200.

Pipkin, F.B., Turner, S.R. (1980):

Possible risk with captopril in pregnancy: some animal
data Lancet 2:306.

Pool, P.E., Massie, B.M:

Diltiazem as mono therapy for systemic hypertension.

Am.J. Cardiol - 57:212, 1986.

Prichard, B.N.C.

labetalol an alpha and Beta adrenoreceptor blocking agent. its use in therapeutic.

Br. J. clin. pharmacol 8,239-249 1979.

Prichard B.U.:

Combined alpha and beta receptor inhibition in the treatment of hypertension.

Drugs, 28(suppl 2): 51-68 1984.

Prins E, Hoorntje S, et al., (1979):

Nephrotic syndrome inpatient on captopril.

Lancet, 2:306.7.

Proetz, A.W. (1953):

Applied physiology of the Nose. Quoted from Scott. Brown's Diseases of Ear, Nose, and throat (1979). vol. 1.

Proctor, D.F.; Andersen, (1973):

Clearance of inhaled particles from the human nose.

Arch. Intern. Med, 131-132.

Prou D; Naclero RM; Meyer S. DA :

Effects of single-dose pretreatment with captopril
on immediate response to nasal challenge with
allergen.

Int - Arch - allergy - App- Immunol 1990, 93(2-3):
p165-70.

Ram- C.V. :

hypertensive crisis

Cardiol-clin. 2 (2) : 211-229, 1984.

Rasmussen, S.; Nielsen, P.E:

Blood pressure body fluid volumes and glomerular
filtration rate during treatment with labetalol in
essential hypertension.

Br.J.clin. Pharmacol. 12:349-353 1981.

Rasmussen, H., Cellular calcium metabolism.

Ann.Int. Med 98:809, 1983.

Reid, J.L.; Meredith, P.A. et al.:

Labetalol and management of hypertension.

J. Cardiovas C. pharmacol., 3(suppl) 560-568 1981.

Renard. M.; Jacobs, P. et al. :

A comparison of the effects of combined α and β blockade in treatment of hypertension in acute stage of myocardial infarction in : J. cardiol., 10: 149-158, 1986.

Renard, M.; Riviere, A. et al. :

Treatment of hypertension in acute stage of myocardial infarction. Haemodynamic effects of labetalol.

Br. Heart J., 49 (6) : 522-527, 1983.

Richards. D.A. et al.:

Sympathomimetic amines infusion after β .
Adrenergic and parasymp. thetic blockade.

Br. J. Clin. pharmacol., 7:429, 1979.

Rocherl 1. Decourts., (1989):

Hemodynamic and pharmacokinetic study of propranolol and atenolol in cirrhotic patients.

Int. y. clin. pharm. ther.. Toxicol.. 33(8): 466-410.

Rosei E. A.; Brown. j.j. et al:

Treatment of pheochromocytoma and clonidine withdrawal with labetalol.

Br. J. Clin. pharmacol.. 3 (suppl.): 809-815, 1976.

Ruta, J. and Alberti, P.W. (1984):

Toxic and drug induced disorders in otolaryngologic clinics of north America, 17:761.

Scatt, D.B.; Backley, F.b. et al.:

Cardiorascular effects of labetalol during halothane anaesthesia.

Br. J. clin. pharmacol., 3 (suppl.): 817-82:1976.

Seebom, P.M. & Hamiltion, W.K. (1958):

A. method for measuring nasal resistance without intranasal instrumentation.

J. Allergy clin. Immunol., 29:56. seedat, Y.K. (1979):

Apthous ulcers of mouth from captopril. Lancet 2:1297.

Shand D.G., (1975):

Individualization of propranolol therapy Med. clin. north A, 58:10 63.

Bilas JH, Klenka Z, and solomon SA. (1983):

Captopril induced reversible renal failure: a marker of renal artery stenosis affecting a solitary kidney.

Br. med. J., 286:1702.

Soloman, W.R.; Mclean, J.A.; coakin yham, C.; Ahronhein, A.B
and Demuth, G.R. (1965):

Measurement of masal airway resistance.

J. Allergy, 36, 62.

Stokes, G.S., and weber, M.A., ;

Prazasin, preliminary report and camparative studies
using other antihypertensive agents. Brit. Med. J.
1:298, 1974.

Staksted, P and thomson, K. (1953):

Changes of nasal cycle under stellate ganglion
blockade.

Acta-otolargngalologic supple mentun, 109, 176-181.

Stoksted, P. (1957):

Rhinometric measurement for detemination of the
masal cycle.

Acta otaloryngol. (suppl.), 109,159.

Strazzullo, P., Nunziata, V. and cirillo,M.,:

Abnormalities of calcium metabolism in essential
hypertension. Clin. sci 65:137, 1983.

Sullivan J.m, Gimsburg BA, Ratts TE (1979):

Haemadynamic and antihy-pestensine effects of
captopril, an orally active angio-tensin converting
enzyme inhibitor. Hypertension; 1:397.

Sveindsen, T.L.; Ransmussen, S. et al.:

Sequential haemo-dynamic effects of labetalol at
test and during exercise in essential hypertension.
postgrad. Med. G. 56(suppl2): 21-26, 1980.

Swartz, S.L., Williams, G.H.; Hollenberg, N.K; Levine, L;
Dluhy, R.G. and Moane, T.J. (1980):

Captopril-induced changes in prostaglandin
production.
J. clin. Invest. 65:1257.

Tarazir, Bravo (1980):

Hemodynamic and volume changes associated with
captopril.
Hypertension, 2:576-85.

Textor Sc, Bravo E1 (1982):

Hyperkalaemia in a Zotemic patients during
angiotensin-converting enzyme inhibition and
aldosterone reduction with capotopril.
Am. J. Med., 73:719.

Toroason, M.A., and wright G.I.:

Transport of calcium by duodenum of spontaneously
hypertensive rat. Am. J. physiol 241:344, 1981

Trulove, J.F., ranlatten, G.Ret al.:

Action of severe adrenoreceptor blocking drugs in
the pregnant sheep and Fetus

Br.J. pharmacol., 41:161-171,1973.

Usberti M., Diminno G, ungaro B. and cianciaruso B. (1986):

"Angiotensin" inhibition with captopril on plasma,
ADH, PG synthesis and renal function in humans.

Vanstratum, M.; Levarlet, M.et al.:

Use of labetalol during anaesthesia for pheochromocytoma removal. Acta. Anaesthet. Belg. 37 : 223 - 240 1983.

Vedin J. A, and wilhelmsson C.E (1983) :

B-receptor blocking agents in the secondary
prevention of coronary heart disease.

Ann. Rev. Pharm. Toxicol., 23:99-44.

Vidt DG, Bravo EL (1982):

Captopril in drug therapy. N. Engl. J. Med; 306:214.

Wallin, J. D. and O'Neil, W.M.:

Labetalol, current research and therapeutic status.
Arch intern. Med., 143-485-490 1983.

Webb, R.C., and Bohr., D.F.:

Mechanisms of membrane stabilization by calcium in
vascular smooth muscle. Am. J. physiol 235 : 227.
1988.

Weber, M.A., and Drayer J. L. M. :

Central and Peripheral. blockade of the sympathetic
nervous system. Am. J. Med. Vol. 77. No 4A 1984.

Weber, M.A.: Brayer, J. I. et al.:

The combined α and β adrenergic blocker.
labetalol and propranolol in Treatment of high blood
Pressure: similarities and differences.
J. Clin pharmacol., 24(2-3) 103-112, 1984

Weiner N., (1980) :

In Goodman and Gilman's The pharmacologic basis of
therapeutics. 6th edition P. 186 Mc. Millan
publishing Co., inc., London.

Weir, N. (1979) :

Vasomotor rhinitis-Allergic and non-allergic In:
Scott-Brown's Disease, of the Ear, nose and Throat,
vol, 3, 4th edition. P.P 209 Butterworth and Co. I
td., London

White, N.J.,; yahaya, H.; Rajagopalan. Band Ldingham
J.G.G.1980 Captopril and Furosenide in sever
drugresistant hypertension. Lancel 2:108.

Whilsett T.I., Levin D.C., and Manion C.V., (1982) :

Comparison of the B₁ and B₂ adrenorecator blocking
properties of acebutolol and propranolol. chest.
82:668.

Williams; H I (1968) :

The history o. rhinometry in North America
Rhinology.

Wilkin, J.k. Hammond.jj and kirhendall, W.M. (1980): The
captopril induced eruption. Archives of Dermalology
116:902.

Williams. Gh, Hollenberg N. (1977):

Accentuated vascular and endocrine responza to SQ
20, 881 in hypertension, N. Engl. J. Med., 297:184.

Wright, J.A. (1985):

Aconsideration of The vascular mechanism of The
nasal. mucous membraue and its relation to certain
pathological processess Am. J. Med. Sci., 109-516.

Zwaard maker, H. (1989) :

Ademaalslag al diagnosticum dernasal stenose.
Ned.J. yd schr. Geneskd., 25-297.