




References

- Afzelius A.B. (1979) :-**
 The immobile cilia syndrome and other ciliary diseases
 Review of Experimental Pathology 19:1-43-1979
- Alarie Y. Ulrich C.E., W.M.Busey , H.E.Swann and H.N. Macfarland (1970) :-**
 A study on urban air pollution effects on the respiratory mucosa Arch Environmental Health 21,769 - 1970
- Anderson I. , Lundquist G.R., Jensen P.L. and Proctor D.F. (1974) :-**
 Evaluation of different levels of gases encountered in urban air pollution around Manchester .
 Arch Environmental Health 28,31-1974
- Appleman L.M. , Woutersen R.A. and Feron V.J. (1982) .-**
 Inhalation toxicity of acetaldehyde in rats .
 Toxicology 23 ; 22 - 307 - 1982 .
- Armitage L. and Berry G. (1987):-**
 Statistical methods in medical research .
 Oxford Black well Scintific Publication 1987 .
- Ballenger J.J. (1985) :-**
 Diseases of the nose , throat , ear , head and neck .
 Volume I Chapter 1:5
 LEA & FBIGER Philadelphia 1985

--Beckett W.S. (1994) :-

Hazards of inorganic gases .

Text book of Clinical , occupational and environmental medicine .

Chapter 4 - Part 36:481

By L. Rosenstock and M.R. Cullen .

W.B. Saunders Company - Philadelphia 1994 .

--Bosman F.T., M. Haenith and Clutjens J.P.H. (1975) :

Ultrastructures of respiratory epithelium .

Rhinology 8:2291-302 (1975)

--Brasser L.J., Joosting P.E. and Van Zuilen D. (1967):-

Sulphur dioxide-to what level it is acceptable .

Research Institute for Public Health Engineering - Report number G - 300 . Delft Netherlands , (1967) .

--Buckley L. A., Morgan K . I . Swenberg J. A . (1985) :-

The toxicity of dimethylamine in F- 344 rats and B6 C3F1 mice following a one year inhalation exposure .

Fundam . Applied Toxicology 1985 ; 5 : 341-5 .

-- Carson J.L ., collier A . M . , Hu - S ., Smith C . A . and Stewart P . (1987) -

The appearance of compound cilia in the nasal mucosa of normal human Subjects following acute invivo exposure to sulphur dioxide .

Environmental Research . 1987 - Feb : 42 (1) : 155 - 165

--Chapman R.S., Doröthy C. and Victor Hassel Blad (1985):-

Prevelence of persistent cough and phlegm in young adults in relation to long term ambient sulphur oxide exposure.

AM Rev. Respiratory Diseases -1985. 132: 261 - 267

--Clark J.N, Dolbey W. E., and Stephen K.B. (1981) :-
Effects of sulphur dioxide on the morphology and mucin
biosynthesis by the rat trachea .
Environmental Pathology and Toxicology - 4 :197- 257 (1985)

--Clayton G. D. (1991):-
Patty's Industrial Hygiene and Toxicology Medicine Volume I-
part B: 238 - 4Th edition
CIH - Wiley - Interscience Publication- New York- USA- 1991

--Cole P.(1954):-
Recordings of respiratory air temperature.
F.Lar.Otolaryngology,68,295-307.

-- Cottle H.M .(1966):-
Concept of nasal physiology .
Archs Otolaryngology ,72,II ,20

--Fowlie A.J ,Grasso P.,Benford D.J. (1990):-
The short term effects of carcinogens and sulphur oxide on the
nuclear size of rat nasal epithelial cells .
Journal of Applied Toxicology ,10(1):29-38,1990 feb.

-- Friesch D. (1967):-
Ultrastructures of mouse olfactory mucosa.
AM.J. Anatomy 121:87,1967

--Galindo J., Kelly W.and Bersy M. (1966):-
Detailed Anatomy of the Nasal Cartilages.
Otolaryngology-22:111:112:(1966)

--Gehrckens R.(1995):-

Does summer smog damage the nasal mucosa and contribute to bacterial rhinitis .

HNO-1995 -Apr:43(4):257-60

-- Goldring S.P., L. Grenbearg , S.S.Park and I.M. Ranter (1970):-

Hazards of inorganic gas exposure.

Arch. Environmental Health , 21,0320,1970.

-- Graziadei P. P. C. (1971):-

The olfactory mucosa of vertebrates.

Quoted from Handbook of Sensory Physiology, Volume IV (Chemical Senses) .

Springer - Verlag:Berlin, 1972

-- Greenblatt M., Rijhsingghani k., W. Bererz (1969):-

Comperative cytopathologic alterations induced by alkylnitrosamines in nasal epithelium of the Syrian hamsters.

J. Natl Cancer Institute 1969;42;421-33

--Harkema J.R. and Hotchkiss J.A. (1993) :-

Ozone and endotoxin-induced mucous cell metaplasia in rat airway epithelium :Novel animal models to study toxicant-induced epithelial transformation in air ways.

Toxicology Letters -68:251-263(1993)

-- Hebel R. and Strimberg M.W.(1976):-

Anatomy of the laboratory mice ,P. 55-57-and 145-149.Edited by Williams and Wilkins Company- Baltimore.(1980)

--Herzon F.S. (1981):-

Upper respiratory tract ciliary ultrastructural pathology.

Ann. Otol. Rhinol. Laryngol., 90:1-12.

--Herzon F.S.(1983):-

Nasal ciliary structural pathology.

Laryngoscope ,93:63-67

--Hilding A.C.(1965):-

Regeneration of respiratory surface epithelium after minimal surface trauma.

Ann Otol. Rhinol. Laryngol. 74:903-906

--Hinderer K.H. (1971):-

Fundamentals of anatomy as surgery of the nose.

Birmingham,Al: Aescu lupius , 1971.

Quoted in Otolaryngology - Gerald M.English. Volume II - chapter 1 .

Harper and Raw Publishers , Philadelphia (1985)

-- House D. E., Finklea J.F. and Shy C.M. (1974):-

Prevelence of chronic respiratory disease symptoms in adults :

1970 survey of Salt Lake Basin communities, health consequences of sulphur oxides.

a report from CHESS ,1970-1971

Washington, D.C. :USGPO .1974(EPA pulication number 650/1-74-004)

--Jossting P.E. (1967):-

Morbidity and mortality of sulphur dioxide exposure.

Research institute for public health engeneering- Report number A 739-79,50

--Kennedy M.S.C . (1972):-

Qualitative evaluation of inorganic gas effect on respiratory passages.

Ann. Otol. Rhinol. Laryngol. 16: 225-1972

--Kessel R.G. and Kardon R.H.(1979):-

A text atlas of sensory electron microscopy chapter III :215- 223
W.H. Freeman Company -San Francisco 1979

-- Kienast K., Riechelmann H., Knorst M., Scelgel J., Muller
- Quernheim J., Schellenberg J. and Ferlinz R. (1994):-

An experimental model for exposure of human ciliated cells
to sulphur dioxide at different concentrations ,

Clin. Investigator 1994 feb. 72 (3):215-9

--Koltai P.J .(1994):-

Effects of air pollution on the upper respiratory tract of children.
Otolaryngology - Head- Neck surgery ,1994 Jul. : 111(1):9-11

--Lemos M.,Lichtenfels A.j., Amaro E., J R, Macchione M.,
MartinsM.A.,King M.,BohinG.M.and Saldiva P.H.N.
(1992):-

Quantitative pathology of nasal passages of rats exposed to urban
levels of air pollution.

Environmental Research 66:87-95 (1994).

-- Lunn J.E., Knowelden J. and Handyside A.G.(1967):-

Irritative effects of sulphur dioxide .

Br.J.Prev.Soc.Med.,21,7

-- Lu Zq (1990):-

An Observation of the effects of sulphur dioxide on rat nasal
mucosa .

Chih -Chinese Journal of Otorhinolaryngology 25(1) :

23-4 62 1990

-- **Majima Y. , Swift D.L., Bang B.G. and Bang F.G.(1985) :-**
Mechanism of slowing of mucociliary transport induced by sulphur dioxide exposure .

Annals of Biochemical Engineering 13(6):515-30,1985 .

-- **Majima Y., Okuyama H. and Bang B.G (1986) :-**

Effects of sulphur dioxide on nasal secretory cells .

Acta Otolaryngology 102 (3-4) : 302-7, Sep. 1986.

-- **Margenroth K.(1980) :-**

Morphological alterations to bronchial mucosa in high dosage, long - term exposure to sulphur dioxide.

Respiration 39,39-48(1980).

--**Matalionis D.H. (1975) :-**

Ultrastructural study of alfactory epithelium following destruction by zinc sulphate and its subsequent regeneration .

Am J Anatamy 1975;142:67-89.

--**Mc Manus M.S. , Ailman L.C. , Koenig J.Q., Luchtel D.L., Covert D.S., Virant F.S. and Baker C. (1989) :-**

Human nasal epithelium : Charactarization and effects of invitro exposure to sulphur dioxide.

Exp. - Lung - Res . 1989 Dec; 15(6) : 849 - 65 .

-- **Negus V.E. (1958) :-**

The comparative anatamy and physiology of the nose and paranasal sinuses.

Levingstone : Edinburgh (1958).

Quoted in Gray's Human Anatamy- Churchil Livengstone - (1992).

-- Noback C.R. (1953) :-

The topology of the human premaxillary bone .

Am J. Physiology - Anthropology 11:181,1953 .

Quoted in Gray's Human Anatomy- Churchill Livingstone - 1992

-- Ohashi Y.and Nakai Y.(1983) :-

Functional and morphological pothology of chronic sinusitis mucous membrane .

Acta Otalaryngology 397:11-48(1983) .

-- Pfaltz C.R., Riu R.R. Le Den R., Guillerm R., Badre E., Majer H. and Ludwig O. (1969) :-

Development of epithelium in human nose .

Quoted by Larsen P. and Tos M.(1982).

Rhinology-20:183-143.

-- Rall D.D (1974) :-

Macroscopic and Microscopic examination of the respiratory mucosa under the effects of outdoor pollutants .

Environmental Health Respect . 8,97.

-- Riechelman H., Kienast K., Schellenberg J. and Mann W.J. (1994) :-

An in vitro model to study effects of airborne pollutants on human ciliary activity .

Rhinology -32(3):105 - 108 - sep. 1994

--Sheppard D.,Wong W.S.,Uehara C.F., Nadel J.A. and Boushy H.A. (1980) :-

Lower threshold and greater bronchomotor responsiveness of asthmatic subjects to sulphur dioxid .

Am Rev. Respirator Diseases 122 : 873-8 (1980) .

--Sheppard D.,Saisho A.,Nadel J.A.and Boushy H.A.
(1981):-

Exercise increases sulphur dioxide - induced broncho-
constriction in asthmatic subjects .

Am Rev. Respiratory Diseases 123 : 486 - 91 (1981).

-- Speizer F.E. and Ferris B.G. (1973) :-

Effects of sulphur compounds as an industrial pollutants .

Arch Environmental Health - 26,313- 325 (1973) .

-- Stebbing H., Fogleman D.G., Mc Clain K.E. and
Townsend M.C. (1976) :-

Effect of Pittsburgh air pollution episodes upon pulmonary
function in school children.

Journal of Air Pollution Control Association - 26,6 (1976) .

--Stockinger L. (1964) :-

Functional and morphological pathology of chronic sinusitis
mucous membrane.

Acta Otolaryngology - 397:11-48(1964).

-- Takenaka S.,Furst G., Heilman P.,Heini A., Hienizman U.,
Karg E., Murray A.B., Ruprech L. and Hyder J. (1993) :-

Morphologic effects of a sulphur (IV) aerosol on the nasal cavity
of beagle dogs .

Toxicology Letters 72 (1994) : 145-150 .

-- Terrah K. and Petrofake T.(1992) :-

Effect of inhaled environmental pollutants on the mucous
membrane of the upper airways .

HNO 1992 May ; 40 (5) : 153-157 .

-- Turk M.A.M., W.G. Hwenk and W.Flory (1987) :-

3-methylindole induced mucosal damage in mice .

Vet. Pathology - 24 : 400 - 403 (1987) .

-- **Wagner W.D., B.R. Duncan, P.G wright and H.E. Stockinger(1970) :-**

Evaluation of sulphur dioxide as an urban air pollutant.
Arch. Environmental Health - 10,455 (1970) .

-- **Walike J.W. (1977) :-**

Anatomy of the nasal cavity.

Otolaryngology Clin . North Am.1:609 (1977)

Quoted in otolaryngology- Gerald M.English volume II Ch.1 .

Harper and Raw Publishers - Philadelphia - 1985 .

-- **Watson A.Y. (1980) :-**

The effect of sulphur dioxide on the uptake of particles by
mouse bronchial epithelium .

Exp. Lung Res. 1:67-87(1980) .

--**Weichert C.K. (1970) :-**

Anatomy of the Chordates.

6: 206 - 207

ISBN - 1970

-- **Weir F.W. and Bromberg P.A. (1972) :-**

Further investigations of the effects of sulphur dioxide on
human subjects .

American Petroleum Institute , Project number CAW CS-15,
Washington D.C., June 1972 .

Quoted From Patty's Industrial Hygiene and Toxicology
(4 thedition - Volume I Part B: 238)

Wiley Interscience Publication New Yourk USA - 1991.

-- **Wicken A.J. and Buck S.F. (1964) :-**

A study of environmental factors associated with lung cancer
and bronchitis mortality in areas of north east England .

Tobacco Research Council - London - Report number TC - 8 -
5: 25 - 29 (1964) .

-- Williams P.L., Dyson M., R. Warwick and L.H.

Bamister(1992) :-

Gray's Human Anatomy 1171 - 1173

Churchil Livengstone - 1992 .

--Woutersen R.A.,Appleman L.M.,Feron V.J.(1981):-

Inhalation toxicity of acetaldehyde in rats.

Toxicology 1981-31:123-33.

--Yang - Gi Min, Chase - Seo Rhee, Mow - Jin Choo, Hyung

- Keun Song and Seok - Chan Hong (1994) :-

Histopathologic changes in olfactory mucosa of mice after
exposure to sulphur dioxide .

Acta Otolaryngology - 114:447- 452 (1994) .