

R E F E R E N C E S

R E F E R E N C E S

- Abercrombie, G.F.; Allen, J. and Maskell, R. (1978):
Corynebacterium vaginale urinary tract infection
in a man. Lancet, 1: 766-769.
- Amer, M. (1989):
Balanitis and Vulvitis. In Sexually Transmitted
Diseases, A Guide for Clinicians. 1st edn. Parish,
L.C. and Gschnait, F. (eds.). Springer-Verlag,
New York, Berlin, p. 314.
- Amies, C.R. and Jones, S.A. (1957):
Description of Haemophilus vaginalis and its L-
forms. Can. J. Microbiol., 3: 579-583.
- Amsel, R.; Totten, P.A.; Spiegel, C.A.; Chen, K.C.;
Eschenbach, D. and Holmes, K.K. (1983):
Non specific vaginitis. Am. J. Med., 74: 14-22.
- Bannatyne, R.M. and Jackowski, J. (1987):
Antimicrobial effects of niridazole on Gardnerella
vaginalis. Infection, 15: 128-131.
- Bannatyne, R.M.; Jackowski, J. and Cheung, R. (1987):
Susceptibility of Gardnerella vaginalis to metro-
nidazole, its bioactive metabolites, and tinidazole.
Am. J. Clin. Pathol., 87: 640-641.
- Bartley, D.L.; Morgan, L. and Rimsza, M.E. (1987):
Gardnerella vaginalis in prepubertal girls.
Am. J. Dis. Child., 141: 1014-1017.

- Burdge, D.R.; Bowie, W.R. and Chow, A.W. (1985):
Gardnerella vaginalis-associated Balanoposthitis.
Sex. Trans. Dis., 13: 159-162.
- Ching, L.Q.; Borchardt, K.A.; Smith, R.F. and Beal, C.B. (1988):
A 24 hour plastic envelop method for isolating and identifying Gardnerella vaginalis (PEM-GVA).
Genitourin. Med., 64: 180-184.
- Chowdhury, M.N. (1986a):
Gardnerella vaginalis carriage in male patients.
Trop. Geogr. Med., 38: 137-140.
- Chowdhury, M.N. (1986b):
Gardnerella vaginalis associated vaginitis; A review. Trop. Geogr. Med., 38: 335-343.
- Dawson, S.G.; Ison, C.A.; Csonka, G. and Easmon, C.S.F. (1982):
Male carriage of Gardnerella vaginalis.
Br. J. Vener. Dis., 58: 243-245.
- De La Fuente, F.; Rico, L.R. and Soria, F. (1959):
Hemofilasis urogenital afeccion venerea. Rev. Esp. Obstet. Ginecol., 18: 252. Quoted in: Gardner, H.L. (1980): Haemophilus vaginalis vaginitis after twenty-five years. Am. J. Obstet. Gynecol., 137: 385-391.
- Duguid, J.P. (1989):
Haemophilus, Gardnerella and other bacilli. In Practical Medical Microbiology, Vol. 2. 13 edn. Colle, J.G.; Duguid, J.P.; Fraser, A.G. and Marmion, B.P. (eds.). Churchill Livingstone, Edinburgh, London, Melbourne and New York, p. 343.

- Dunkelburg, W.E. (1977):
Corynebacterium vaginale. Sex. Trans. Dis., 4:
69-75.
- Dunkelburg, W.E. and Woolvin, S.C. (1963):
Haemophilus vaginalis relative to gonorrhea and
male urethritis. Milit. Med., 128: 1098. Quoted
in Watson, R.A. (1985): Gardnerella vaginalis:
Genitourinary pathogen in men. Urology, 25 (3):
217-222.
- Easmon, C.S.F.; Ison, C.A.; Kaye, C.M.; Timewell, R.M.
and Dawson, S.G. (1982):
Pharmacokinetics of metronidazole and its principal
metabolites and their activity against Gardnerella
vaginalis. Br. J. Vener. Dis., 58: 246-249.
- Edmunds, P.N. (1960):
Haemophilus vaginalis: Morphology, cultural
characters and viability. J. Pathol. Bacteriol.,
79: 273-284.
- Flsner, P. and Hartmann, A.A. (1987):
Gardnerella vaginalis in the male upper genital
tract: a possible source of reinfection of the
female partner. Sex. Trans. Dis., 14: 122-123.
- Gardner, H.L. (1980):
Haemophilus vaginalis vaginitis after twenty-
five years. AM. J. Obstet. Gynecol., 137: 385-
391.
- Gardner, H.L. and Dukes, C.D. (1955):
Haemophilus vaginalis vaginitis. Am. J. Obstet.
Gynecol., 69: 962-976.

- Gray, L.A. and Barnes, M.L. (1965):
Vaginitis in women; diagnosis and treatment. Am. J. Obstet. Gynecol., 92: 125-128.
- Greenwood, J.R. and Pickett, M.J. (1979):
Salient features of *Haemophilus vaginalis*. J. Clin. Microbiol., 9: 200-204.
- Greenwood, J.R. and Pickett, M.J. (1980):
Transfer of *Haemophilus vaginalis* to a new genus *Gardnerella*: *G. vaginalis* (Gardner and Dukes). Int. J. System. Bacteriol., 30: 170-178.
- Greenwood, J.R. and Pickett, M.J. (1983):
Genus *Gardnerella*. In Bergey's Manual of Systematic Bacteriology, 3rd edn.: Kreig, N.R. and Holt, J.G. (eds.). Baltimore: Williams and Wilkins, London, p. 587.
- Hammerschlag, M.R.; Cummings, M.; Doraiswamy, B.; Cox, P. and McCormack, W.M. (1985):
Non specific vaginitis following sexual abuse in children. Pediatrics, 75: 1028-1031.
- Hansen, J.G. and Schmidt, H. (1985):
Treatment of the *Gardnerella vaginalis* syndrome. A controlled, double-blind study comparing pivampicillin and metronidazole. Scand. J. Prim. Health Care, 3: 151-154.
- Ison, C.A. and Easmon, C.S.F. (1985):
Carriage of *Gardnerella vaginalis* and anaerobes in semen. Genitourin. Med., 61: 120-123.

- Karpovskaya, O.G. (1970):
On lesions caused by hemophilic bacillus vaginalis. Vestn. Dermatol. Venerol., 44: 51. Quoted in: Watson, R.A. (1985): Gardnerella vaginalis: Genito-urinary pathogen in men. Urology, 25 (3): 217-222.
- Katzung, B.G. and Goldsmith, R.S. (1989):
Antiprotozoal drugs. In: Basic and Clinical Pharmacology. 3rd ed.: Katzung, B.G. (ed.). Appleton and Lange, California, p. 645.
- Kinghorn, G.R.; Jones, B.M.; Chowdhury, F.H. and Geary, I. (1982):
Balanoposthitis associated with Gardnerella vaginalis infection in men. Br. J. Vener. Dis., 58: 127-129.
- Lam, M.H.; Birch, D.F. and Fairley, K.F. (1988):
Prevalence of Gardnerella vaginalis in urinary tract. J. Clin. Microbiol., 26: 1130-1133.
- Lapage, S.P. (1974):
Haemophilus vaginalis Gardner and Dukes, 1955. In Bergey's Manual of Determinative Bacteriology. 8th edn. Buchanan, R.E. and Gibbons, N.E. (eds.): Williams and Wilkins, Baltimore, London, p. 368.
- Lefevre, J.C.; Bauriaud, R.; Blanc, C. and Lareng, M.B. (1983):
Gardnerella vaginalis. Frequency of its isolation from women complaining of leukorrhea. J. Obstet. Gynecol., 12: 837-841.

- Leopold, S. (1953):
Heretofore undescribed organism isolated from the genito-urinary system. U.S. Armed Forces Med. J., 4: 263-266. Quoted in: Watson, R.A. (1985): Gardnerella vaginalis; genitourinary pathogen in men. Urology, 25 (3): 217-222.
- Mardh, P. (1984):
Bacteria, chlamydiae and mycoplasmas. In Sexually Transmitted Diseases. 1st edn. Holmes, K.K.; Mardh, P.; Sparling, P.F. and Weisner, P.J. (eds.). McGraw-Hill, New York, p. 850.
- Marquez-Davila, G. and Martinez-Barreda, C.E. (1985):
Predictive value of the clue cells investigation and the amine volatilization test in vaginal infections caused by Gardnerella vaginalis. J. Clin. Microbiol., 22: 686-687.
- O'Dowd, T.C.; West, R.R.; Ribeiro, C.D.; Smail, J.E. and Munro, J.A. (1986):
Contribution of Gardnerella vaginalis to vaginitis in a general practice. Br. Med. J., 292: 1639-1642.
- Peeters, M. and Piot, P. (1985):
Adhesion of Gardnerella vaginalis to vaginal epithelial cells: variables affecting adhesion and inhibition by metronidazole. Genitourin. Med., 61: 391-395.
- Per-Goran, L. (1989):
Bacterial vaginosis. Postgrad. Doct., 1: 38-39.

- Pheifer, T.A.; Forsyth, P.S.; Durfee, M.A.; Pollock, H.M. and Holmes, K.K. (1978):
Non-specific vaginitis: Role of *Haemophilus vaginalis* and treatment with metronidazole. N. Engl. J. Med., 98: 1429-1434.
- Piot, P.; Dyck, E.V.; Goodfellow, M. and Falkow, S. (1980):
A taxonomic study of *Gardnerella vaginalis* (*Haemophilus vaginalis*). J. Gen. Microbiol., 119: 373-396.
- Piot, P.; Dyck, E.V.; Totten, P.A. and Holmes, K.K. (1984):
Biotypes of *Gardnerella vaginalis*. J. Clin. Microbiol., 20: 677-679.
- Piot, P. and Vanderheyden, J. (1984):
Gardnerella vaginalis and non specific vaginitis. In Sexually Transmitted Diseases. 1st ed. Holmes, K.K.; Mardh, P.; Sparling, P.F. and Weisner, P.J. (eds.). McGraw-Hill, New York, p. 421.
- Purdon, A.J.; Hanna, J.H.; Morse, P.I.; Paine, D.D. and Engelkirk, P.G. (1984):
An evaluation of single-dose metronidazole treatment for *Gardnerella vaginalis* vaginitis. Obstet. Gynecol., 64: 271-274.
- Rein, M.F. and Muller, M. (1984):
Trichomonas vaginalis. In: Sexually Transmitted Diseases. 1st edn. Holmes, K.K.; Mardh, P.; Sparling, P.F. and Weisner, P.J. (eds.). McGraw-Hill, New York, p. 532.

- Russo, M.E. and Thompson, M.I.B. (1984):
Pharmacology of drugs used in venereology. In: Sexually Transmitted Diseases. 1st ed. Holmes, K.K.; Mardh, P.; Sparling, P.F. and Weisner, P.J. (eds.). McGraw-Hill, New York, p. 913.
- Scott, T.G.; Smith, C.J. and Keane, C.T. (1987):
In vitro adhesiveness and biotype of *Gardnerella vaginalis* strains in relation to the occurrence of clue cells in vaginal discharges. Genitourin. Med., 63: 47-53.
- Smaron, M.F. and Vice, J.L. (1974):
Analysis of *Corynebacterium vaginale* by an immunodiffusion technique. Appl. Microbiol., 27: 469-474.
- Spiegel, C.A.; Amsel, R.; Eschenbach, D.; Schoenknecht, F. and Holmes, K.K. (1980):
Anaerobic bacteria in non-specific vaginitis. N. Engl. J. Med., 303: 601-607.
- Spiegel, C.A.; Davick, P.; Totten, P.A.; Chen, K.C.S.; Eschenbach, D.; Amsel, R. and Holmes, K.K. (1983):
Gardnerella vaginalis and anaerobic bacteria in the aetiology of bacterial (non-specific) vaginosis. Scand. J. Infect. Dis., 40: 41-46.
- Sturm, A.W. (1989):
Chemotaxis inhibition by *Gardnerella vaginalis* and succinate producing vaginal anaerobes: composition of vaginal discharge associated with *G. vaginalis*. Genitourin. Med., 65: 109-112.

- **Tabaqchali, S.; Wilks, M. and Thin, R.N. (1983):**
Gardnerella vaginalis and anaerobic bacteria in genital disease. Br. J. Vener. Dis., 59: 111-115.
- **Taylor, E.; Blackwell, A.I.; Barlow, D. and Phillips, I. (1982):**
Gardnerella vaginalis, anaerobes and vaginal discharge. Lancet, 1: 1376-1379.
- **Teokharov, B.A. (1967):**
Urogenital infection by Haemophilus vaginalis. ibid. 41: 63. Quoted in: Watson, R.A. (1985): Gardnerella vaginalis: Genitourinary pathogen in men. Urology, 25 (3): 217-222.
- **Thakur, A.; Bhalla, P. and Aggarwal, D.S. (1986):**
Incidence of Gardnerella vaginalis in non-specific vaginitis. Indian J. Med. Res., 83: 567-574.
- **Totten, P.A.; Amsel, R.; Hale, J.; Piot, P. and Holmes, K.K. (1982):**
Selective differential human blood bilayer media for isolation of Gardnerella (Haemophilus) vaginalis. J. Clin. Microbiol., 15: 141-147.
- **Vice, J.L. and Smaron, M.F. (1973):**
Indirect fluorescent - antibody method for the identification of Corynebacterium vaginale. Appl. Microbiol., 25: 908-916.
- **Vontver, L.A. and Eschenbach, D.A. (1981):**
The role of Gardnerella vaginalis in non-specific vaginitis. Clin. Obstet. Gynecol., 24: 439-460.

- Watson, R.A. (1985):
Gardnerella vaginalis: Genitourinary pathogen
in men. Urology, 25 (3): 217-222.
- Weaver, C.H. and Mengel, M.B. (1988):
Bacterial vaginosis. J. Fam. Pract., 27 (2): 207-
215.
- Woolfrey, B.F.; Ireland, G.K. and Lally, R.T. (1986):
Significance of Gardnerella vaginalis in urine
cultures. Am. J. Clin. Pathol., 86: 324-329.
- Zinnemann, K. and Turner, G.C. (1963):
The taxonomic position of Haemophilus vaginalis
(Corynebacterium vaginale). J. Pathol. Bacteriol.,
85: 213-219.