

REFERENCES

REFERENCES

Alford, J.A.; D.A. Pierce and F.G. Suggs (1964) :

Activity of microbial lipase on natural fats and synthestic triglycerides. J. Lipid. Res. 5 : 390.

Allen, M.B. (1950) :

The dynamic nature of thermophily. J. Gen. Physiol. 33 (3) : 205 - 214.

Ammar, M.S. (1975) :

Studies on thermophilic bacteria. Ph. D. Thesis, Botany Dept., Faculty of Science, Al-Azhar Univ., Cairo, Egypt.

Ammar, M.S. (1983) :

Influence of organic buffers on lipase production by *B. stearothermophilus* 5-203 in shake cultures. Egypt. Soc. Appl. Microbiol., Proc. V. Conf. Microbiol., Vol. L, Part I : Fermentation Microbiol., PP. 99 - 114, 1983.

Ammar, M.S. and L.E. Mc Daniel (1979) :

A new report of thermophilic lipase produced by a thermophilic bacterium. Asbtracts of the 79th Annual Meeting of the Am. Soc. for Microbiology, Los Angles, California, P. 201 (024).

Ammar, M.S.; S.A. Mostafa and S.H. Barrada (1985a) :

Production of thermostable lipase(s) from obligate thermophilic bacteria in relation to α - amylase biosynthesis, indoles, temperatures and buffers. Represented at the 8th sympos. On Biol. Aspects of Saudi Arabia, 12-14 March, 1985, Al-Hassa, Saudi Arabia.

Ammar, M.S.; S.A. Mostafa and S.H. Barrada (1985b) :

Constitutive biosynthesis of thermostable lipase(s) from obligate thermophilic bacteria and its regulation at high temperature. Represented at the 8th sympos. On Biol. Aspects of Saudi Arabia, 12 - 14 March, 1985, Al-Hassa, Saudi Arabia.

- Ammar, M.S.; S.H. Elwan and S.S. El-Louboudy (1985c) :**
Productivity of L-asparaginase by *Streptomyces flavomelaninoglabri*, RR 16. Scientific and Educational Res. Programs, King Abd El-Aziz Univ., College of Educ. Madinah Munawarah, Saudi Arabia, Series No. (1) : 217 - 254.
- Ammar, M.S.; S.H. Elwan and M.A. Meki (1986) :**
Thermostable uroxidase from obligate thermophilic bacteria. I- Estimation using the uric acid clearing zone (U.C.Z.). New technique Microbiol. Espaniola, 39 (1-4). 3.
- Ammar, M.S.; S.H. Elwan and E.S. Hassan (1987) :**
Seasonal distribution of thermophilic enzymes produced by thermophilic bacteria of Aswan Desert Soils. Desert Res. Inst., Egypt. (45/85), Accepted for publication in 25/11/87.
- Ammar, M.S.; S.H. Elwan; E.H. Ghanem and E.S. Hassan (1988a) :**
Seasonal count, distribution and identification studies of thermophilic bacteria isolated from Aswan Governorate Desert Soils. Egypt, Desert, Res. Inst., Egypt (44/85), Accepted for publication in 17/11/88.
- Ammar, M.S.; A.S. El-Shahed; M.A. Meki and S.M. Mohawed (1988b):**
Two iso-enzymes of a new thermostable *Bacillus stearothermophilus*, L.N. 90. Egypt, J. Microbiol. 23 (3) : 575 - 596.
- Ammar, M.S.; S.S. El-Louboudy and U.M. Abdulraouf (1991a) :**
Distribution, total viable and identification of the most potent proteolytic bacterial strains isolated from Aswan City. Az. J. Microbiol. Vol. 11.
- Ammar, M.S.; S.S. El-Louboudy and U.M. Abdul-Raouf (1991b) :**
Protease(s) from *Bacillus anthracis*, 5-44 and *B. Cereus* var. *mycoids*, 5-98 isolated from a temple and a slaughter house in Aswan City. Al-Azhar J. Microbiol.
- Ammar, M.S.; S.S. El-Louboudy and U.M. Abdul-Raouf (1991c) :**
Purification and properties of protease(s) produced by *Bacillus anthracis*, 5-44 isolated from a temple in Aswan. Al-Azhar. Bull. Sci. Vol. 2, No.1, PP. 325 - 838.

- Ammar, M.S.; S.S. El-Louboudy and U.M. Abdul-Raouf (1991d) :**
Two purified iso-protease(s) biosynthesized by *B. cereus* var. *mycoids*, 5-98 under the same production conditions. (accepted for publication in Al-AZ. J. Microbiol.) 15/10/1991.
- Ando, A.; M. Yabuki; T. Fujii and S. Fukui (1981) :**
General characteristics of an alkalophilic bacterium bacillus A-007. Tech. Bull. Fac. Hortic. Chiba Univ. (29) : 17 - 28.
- Ashton, D.H. (1981) :**
Thermophilic organisms involved in food spoilage :
Thermophilic anaerobes not producing hydrogen sulphide. J. Food Prot. 44 (2) : 146 - 148.
- Atalo, K. and B.A. Gashe (1993) :**
Protease production by a thermophilic Bacillus species (P 001A) which degrades various kinds of fibrous proteins. Biotechnology Letters 15 (11) : 1151 - 1156.
- Aunstrup, K.; H. Outtrup; O. Andresen and C. Dambmann (1972) :**
Proteases from alkalophilic *Bacillus* species, P. 299 - 305. In G. Terui (ed), proceedings of the Fourth International Symposium on Fermentation Technology. Society of Fermentation Technology, Osaka, Japan.
- Barrit, M.M. (1936) :**
The intensification of the voges-proskauer reaction by the addition of alpha-naphthol. J. Path. Bact. 429441.
- Barrada, S.H. (1984) :**
Studies on certain thermophilic bacteria. A Thesis for the Degree of Doctor of philosophy in Microbiology. Botany Dept. Ain Shams Univ., College of Women, Cairo.
- Bergey's Manual of Determinative Bacteriology (1974) :**
Eighth Edition Ed (R.E. Bunchanan & N.E. Gibbons) The Williams & Wilkins company/Baltimore.
- Bergey's Manual of Systematic Bacteriology (1986) :**
Vol. 2 Eds (Sneath, P.H., Mair, N.S., Sharpe, E.M.) Williams & Wilkins, London, Los Angeles, Sydney.

Balkburn (1968) :

Cited from Usama M. Abdul-Rouf (1990). Studies of proteolytic bacteria isolated from certain localities in Aswan city. M.Sc. Thesis, Bot. Dept. Fac. Sci. Al-Azhar Univ., Cairo, Egypt.

Bochnner, B.R. (1989a) :

Breathprints at the microbial level. ASM News, 55 : 536 - 539.

Bochnner, B.R. (1989b) :

Sleuthing out bacterial identities. Nature, 399 : 157 - 158.

Bohloul, B.B. and N.Z. Nelson (1975) :

Occurrence of *Sulfolobus acidocaldarius*, an extremely thermophilic bacterium, in New Zealand hot springs. Isolation immunofluorescence characterization. Arch. Microbiol., 106 (3) : 171 - 174.

Boyer, E.W. and M.B. Ingle (1972) :

Extracellular alkaline amylase from a *Bacillus* species, J. Bacteriol. 110, 992 - 1000.

Brock, T.D. (1978) :

"Thermophilic Microorganisms and Life at High Temperature", Springer - Verlag, New York.

Brock, T.D. (1984) :

Genus *Thermus* Brock and Freeze 1969, 295^{AL}. In Bergey's Manual of Systematic Bacteriology, Vol. 1, PP. 333 - 337. Baltimore : Williams & Wilkins.

Brock, T.D. (1985) :

Life at high temperatures. Science 230, 132 - 138.

Bubela, B. (1968) :

Effect of temperature on growth characteristics of *Bacillus stearothermophilus*. Aust. J. Biol. Sci. 21 (3) : 439 - 445.

Burdon, K.L. (1946) :

A partical key for rapid identification of the common species of aerobic sporeforming bacilli. J. Bact. 52 (3) : 400 - 401.

Carnahan, A.M.; S.W. Joseph and J.M. Janda (1989) :

Species identification of *Aeromonas* strains based on carbon substrate oxidation profiles. J. Clin. Microbiol., 27 : 2128 - 2129

Carpenter, L.P. (1977) :

Microbiology, 4th edn., P. 428, W.B. Saunders Company, London.

Chaloupka, J. (1981) :

Regulation of the synthesis of a neutral metalloproteinase in *B. megaterium*. Abh. Akad. Wiss. DDR. Abt. Math. Naturwiss., (3N, Microb. enzyme prod.) 401 - 405. C.F. Chem. Abst., 96 (13), 100657 (1981).

Cheetham, P.S.J. (1987) :

Screening for novel biocatalysts. Enzyme Microb. Technol. 9 : 194 - 213.

Cheong, C.; S.S. Chun and Y.H. Kim (1993) :

Production and properties of an alkaline protease from *Pseudomonas* sp. SJ - 320. Korean biochemical J. 26 (6) : 479 - 484.

Chorpa, A.K. and D.K. Mathur (1985) :

Purification and characterization of heat stable proteases from *B. stearothermophilus* RM-67. J. Dairy Sci. 68 (12). 3202 - 3211.

Christensen, W.B. (1949) :

Hydrogen sulphide production and citrate utilization in the different of the enteric pathogens and the Coliform Bacteria. Res. Bull. Weld Country HI th Dept. 1,3.

Claus, D. and R.C.W. Berkeley (1986) :

Genus *Bacillus* Cohn 1872 P. 1105 - 1139 In P.H.A. Sneath (ed), Bergey's Manual of Systematic Bacteriology, Vol. 2 The Williams and Wilkins Co., Baltimore.

Collins, M.D.; B.M. Lund; J.A.E Farrow and K.H. Schleifer (1983) :

Chemotaxonomic study of an alkalophilic bacterium, *Exiguobacterium aurantiacum* gen. nov., sp. nov. J. Gen. Microbiol. 129 : 2037 - 42.

Cowan, S.T. (1974) :

Manual for the identification of medical bacteria. Second edition. Cambridge Univ. Press. Cambridge, London, New York.

D'Amato, R.F.; E.J. Bottone and D. Amsterdam (1991) :

Substrate profile systems for the identification of bacteria and yeasts by rapid and automated approaches, P. 128 - 136. In A. Balows, W.J. Hausler, Jr., K.L. Hermann, H.D. Isenberg and H.J. Shadomy (ed.), Manual of Clinical microbiology, 5th ed. ASM, Washington, D.C.

Debartolomeo, A.; T. Francesca; L. Francesco; S. Giovanna and V. Mastrandrea (1991) :

Numerical analysis and DNA base compositions of some thermophilic *Bacillus* species. Int. J. of Syst. Bacteriol. Oct. 41 (4) : 502 - 509.

Dhandapani, R. and R. Vijayaragavan (1994) :

Production of a thermophilic, extracellular alkaline protease, by *Bacillus stearothermophilus* AP-4. World J. Microbiol & Biotech. 10 (1) : 33- 35.

Disler, E.N. (1982) :

Inhibition of extracellular proteolytic activity of *Streptomyces* sp. by several environmental factors, prikl. Biochem. Microbiol., 18 (3) : 391 - 395.

Dixon, M. and E.C. Webb (1964):

Enzymes, 2nd Edit. Academic Press Inc. New York.

Donk, P.J. (1920) :

A highly resistant thermophilic organism. J. Bacteriol. 5 : 373 - 374.

Dumont, L.; B. Verneuil; J. Wallach and R. Julien (1994) :

Purification and characterization of an alkaline elastase from *Myxococcus xanthus*, European Journal of Biochemistry 223 (3) : 775 - 782.

Dunkley, E.A.; A.A. Guffanti; S. Cleian and T.A. Krulwich (1991) :

Facultative alkalophiles lack fatty acid Desaturase activity and lose the ability to grow at near - natural pH when supplemented with an unsaturated fatty acid. J. of Bacteriology 173 No. 3, P. 1331 - 1334.

Durham, D.R.; D.B. Stewart and E.J. Stellwag (1987) :

Noval alkaline and Heat - stable serine proteases from alkalophilic *Bacillus* sp. strain GX 6638. J. Bact. Vol. 169 (6) 2762 - 2768.

Egorov, N.S. (1982) :

Effect of various carbon sulphides and purine nucleotides on *B. thuringiensis* exoprotease synthesis. Mikrobiologiya 51 (1) : 43 47. C.F. Chem. Abst., 96 (21), 177573 (1982).

El-Shanshoury, A. E.R.R.; M.A. Syaed; R.H. Sammour and W.A. El-Shouny (1995) :

Purification and partial characterization of two extracellular alkaline proteases from *Streptomyces corchorusii* ST36. Candian Journal of Microbiology 41 (1) : 99 - 104.

Elwan, S.H.; S.S. Radwan and M.S. Ammar (1971) :

Some factors affecting the activity of crude α - amylase prepared from the filterates of the thermophile *Bacillus*, 119, Proc. of the Egypt. Acad of Sci. Vol. XXIV : 123 - 126.

Elwan, S.H.; S.S. Radwan and M.S. Ammar (1972a) :

Studies on Thermophilic Bacteria of Some Egyptian Soils. I. Growth and nutritional requirements in relation to temperature. Zbl. Bakt. Parasit. Infect. Krankh. Huyg. Band 126, Heft 3, 1972, PP. 253 - 260.

Elwan, S.H.; S.S. Radwan and M.S. Ammar (1972b) :

Studies on Thermophilic Bacteria of Some Egyptian Soils. II. Relation to the synthesis of α - amylase to thermophilism. Zbl. Bakt. Parasit. Infect. Krankh. Hug. Band 126, Heft 3, 1972, PP.261 - 269.

Elwan, S.H.; M.R. El-Naggar and M.S. Ammar (1977) :

Characteristics of lipase in the growth filtrate dialysate of *B. stearothermophilus* grown at 55° using a tributyrin - Cup plate assay Bulletin of the Fac. of Sci., Riyadh Univ. (Saudi Arabia). Vol. 8. 105 - 119.

Fiala, G.; K.O. Stetter; H.W. Jannasch; T.A. Langworthy and J. Madon (1986) :

Staphylothermus marinus sp. nov. represents a novel genus of extremely thermophilic submarine heterotrophic archaebacteria growing up to 98°C. Systematic and Applied Microbiology 8, 106 - 113.

Finegold, S.M. and W.J. Martin (1982) :

Diagnostic Microbiology 6th ed. The C.V. Mosby Co. ST. Louis, Toronto, London.

Forrester, I.I. and A.I. Wieken (1966a) :

The chemical composition of the cell walls of some thermophilic *Bacilli*. J. Gen. Microbiol. 47, 147.

Forrester, I.I. and A.I. Wieken (1966b) :

A novel teichoic acid - like polymer from the cell walls of *Bacillus coagulans*. NRS, Biochem and Biophys. Res. Commun. 25, 23.

Fujiwara, N. and K. Yamamoto (1987) :

Decomposition of gelatin layers on X-ray films by the alkaline protease from *Bacillus* sp. Hakkokogaku 65, 531- 534.

Fujiwara, N.; K. Yamamoto and A. Masui (1991) :

Utilization of a thermostable alkaline protease from an alkalophilic thermophile for the recovery from used X-ray film. J. Ferment. Bioeng. 72, 306 - 308.

Fujiwara, N.; A. Masui and T. Imanaka (1993) :

Purification and properties of the highly thermostable alkaline protease from an alkaliphilic and thermophilic *Bacillus* sp. J. of Biotech. 30 (2) : 245 - 256.

Fritze, D.; J. Flossdorf and D. Claus (1990) :

Taxonomy of alkaliphilic *Bacillus* strains. Int. J. of Systematic Bacteriology 90 (1), 92 - 97.

Gascoyne, D.J.; J.A. Connor and A.T. Bull (1991) :

Capacity of siderophore producing alkalophilic bacteria to accumulate iron, gallium and aluminium. Appl. Microbiol. Biotechnol. 36 (1) : 136 - 141.

Gee, J.M.; B.M. Lund; G. Metcalf and J.L. Peel (1980) :

Properties of a new group of alkalophilic bacteria. J. Gen. Microbiol. 117 : 9 - 17.

Gibb, G.D.; D.W. Ordaze and W.R. Strohl (1989) :

Overproduction of extracellular protease activity by *Streptomyces* C5 - A13 in Fed batch fermentation. Appl. Microbiol. Biotechnol. 31 (2) : 119 - 124.

Gomori, G. (1955) :

Preparation of buffers for use in enzyme active studies. In methods in enzymology. Vol. I. Eds. (Clowick, S.P. and Kaplan, N.O.) : Academic Press Inc. Pub. New York.

Gomaa, M.A.; M.M. Abou-Zied; M.M. Moustafa and M. El-Habasby (1987) :

Factors affecting protease enzymes production by some *Aspergillus* and *Bacillus* strains. Ann. Meet. A.M. Soc. Microbiol. 87 (0) 272.

Gordon, R.E. and N.R. Smith (1949):

Aerobic spore forming bacteria capable of growth at high temperatures. J. of Bacteriol. 58 : 327-341.

Gordon, R.E.; W.C. Haynes and C.H.N. Pang (1973) :

The Genus *Bacillus* Handbook No. 427. U.S. Department of Agriculture, Washington, D.C.

Gordon, R.E. and J.L. Hyde (1982) :

The *Bacillus firmus* - *Bacillus lentus* Complex and pH 7.0 variants of some alkalophilic strains. J. Gen. Microbiol., 128 : 1109 - 1116.

Gould, G.W. and J.E.L. Corry (1980) :

"Microbial Growth and Survival in Extremes of Environment," Academic Press, London.

Guerin - Dumartrait, E. and A. Moyse (1976) :

Caracteristiques biologiques des *Spirulina*. Ann. Nutr. Aliment. 30 : 489 - 96.

Guffanti, A.A.; P. Susman; R. Blanco and T.A. Krulwich (1978) :

The proton motive force and α - amino isobutyric acid transport in an obligately alkaly alkalophilic bacterium. J. Biol. Chem., 253 : 708 - 715.

Guffanti, A.A.; R. Balanco; R.A. Benson and T.A. Krulwich (1980) :

Bioenergetic properties of alkaline - tolerant and alkalophilic strains of *Bacillus firmus*. J. Gen. Microbiol. 119 : 79 - 86.

Guffanti, A.A.; O. Finkelthal; D.B. Hicks; L. Falk; A. Sidhu; A. Garro and T.A. Krulwich (1986) :

Isolation and characterization of new facultative alkalophilic strains of *Bacillus* species. J. Bacteriol. 167 : 766 - 773.

Guffanti, A.A. and D.B. Hicks (1991) :

Molar growth yields and bioenergetic parameters of extremely alkalophilic *Bacillus* species in batch cultures and growth in a chemostat at pH 10.5. J. of Gen. Microbiol, 137, 2375 - 2379.

Hassan, E.S. (1992) :

Microbiological studies on thermophilic bacteria from the soil of United Arab Emirates. Ph. D. Thesis, Bot., Dept. Women's College, Ain Shams Univ., Cairo Egypt.

Hasting, E.G.; E.B. Fred and W.R. Carroll (1926) :

The measurement of the heat resistance of bacteria Zentrbl. Bakt. (etc.) 2abt 67 (8/15) : 162 - 166.

Heinrich, M.W. (Ed.) (1976) :

Extreme Environments : Mechanisms of Microbial Adaptation", Academic Press, New York.

Henkel, K.G.A. (1980) :

Protease by fermentation. Belg. 878, 982. C.F. Chem. Abst., 92 (23), 1963 - 1976.

Hirota, N.; M. Kitada and Y. Imae (1981) :

Flagellar motors of alkalophilic *Bacillus* are powered by an electrochemical potential gradient of Na^+ . FEBS lett. 132 : 278 - 280.

Horikoshi, K. (1971) :

Production of alkaline enzymes by alkalophilic microorganisms. Part II. Alkaline amylase produced by *Bacillus* No. A - 40 - 2. Agric. Biol. Chem. 35, 1783 - 1791.

Horikoshi, H. and Y. Ikeda (1975) :

Alkaline protease. Japan. 75 (16), 435. C.F. Chem. Abst., 83 (21), 176689.

Horikoshi, K (1980) :

Alkalophilic microorganisms and alkaline fermentation kagaku keizai Nov., 2-7.

Horikoshi, K. and T.; Akiba (1982) :

Alkalophilic microorganisms, a new microbial world. Japan Scientific Societies Press, Tokyo.

Horikoshi, K. (1991) :

Microorganisms in Alkaline Environments, Kodansha Ltd. Tokyo (Japan).

Hucker, G.J. (1922) :

Comparison of various methods of Gram Staining (Preliminary Report). Abst. Bacteriol., 6, 2.

Ibrahim, A.M. (1992) :

Microbial enzymes produced under natural solid state fermentation. M. Sc. Thesis, Bot. Dept., Fac. Sci., Al-Azhar Univ. Cairo, Egypt.

Kang, S.K.; T. Kudo and K. Horikoshi (1992) :

Molecular cloning and characterization of an alkalophilic *Bacillus* sp. C125 gene homologous to *Bacillus subtilis* sec. Y.J. Gen. Microbiol., 138 : 1365 - 1370.

Karlsson, S.; Z.G. Banhidi and A.C. Albertsson (1988) :

Identification and characterization of alkali-tolerant *Clostridia* isolation from biodeteriorated casein - containing building materials. Appl. Microbiol. 28 (3) : 305 - 310.

Kembhavi, A.A.; A. Kulkarni and A. Pant (1993) :

Salt - tolerant and thermostable alkaline protease from *Bacillus subtilis* NCIM No. 64. Applied Biochemistry and Biotechnology 38 (1-2) : 83 - 92.

Khraptsova, G.I.; I.A. Tsaplina; L.M. Seregina and L.G. Loginova (1984) :

Thermophilic bacteria from the buryat hot spring USSR. Mikrobiologiya 53 (1) : 137 - 141.

Kim, C.J.; M.J. Oh and S.H. Choi (1992) :

Characteristics of the alkaline protease from the moderate halophile *Halomonas* sp. ES 10. J. of the Korean Agricultural chemical society 35 (4) : 237 - 241.

Kim, M.J.; H.S. Chung and S.J. Park (1993):

Properties of alkaline protease isolated from *Nocardiopsis dassonvillei*. Korean Biochemical Journal 26 (1) : 81 - 85.

Kitada, M. and K. Horikoshi (1977) :

Sodium ion stimulated α - (C^{14}) amino isobutyric acid uptake in alkalophilic bacteria sp. J. bacteriol. 131 (3) : 784 - 788.

Kitada, M.; A.A. Guffanti and T.A. Krulwich (1982) :

Bioenergetic properties and viability of the alkalophilic *Bacillus firmus* RAB as a function of pH and Na^+ content of the medium. J. Bacteriol. 152 : 1096 - 1104.

Kitada, M.; L. Wijayanti and K. Horikoshi (1987) :

Biochemical properties of a thermophilic alkalophile, Agric. Biol. Chem., 51, 2429 - 2435.

Klimov, N.A.; V.I. Batarin; O.V. Robalchenko and O.A. Andrew (1988):

Formation of extracellular protease by cells of thermophilic bacteria. Mikrobiologiya 57, 579 - 585.

- Klinger, J.M.; R.P. Stowe; D.C. Obenhuber; T.O. Groves; S.K. Mishra and D.L. Pierson (1992) :**
Evaluation of the biological automated microbial identification system. *Appl. Environ. Microbiol.*, 58 : 2089 - 2092.
- Kristjansson, J.K. (editor) (1992) :**
Thermophilic Bacteria. Boca Raton : CRC Press.
- Krulwich, T.A.; J.G. Federbush and A.A. Guffanti (1984) :**
Presence of a non-metabolizable solute that is translocated with Na^+ enhances Na^+ - dependent pH homeostasis in an alkalophilic *Bacillus*. *J. Biol. Chem.* 260 : 4055 - 4058.
- Krulwich, T.A.; D.B. Hicks; D. Setoyoung and A.A. Guffanti (1988) :**
The bioenergetics of alkalophilic bacilli *CRC Crit. Rev. Microbiol.* 16 : 15 - 36.
- Krulwich, T.A. and A.A. Guffanti (1990) :**
Alkalophilic bacteria. *Annu. Rev. Microbiol.* 43 : 435 - 436.
- Kurr, M.; R. Huber; H. Konig; H.W. Jannasch; H. Fricke; A. Trincone; J.K. Kristjansson and K.O. Stetter (1991) :**
Methanopyrus Kandleri gen. and sp. nov. represents a novel group of hyperthermophilic methanogens growing at 110°C. *Archives of Microbiology* 156, 239 - 247.
- Kushner, D.J. (1978) :**
"Microbial life in Extreme Environments", Academic Press, New York.
- Law, A.T. and D.K. Button (1977) :**
Multiple - Carbon Source - Limited growth Kinetics of a marine coryneform bacterium. *J. Bacteriol.*, 129 : 115 - 123.
- Lin, Ch. Ch. and L.E. Casida (1984) :**
Gelrite as a gelling agent in media for the growth of thermophilic microorganisms. *Appl. Environ. Microbiol.* 47 : 427 - 429.
- Lochhead, A.G. (1934) :**
Bacteriological studies on the red discolouration of salted hides. *Cand. J. Res.* 10 : 275 - 286.

Lochhead, A.G. and F.E.; Chase (1943) :

Qualitative studies of soil microorganisms. V. Nutritional requirements of the predominant bacterial flora. Soil. Sci., 55 : 185.

Lochhead, A.G. and R.H.; Thexton (1952) :

Bacteria requiring B12 as a growth factor J. Bacteriol., 63 : 219.

Lochhead, A.G. (1957) :

Qualitative studies of soil microorganisms. XV. Capability of the predominant bacterial flora for synthesis of various growth factors. Soil. Sci., 84 : 395.

Lochhead, A.G. and M.O. Burton (1957) :

Qualitative studies on soil microorganisms. XIV. Specific vitamin requirements.

Loginova, L.G.; L.A. Egorova; R.S. Golovachera and L.M. Seregina (1975) :

A new kind of obligate thermophilic non spore forming bacteria of the thermus genus IZVA kad. Nauk. SSS Resr. Biol. 2 : 304 - 307.

Loginova, L.G.; T.G. Bogdanova and L.M. Seregina (1981) :

Growth of obligate thermophilic bacteria in a medium with paraffin. Mikrobiologiya, 50 (1) : 49 - 54.

Lowery, O.H.; N.J. Rosebrough; A.L. Farr and R.J. Randall (1951) :

Protein measurement with the folin phenol reagent. J. Bio. Chem., 193 : 265 - 275.

Mahdy, H.M. (1993) :

Studies on some members of alkaline bacteria isolated from polish niches. PH. D. Thesis, Department of agriculture microbiology, Academy of Agriculture, LUBLIN, Poland.

Makinen, K.K. and P.L. Makinen (1987) :

Purification and properties of an extracellular collagenolytic protease produced by the Human oral bacterium *B. cereus* strain Soc. 67. J. Biol. Chem. 262 (26) : 12488 - 12495.

- Makinen, P.L.; D.B. Clewell; F. An and K.K. Makinen (1988) :**
Purification and substrate specificity of a strongly hydrophobic extracellular metalloindopeptidase (gelatinase) from *Streptococcus faecalis* (strain OGI - 10). J. Biol. Chem. 264 (6): 3325 - 33340.
- Manchini, P.L.; M.G. Fortina and C. Parini (1988) :**
Thermostable alkaline protease produced by *B. thermoruber* new sp. Appl. Microbiol. Biotechnol. 28 (4 - 4) : 409 - 413.
- Mandel, K.G.; A.A. Guffanti and T.A. Krulwich (1980) :**
Monovalent cation/proton antiporters in membrane vesicles from *Bacillus alcalophilus*, J. Biol. Chem. 255 : 7391 - 7396.
- Manual of The Microbiological Methods (1957) :**
Committee on Bacteriological Technique. 1957.
- Masui, A.; N. Fujiwara and T. Imanaka (1994) :**
Stabilization and rational design of serine protease Apr M under highly alkaline and high - temperature conditions. Applied and Environmental Microbiology 60 (10) : 3579 - 3584.
- Meki, M.A.; S.M. Mohawed, A.S. El-Shahed and M.S. Ammar (1988) :**
Cultural conditions of a thermostable α -amylase biosynthesized by the obligate thermophile *Bacillus stearothermophilus*, L. N. 90. Accepted for Publication, Egypt, J. Microbiol. 23 (3) : 563 - 574.
- Meki, M.A. and M.S. Ammar (1989a) :**
Isolation and identification of some osmotolerant bacteria from the salty soils of Aswan Egypt. J. Microbiol. 24 (1) : 63 - 77.
- Meki, M.A. and M.S. Ammar (1989b) :**
A novel obligate halothermophilic bacterium from Egyptian Soils. Egypt. J. Microbiol. 24 (2) : 143 - 152.
- Meki, W.F.Z. (1994) :**
Microbial studies on certain alkalophilic microorganisms M.Sc. Thesis Botany Dept., Faculty of Science, Aswan, Assiut University.

Moon, S.H. and S.J. Parulekar (1993) :

Some observation on protease production in continuous suspension cultures of *Bacillus firmus*. Biotech. and Bioengineering 41 (1) : 43 - 54.

Moor, S. and W.H. Stein (1963) :

Chromatographic determination of amino acid by the use of automatic recording equipment in method in enzymology. Vol. 6 edited by S.P. Colocuck and N.O. Kaplan. Acad. Press. London, New York, PP. 319.

Miaoying, C.; Y. Shoujun; L. Junfeng and W. Jun (1992) :

Thermus nonproteolyticus, new species of thermophilic nonsporformer producing LDH. Acta. Microbial. Sin. 32 (4) : 233 - 237.

Michotey, V. and C.B. Lanco (1994) :

Characterization of an endoserine protease secreted by *Arthrobacter aureus*. Applied and Environmental Microbiology 60 (1) : 341 - 343.

Miller, J.M. and D.L. Rhoden (1991) :

Preliminary evaluation of Biolog., a carbon source utilization method for bacterial identification. J. Clin. Microbiol., 29 : 1134- 1147.

Miroschnichenko, M.L.; E.A. Bonch-Osmolovskaya; A. Neurner; N.A. Kostrikina; N.A. Chernych and V.A. Alekseev (1989) :

Thermococcus stetteri sp. nov., A new extremely thermophilic marine sulfur - metabolizing archaebacterium. Systematic and Applied Microbiology 12, 257 - 262.

Murray, H.C. (1944) :

Aerobic decomposition of cellulose by thermophilic bacteria. J. Bact. 47 (2) : 117 - 122.

Miwa, D. and H. Veyama (1961) :

Effect of metallic ions in the growth of microorganisms. VII. Effect of Zn on the production of protease of mould. J. Ferment. Technol., 39 : 639 - 643.

Nakamura, L.K.; I. Bulmenstock and D. Claus (1988) :

Taxonomic study of *Bacillus coagulans* Hammer 1915 with a proposal for *Bacillus smithii* sp. nov. Int. J. Syst. Bacteriol. 38 : 64 - 73.

Narahara, H.; Y. Koyama; T. Yashida; S. Pichanghura; R. Ueda and H. Taguchi (1982) :

Growth and enzyme production in solid state culture of *Aspergillus oryzae*. J. Ferment. Technol. 60 (4) : 311 - 320.

Na, S. and M. Yu (1988) :

Screening of a high alkaline protease producing strain and studies on its fermentation conditions. Acta. Microbiol. Sin. 28 (3) 256 - 299.

Neuner, A.; H.W. Jannasch; S. Belkin and K.O. Stetter (1990) :

Thermococcus litoralis sp. nov. a new species of extremely thermophilic marine archaebacteria. Archives of Microbiology 153, 205 - 207.

Nigam, N.N. (1981) :

Effect of carbon and nitrogen sources on neutral protease production by *Pseudomonas aeruginosa*. Folia Microbial., 26 (5) 358 - 363. C.F. Chem. Abst. 96 (15), 118678 (1982).

Ohta, K.; A. Kiyomiya; N. Koyama and Y. Nosoh (1975) :

The basis of the alkalophilic, property of a species of *Bacillus*. J. Gen. Microbiol. 86, 259 - 266.

Okada, J.; H. Shimogaki; K. Murata and A. Kimura (1984) :

Cloning of the gene responsible for the extracellular proteolytic activities of *B. licheniformis*. Appl. Microbiol. 20 (6) : 406 - 415.

Omura, S. (1986) :

Philosophy of new drug discovery. Microbiol. Rev. 50 : 259 - 279.

Oshima, A.; T. Onoda and K. Nishigami (1987) :

Effects of potassium and sodium on growth respiration and amino acid up takes of an alkalophilic *Bacillus* ASSC - 2.

- Paliwal, N.; S.P. Pingh and S.K. Garg (1994) :**
Cation - induced thermal stability of an alkaline protease from a *Bacillus* sp. Bioresource technology 50 (3) : 209 - 211.
- Park, S.J.; K.M. Lee and M. Bae (1990) :**
Studies on the alkalophilic bacteria producing alkaline protease and its enzyme activities. Journal of the pharma. Soc. of Korea. 34 (1) : 47 - 53.
- Pledger, R.J. and J.A. Baross (1989) :**
Characterization of an extremely thermophilic archaeobacterium isolated from a black smoker polychaete (*Paralvinella* sp.) at the Juan de Fuca Ridge. Systematic and Applied Microbiology 12, 249 - 256.
- Pledger, R.J. and J.A. Baross (1991) :**
Preliminary description and nutritional characterization of a chemoorganotrophic archaeobacterium growing at temperatures of up to 100°C isolated from a submarine hydrothermal vent environment. Journal of General Microbiology 137, 203 - 211.
- Pley, U.; J. Schipka; A. Gamabacorta; H.W. Jannasch; H. Fricke; R. Rachel and K.O. Stetter (1991) :**
Pyrodictium abyssi sp. nov. represents a novel heterotrophic marine archaeal hyperthermophile growing at 110°C. Systematic and Applied Microbiology 14, 245-253.
- Porter, N. (1985) :-**
Discovering new secondary metabolites : a view from the pharma ceutical industry. Pestic. Sci. 16 : 422.
- Robert, H.; T. Wilharm; D. Huber; A. Trincone; S Burggraf; H. Koenig; R. Rachel; I. Rochkinger; H. Fricke and K. Stetter (1992) :**
Aquifex pyrophilus, new genus species, represents an noval group of marine hyperthermophilic hydrogen - oxidizing bacteria. Syst. Appl. Microbiol. 15 (3) : 340 - 351.
- Radwan, S.; F. Fayza; A. Taha and N.R. Al-Sherbini (1987) :**
Chemotaxonomy studies on leaves of Jojoba and Powpaw plants. Egypt. J. Hort. 14 (1) : 1 - 8.

Rahman, R.N.Z.A.; C.N. Razak; K. Ampon; M. Basri; W.M. Zin; W. Yunus and A.B. Salleh (1994) :
Purification and characterization of a heat - stable alkaline protease from *Bacillus stearothermophilus* F1. Appl. Microbiol. and Biotechnol. 40 (6) : 822 - 827.

Rajaram, S. and A. Varma (1990) :
Production and characterization of xylanase from *Bacillus thermoalkalophilus* growing on agricultural wastes. Appl. Microbial. Biotechniqi. 34 (1) : 141 - 144.

Razak, N.A.; M.Y.A. Samed; M. Basri; W.M.Z.W. Yunus; K. Ampon and A.B. Salleh (1994) :
Thermostable extracellular protease of *Bacillus stearothermophilus* : factors affecting its production world Journal of Microbiol & Biotechnol. 10, 260 - 263.

Saeki, K.; J. Iwata; Y. Watanabe and Y. Tamai (1994) :
Purification and characterization of an alkaline protease from *Oerskovia xanthineolytica* TK-1. J. of Fermentation and Bioengineering 77 (5) : 554 - 556.

Sasser, M. and M.D. Wichman (1991) :
Identification of microorganisms through use of gas chromatography and high - performance liquid chromatography, P. 111 - 118. In A. Balows, W.J. Hauster, J.R. K.L. Hermann, H.D. Isrenberg and H.J. Shadomy (Ed.), Manual of clinical microbiology, 5th ed. ASM, Washington, D.C.

Sato, M.; T. Beppu and K. Arima (1983) :
Studies on antibiotics produced at high alkaline PH. Agric. Biol. Chem. 47 : 2019 - 2027.

Sexton, M.M.; A.L. Jones, W. Chaowagul and D.E. Woods (1994) :
Purification and characterization of protease from *Pseudomonas pseudomallei*. Canadian Journal of Microbiology 40 (11) : 903 - 910.

Sharp, R.J.; K.J. Bown and A. Atkinson (1980) :
Phenotypic and genotypic characterization of some thermophilic species of *Bacillus*. J. Gen. Microbiol. 117 : 201 - 210.

Sharp, R.J. and M.J. Munster (1988) :

Biotechnological implications for microorganisms from extreme environments, ed. R.A. Hebert, G.A. Codd, PP. 215 - 295. London.

Sherman, J.M. and P. Stark (1931) :

Streptococci which grow at high temperature. J. Bact. 22 (4) : 273 - 285.

Shieh, W.Y. (1993) :

A halophilic thermophilic bacterium isolated from a coastal hot spring in Lutao, Taiwan. J. Gen. Microbiol. 139, 2505 - 2510.

Skerman, V.B.D.; V. McGowan and P.H.A. Sneath (ed) (1980) :

Approved lists of bacterial names. Int. J. Sys. Bacteriol., 30 : 225 - 420.

Sidler, W. and H. Zuber (1972) :

Neutral proteases with different thermostabilities from a facultative strain of *Bacillus stearothermophilus* grown at 40°C and 50°C. FEBS letters 25, 292 - 294.

Sobek, H.; H.J. Hecht; W. Aehle and D. Schomburg (1992) :

X-ray structure determination and comparison of two crystal forms of a variant (Asn 115 Arg) of the alkaline protease from *Bacillus alcalophilus* refined at 1.85 Å resolution. J. Molec. Biol. 228 (1): 108 - 117.

Souza, K.A.; P.H. Deal; H.M. Mack and C.E. Tumbill (1974) :

Growth and reproduction of microorganisms under extremely alkaline conditions. Appl. Microbiol. 28 : 1066 - 1068.

Spanka, R. and D. Fritze (1993) :

Bacillus cohnii sp. nov., a new obligately alkaliphilic, oval-spore-forming *Bacillus* species with ornithine and aspartic acid instead of diaminopimelic acid in the cell wall. Int. J. Syst. Bacteriol. 43 (1) : 150 - 156.

Spier, I.B.; T. Ress and E.D. Clifton (1956):

Am. J. Sing. 92, 496-506.

Srivastava, A.K. and M. Prasad (1989) :

The production of protease in cultures of *Xanthomonas compestris* pathovar phaseoli and its activities in Bean leaf tissues of varied responses. Zentral bl. Mikrobiol. 114 (1) 23 - 27.

Steele, D.B.; P.B. Steele and V.C. Kelley (1989) :

Isolation and characterization of a noval spiral - shaped alkalophilic bacterium. Abstr. Annu. Meet. SE Branch Am. Soc. Microbiol., Orange Beach, P. 50.

Steele, D.B. and M.D. Stowers (1991) :

Techniques for selection of industrially important microorganisms. Annu. Rev. Microbiol. 45 : 89 - 106.

Steiner, K. (1961) :

The influence of trace elements on growth and enzyme production by *A. oryzae*. Zmtr. Bakteriol. Parasitenk. Abst. II. 114 : 47- 106.

Stephanopoulos, G. and A.G. Fredrickson (1979) :

Effect of spatial in homogeneties on the coexistence of competing microbial populations. Biothech. Bioeng., 21 : 1491 - 1498.

Stetter, K.O.; G. Fiala; G. Huber; R. Huber and A. Seegerer (1990) :

Hyperthermophilic microorganisms. FEMS Microbiology Reviews 75, 117 - 124.

Takahara, Y.; O. Tanabe (1960) :

Studies on the reduction of indigo in industrial fermentation vat (VII). J. Ferment. Technol. 38 : 329 - 31.

Takii, Y.; H. Inauchi; H. Shimoto and Y. Suzuki (1987) :

Bacillus stearothermophilus KP 1236 neutral protease with strong thermostability comparable to thermolysin. Applied Microbiology and Biotechnology 27, 186 - 191.

Takami, H.; T. Akiba and K. Horikoshi (1989) :

Production of extremely thermostable alkaline protease from *Bacillus sp.* N. AH - 10. Appl. Microbiol. 30 (2), 120 - 124.

Tanabe, H.; K. Yoshihara; K. Tamura; Y. Kobay; I. Akamatsu; N. Niyomwan and P. Fotrakul (1987) :

Pretreatment of pectic waste water from orange canning process by an alkalophilic *Bacillus* sp. J. Ferment Technol. 65 (2) : 243 - 246.

Terry, K. and A.A. Guffanti (1989) :

Alkalophilic bacteria. Annu. Rev. Microbiol. 1989. 43 : 435 - 63.

Therisod, M. and A.M. Klibanov (1986) :

Facile enzymatic preparation of monoacylated sugars in pyridine. Journal of the American Chemical Society 108, 5638 - 5640.

Tindall, B.J.; H.N.M. Ross and W.D. Grant (1984) :

Natronobacterium gen. Nov. and *Natronococcus* Gen. nov., Two genera of haloalkphilic archaebacterium. Syst. Appl. Microbiol. 5 : 41 - 57.

Tsai, Y.C.; S.F. Lin; F.L. Li; M. Yamasaki and G. Tamura (1986) :

Characterization of an alkaline elastase from alkalophilic *Bacillus* Ya - B. Biochim. Biophys. Acta 883 : 439 - 447.

Tsuru, D. and T. Yoshimoto (1987):

Microbial proteases. In CRC Handbook of Microbiology, Vol. 8, Toxins and Enzymes, eds Laskin, A.I. & Lechevalier, H.A. PP. 229 - 283. Boca Raton : CRC Press.

Tsumura, K.; Y. Hashimoto; T. Akiba and K. Horikoshi (1991) :

Isolation and characterization of alkalophilic Bacteria that degrade soybean galactan. Agric. Biol. Chem. 55 (5) : 1399 - 1400.

Uchino, F. and S. Doi (1967) :

Acido-thermophilic bacteria from thermal waters. Agric. Biol. Chem. 31 : 817 - 822.

Ueyama, H. and K. Horikoshi (1981) :

JPN Kokai, 56-186135 C.F.K.Horikoshi (1991) Microorganisms in alkaline environements. Kodansha Ltd, Tokyo (Japan).

Vaskivoyuk, V.T. (1981) :

Selecting a medium for the growth of *B. subtilis* a procedure of proteolytic enzymes. Mikrobiol. Zh. (Kiev), 43 (3) 280. C.F. Chem. Asbst. 95 (7) 59897.

Vedder, A. (1934) :

Bacillus alcalophilus n. sp. benevens enkele ervaringen met sterk alcalische voedingsbodems. Antonievan Leeuwenhoek, 1 : 141 - 147.

Volki, P.; P. Mariewicz; K.O. Stetter and J.H. Miller (1994) :

The sequence of a subtilisin - type protease (aerolysin) from the hyperthermophilic archaeum *Pyrobaculum aerophilum* reveals sites important to thermostability. Protein Science 3 (8) : 1329 - 1340.

Woh-on, H.C.; R.M.R. Branion and G.A. Strasdine (1980) :

Protease production by fermentation of fish solubles from salmon canning processes. Can. J. Microbiol. 26 (9) : 1049 - 1056.

Wolf, J. and R.J. Sharp (1981) :

Taxonomic and related aspects of thermophiles within the genus *Bacillus*, P. 251 - 296. In R.C.W. Berkeley and M. Goodfellow (ed.), the aerobic endosporeforming bacteria : classification and identification. Academic Press. Inc. (London), Ltd., London.

Walker, P.D. and J. Wolf (1971) :

The taxonomy of *Bacillus stearothermophilus*, P. 247 - 262. In A.N. Barker, G.W. Gould and J. Wolf (ed). Spore research. Academic Press, Inc. (London). Ltd., London.

Wallace, R.H. and A.G. Lochhead (1950) :

Amino acid requirements of rhizosphere bacteria Can. J. Res., 28 : 1.

West, P.M. and A.G. Lochhead (1940) :

The rhizosphere in relation to the nutrient requirement of soil bacteria. Can. J. Res., 18 : 129.

White, R.J. (1982) :

Microbiological models as screening tools for anticancer agents : potentials and limitations. *Annu. Rev. Microbiol.* 36 : 415 - 433.

Wikstrom, M.B. (1983) :

Detection of microbial proteolytic activity by a cultivation plate assay in which different proteins adsorbed to a hydrophobic surface are used as substrates. *Appl. Environ. Microbiol.* 45 : 393 - 400.

Williams, R.A.D. (1975) :

Caldoactive and thermophilic bacteria and their thermostable proteins. *Sci. Prog. Oxf.* 62 (247) : 373 - 393.

Wollman, E. (1928) :

A true thermophilic *Bacillus* isolated from the wate kerbous. *Arch. Inst. T. Pasteur. Tunis* 17 (3) : 253 - 256.

Youhong, L.; L. Mandelco and W. Juergen (1993) :

Isolation and characterization of a moderately thermophilic anaerobic alkaliphile, *Clostridium paradoxum* new species. *Int. J. Syst. Bacteriol.* 43 (3) : 450 - 460.

Yum, D.Y.; H.C. Chung; D.H. Bai; D.H. Oh and J.H. Yu (1994) :

Purification and characterization of alkaline serine protease from an alkalophilic *Streptomyces* sp. *Bioscience, Biotech and Biochem.* 58 (3) : 470 - 474.

Zaki, M.E. (1982) :

Physiological studies on thermophilic fungi. Ph. D. Thesis, Bot. Dept. Fac. Sci. Al-Azhar University, Cairo, Egypt.