




REFERENCES

REFERENCES

- Abd-El-Monem, H. 1992.
Population responses of Nile phytoplankton to nutrient loading from agricultural and industrial waste water effluents at Shebeen El-Koam Egypt. M. Sc. Thesis. Faculty of Science. Menoufia University. 173.
- Abou-Zahra, L.A. 1967.
Ph.D. Thesis. Faculty of Science. Cairo University.
- Abu-Rezeq, T. and James, C.M. 1990.
Microalgae and rotifers mass production in marine cultures. The Quarterly J. of the Arab Federation of Fish Producers. 12 :149-169.
- Ahmad, T. and Boyd, C.E., 1988.
Design and performance of paddle wheel aerators, Aquacultural Eng., 7-39.
- Allan, G.L., Moriarty, D.J.W. and Maguire, G.B. 1995.
Effects of pond preparation and feeding rate on production of *Penaeus monodon* Fabricius, water quality, bacteria and benthos in model farming. Aquaculture 130, 329-349.
- Allen, E.J. and Nelson, E.W. 1910.
On the artificial culture of marine plankton organisms. J. Mar. Biol. Assoc. 8:421.
- Andrews, J. w. and Page, J. w. 1975:
The effects of frequency of feeding on culture of catfish. Trans. Am.. Fish. Soc., 104: 317-321.
- Annabella Konan-Brou, A. and Daniel Guiral 1993:
Available algal biomass in tropical brackish water artificial habitats. Aquaculture, 119: 175-190.
- APHA (American Public Health Assoc.), 1985.
Standard methods for the examination of water and wastewater, 16th edition American Public Health Association, Washington, D. C.

References

- Badour, S.S., Godavari, H.R. and E.R. Waygood. 1970.
A review on mass cultivation of microalgae. Biomass Energy Institute, Winnipeg, 66 pp.
- Baynes, S.M., Emerson L. and Scott, A.P. 1979.
Production of algae For Use in the rearing of larval fish. Fisheries Research Technical Report. 53; 13-18.
- Becker, E.W. and Venkataraman, L.V. 1980.
Production and processing of algae in pilot plant scale experiences of the Indo-German project. In; G.Shelef and S.J. Soeder (Eds.).Algae Biomass. Elsevier/North-Holland Biomedical press, New York.
- Becker, E.W. 1992.
Microalgae biotechnology and microbiology. Cambridge university press, 1-293.
- Bellani, L. 1977.
Regulatory aspects of SCP for animal feeding: experiences in Italy. PAG Bull. 6 (4), 27.
- Ben-Amotz, A., Fishler, R. and Schneller, A. 1987.
Chemical composition of dietary species of marine unicellular algae and rotifers with emphasis on fatty acids. Mar. Biol. 95: 31-36.
- Berger, A. and Halver, J.E. 1987.
Effect of dietary protein, lipid and carbohydrate content on the growth feed efficiency and carcass composition of Striped bass, (Morone Saxatilis W.) fingerling. Aquaculture, 18: 345-356.
- Bhumiratana, A. 1976.
The production and utilization of Algae as a Protein Source in Thailand. Kasetsart University, Bangkok, 90 pp.
- Bhumiratana, A. 1977.
The production and utilization of Algae as a Protein Source in Thailand. Kasetsart University, Bangkok, 203 pp.

- Biedenbach, J.M., Smith, L.L. and Lawrence, A.L. 1990.
Use of a new spray-dried algal product in penaeid larviculture. *Aquaculture*. 86: 249-257.
- Bischoff, H.W. and Bold, H.C. 1963:
Phycological studies. 4 some soil algae from Enchanted rock and related algal species. *Univ. Texas. N. 6318*: 32-36.
- Borowitzka, M.A. 1988.
Algal growth media and sources of algal cultures. In ;M.A. Borowizka and L.J. Borowitzka (Eds.).*Micro-Algal Biotechnology*. Cambridge University press, New York. pp. 456-465.
- Borowitzka, L.J. and Borowitzka, M.A. 1989.
Industrial production: Methods and economics. *In* Cresswell RC, Ress TAV, Shah N (eds), *Algal and Cyanobacterial Biotechnology*. Longman Scientific & Technical, New York, 294-316.
- Boussiba, S., Sandbank, E., Shslef, G., Cohe, Z., Voshak, A., Ben-Amotz. A., Arad S. and Richmond, A. 1988.
Outdoor cultivation of the marine microalgae *Isochryss galbana* in open reactors. *Aquaculture*. 72: 247-253.
- Boyd, C.E. 1973.
Summer algal communities and primary productivity in fish ponds. *Hydrobiol.*, 41: 357-390.
- Boyd, C.E. 1976.
Nitrogen fertilizer effects on production of Tilapia in ponds fertilized with phosphorus and potassium. *Aquaculture*, 7: 385-390.
- Boyd, C.E. 1979.
"Water quality in warmwater fish ponds". Auburn Univ. (Ala) Agr. Exp. Stn., Auburn, Al, 359 pp.
- Boyd, D.E. and Tucker, C.S. 1979.
Emergency aeration of fish ponds. *Trans. Amer. Fish. Soc.*, 108: 299-306.

References

- Boyd, C.E. 1984.
"Water quality in warmwater fish ponds". Auburn Univ. (Ala) Agr. Exp. Stn., Auburn, Al, 350 pp.
- Boyd, C.E., Ahmad, T. and La-fa. A. 1988.
Evaluation of plastic pipe, paddle wheel aerators, *Aquacultural Eng.*, 7, 63.
- Boyd, C.E. and Watten, B.J. 1989.
Aeration systems in Aquaculture. *Critical Reviews in Aquatic Sciences* 1: 425-472.
- Boyd, C.E. 1990.
Water quality in ponds for aquaculture. Alabama Agr. Exp. St. Auburn Univ., Al.
- Brother, J.C. 1965.
Nitrogen utilization in 38 fresh water chlamydomonad algae. *Canadian Journal of Botany*, 43:1367-1378.
- Brown, M. R., Jeffrey, S. W, and Garlan, C.D. 1989.
Nutritional Aspects of Microalgae used in Mariculture; a Literature Review. 44 pp.
- Bruce, J. R., knight, M. and Parke, M. W. 1939. !
The rearing of oyster larvae on an algal diet. j . *Mar. Biol. Assn. U, K.* 24:337-374.
- Buri, P. 1978.
The potential of algal culture in aquacultural enterprises. *Arch. Hydrobiol Beih Egebn. Limnol.* 11:121--126. Burlew, J. D. (ed.). *Algal culture from Laboratory to Pilot Plant*. Carnegie Inst., Washington, . C., Publ. No. 600, 357 pp.
- Burlew, J.S. (Ed.). 1953.
Algal culture from laboratory to pilot plant. Carnegie Institution of Washington, Washington DC, 357 pp.
- Burton, K. 1956.
A study of the conditions and mechanism of the diphenylamine reaction for the colorimetric estimation of deoxyribonucleic acid. *Biochem. J.* 62: 315.

References

- Camacho, F., Molina, E., Martinz, E., Sanches, S. and Garcia, F. 1990.
Continuous culture of the marine microalga *Tetraselmis* sp.
Productivity analysis. *Aquaculture*. 90:75-84
- Canzonier, W. J. and Brunetti, R. 1975.
Low-cost continuous algal culture system 10th European Symp. on
Marine Biology. 1:27-31.
- Carlson, A.R., Blocker, J. and Herman, L.J. 1980.
Growth and survival of channel catfish and yellow perch exposed to
lowered constant and diurnally fluctuating dissolved oxygen
concentrations. *Prog. Fish-cult.*, 42: 73-78.
- Caperon, J. and Meyer, J. 1972.
Nitrogen-limited growth of marine phytoplankton-II: Uptake kinetics
and their role in nutrient limited growth of phytoplankton. *Deep-Sea
Res.* 19: 619-632.
- Carlabrese, A. 1969.
Effects of acids and alkalis on survival of blue gills and largemouth
Bass. U.S. Fish Wildl. Ser. Tech. Paper 42. 10 pp.
- Chamberlain, G.W. 1988.
Larval Feeds. American Soybean Association Technical Bulletin, Vol.
2, 4 pp.
- Chen, J., Tan, G. and Pan, Y. 1982.
The effect of temperature, light intensity and photoperiod on the
growth of *chaetoceros* sp. *Mar. Sci.* 1982 (2): 38-40.
- Chen, J., He, Y., Tan, G., Liu, X., Pan, Y., Gao, Y. and Li, S. 1985.
Two newly isolated marine *Chrysophyta* and its food values to
Mytilus edulis larva. *Trans. Oceanol. Limnol.* 1985 (2): 44-46.
- Chen, J. and Pan, Y. 1987.
Studies on the growth of *Isochrysis galbana* Parke and its nutrient
component. *Oceanol. Limnol. Sinica*. 18: 55-63.

Chen, M. Y., He, S.Y., Chen, C.X. and Dai, G.X. 1978.

Preliminary report on the culture and effect of *Dicrateria Zhanjiangensis* Hu sp. Nov. for the breeding. Shuichan yu Jiaoyu. 1978 (2): 37-51. (In Chinese).

Chu, S.P. 1942.

The influence of the mineral composition of the medium on the growth of planktonic algae. I. Ecol. 30, 284-325.

Chua, T.E. and Teng, S.K., 1978:

Effects of feeding frequency on the growth of young estuary grouper, *Epinephelus tauvina* (forsk.), cultured in floating net-cages. Aquaculture, 14: 31-47.

Claus, C., 1981.

Trends in nursery culturing of bivalve molluscs. In: C. Claus, N. De pauw, and E. Jaspers (Eds.). Nursery Culturing of Bivalve Molluscs. Proceedings of the international workshop on nursery culturing of bivalve molluscs. Spec. Publ. Eur. Maricul

Cole, A.G., 1983.

Text book of Limnology. Professor Emeritus, Department of Zoology- Arizona State University, Tempe, Arizona. 401 pp.

Combs, G.F. 1952.

Algae (*Chlorella*) as a source of nutrients for the chick. Science, 116, 453.

Conrad, K.M., Mast, M.G. and Macneil, J.H., 1988.

Performance, Yield and body composition of fingerling channel catfish fed a dried waste eggs product. Progressive Fish - Culturist, 50: 219-224.

Cook, B.B., E.W. Leu and B.W. Baily. 1963.

The protein quality of waste grown green algae 1. Quality of protein in mixtures of algae, J. of Nutr. 81, 23.

Dam, R., Lee, S.K., Fry, P.C. and Fox, H.M. 1965.

Utilization of algae as a protein source for humans. J. Nutr., 86:376.

- Davis, E.A., Dedrick, J., French, C.S., Milner, H.W., Smith, J.H.C. and Spehr, H.A. 1953.
Laboratory experiments on Chlorella culture at the Carnegie Institute of Washington. Department of Plant Biology. In: Burlew (Eds.). Algal culture from Laboratory to Pilot Plant. Carnegie Institute of Washington. Washington, D.C., pp. 105-153.
- Davis, E.M.; Rumsey, G.L. and Nickum, J.G. 1976.
Egg-processing wastes as a replacement protein source in Salmonid diets. Progressive fish-Culturist, 38(1): 20-22.
- Davis, H. C. and Guillard, R.R. 1958.
Relative value of ten genera of micro-organisms as food for oyster and clam larvae. fish. Bull. US, 58:293-304.
- Davis, H. C. 1971.
Design and development of an environsystem for culturing oyster larvae. In: K. S. Price and D.L. Maurer (Eds.). Artificial Propagation of Commercially Valuable Shellfish. University of Delaware, Newark, Delaware. pp. 135-1
- Dawah, A.M. 1994.
Studies on changes of natural fresh water phytoplankton communities following nutrient enrichment of fish ponds. Master Thesis, Zagazig University, Faculty of Science, Benha.
- Degani, G. and Viola, S. 1987.
The protein sprain effect of carbohydrates in the diet of eels (*Anguilla anguilla*). Aquaculture, 104:293-308.
- De Pauw, N., Verlet, H. and de Leenheer, L. Jr. 1980.
Heated and unheated outdoor cultures of marine algae with animal manure. In: G. Shelef and C.J. Soeder (Eds.). Algae Biomass. Elsevier/North-Holland Biomedical Press, New York. pp. 315-341.
- De Pauw, N., Verboven, J. and Claus, C. 1983.
Large-scale microalgae production for nursery rearing of marine bivalves. Aquacultural Engineering. 2:27-47.

Davis, E.A., Dedrick, J., French, C.S., Milner, H.W., Smith, J.H.C. and Spehr, H.A. 1953.

Laboratory experiments on *Chlorella* culture at the Carnegie Institute of Washington. Department of Plant Biology. In: Burlew (Eds.). Algal culture from Laboratory to Pilot Plant. Carnegie Institute of Washington. Washington, D.C., pp. 105-153.

Davis, E.M.; Rumsey, G.L. and Nickum, J.G. 1976.

Egg-processing wastes as a replacement protein source in Salmonid diets. *Progressive fish-Culturist*, 38(1): 20-22.

Davis, H. C. and Guillard, R.R. 1958.

Relative value of ten genera of micro-organisms as food for oyster and clam larvae. *fish. Bull. US*, 58:293-304.

Davis, H. C. 1971.

Design and development of an environsystem for culturing oyster larvae. In: K. S. Price and D.L. Maurer (Eds.). *Artificial Propagation of Commercially Valuable Shellfish*. University of Delaware, Newark, Delaware. pp. 135-1

Dawah, A.M. 1994.

Studies on changes of natural fresh water phytoplankton communities following nutrient enrichment of fish ponds. Master Thesis, Zagazig University, Faculty of Science, Benha.

Degani, G. and Viola, S. 1987.

The protein sprain effect of carbohydrates in the diet of eels (*Anguilla anguilla*). *Aquaculture*, 104:293-308.

De Pauw, N., Verlet, H. and de Leenheer, L. Jr. 1980.

Heated and unheated outdoor cultures of marine algae with animal manure. In: G. Shelef and C.J. Soeder (Eds.). *Algae Biomass*. Elsevier/North-Holland Biomedical Press, New York. pp. 315-341.

De Pauw, N., Verboven, J. and Claus, C. 1983.

Large-scale microalgae production for nursery rearing of marine bivalves. *Aquacultural Engineering*. 2:27-47.

- De Pauw, N., Morales, J. and Persoone, G. 1984.
Mass culture of microalgae in aquaculture systems: progress and constraints. *Hydrobiologia*. 116/ 117:121-134.
- De Pauw, N. and de Leenheer, L. 1985.
Outdoor mass production of marine microalgae for nursery culturing of bivalve molluses. *Arch. Hydrobiol. Beih. Ergebn. Limnol.* 20: 13-145.
- De Pauw, N. and Pruder, G. 1986.
Use and production of microalgae as food in aquaculture: practices, problems and research needs. In: M. Biol, H. Rosenthal and C.J. Sinderman Eds.). *Realism in Aquaculture: Achievements, Constraints, Perspectives*. European Aquaculture Society, Bredene. pp. 77-106.
- De Pauw, N. and Persoone, G. 1988.
Microalgae for aquaculture. In: M.A. Borowitzka and L.J. Boroitzka Eds.). *Micro-algal Biotechnology*. Cambridge University Press, New York. pp. 17-221.
- Dia, A.K. and Oteme J.Z. 1986.
Etude de la qualite de l'aliment et de la densite sur le taux de survie des alevins de *Chrysichthys nigrodigitatus*. In: *Aquaculture research in Africa Region. Proceedings of African Seminar on Aquaculture Organised by IFs.* (ed. by E.A. Huisman) pp. 169-174. Pudoc, Wageningen, The Netherlands.
- Diana, J.S., Lin C.K. and Schneeberger, P.J. 1991.
Relaships among nutrient inputs, water nutrient concentrations, primary production, and yield of *Oreochromis niloticus* in ponds. *Aquaculture*, 92: 323-341.
- Dische, Z. and Schwarz, K. 1937.
Mikrochim. Acta, 2: 13; C.F.
- Droop, M.R. 1975.
The chemostat in mariculture. 10th European Symposium on marine Biology. 1: 71-3.
- Dubois, M., Gilles, K.A., Hamilton, J.K., Repers, P.A. and Smith, F. 1956.
Colorimetric method for determination of sugars and related substances. *Analyt. Chem.*, 18:350-356.

References

- Dunstan, M. and Tenore, K.R. 1974.
Control of species composition in enriched mass cultures of natural phytoplankton populations. J. App. Ecol. 11: 529-536.
- Edmondson, W.T. 1969.
Eutrophication in North America, P. 124-149. In eutrophication: causes, consequences, correctness. Nat. Acad. Sci., Washington, D.C.
- Edozien, J.C., Young, U.U. and Serimshaw, N.S. 1970.
Effects of high levels of yeast feeding on uric acid metabolism of young man. Nature (London), 228: 180.
- Edwards, P. 1980.
The production of microalgae on human wastes and their harvest by herbivorous fish. In: G. Shelef and C.J. Soeder (Eds.). Algae Biomass. Elsevier/North-Holland Biomedical Press, New York. pp. 192-203.
- Ekanem, S.B. 1996.
Effects of feeding frequency, moist and dry feeds on the growth of *Chrysichthys nigrodigitatus* Lacepede and on pond water quality. Aquaculture research. 27, 107-112.
- El-Fouly, M.M., Shaheen, A.B., El-Ayouty, E.Y. and Saleh, A.M., 1974.
Seasonal variation of chemical component and amino acid content of *Chlorella* grown in mass cultures. Al-Azhar Agric. Res. Bull., No. 2, Al-Azhar Univ. Press, Cairo.
- El-Kerdaway, A.A. (1992).
Biochemical studies on aquaculture of fish fed on different diets. Ph.D. Thesis. Faculty of Agriculture, Ain Shams University. pp. 139.
- Ellis, M.M. 1937.
Detection and measurement of stream pollution. U.S. Bureau of fish., Bull. 22: 367-437.
- Enright, C.T., Newkirk, G.F., Craigie, J.S. and Castell, J.D. 1986.
Evaluation of phytoplankton as diets for juvenile *Ostrea edulis* L. J. Exp. Mar. Biol. Ecol. 96: 1-13.
- Epifanio, C.E., Srna, R., and Pruder, G., 1975.

- Epifanio, C.E., Srna, R., and Pruder, G., 1975.
Mariculture of shellfish in controlled environments: a prognosis.
Aquaculture. 5: 227-241.
- Eppley, R.W. 1981.
Relations between nutrient assimilation and growth in phytoplankton
with a brief review of estimates of growth in the ocean. Can. Bull.
Fish. Aquat. Sci. 210: 251-263.
- Eusebio, P.S. 1991.
Effect of dehulling on the nutritive value of some leguminous seed as
protein sources for tiger prawn, *Penaeus monodon*, Juveniles.
Aquaculture, 99: 297-308.
- Ezenwa B. (1982)
Production of catfish. *Chrysichthys nigrodigitatus*, in brackish water
ponds in Nigeria using groundnut cake as supplemental feed.
Aquaculture 27, 197-203.
- Fabregas, J., Toribio, L., Abalde, J., Cabezas, B., and Herrero, C., 1987.
Approach to biomass production of marine microalga *Tetraselmis
suecica* (Kylin) Batch using common garden fertilizer and soil extract
as cheap nutrient supply in batch cultures. Aquaculture Engineering. 6:
141-150.
- Fathy, A.A. 1989.
Evaluation of some inorganic nutrients limiting the phytoplankton
growth in River Nile using enrichment media M. Sc. Thesis Assiut
Univ. pp. 121.
- Fee, E.J. 1970.
A relation between lake morphometry and primary productivity and its
use in interbreeding whole. Lake eutrophication experiments. Limnol.
Oceanogr. 24: 401-416.

References

- Feoktistova, O.I 1965.
Fiziel Rat 12(5): 888-893 of Biol. Abs. 48 (21). (632. 1967).
- Flaak, A.R. and Epifanio, C.E., 1978.
Dietary protein levels and growth of the oyster *Crassostrea virginica*.
Mar. Biol. 45: 157-164.
- Fogg, G.E. 1975.
Algal cultures and phytoplankton ecology. University of Wisconsin Press, pp. 37-51.
- Folkman, Y. and Wachs, A.M., 1973.
Removal of algae from stabilization pond effluents by lime treatment.
Water Res., 7: 419-435.
- Fowden, L. 1951.
Amino acids of certain algae. Nature, 167: 1030-1031.
- Fowler, L.G. 1991.
Poultry by - product meal as a dietary protein source in fall Chinook salmon diets. Aquaculture, 99: 309-321.
- Fox, J.M. 1983.
Intensive algal culture techniques. In: J.P. McVey (Ed.). CRC Mariculture Handbook, Crustacean Aquaculture. CRC Press Inc., Boca Raton, Florida. pp. 15-42.
- Friedman, A.A., Peaks, D.A. and Nichols, R.L., 1977.
Algae separation from oxidation pond effluents. J. Water Pollut. Control Fed., 49: 111-119.
- Gerloff, J.C. and Skoog, F. 1957.
Cell content of nitrogen and phosphorus as a measure of their availability for growth of *Microcystis aeruginosa*. Ecology, 35: 348-353.
- Glancy, J.B. 1965.
Method of Raising Shellfish seed in a Simulated Habitat, U.S. Patent Office, Patent No. 3, 196, 833.

- Gold, K. 1973.
Methods for growing Tintinida in continuous culture. Amer. Zool. 13: 203-208.
- Glodman, J.C. 1979a.
Outdoor algal mass culture-I, applications. Water Res. 13: 1-199.
- Goldman, J.C. 1979b.
Outdoor algal mass culture-II, photosynthetic yield limitations. Water Res. 13: 119-136.
- Goldman, J.C. and Mann, R., 1980.
Temperature-influenced variations in speciation and chemical composition of marine phytoplankton in outdoor mass cultures. J. Exp. Mar. Biol. Ecol. 46: 29-39.
- Goldman, J.C. and Ryther, J.H., 1977.
Mass production of algae: bioengineering aspects. In: A. Mitsui, S. Miyachi, A. San Pietro and S. Tamura (Eds.). Biological Solar Energy Conversion. Academic Press, New York. pp. 367-378.
- Golueke, G.C. and Oswald, W.J., 1965.
Harvesting and processing sewage-grown planktonic algae. J. Water Pollut. Control Fed., 37:4710478.
- Gomes E.F.; Corraze G. and Kaushik 1993.
Effect of dietary incorporation of A co-extruded plant protein (rapcseed and peas) on growth, nutrient utilization and muscle fatty acid composition of rainbow trout (*Oncorhynchus mykiss*). Aquaculture, 113: 339-353.
- Gonzalez-Rodriguez, E. and Maestrini, S.Y., 1984.
The use of some agricultural fertilizers for the mass production of marine algae. Aquaculture. 36: 245-256.
- Gordon, M.S. and Chapman, D.J., 1977.
Aquacultural approaches to wastewater recyclin: Technical progress report, 1 March, 1977 to 31 March, 1977. Office of Water Research and Technology, U.S. Department of the Interior. University of California, Los Angeles, CA, 15 pp.

- Guan, F., Sun, J., Zhang, L. and Yu, G. 1980.
The cultivation and application of *Gymnodinium* sp. as feed for shells of inshore coast. Trans. Oceanol. Limnol. 1980 (2): 57-61.
- Guillard, R.R.L. 1973.
Methods for microflagellates and nannoplankton. In: J.R. Stein (Ed.). Handbook of Phycological Methods. Culture Methods and Growth Measurements. Cambridge University Press, London. pp. 69-85.
- Guillard, R.R.L. 1975.
Culture of phytoplankton for feeding marine invertebrates. In: W.L. Smith and H.H. Chanely (Eds.). Culture of marine invertebrate Animals. Plenum Press, New York. pp. 29-60.
- Guillard, R.R.L. and Keller, M.D. 1984.
Culturing Dinoflagellates. In: D.L. Spector (Ed.). Dinoflagellates. Academic Press, Inc., New York. pp. 391-442.
- Helm, M.M., Laing, I. and Jones, E. 1979.
The development of a 200 L algal culture vessel at Conwy. Fisheries Research Technical Report. 53: 1-7.
- Hemerick, G. 1973.
Mass culture. In: J.R. Stein (Ed.). Handbook of phycological methods. Culture Methods and Growth measurements. Cambridge University Press, London pp. 255-266.
- Henry, R., Hino, K., Tundisi, J.G. and Ribero, J.S. 1985.
Responses of phytoplankton in lake Jacaretiga to enrichment with nitrogen and phosphorus in concentration similar to those of the River Solimnoeos (Amazon Barazil). Arch. Hydrobiol, 103(4): 453-477.
- Hickling, C.F. 1962.
Fish cultures. Faber and Faber, Lindon, 295 pp.
- Hill, S.H., Abbott, M.R., and DenmanK, L. 1985.
A computer-controlled turbidostat for the culture of planktonic algae. Can. J. Fish Aquat. Sci. 42: 744-753.

References

- Hintz, H.F., Heitman, H., Weir, W.C., Torell, D.T. and Mayer, J.H. 1966.
Nutritive value of algae grown on sewage. J. Animal Sci., 25: 675.
- Hirata, H. 1974.
An attempt to apply an experimental microcosm for the mass culture of marine rotifer, *Brachionus plicatilis* Muller. Mem. Fac. Fish. Kagoshima University. 23: 163-172.
- Hirata, H. 1979.
Rotifer culture in Japan. Spec. Publ. Eur. Maricul. Soc. 4: 361-375.
- Hirata, H., Kohirata, E. and Yamasaki, S. 1986.
Synchrony of cell division in marine *Chlorella* sp., *Chaetoceros gracilis*, *Tetraselmis tetrathele*, and *Pavlova lutheri* with reference to their inoculation for mass culture. Mini-Rev. Data File Fish, Res. Lab. Kagoshima Univ. 1986. Vol. 4, pp. 1350142.
- Hirata, H., Yamasaki, S. and Ogawa, M. 1983.
Continuous culture of the rotifer *Brachionus plicatilis* fed recycled algal diets. Hydrobiologia. 104: 71-71.
- Hoff, H. and Snell, T.W. 1989.
Plankton Culture Manual. 2nd Editio. Florida Aqua Farms, Florida. 126 pp.
- Horstmann, U. 1985.
The use of microalgae in aquaculture. Arch. Hydrobiol. Beih. Ergebn. Limnol. 20: 153-156.
- Hoshow, R.W. and Rosowski, J.R. 1973.
Methods for microscopic algae. In: J.R. Stein (Ed.). Handbook of phycological methods. Culture Methods and Growth measurements. Cambridge University Press, London pp. 53-68.
- Hu, Q. 1990.
On the culture of *Penaeus penicillatus* and *P. chinensis* in Southern China. In: K. Main and . Fulks (Eds.). The culture of cold-torerant shrimp: Proceedings of an Asian - U.S. Workshop on shrimp culture. The Oceanic Institute, Honolulu, Hawaii. pp. 77-91.

References

- Hintz, H.F., Heitman, H., Weir, W.C., Torell, D.T. and Mayer, J.H. 1966.
Nutritive value of algae grown on sewage. J. Animal Sci., 25: 675.
- Hirata, H. 1974.
An attempt to apply an experimental microcosm for the mass culture of marine rotifer, *Brachionus plicatilis* Muller. Mem. Fac. Fish. Kagoshima University. 23: 163-172.
- Hirata, H. 1979.
Rotifer culture in Japan. Spec. Publ. Eur. Maricul. Soc. 4: 361-375.
- Hirata, H., Kohirata, E. and Yamasaki, S. 1986.
Synchrony of cell division in marine *Chlorella* sp., *Chaetoceros gracilis*, *Tetraselmis tetrathele*, and *Pavlova lutheri* with reference to their inoculation for mass culture. Mini-Rev. Data File Fish, Res. Lab. Kagoshima Univ. 1986. Vol. 4, pp. 1350142.
- Hirata, H., Yamasaki, S. and Ogawa, M. 1983.
Continuous culture of the rotifer *Brachionus plicatilis* fed recycled algal diets. Hydrobiologia. 104: 71-71.
- Hoff, H. and Snell, T.W. 1989.
Plankton Culture Manual. 2nd Editio. Florida Aqua Farms, Florida. 126 pp.
- Horstmann, U. 1985.
The use of microalgae in aquaculture. Arch. Hydrobiol. Beih. Ergebn. Limnol. 20: 153-156.
- Hoshow, R.W. and Rosowski, J.R. 1973.
Methods for microscopic algae. In: J.R. Stein (Ed.). Handbook of phycological methods. Culture Methods and Growth measurements. Cambridge University Press, London pp. 53-68.
- Hu, Q. 1990.
On the culture of *Penaeus penicillatus* and *P. chinensis* in Southern China. In: K. Main and . Fulks (Eds.). The culture of cold-tolerant shrimp: Proceedings of an Asian - U.S. Workshop on shrimp culture. The Oceanic Institute, Honolulu, Hawaii. pp. 77-91.

- Hundly, J.M. 1956.
Algae as a source of lysine and threonine in supplementing wheat and bread diet. Science, 124: 536.
- Hutchinson, G.E. 1957.
A treatise on Limnology: Vol. I. Geography, Physics, and Chemistry. John Wiley and Sons, New York. 1015 pp.
- Hutchinson, G.E. 1967.
A treatise on Limnology: Vol. II. John Wiley and Sons, Inc., New York.
- Inglis, A.S., Nicholls, P.W. and Roxburgh, C.M. 1971.
Hydrolysis of the peptide bond and amino acid modification with hydroidic acid. Aust. J. Biol. Sci; 24, 1235-1240.
- James, C.M., Al-Khars, A.M. and Chorbani, P. 1988.
pH dependent growth of *Chlorella* in a continuous culture system. J. World Aquaculture Society. 19 (2): 27-35.
- Jones, W.E. 1970.
Chlorella for rearing of marine fish larvae. FAO Fish Culture Bulletin. 2(4): 3.
- Justice, C., Murray, S., Dion, P.S. and Scherfig, J. 1972.
Evaluation of materials for use in algal culture systems. Hydrobiologia. 40 (2): 215-221.
- Kaplan, D., Cohen, Z. and Abeliovich, A. 1986.
Optimal growth conditions for *Isochrysis galbana*. Biomass. 9: 37-48.
- Kayano, y., Jeong, D.S., oda, T. and Nakagawa, H., 1990:
Optimum feeding frequency on young red-spotted grouper, *Epinephelus akaara*. Suisanzoshoku, 38: 319-326 (in Japanese, with English summary).
- Kayano, y., Yao, S., Yamamoto, S. and Nakagawa, H., 1993:
Effect of feeding frequency on the growth and body constituents of young red-spotted grouper, *Epinephelus akaara*. Aquaculture, 110: 271-278.

- Kiessling, A. and Askbrandt, S. 1993.
Nutritive value of two bacterial strains of single cell protein for rainbow trout (*Oncorhynchus mykiss*). Aquaculture, 109:119-130.
- Kinne, O. 1977.
Cultivation of animals. In: O. Kinne (Ed.). Marine ecology. III (Part 2). John Wiley and Sons, New York. pp. 579-584.
- Knud-Hansen, C.F. and Batterson, T.R. 1994.
Effect of fertilization frequency on the production of Nile tilapia (*Oreochromis niloticus*). Aquaculture 123: 271-280.
- Krauss, R.W. 1953.
Inorganic nutrition of algae. In: Algal culture from laboratory to pilot plant. Ed. J.S. Burlew Carnegie Inst Pub. 600, pp. 85-102, 1953.
- Laing, I. and Jones, E. 1983.
Large-scale turbidostat culture of marine microalgae. Aquacultural Engineering. 2: 203-212.
- Laing, I. and Milican, P.F. 1986.
Relative growth and growth efficiency of *Ostrea edulis* L. spat fed various algal diets. Aquaculture. 54: 245-262.
- Laing, I. and Utting, S.D. 1980.
The influence of salinity on the production of two commercially important unicellular marine algae. Aquaculture. 21: 79-86.
- Landesman, L.K., Shim, F. and Lam, I.J. 1985.
The effect of dietary protein on ovarian development in the guppy. pp. 417-434. In: Day, R. and T.L. Richards (Eds.). proceeding of the 2nd International Conference on warm water. Hawia, 23-25.
- Le Borgne, Y. 1990.
Culture of microalgae. In: G. Barnabe (Ed.). Aquaculture. Volume 1. Ellis Horwood, New York. pp. 197-206.
- Lee, S.K., Fox, H.M., Kies, C. and Dam, R. 1967.
The supplementary value of algae protein in human diets. J. Nutr. 92, 281.

- Lee, G.F. 1970.
Eutrophication. Univ. Wis. Water resources center, occasional paper no. 2.29 pp.
- Liao, I.C., Su, H.M. and Lin, H.J. 1983.
Larval foods for penaeid prawns. In: J.P. McVey (Ed.). CRC Handbook of Mariculture. Crustacean Aquaculture. CRC Press Inc., Boca Raton, Florida. pp. 43-69.
- Licop, M.S.R. 1988.
Hatchery operations and management. In: Biology and culture of *Penaeus Monodon*. Brackish water Aquaculture Information System. State of the Art Series No. 2. Southeast Asian Fisheries Development Center, Tigbauan, Iloilo, Philippines, pp. 59-88.
- Lin, S. and Chen. S. 1987.
Studies on the simple and rapid techniques for the production of unicellular algae. Zhejiang Hainhui Yangzhi. 1987(1-2): 7-16. (In Chinese).
- Lindstroem, K. 1983.
Changes in growth and size of *Keratella cochlearis* (Gosse) in relation to some environmental factors in cultures. Biology-of-Rotifers.-Proceedings of the Third International Rotifer Sympoium held at Uppsala, Sweden, August 30 September 4, 1982. Pejler, B.; Starkweather, R.; Nogrady, T. eds. 1983. Vol. 104 pp. 325-328.
- Lloyd, R. and Herbert, D.W.M. 1960.
The influence of carbon dioxide on the toxicity of un-ionized ammonia to Rainbow trout. Ann. Appl. Biol., 48: 399-404.
- Loosanoff, V.L. 1951.
Culturing phytoplankton on a large scale. Ecology 32(4): 748-750.
- Loosanoff, V.L. and Davis, H.C. 1963.
Rearing of bivalve mollusks. In: R.S. Russell (Ed.). Advances in Marine Biology. Academic Press, New York. pp. 1-36.

- Lorenzen, H. 1980.
Time measurements in unicellular algae and its influence on productivity. In: G. Shelef and C.J. Soeder (Eds.). *Algae Biomass*. Elsevier/North-Holland Biomedical Press, New York. pp. 411-419.
- Lovell, T.R., Prather, E.E. Dick, J.I. and Chhorm, L. 1973.
Effect of addition of fish meal to all-plant feeds on the dietary protein needs of channel catfish in ponds. Department of fisheries and Allied Aquaculture, Auburn, Univ., Agriculture, Experiment Station, Auburn, Alabama.
- Ma, Z. 1986.
Studies on the cultivation and application of a marine diatom *Chaetoceros muelleri* Lemmermann. *Mar. Fisher. Res.* 1986 (7): 65-78.
- Mahdy, A.A. 1989.
Utilization of unconventional rations for feeding of gill thread sea bream. M.Sc. Thesis. Faculty of Agriculture, Zagazig, University. pp. 119.
- Maruyama, I., Ando, Y., Maeda, T. and Hirayama, K. 1989.
Uptake of vitamin B₁₂ by various strains of unicellular algae *Chlorella*. *Nippon Suisan Gakkaishi*. 55: 1785-1790.
- McCarthy, J.J. 1981.
The Kinetics of nutrient utilization. *Can. Bull. Fish. Aquat. Sci.* 210: 211-230.
- Mckee, J.E. and Wolf, H.W. (eds.). 1963.
Water quality criteria, 2nd ed. state of Calif.
- Meade, J.W. 1985.
Allowable ammonia for fish culture. *Prog. Fish-Cult.*, 47: B5-145.

- Merkens, J.C. and Downing. 1957.
The effect of tensof dissolved oxygen the toxicity of un-ionized ammonia to several species of fish. *Ann. Appl. Biol.*, 45: 521-527.
- Miao, G., Gong, Q., Wang, J., Cii, T. and Zao, H. 1989.
A study on the closed-culture technique. *J. Ocean Univ. Qingdao*. 19: 119-124.
- Miller, W.E. and Maloney, J.E. 1971.
Effects of secondary and Tertiary wastewater effluents on algal growth in a lake-river system. *J. Water Pollut. Cont. Fed.*, 438:2361.
- Millamena, O.M., Auero, E.J and Subosa, P.F. 1990.
The macronutrient composition of natural food organisms mass cultured as larval feed for fish and prawns. *Isr. J. Aquacult. Bamidgeh*. Vol. 42, no. 3, pp. 77-83.
- Molina, E., Martinez, E. Sanchez, S. Garcia, F. and Contreras, A. 1990.
The influence of flow rate and the composition of supplied CO₂. Air mixture on discontinuous growth of *Tetraselmis* sp. *Appl. Microbiol. Biotechnol.* 34: 103-107.
- Moncrief, J.W. and Jones, W.H. 1977.
Elements of physical chemistry. Addison-Wesley Publ. Co., Inc., Reading, Mass.
- Mondino, A. 1969.
A new system of automatic amino acid analysis. *J. Chromatoger.* 39, 262-272.
- Morimura, Y. 1959.
Synchronous culture of *Chlorella*. I. Kinetic analysis of the life cycle of *Chlorella ellipsoidea* as affected by changes of temperature and light intensity. *Plant and Cell Physiology*, 1, 49-62.
- Morris, I. and Syrett, P.J. 1965.
The effect of nitrogen starvation on the activity of nitrate reductase and other enzymes in *Chlorella*, *J. Gen. Microbial.* 38, 21-28.

- Morse, M.L. and Carter, C.F. 1949.
The synthesis of nucleic acid in cultures of *Escherchia coli* Strains B and B/R. J. Bacteriol., 58: 317.
- Mortimer, C.H. 1954.
Fertilizers in fish ponds. Her Majesty's Stationary Office, Fish Publ. No. 5, London, 155 pp.
- Murai T. and Andrews J. W. 1976.
Effects of frequency of feeding on growth and food conversion of channel catfish. Bulletin of the Japanese Society of Scientific Fisheries 42, 159-161.
- Myers, J. 1947.
Culture conditions and the development of the photosynthetic mechanism. V. Influence of the composition of the nutrient medium. Plant Physiol. 22: 590-597.
- Myklested, S. and Hang, A. 1972:
Production of carbohydrates by the marine diatom *Chaetoceros affinis* Var. Willei (Gram) Hustedt. 1. Effect of the concentration of nutrients in the culture medium. J. Exp. Mar. Biol. Ecol. 9 : 125-136.
- Nicholas, D.J.D. 1959.
Metalloenzymes in nitrate assimilation of plants with special reference to micro-organisms. Symp. Soc. Exptl. Biol. 13, 1-23.
- Nikolsky, C.W. 1963.
The Ecology of Fishes. Academic Press. New York, NY, 352 pp.
- Noeske, T.A., Spieler, R.E., Parker, N.C. and Suttle, M.A., 1985:
Feeding time differentially affects fattening and growth of channel catfish. J. Nutr., 115: 1228-1232.
- Oglesby, R.T. 1977.
Phytoplankton summer standing crop. and annual productivity and functions of phosphorus loading, and various physical factors. J. Fish. Res. Board Can. 34: 2255-2270.
- Omar, E.A. and Gunther, K.D., 1987:
Studies on feeding of mirror carp (*Cyprinus carpio* L.) in intensive culture. J. Anim. Physiol. Anim. Nutr., 57: 172-180.

- Pechmanee, T. and Assavaaree, M. 1991.
Use of hypochlorite to control protozoa in *Chlorella* culture. Larvi-91. Laven, P.; Sorgeloos, P.; Jaspers, E.; Ollevier, F. 1991 no. 15 pp. 95-97.
- Pedro, P.G., Alfonso, E.A., Gaxiola, G., Soto, L.A. and Rosas, C. 1995.
Feeding schedule for *Penaeus setiferus* larvae based on diatoms (*Chaetoceros ceratosporum*), flagellates (*Tetraselmis chuii*) and *Artemia nauplii*. Aquaculture. 131. 239-252.
- Persoone, G. and Claus, C. 1980.
Mass culture of algae: a bottleneck in the nursery culturing of molluscs. In: G. Shelef and C.J. Soeder (Eds.). Algae biomass. Elsevier/North-Holland Biomedical Press, New York. pp. 265-285.
- Persoone, G., Morales, J., Verlet, H. and De Pauw, N. 1980.
Air-lift pumps and the effects of mixing on algal growth. In: G. Shelef and C.J. Soeder (Eds.). Algae biomass. Elsevier/North-Holland Biomedical Press, New York. pp. 504-522.
- Pirson, A., Lorenzen, H. and Koepper, A. 1959.
A sensitive stage in synchronized cultures of *Chlorella*. Plant Physiology, 34, 353-5.
- Powell M.R. 1972.
Cage and raceway culture of striped bass in brackish water in Alabama. Proceeding of the Annual Conference of the South Eastern Association of Game and Fish Commissioners 25, 553-565.
- Pringsheim, E.G. 1946.
Pure Cultures of Algae. Cambridge University Press, London. 119 pp.
- Pruder, G.D. 1975.
Engineering aspects of bivalve molluscan mariculture: culture system configuration. paper presented at the Sixth Annual Meeting of the World Mariculture Society. pp. 1-13.
- Pruder, G.D. and Bolton, E.T. 1978.
System configuration and performance: bivalve molluscan mariculture. In: J.W. Avault (Ed.). Proceedings of the 9th Annual Meeting of the Mariculture Society. Louisiana State University, Louisiana. pp. 747-759.

References

- Quinitio, E.T., Dela Paana, D.T. and Pascual, F. 1983.
The use of substitute feeds in larval rearing of *Penaeus monodon*. In: G.L. Rogers, R. Day and A. Lim (Editors), Proceedings of the First International Conference on Warm Water Aquaculture-Crustacea. 9-11 February 1983, at Brigham Young University, Hawaii Campus, pp. 337-342.
- Rappaport, U., Sarig, S. and Marek, M. 1976.
Results of tests of various aeration systems on the oxygen regime in the Genosar experimental ponds and growth of fish there in 1975. *Bamidgeh*, 28: 35-49.
- Reynolds, C.S. 1984.
Artificial induction of surface blooms of *Cyanobacteria*. *Verth. Internat. Limnol.*, 22: 638-643.
- Richmond, A., Vonshak, A. and Arad, S. 1980.
Environmental limitations in outdoor production of algal biomass. In: G. Shelef and C.J. Soeder (Eds.). *Algae Biomass*. Elsevier/North-Holland Biomedical Press, New York. pp. 65-72.
- Riva, A. and Lelong, P. 1981.
Growth of juvenile bivalve molluscs, associated with continuous cultures of natural marine phytoplankton. In: C. Claus, N. De'Pauw and E. Jaspers (Eds.). *Nursery Culturing of Bivalve Molluscs*. Proceedings of the international workshop on nursery culturing of bivalve molluscs. Spec. Publ. Eur. Maricult. Soc., Ghent, Belgium. pp. 253-268.
- Roels, O.A., Laurence, S., Farmer, M.W. and Van Hemelryck, L. 1977.
Organic production potential of artificial upwelling marine culture. In: S. Schlegel and J. Barnea (Eds.). *Microbial Energy Conversion*. Pergamon, New York. pp. 69-81.
- Rowland, S.J. 1986.
Site sel, design and operation of Aquafarms, P. 11-22. In: P. Owen and J. Bowden (eds.), *Freshwater Aquaculture in Australia*. Rural Press Queensland, Brisbane, Queensland, Australia.

- Rusch, K.A. 1989.
Development of an algal chemostat to support feeding in a recirculating *Rangia* clam (*Rangia cuneata*) purging system. Masters thesis, Louisiana State University, Baton Rouge, LA 70803.
- Ryther, J.H. 1959.
Potential productivity of the sea. Science, 130: 602.
- Ryther, J. H. and Goldman, J.C. 1975.
Microbes as food in mariculture. Ann. Rev. of Microbiol. 29: 429-443.
- Ryther, J. H. and Goldman, J.C., Gifford, C.E., Huguenin, J.E., Wing, A.S., Clamer, J.P., William, L.D. and Lapointe, B.E. 1975.
Physical model of integrated waste recycling marine polyculture system. Aquaculture, 5:163-177.
- Samonte, G.P.B., Espegadera, C.C. and Caturao, R.D., 1993:
Economics of microalgae (*Chaetoceros calcitrans*) production using the multi-step method in the Philippines. Aquaculture, 112: 39-45.
- Sandbank, E. and Hephher, B. 1980.
Microalgae grown in wastewater as an ingredient in the diet of warmwater fish. In: G. Shelef and C.J. Soeder (Eds.). Algae biomass. production and use. Elsevier, New York, NY, pp. 697-706.
- SAS' Institute Inc. (1989) SAS User's Guide:
Statistics, Version 5 Edition, Cary, NC.
- Sato, V. 1991.
The development of a phytoplankton production system as a support Base for finfish larval rearing research. In: W. Fulks and K.L. Main (Eds.). Rotifer and Microalgae culture systems. Proceeding of a U.S. - Asia workshop. Honolulu, Hawaii, 1991. pp. 257-273.
- Schmidt, G. and Thannauser, S.T. 1945.
Method for determination of deoxyribonucleic acid, ribonucleic acid, and phosphoproteins in animal tissue. I. Bid, Chem., 161, 81.

References

- Schulz, E. and Oslage, H.J. 1976.
"Analytische und tier-experimentelle Untersuchungen zur ernahrungs physiologischen Bewertung von Einzellerproteinen". In P. Wagner (ed.) "1. Symposium Mikrobielle Protein-gewinnung". Verlag Chemie, Weinheim, 151.
- Schwedler, T.E., Tucker, C.S. and Bealeau, M.H. 1985.
Non-Infectious diseases, P. 497-541. In: C.S. Tucker(ed.), channel catfish culture. Developments in Aquaculture and fisheries Science, Vol. 15, Elsevier, New York.
- Segner, H., Burkhardt, P., Avila, E., Storch, V. and Juario, J.V. 1987.
Effects of *Chlorella*-feeding on larval milkfish, *Chanos chanos*, as evidenced by histological monitoring. Aquaculture, 67:113-116.
- Semeneko, N.E., Vladimiina, M.G. and Odeas Kava, O.B. 1967.
Seasonal variation of growth and crude protein content in *Chlorella vulgaris*. Eizid Rost. 114: 612-625 of biol. no. 50.940 (1969).
- Sengupta, S. and Jana. B.B. 1987.
Effect of Aeration on the primary productivity of phytoplankton in Experimental tanks. Aquaculture, 62: 131-142.
- Shapiro, J. 1984.
Blue-green dominance in lakes: The role and management significance of pH and CO₂. Int.-Rev.-Gesamt.-Hydrobiol. 1984. Vol. 69, no. 6, pp. 765-780.
- Shiau, S.Y. and Huang, S.L. 1989.
Optimal dietary protein level for hybrid (*Oreochromis niloticus*; *Oreochromis aureas*) reared in sea water. Aquaculture., 81: 119-127.
- Shields, L.M. and Durrell, L.W. 1964.
Algaein relation to soil fertility. Botan. Rev. 30, 92-128.
- Siddiqui, A.Q., Howlader, M.S. and Adam, A.A. 1988.
Effect of dietary protein levels on growth, feed conversion and protein utilization in fry and young Nile tilapia (*Oreochromis niloticus*). Aquaculture., 70: 63-73.
- Soeder, C.J. and Strengel, E. 1974.
Algal Physiology and Biochemistry, Blaokwell Scient. Pupl., 714-740.

References

- Soeder, C.J. 1976.
The technical production of microalgae and its prospects in marine aquaculture. In: O. Devik (Editor), *Harvesting Pollution Water*. Plenum Press, New York, NY, pp. 11-26.
- Sommer, T.R., Potts, W.T. and Morrissy, N.M. 1990.
Recent progress in the use of processed microalgae in aquaculture. *Hydrobiologia*. 204/205: 435-443.
- Soong, P. 1980.
Production and development of *Chlorella* and *Spirulina* in Taiwan. In: G. Shelef and C.L. Soeder (Eds.) *Algae Biomass*. Elsevier/ North Holland Press, Amsterdam. pp. 97-113.
- Sorgeloos, P., Van Outryve, E., Persoone, E.G. and Cattoir-Reynaerts, A. 1976.
New type of turbidostat with intermittent determination of cell density outside the culture vessel. *Applied and Environmental Microbiology*. 31(3): 327-331.
- Sorokin, C. and Krauss, R.W. 1962.
Seasonal variation on growth and cell division of green algae. *Pl. Physical.*, Lancaster, 37: 37-42.
- Srna, R.F. 1976.
Physical-chemical methods for control of algal species and composition in algal culturing facilities. In: J.W. Avault Jr. (Ed.). *Mariculture Society*. Louisiana State University, Baton Rouge, pp. 237-245.
- Stanley, J.G. and Jones, J.B. 1976.
Feeding algae to fish. *Aquaculture*. 7: 219-223.
- Stein, J.R. 1966.
Handbook of phycological methods. Cambridge University Press, N.Y. 448 pp.

References

- Stein, J.R. (Ed.). 1973.
Handbook of Phycological Methods. Cambridge University Press,
N.Y. 4488 pp.
- Suzuki, K., Muroga, K., Nogami, K. and Maruyama, K. 1990.
Bacterial flora of cultured swimming crab (*Portunus trituberculatus*)
larvae. Fish Pathol. 25: 29-36.
- Swingle, H.S. 1961.
Relationships of pH of pond waters to their suitability for fish culture.
Proc. Pacific Sci. Congress 9 (1957), Vol. 10, fisheries, 72-75.
- Swingle, H.S. 1969.
Methods of analysis for water, organic matter, and bottom soils used in
fisheries research. Auburn Univ., Auburn, Ala. 119 pp.
- Syrett, P.J. 1962.
Nitrogen assimilation. In: R.A. Lewin. Physiology and biochemistry of
algal. Academic Press, New York.
- Taha, E.M., and Allem, A.M. 1959.
Physiological and biological studies on Egyptian fresh water algae. V.
Growth and cell proteins of *Chlorella ellipsoidea* as influenced by
culture conditions. Arch. Microbiol. 34, 393-400.
- Tamiya, H. 1957;
Mass-culture of algae. Ann. Rev. Plant Physiol., 8:30.
- Tang, Y.A. 1970.
Evaluation of balance between fishes and available fish foods in
multispecies fish culture ponds in Tawan. Trans. Am. Fish. Soc., 99:
708-718.
- Taub, F.B. 1970.
Algal culture as a source of feed. Proceedings of the World
Mariculture Society. 1: 101-117.
- Taub, F.B. 1975.
Continuous algae culture. American Society of Agricultural Engineers
(paper presentation). pp. 1-4.

- Taub, F.B. 1980.
Use of continuous culture techniques to control nutritional quality. In: G. Shelef and C.J. Soeder (Eds.). *Algae Biomass*. Elsevier/North-Holland Biomedical Press, New York. pp. 707-721.
- Terry, K.L. and Reymond, L.P. 1985.
System design for the autotrophic production of microalgae. *Enzyme Microb. Technol.* 7: 474-487.
- Treece, G.D. and Yates, M.E. 1988.
Laboratory Manual for the Culture of Penaeid Shrimp Larvae. Sea Grant College Program, Texas A & M University, College Station, Texas. 95 pp.
- Trotta, P. 1981.
A simple and inexpensive system for continuous monoxenic mass culture of marine microalgae. *Aquaculture*. 22(4): 383-387.
- Tseng, C.K., Chen, J. and Zhang, Z. 1990.
On a new species of *Pavlova* (Prymnesiophyceae) from China. *Chinese journal Oceanol. Limnol.* (In Press, In English).
- Tucker, L.S., Boyd, C.E. and McCoy, E.W. 1979.
Effects of feeding rate on water quality. Production of channel catfish, and economic returns. *Trans. Amer. Fish. Soc.*, 108: 389-396.
- Tucker, C.S. and Boyd, C.E. 1985.
Water quality, p. 135-227. In: C.S. Tucker (ed.), Elsevier Sci. Publ. Co., Amsterdam, The Netherlands.
- Ukeles, R. 1971.
Nutritional requirements in shellfish culture. In: K.S. Price and D.L. Maurer (Eds.). University of Delaware, Newark, Delaware. pp. 43-64.
- Ukeles, R. 1976.
Cultivation of plants, unicellular plants. In: O. Kinne, (ed.). *Marine Ecology*. III (Part 1). John Wiley and Sons, New York. pp. 367-466.

- Ukeles, R. 1980.
American experience in the mass culture of microalgae for feeding larvae of the American oyster, *Crassostrea virginica*. In: G. Shelef and C.J. Soeder (Eds.). *Algae Biomass*. Elsevier/North-Holland Biomedical Press, New York. pp. 287-306.
- Valero, S.G., Tresguerras, T.F. and Abuin, A.S. 1981.
Large-scale outdoor algal production for rearing seed oysters and clams to juvenile stage. In: C. Claus, N. De Pauw and E. Jaspers (Eds.). *Nursery Culturing of Bivalve Molluscs*. Proceedings of the international workshop on nursery culturing of bivalve molluscs. Spec. Publ. Eur. Maricult. Soc., Ghent, Belgium. pp. 117-139.
- Vollenweider, R.A. 1969:
A Manual on methods for measuring primary production in Aquatic Environments. IBM Handb. No. 12, Blackwell Sci. Publ., Axford. 213pp.
- Venkataraman, L.V., Nigam, B.P. and Ramanathan, P.K. 1980.
Rural oriented fresh water cultivation and production of algae in India. In: G. Shelef and C.J. Soeder (Eds.). *Algae Biomass*. Elsevier/North-Holland Biomedical Press, New York. pp. 81-95.
- Viola, S. 1975.
Experiments on nutrition of carp growing in cages. Part 2: Partial substitution of fish meal. *Bamidgeh*, 27(2): 40-48.
- Viola, S., Arieli, J. and Rappaport, U., (1981).
Experiments in the nutrition of carp. Replacement of fish meal by soybean meal. *Bamidgeh*, 33 (2): 35-49.
- Viola, S. and Arieli, Y. 1983.
Nutritional studies with tilapia (*Sarotherodon*) 1. Replacement of fish meal by soybean meal in feed for intensive tilapia culture. *Bamidgeh*, 35(1): 9-17.
- Viola, S. and Zohar, G. 1984.
Nutritional studies with market size hybrids of tilapia (*Oreochromis*) in intensive culture. 3. protein levels and sources. *Bamidgeh*, 36(1): 3-15.

References

- Volkman, J.K., Jeffrey, S.W., Nichols, P.D., Rogers, G.I. and Garland, C.D. 1989.
Fatty acid and lipid composition of 10 species of microalgae used in mariculture. J. Exp. Mar. Biol. Ecol. 128: 219-240.
- Walsh, D.T., Withstandley, C.A., Krass, R.A. and Petrovits, E.J 1987.
Mass culture of selected marine microalgae for the nursery production of bivalve seed. J. Shell. Res. 6(2): 71-77.
- Wang, P.K. and Chan, K.Y. 1980.
Algal single cell protein production from sewage effluent with high salinity. Eperientia, 36: 1065-1066.
- Wang, P.K. and Chan, K.Y. 1990.
Growth and value of *Chlorella salina* grown on highly saline sewage effluent. Agric. Ecosystems Environ., 30: 235-250.
- Wangerssky, P.J., Parrish, C.C. and Wangersky, C.P. 1989.
An automated mass culture system for phytoplankton. J. Shell Res. 8(1): 249-252.
- Wee, K.L. and Tuan, A. 1988.
Effects of dietary protein level on growth and reproduction in Nile tilapia (*Oreochromis niloticus*). The second International Camposium on tilapia in aquaculture ICLARM, Conference, pp. 401-410. Philippines.
- Wee, K.L. and Shu, S.W. 1989.
The nutritive value of boiled feel-Fat soybean in pelted feed for Nile tilapia. Aquaculture, 81:303-314.
- Welch, E.P., Hendry, G.R. and Stoll, R.K. 1975.
Nutrient supply and the production and biomass of algae in four Washington . lakes. Cikos, 26: 47-54.
- Wilcox, G. and DeCosta J. 1982.
The effect of phosphorus and nitrogen addition on the algal biomass and species composition of on acidic lake. Arch. Hydrobiol. 94(4): 393-424.

- Witt, U., Koske, P.H., Kuhlmann, D., Lenz, J. and Nellen, W. 1981.
Production of *Nannochloris* spec. (Chlorophyceae) in large-scale outdoor tanks and its use as a food organism in marine aquaculture. *Aquaculture*. 23: 171-181.
- Yang, W.T. 1975.
A manual for large-tank culture of penaeid shrimp to the postlarval stages. University of Miami Sea Grant, Coral Gables, Florida. 94pp.
- Young, V.R. and Scrimshaw, N.S. 1975.
"Clinical studies on the nutritional value of single-cell proteins". In: Tannanbaum, S.R. and I.C. Wang (ed.) "Single Cell Protein II". MIT Press, Cambridge Mass.) and London, 564.
- Zaret, T.M., Devol, A.H. and Santos, A.D. 1981.
Nutrient addition experiment in Lago Jacaretinga, Central Amazon Basin, Barazil. *Verb, Internat. Verein, Limnol.*, 21: 721-724.
- Zarnecki, S. 1968.
Algae and fish relationship. In: D. F. Jackson Editor). *Algae, Man and Environment*. Syracuse University Press, New York, NY, pp. 45-478.
- Zeitler, M.H., Kirchessner, M. and Schwarz, F.J. 1984.
Effect of different protein and energy supplies on carcass composition of carp (*Cyprinus carpio*). *Aquaculture*, 36: 37-48.
- Zhang, F. and Li, S. 1983.
The discovery of *Pyramimonas* sp. in China seas and its application in feeding bivalve larvae. *Mar. Sci.*, 1983 (2): 49-50.