

REFERENCES

REFERENCES

- Abbott, L. K. and Robson, A.D. (1977) . The distribution and abundance of vesicular endophytes in some western Australian soil. Aust. J. Bot., 25, 515-522.
- Abbott, L. K. and Robson, A. D. (1979). A qualitative study of the spores and anatomy of mycorrhizas formed by a species of *Glomus* with reference to its taxonomy. Aust. J. Bot., 27, 363-375.
- Abbott, L. K. and Robson, A.D. and De Boer, G. (1984). The effect of phosphorus on the formation of hyphae in soil by the Vesicular arbuscular mycorrhizal fungus, *Glomus fasciculatum*. New Phytol., 97, 437-446.
- Abd El-Hady, M.A.; Heggo, A.M., Fawzya, M. Fadel and Ghorab, A.I. (1989). Intensity of *Gl. mosseae* infection and response of rough lemon seedlings to *Tylenchulus semienetmf* and *Rhizoctonia solani*, Egypt. J. Appli. Sci., 413:310-321.
- Allen, E.B. and Cunningham, G. L. (1983). Effect of vesicular-arbuscular mycorrhizae on *Distichlis spicata* under three salinity regimes. New phytol., 93, 227-237.
- Allen, I.N. (1959). Experiments In Soil Bacteriology. Burgess Publishing Co., Minneapolis, Minnesota, U.S.A.
- Allen, M. F. (1983). Formation of vesicular – arbuscular mycorrhizae in *Atriplex gardeneri* (chenopodiaceae) : Seasonal response in a cold desert. Mycologia, 75, 773-776.
- Allen, M.F.; Moore, T.S. and Christensen. M. (1980). Phytohormone changes in *Bouteloua gracilis* infected by vesicular-arbuscular mycorrhizae. Can. J. Bot., 58, 371.
- Ames, R. N.; Reid, C.P.; Porter, L.K. and Cambardella, C (1983). Hyphal uptake and transport of nitrogen from two ¹⁵N-labeled sources by *glomus mosseae*, vesicular-arbuscular mycorrhizal fungus. New Phytol., 95, 381-396.

- Amijee, F., Tinker, P.B. and Stribley, D.P. (1989). The development of endomycorrhizal root systems; a detailed study of effects of soil phosphorus on colonization, *New phytol*, 111, 435-446.
- Antibus, K.U., Croxdale, J.G., Miller, O.K, and Linkins, A.E.(1981). Ectomycorrhizal fungi of *salix rotundifolia*. III. Resynthesized mycorrhizal of complexes and their surface phasphatase activities. *Can. J.Bot.*, 59, 2458- 2465
- Antibus, R.K. and Linderman, R.C. (1985). Effects of soil parent material on mycorrhizal infection of alpine plants. In proceedings of the 6th North American conference on mycorrhizae. Eds. R. Molina forest Research Laboratory, Corvallis, OR. pp. 313.
- Arines, J.; Vilarino, A. and Maria, S. (1989). Effect of different inocula of vesicular-arbuscular mycorrhizal fungi on manganese content and concentration in red clover (*Trifolium paratense* L.) plants. *New Phytol.*, 112, 215 -219.
- Asimi, S., Gianinazzi-Pearson, V. and Gianinazzi, S. (1980) . Influnce of increasing soil phosphorus levels on interactions between vesicular- arbuscular mycorrhizae and Rhizobium on soy-bean. *Can. J. Bot.*, 58, 2000-2005.
- Azcon, R. (1993). Growth and nutrition of modulated mycorrhizal and non - mycorrhizal *He-dysarum*. *Coroharium* as aresult of treatment with fractions from a plant growth- promoting rhizobactria. *Soil - Biol and Biochem.* 25 : 8, 1037-1042.
- Azcon, R.; Azcon G. De Aguilar and Barea, J.M. (1978). Effects of plants hormones present in bacterial cultures on the formation and responses to VA endomycorrhizae. *New Phytol.* 80: 359-364.
- Azcon, R.; Barea, J.M. and Hayman, D.S. (1976). Utilization of rock and alkaline soils by plants inoculated with mycorrhizal fungi and phosphate solubilizing bacteria, *soil Biol. Biochem.* 8:135-138.
- Azcon. G. De Aguilar, C.; Barea, J.M. and Olivares, J. (1980). Effect of rhizosphere polysaccarides on VA mycorrhiza formation. 2nd

international symposium of Microbial Ecology University of
Worwick, coventry, U.K. Abst. No. 187.

Baath, E and Spokes, J. (1989). The effect of added nitrgoen and
phosphrous on mycorrhizal growth response and infection in
Allium schoenoprasum Can. J. Bot., 67, 3227-3232.

Barea, J.M.; Azcon, R. and Hayman, D.S. (1975). Possible synergistic
interactions between Endogone and phosphate-solubilizing
bacteria in low phosphate soils. In Endomycorrhizae. Proc.
Symp. Univ. Leeds. July 1974. Academic Press. New York.

Barea, J.M., Escudero, J.L. and Azcon- Aguilar, C. (1980). Effect of
introduced and indigenous VA mycorrhizal fungi on
nodulation growth and nutrition of *Medicago sativa* in
phosphate fixing soils as effected by P-fertilizers. Plant and
soil, 54, 283-294.

Barea, J. M. and Azcon. Aguilar, C. (1982). Production of plant growth –
regulating substances by the vesicular- arbuscular
mycorrhizal funig *Glomus mosseae*. Appl. Environ.
Microbiol., 43, 810-813.

Barea, J. M, Azcon- Ajuilar, c and Azcon, R(1987). Vesicular- arbuscular
mycorrhiza improve both symbiotic N₂ fixation and N
uptake from soil as asessed with a N¹⁵ technique under field
conditions. New. Phytol. 106 : 717- 725.

Barea, J.M. ; Azcon Aguilar. C. and Azcon, R. (1989). Time-course of
N₂-fixation (¹⁵N) in the field by clover growing alone or in
mixture with ryegrass to improve pasture productivity and
inoculated with vesicular-arbuscular mycorrhizal fungi. New
Phytol. 112, 399-404.

Bass, R. (1990). Physiological effects of vesicular arbuscular mycorrhizal
infection in relation to the internal P concentration in
plantago major spp. *Pleiosperma*. Agriculture, Ecosystems
nd Environment, 29, 17-21.

Berch, S. M., Gamiet, S. and Deom, E. (1988). Mycorrhizal status of
some plants of south western British Columbia. Can. J. Bot.,
66, 1924-1928.

- Bertheau, Y. (1977). Etudes des phosphatas solubles des mycorrhizes a vesicicules et arbuscules. D.E.A., Universite de Dijon, France.
- Bethlenfalvay, G. J.; Bayne, H. G and Pacovsky, R. S. (1983). Parasitic and mutualistic associations between a mycorrhizal fungus and soybean: The effect of phosphours on host plant-endophyte interactions . *Physiol. Plant*, 57, 543.
- Bethlenfalvay, G.J.; Brown, M.S. and Newton, W.E.(1987a). Photosynthetic water and nutrient -use efficiency in mycorrhizal legume. In: *Proceedings of the 7th North American conference on mycorrhizae*. (Eds.D.M. sylvia, L.L. Hung and S.H. Graham). PP.231-233. Institute of Food and Agricultural sciences, University of Florida, Gainesville.
- Bird, G.W.; Rich, J.R. and Glover, S.V. (1974).Increased endomycorrhizae of cotton roots in soil treated with nematicides. *Phytopathology*, 64, 48-51.
- Blal, B. (1989). Les endo mycorrhizes VA chez le palmier a huile (*Elaeis guineensis jaceq.*). Role dans la regulation de la croissance et dans la nutrition minerale des jeunes plants de colones micropropages. Doctora de l'universite, universite de Bourgogne, France.
- Blal, B. and Gianinazzi- Pearson, U. (1990). Interest of endomycorrhizae for the production of micropropagated oil palm colones. *Agriculture, Ecosystems and Enivronment.*, 24, 39-43.
- Blal, B. Morel, C.; Gianinazzi- Pearson, V.; Fardeau, J.C. and Gianinazzi, S. (1990). Influence of vesicular arbuscular mycorrhizae on phosphate fertilizer efficiency in two tropical acid soils planted with micropropagated oil palm (*Elaeis guinensis Jacqu.*). *Biol. Fertil. Soils.*, 9, 43-48.
- Blaschke, H. (1979). Observation on the ectomycorrhizae of silver fir (*Abies alba*) in Abstracts of the 4th North American confarence on mycorrhizae, Fort collins, Colorado, U.S.A.
- Bonfante-Fasolo, P.; Dexheimer, J.; Gianinazzis, S.; Gianinazzi-pearson, V. and Scannerina, S. (1981). Cytochemical modifications in

the host fungus interface during intracellular interactions in a vesicular-arbuscular mycorrhiza. Pl. Sci., Lett., 22, 13-21.

- Bowen, G. D. (1980). Mycorrhizal roles in tropical plants and ecosystems in : Tropical Mycorrhiza research. Ed. P. Mikola Oxford University press, oxford.
- Brechelt, A.(1990). Effect of different organic manures on the efficiency of VA Mycorrhiza. Agriculture, Ecosystems and Environment , 29, 323-327.
- Brown, M.S., and Bethlenfalvay, G.J. (1988). The glycine *glomus-rhizobium* symbiosis: VII, Photosynthetic nutrient-use efficiency in mycorrhizal, nodulated soybean, plant physiol, 86: 1292-1297.
- Brown, R. W.; Schultz, R.C. and Kormanik, P.P. (1981a). Response of vesicular- arbuscular endo-mycorrhizal sweetgum seedlings of three nitrogen fertilizers. Forest science, 27, 413-420.
- Brown, R.W.; Brown, C.L. and Kormanik, P.P. (1981b). Effect of VA Mycorrhizae and soil P on cytokinins and nutrient levels of *plantanus occidentalis*, in abstr. 5th N.Am. Conf. Mycorrhizae. Quebec, 12.
- Capaccio, L.C.M. and Callow, J.A. (1982). The enzymes of polyphosphate metabolism in vesicular-arbuscular mycorrhizas. New Phytol., 91, 81-91.
- Caris, C, Hortdt,w, Hawkins. H and Romheld, V. (1998). Studies of iron transport by arbuscular mycorrhizal hyphae from soil to peanut and sorghum plants. Mycorrhiza. 8 (1) 35-39.
- Carling D.E. Roncadori, R.W. Hussey, R.S. (1996). Interactions of arbuscular mycorrhizae, *Meloidogyne areharia* and phosphorus fertilization on peanut. Mycorrhiza 6: 9-13.
- Caron, M., Fortin, A. and Richard, C. (1986). Effect of phosphorus concentration and *Glomus intraradices* on Fusarium crown and root rot of tomatoes, phytopathology. 76 , 942-942.

- Carr, C.R. and Hinkley, M.A. (1985). Germination and hyphal growth of *Glomus caldonicum* on water agar containing benomyl. Soil Biology and Biochemistry, 17, 313-316.
- Carr, G.R., Hinkley, M.A., Le Tacon, F., Hepper, C.M., Jones, M.G.K. and Thomas, E. (1985). Improve hyphal growth of two species of vesicular arbuscular mycorrhizal fungi in the presence of suspension cultured plant cells. New Phytol., 101, 417-426.
- Chambers, C.A., Smith, S.E. and Smith, F.A. (1980). Effects of ammonium and nitrate ions on mycorrhizal infections, nodulation and growth of *Trifolium subterraneum*. New Phytol., 85, 47-62.
- Chandrashekara, C.P.; patil, V.C. and Sreenivasea, M.N., (1995) . Response of two sunflower (*Helianthus annuus* L.) genotypes to VA mycorrhizal inoculation and phosphorus levels. Biotropia, 8, 53-59 (En, 19 ref.) university of Agricultural sciences, Dharwad 580005, Karnataka, India.
- Cooper, K.M. (1984). Physiology of VA mycorrhizal associations Dans: VA mycorrhizae, Eds. C. L Powell and D.J. Bagyaraj, CRC Press, Inc., Boca Raton, Florida, 234P.
- Cooper, K.M. and Tinker, P.B. (1978). Translocation and transfer of nutrients in vesicular-arbuscular mycorrhizas: uptake and translocation of phosphorus, zinc and sulfure. New Phytol., 81, 43-52.
- Cooper, K.M. and Tinker, P.B. (1981). Translocation and transfer of nutrients in vesicular-arbuscular mycorrhizas: Effect of environmental variables on movement of phosphorus. New Phytol., 88, 327-339.
- Cox, G.; Moran, K.J.; Sanders, F.; Nockolds, C. and Tinker, P.B. (1980). Translocation and Transfer of nutrients in vsicular-arbuscular mycorrhizas. III. Polyphosphate granules and phosphorus translocation. New Phytol., 84, 649-659.

- Crush, J.R. (1974). Plant growth responses to vesicular- arbuscular mycorrhiza. VII. Growth and nodulation of some herbage legumes. *New Phytol.*, 73, 743-752.
- Daft, M.J. and Nicolson, T.H. (1969). Effect of *Endogone* mycorrhizas on plant growth: influence of soluble phosphate on endophyte and host. *New Phytol.*, 68, 945-952.
- Daniels, B.A. and Graham, S.O. (1976). Effects of nutrition and soil extracts on germination of *Glomus mosseae* spores. *Mycologia*, 68, 108-116.
- Dart, P, Vmali. M., Almendraus. A and Turnbu J.W. (1992). Role of symbiotic associations in nutrition of tropical Acacia. *Australion centre for Agrjculatural Research*; No. 35, 13-19, 13 ref.
- Daumas, P., Berjaud, C., Calleja, M., Coupe, M., Espiau, C. and Dan zac, J. (1986) phosphatase extracellul aires et nutrition phosphate echez. les champignons ectomycorrhiziens et les plants hostes phsol. *Veg.*, 24, 173-184.
- Dehne, H.W. (1982). Morphological alternations under the influence of endophytic mycorrhiza. *Beitr. Biol. Pflanz.*, 56 (In Press).
- Dehne, H.W. and Schonbeck, F. (1979) Investigations on the influence of endophytic mycorrhiza on plant diseases. It pcnol metabolism and lignification. *Phytopathol.*, 2. 92, 210-210.
- Dexheimer, J., Gianinazzi- Pearson, V., Gianinazzi, S. and Marx., C. (1982). Role possible dela vacuole du champignon symbiotique des mycorrhizes VA dans la nutrition de la plante *Bull. soc. Bot . Fr.* 129 . Actual Bot 3, 29-34.
- Diem, H.G.; Gueye, I.; Gianinazzi-Pearson, V.; Fortin, J.A. and Dommergues, Y.R. (1981). Ecology of VA mycorrhiza in the tropics: The semi-arid zone of Senegal. *Actaoecologica. Oecol. Plant.*, 2, 53-62.
- Dixon, R.K. (1990). Cytokinin activity in *citrus jabhiri* seedlings colonized by mycorrhizal fungi. *Agric. Culture, Ecosystems and Environment*, 29, 1093-106.

- Dodd, J. C., Burns, R. and Jeffries, P. (1987). Phosphatase activity associated with the roots and the rhizosphere of plants infected with vesicular- arbuscular mycorrhizal fungi. *New phytol.*, 107, 163-172.
- Edris, M.H.; Davis, R.M. and Burger, D.W. (1984). Influence of cytokinin production in sour orange. *Journal of the American Society of Horticultural Science*, 109, 587-590.
- El. Sayed, Mahmoud, A (2000). Studies on Improvement of Legumenous Crops Using Biofertilization in Desert Soil . MSc. Thesis fac. of Agric. Mosthohor, Benha Branch, Zagazig Univ.
- El-Shall, S.A.; Tawfik, A.E.; Heggo, A.M. and Abdel-Messih, M.I. (1989). Vesicular arbuscular mycorrhizae (VAM) and phosphorus fertilizer in relation to root knot nematodes, crown gall bacteria and their influence on peach seedlings. *Agric. Res. Rev.* (accepted for publication in 1989).
- Estaun, M.V. (1990). Effect of sodium chloride and manitol on germination and hyphal growth of the vesicular-arbuscular fungus *Glomus mosseae*. *Proc. Europ. Symb. Mycorrhizae Agriculture, Ecosystems and Environment*, 29, 123-129.
- Evans. D. G. and Miller, M.H. (1990). The role of the external mycelial network in the effect of soil disturbance upon vesicular – arbuscular mycorrhizal colonization of maize. *New phytol.* 114, 65-71.
- Faber, B.A.; Zasoski, R.J.; Burau, R. G. and Vriu, K. (1990). Zinc uptake by corn affected by vesicular arbuscular mycorrhizae. *Plant soil* 129:121-130.
- Fairchild, M. H. and Miller, G.L. (1990). Vesicular-arbuscular mycorrhizas and the soil –disturbance-induced reduction of nutrient absorption in maize. III. Influence of P amendments to soil. *New Phytol.*, 114, 641-650.
- Faramawi, Fatma, (1994). Role of Mycorrhizal Fmgi in the Growth of Tomato Plants and in the Biological Control of Fusarium Wilt . M.SC. Thesis, Fac. of Science, Ain Shams Univ.

- Fares, C.A.(1986). Studies on Vesicular Arbuscular Mycorrhizal in Egypt. M.Sc. Thesis, Fac. of Agric. Ain Shams University. Egypt.
- Fassi, B.; Jodice, R. and Van Den Diresche, R. (1972). Matiere organique et mycorrhizes dans le development des semis de *Pinus strobus*. Allionta, 18, 13-32.
- Fenn, M.E. and Coffey, M.D. (1985). Further evidence for the direct mode of action of Fosetyl-Al and phosphorus acid. Phytopathology, 75, 1064-1068.
- Fitter, A.H. (1986). Effect of benomyl on leaf phosphorus concentration in alpine grasslands. A test of mycorrhizal benefit. New Phytol. 10: 767-776.
- Fitter, A.H. (1990). The role and ecological significance of vesicular-arbuscular mycorrhizas in temperate ecosystems. Agriculture, Ecosystems and Environment, 29, 137-151.
- Fitter, A.H. and Nicolson, R. (1988). The use of benomyl to control infection by vesicular-arbuscular mycorrhizal fungi. New Phytol. 110, 201-206.
- Frank, A.B. (1885). Uber die auf Wurzzelymbiose beruhende Ernahrung gewisser Bäume durch unterirdische Pilze. Ber. dt. bot. Ges., 3, 128-145.
- Fredeen, A. L. and Terry, N. (1988). Influence of vesicular- arbuscular mycorrhizal infection and soil phosphorus level on growth and carbon metabolism of soybean. Can. J. Bot., 66, 2311-2316.
- Frioni, F; Malates, D.; Irigoyen, I.; Dodera, R.(1998). Promiscuity for nodulation and effectivity in the N₂ fixing legume tree *Acacia caven* in Uruguay. Applied. Soil. Ecology. 7 : 237-244; 28 ref.
- Furlan, V and Fortin, J.A. (1973). Formation of endomycorrhizas by *Endogone calospora* on *Allium cepa* under three temperature regimes. Naturaliste Can., 100, 467-477.

- Furlan, V and Fortin, J.A. (1977). Effect of light intensity on the formation of vesicular-arbuscular mycorrhize on *Allium cepa* by *Gigaspora caiospora*. New Phytol., 79, 335.
- Cay, G.; Rouillon, T. and Bruchet, G. (1982). Role des substances liberees par les champignons ectomyconc hiziens dans la morphogenese des systemes racinaires. Dans: Les Colloques de L'INRA N°13, INRA Press, Paris, 397 pages.
- Gerdemann, J.W. (1965). Vesicular-arbuscular mycorrhizae formed on maize and tulip tree by *Endogone fasciculata*. Mycologia, 57, 562-575.
- Gerdemann, J.W. (1968). Vesicular-arbuscular mycorrhizae and plant growth. Annual Review of Phytopathology, 6, 397-418.
- Gerdemann, J.W. and Nicolson, T.H. (1963). Spores mycorrhizal *Endogone* species extracted from soil by wet-sieving and decanting. Trans. Br. Mycol. Soc., 46, 235-224.
- Gerdemann, J.W. and Trappe, J.M. (1974). The endogonaceae of the pacific north west. Mycologia Memoir. 5, 75 Pages.
- Gianinazzi, S., Gianinazzi-Pearson, V. and Dexheimer, J. (1976). Enzymatic studies on the metabolism of vesicular-arbuscular mycorrhiza I Effect of mycorrhiza formation and phosphorus nutrition on soluble phosphatase activities in onion roots. Physiologie Vegetale, 14, 833-841.
- Gianinazzi, S., Gianinazzi-Pearson, V. and Dexheimer, J. (1979). Enzymatic studies on the metabolism of vesicular-arbuscular mycorrhiza III ultrastructural localization of acid and alkaline phosphatase in onion roots infected by *Glomus mossae* (Nicol & Gerd). New phytol., 82 127-132.
- Gianinazzi, S.; Gianinazzi-Pearson, V. and Trouvelot, A., (eds), (1982). Les mycorrhizes, partie integrante de la plante: biologie et perspective d'utilisation les colloques de l'INRA N° 13, INRA Presse, Paris, 397 pages.
- Gianinazzi, S.; Dexheimer, J.; Gianinazzi-Pearson, V. and Marx, C. (1983). Role of the host-arbuscule interface in the VA my

corrhizal symbiosis: Ultracytological studies of processes involved in phosphate and carbohydrate exchange plant and soil, 71, 211-215.

Gianinazzi, S.; Trouvelot, A. and Gianinazzi-Pearson, V. (1990). Role of mycorrhizas in horticultural crop production. XXIII. International Horticultural congress, Firenze, Italy, pp. 25-30.

Gianinazzi-Pearson, V. and Gianinazzi, S. (1978). Enzymatic studies on the metabolism of vesicular-arbuscular mycorrhizae. II. Soluble alkaline phosphatase specific to mycorrhizal infection in onion roots. *Physiological plant pathology*, 12, 45-53.

Gianinazzi- Pearson Vand Gianinazzi- S Dexheimer, J., Bertheau, Y. and Asimi, S. (1978). Lcs phosphatases alcalines solubles dans l'association endomycorrhizienne. á vesicules, et, arbuscules *physiologie vegetale*, 16, 671-678.

Gianinazzi- Pearson, V., Trouvelot, A., Morandi D. and Marocke. K. (1980). Ecological variations in endomycorrhizas associated with wild raspberry populations in the vosges region. *Acta Oecologica, Oecol. Plant*, 1, 111-119.

Gianinazzi-Pearson, V. and Gianinazzi, S. (1981). The role of endomycorrhizal fungi in phosphorus cycling in the ecosystems. In the fungal community; its organization and role in the Ecosystem. Eds. D.T. Wichlow and C.C. Carroll, PP. 637-652, Marcel Dekker Inc., New York.

Gianinazzi- Pearson, V., Fardeau, J.C., Asimi, S. and Gianinazzi, S. (1981). Source of additional phosphorus absorbed from soil by vesicular- arbuscular mycorrhizal soybeans. *Physiol. Vegetale*, 19, 33-43.

Gianinazzi-Pearson, V. and Diem, H.G. (1982). Endomycorrhizae in the tropics. In: *Microbiology of tropical soils and plant productivity*. Eds. Y.R. Dommergues and H.G. Diem, Martinus N. Jhoff/Dr Junk W. Publishers, The Hague Boston London, 209-251.

- Gianinazzi-Pearson, V., Gianinazzi, S. and Trouvelot, A. (1985). Evaluation of the infectivity and effectiveness of indigenous vesicular-arbuscular. Fungal populations in some agricultural soil in Burgundy. *Can. J. Bot.*, 63, 1521-1524.
- Gianinazzi-Pearson, V. (1986). Mycorrhizae: a potential for better use of phosphate fertilizer. *Fertilizers and Agriculture*, 92, 3-12.
- Gianinazzi-Pearson, V. et Gianinazzi, S. (1986). Connaissances actuelles des bases physiologiques et biochimiques des effets des endomycorhizal sur le comportement des plant. *Physiol. Veg.*, 25, 253-262.
- Gianinazzi-Pearson V and Gianinazzi- S (1988). Morphological integration and functional compatibility between symbionts in vesicular-arbuscular endomycorrhizal associations In: cell to cell signals in plants, Animal and Microbial symbiosis. Eds. S. Scannerini, D.C. Smith, P. Bonfante-Fusolo, V. Gianinazzi-Pearson. NATO ASI Series H, cell Biology, Springer Verlag, Berlin, Vol., 17, 73-84.
- Gianinazzi-Pearson, V., Branzanti, B. and Gianinazzi, S. (1989). In vitro enhancement of spore germination and early hyphal growth of a vesicular-arbuscular mycorrhizal fungus by host root exudates and plant flavonoids. *Symbiosis*, 7, 243-255.
- Gianinazzi-Pearson V and Gianinazzi- S Dexheimer, J., Bertheau, Y. and Asimi, S. (1989). Phosphorus metabolism in mycorrhizas. In: Nitrogen, Phosphorus and sulphur utilization by fungi. Eds Lyme Boody. D. JM or chant. and r. Read, Cambridge Univ. Press New York, New York, Helbourne, Sydney, p. 203 - 226.
- Graham, J.H.; Leonard, R.T. and Menge, J.A. (1981). Membrane-mediated decrease in root exudation responsible for phosphorus inhibition of vesicular-arbuscular mycorrhizae formation *Plant Physiol.*, 68, 548-552.
- Graham, J.H and Menge, J.A. (1982) Influence of vesicular-arbuscular mycorrhizae and soil phosphorus on take all diseases of wheat. *Phytopathol.*, 72, 95-98.

- Graham, J.H. and Syvertsen, J.P. (1989). Vesicular-arbuscular mycorrhizas increase chloride concentration in citrus seedling. *New Phytol.*, 113, 29-36.
- Grany, A.(1973). Anatomical and morphological study of the endomycorrhizae of maize, oats, wheat, barley and various gramineae occuring in grassland and as weeds. *Comptes rendus des S'erances de l'Acadeemic d'Agriculture de France*, 59, 1077-1083.
- Green, N.E., Graham, S.E. and Schenck, N.C. (1976). The influence of pH on the germination of vesicular-arbuscular mycorrhizal spores. *Mycologia*, 68, 929-934.
- Hall, I.R. (1979). Soil pellets to introduce vesicular arbuscular fungi into Soil Biol. Biochem., 11, 85.
- Hall, I.R. (1984). Taxonomy of VA Mycorrhizal Fungi. In: VA Mycorrhizas. Eds. C.L. Powell and D.J. Bagyaraj, CRC Press, Inc. Boca, Florida, 57-94.
- Hall, I.R. and Fish, B.J. (1979). A key to the Endogonaceae. *Trans. Br. Mycol. Soc.*, 73, 261-270.
- Hall, I.R.; Johnstone, P.D. and Dolby, R. (1984). Interaction between endomycorrhizas and soil nitrogen and phosphorus on the growth of ryegrass. *New phytol.*, 97, 447-453.
- Harley, J.L. (1969). The biology of Mycorrhiza. 2nd Edition, Leonard Hill, London.
- Harley, J.L. and Smith, S.E. (1983). Mycorrhizal Symbiosis. Academic Press, London New York, 483.
- Harley, J.L. and Harley, E.L. (1987). A check-list of mycorrhiza in the British flora. *New Phytol.*, 105, 1-102.
- Harris, D.; Pacovsky, S. and Paul, E.A.(1985). Carbon economy of soybean-*Rhizobium-Glomus* associations. *New Phytol.*, 101, 427-440.

- Hayman, D.S. (1982). Influence of soils and fertility on activity and survival of vesicular-arbuscular mycorrhizal fungi. *Phytopathology*, 72, 1119.
- Hayman, D.S. (1983). The physiology of VA endomycorrhizal symbiosis. *Can. J. Bot.* 61: 944-963.
- Hayman, D.S. (1973). The effect of light intensity on VA mycorrhiza Rothamsted Report for 1972. Part I.
- Hayman, D.S. (1974) Plant growth responses to vesicular- arbuscular mycorrhiza. VI Effect of light and temprature. *New phytol.*, 73, 71- 80.
- Hayman, D.S. (1978). Mycorrhizal populations of sown pastures and native vegetation in otage. New Zealand. *New Zealand J. Agric. Res.*, 21, 271-276.
- Hayman, D.S.; Barea, J.M. and Azcon, R. (1976). VA mycorrhiza in southern Spain; its distribution in crops growing in soil of different fertility, *phytopathol. Mediterr.* 15: 1-6.
- Hayman, D. S, and Stovold, G. E. (1979). Spore Bopulations and infectivity of vesicular – arbuscular mycorrhiza fungi in New south wales. *Aust. J. Bot.*, 27, 227.
- Hayman, D.S. and Mosse, B. (1979). Improved growth of white clover in hill grasslands by mycorrhizal inoculation. *Ann. Appl. Biol.*, 93, 141-148.
- Haystead, A; Malaszczuk, N. and Grover, T.S. (1988). Underground transfer of nitrogen between pasture plants infected with vesicular-arbuscular mycorrhizal fungi, *New Phytol.* 108, 417-423.
- Heggo, A.M.; Tawfik, A.E.; Raid, F.W. and El-Shall, S.A. (1988). The role of (VAM) fungi in reducing the induce of crown gall and root knot diseases on almond. *Proc. 2nd Conf. Agric. Develop. Rec., Ain Shams Univ.*, Vol. 1, 234-241.

- Hepper, C.M. (1979). Germination and growth of *Glomus cladonus* spore: The effect of inhibitors and nutrients. *Soil Biol. Bioch.* 11, 269-277.
- Hepper, C.M. (1985). Influence of age of roots on the pattern of vesicular- arbuscular mycorrhizal infection in leek and clover. *New phytol.* 101 685-693.
- Hepper, C.M. and Jakobsen, I.L. (1983). Hyphal growth from spores of the mycorrhizal fungus. *Soil Biochem.* 15 (1): 55-58.
- Hepper, C.M. and Warner, A. (1983). Role of organic matter in growth of a vesicular-arbuscular mycorrhizal fungus in soil. *Trans Br. mycol. Soc.* 8 (1): 155-156.
- Hepper C. M., Sen, R. and Muskell, C.S. (1986). Identification of vesicular – arbuscular mycorrhizal fungi in roots of leek on the basis of enzyme mobility during polyacrylamide gel electrophoresis, *New phytol.*, 102, 529- 539.
- Hetrick, B.A.D. (1989). Acquisition of phosphorus by VA mycorrhizal fungi and the growth responses of their host plants. In: Nitrogen, phosphorus and sulphur utilization by fungi. Eds. Lynne Boddy, Marchant, R. and Read, D.J. Cambridge University Press, New York, New Rochelle, Melbourne, Sydney, 203-226.
- Hirrel, M.C. (1981). The effect of sodium and chloride salts on the germination of *Giaspora margarita*. *Mycologia*, 73, 610-617.
- Hirrel, M.C., Mehravaran, H. and Gerdemann, J.W. (1978). Vesicular-arbuscular mycorrhiza in the *chenopodiaceae* and *cruciferae*: Do they occur? *Can. J. Bot.*, 22, 2813-2817.
- Hirrel, M.C. and Gerdemann, J.W. (1980). Improved growth of onion and bell pepper in saline soils by two vesicular-arbuscular mycorrhizal fungi. *Soil Sci. Soc. Am. J.*, 44, 654-655.
- Ho, I., (1987) Enzyme activity and phytohormone production of a mycorrhizal fungi *Canad. J. of Forest Research*, 17: 8, 855-858.

- Hordt., W., Hawkins, H. J. and Romherld, V. (1998). Studies of iron transport by VA mycorrhizal hyphae in wheale plant. *Myorrhiza* 9811, 62-66.
- Hussey, R.S. and roncad ori, R. W, (1978). Interaction of *Pretylenchus beachyurus* and *Gigaspora margarita* on coyton. *J. Nematol.*, 10, 16-20.
- Hwang, S.F.; Chang, K.F. and Chakravarty, P. (1992). Effects of (VAM) fungi, on the development of verticillium and Fusarium wilt of alfalfa. *Plant Dis.*, 7-9: 239-242.
- Ishac, Y.Z; Mohmoud, S.A.Z., Ramadan, E.M and Daft, M.J. (1985) Occurance and Infectivity of endomycorrhizas in Egyptian soils. *Egypt. J.M.icrobil.*, Special Issue, PP. 47-56.
- Ishac, Y.Z.; El-haddad, M.E.; Daft, M.J.; Ramadan, E.M. and El-Demerdash, M.E. (1986). Effect of seed inoculation, mycorrhizal infection and organic amendment on wheat growth. *Plant and Soil*, 90, 373-382.
- Jabaji-Hare, S.H. and Kendnck W.B. (1985). Effect of fosteyl-AL on root exudation and on composition of extracts of mycorrhizal and non-mycorrhizal leek roots. *Can. J. of Plant Pathology*, 7, 118-126.
- Jackson, M.L. (1958). *Soil Chemical Analysis*. Printice Hall, Inc., Englewood Cliffs, N.J. 498 Pages.
- Jackobsen, I. (1986). Vesicular-arbuscular mycorrhiza in field-grown crops. III. Mycorrhizal infection and rates of phosphorus in flow in pea plants. *New Phytol.*, 104,573-581.
- Jakobsen, I. and Rosendahl, L. (1990). N₂ fixation and root respiration in pea: Effects of VAM and P. *Agriculture, Ecosystems and Environment*, 29, 205-209.
- Jemes P. Syvertsen and James H. Graham, (1999). Phosphorus supply and arbuscular mycorrhizas-increase growth and net gas exchange responses of two citrus spp. growth at elevated (CO₂). *Plant and Soil* 208:209-219.

- Johansen. A, Jakobsen. L and Jensen. E.S. (1994). Hyphal N transport by a VA mycorrhizal fungus associated with cucumber grown at three nitrogen. Levels. Plant and Soil. 160 (1) 1-9.
- John, C.K. Nadgauda Rajani S. and Mascar enhas. A, F (1995). Bamboos- some newer prespectives. Curr. Sci. 68: 885-896.
- Johnson, C.R.; Joiner, J.N. and Crews, C.E. (1980). Effects of N, K and Mg on growth and leaf nutrient composition of three container grown woody ornamentals inoculated with mycorrhizae. J. Am. Soc. Hortic. Sci., 105, 286-288.
- Johnson, C.R.; Graham, J.H.; Leonard, R.T. and Menge, J.A. (1982). Interaction of photoperiod and vesicular-arbuscular mycorrhiza on growth and metabolism of sweet orange. New Phytol., 90, 665-669.
- Joner, E.J.; Jakobsen, I.(1995). Uptake of ^{32}p from labelled organic matter by mycorrhizal and non- mycorrhizal subterranean clover. Plant and Soil , 172.(2) 221-227.
- Jose. O. Siqueire. Orvaldo J. Saggin – Junior Waldo W. Flores- Aylas. Paulo T.G. Guimaraes (1998). Arbuscular mycorrhizal inoculation and super phosphate application infelunce plant development and yield of coffee in Brazil Mycorrhiza 7: 293-300.
- Kaye, J. W., Pfleger, F. L. and Stewart, E.L. (1985). Interaction of *Glomus fasciculatum* and *pythium ultimum* on green house grown poin setta. Can. J. Bot., 62 , 1575- 1579.
- Kellam, M.K. and Schenck. N.C. (1978). The effect of VA Mycorrhizal fungus *Glomus macrocarpus* on the amount of galling produced by *Mebidogyne incognite* on soybean. Proc. Amer. Phytopath., 4, 124.
- Kendrick, W.B. and Berch, S.M. (1985). Mycorrhizae: Applications in agriculture and forestry. In Comprehensive biotechnology. Vol. 3. Eds. M. Moo-Young. Pergamn Press, Oxford, pp. 109-152.

- Khan, A.H. (1974). The occurrence of mycorrhizas in halophytes and xerophytes and of *Endogone* spores in adjacent soils. J. Gen. Microbiol., 81, 7-14.
- Khan, A.H.; Islam, A.; Islam, R.; Begum, S. and Imamul Hug, S.M. (1988). Effect of indigenous VA mycorrhizal fungi on nodulation, growth and nutrition of lentil (*Lens culinaris* L.) and Black gram (*Vigna mungo* L.). J. Plant Physiol., 133, 84-88.
- Killam, K. (1985). Vesicular-arbuscular mycorrhizal mediation of trace and minor element uptake in perennial grasses: relation to livestock herbage. In: Ecological Interactions in soil. Eds. A.H. Fitter, D. Atkinson, D.J. Read, M.B. Usher, PP> 225-232. Oxford: Black-well Scientific, 451 pp.
- Killam, K. and Firestone, M.K. (1983). Vesicular-arbuscular mycorrhizal mediation of grass response to acidic and heavy metal deposition. Plant Soil, 72, 39-48.
- Kim, C. and Weber, D.J. (1985). Distribution of VA mycorrhiza on halophytes on inland salt plays. Plant and Soil, 83, 207-214.
- Koide, R.T. (1985). The nature of growth depressions in sunflower caused by vesicular-arbuscular mycorrhizal infection. New Phytol., 99, 449-462.
- Koske, R.E.; Sutton, J.C. and Sheppard, B.R. (1975). Ecology of *Endogone* in lake Huron sand dunes. Can. J. Bot., 53-87.
- Kothari, S.K.; Marschner, H. and Romheld, V. (1991). Contribution of the VA mycorrhizal hyphae in aquisition of phosphorus and zinc by maize grown in calcerous soil. Plant Soil 131: 177-185.
- Krishna, K.R., Bagyoraj, D. J. and Pavina-Sasumdaram, K. G. (1983). Acid and alkaline phosphatase activities in mycorrhizal and uninfected roots of *Archachis hypogaea* L. Ann Bot. 51, 551-553.

- Kucey, R.M.N. and Paul, E.A. (1982). Carbon flow, photosynthesis, and N_2 fixation in mycorrhizal and nodulated faba beans (*vicia faba* L.). Soil Biol. Bioch., 14, 407-415.
- Kumar, H.; Arora, N.K., Kumur, V. and Maheshwuri, D.K. (1999). Isolation and selection of rhizobia nodulating *Acacia catechu* and *Nilotica*, Symbiosis-Rehovot 26:3, 279-288.
- Kumutha, Kand Santh anakrishnan. P. (1994). Enhancement. of nitrogen fixation in soybean by the dual inoculation of VA mycorrhiza and *Bradyrhizobium*. Madrus. Agriwltural Journal. 81(9)497-499
- Letham, D.S.; Goodwin, P.B. and Higgilns, T.J.W. (1978). Phytohormones and related compounds A. Comprehensive treatise Vol. 1 and 2, Elsevier, Amesterdam.
- Lewis, D.H. (1975). Comparative aspects of the carbon nutrition of mycorrhizas. In: Endomycorrhizas. Eds. F.F. Sanders. B. Mosse and P.B. Tinker, PP. 119-148. Academic Press, London and New York.
- Li, X.L.; Marschner, H. and Romheld, V. (1991). Acquisition of phosphorus and copper by VA mycorrhizal hyphae and root-to- shoot transport in white clover. Plant Soil. 136: 44-57.
- Linderman, R.G. and Paulitz T.C. (1990). Mycorrhizal-rhizobacterial interactions In Biological control of soil-borne plant pathogens. Horticultural Crops Research Laboratory, Corvallis, Oregon, U.S.A.
- Mahaveer, P.and Naveen. P.(1996). Growth responses and dependnce of *Acacia nilotica* Var. *cupriciformis* on the indigenous arbuscular mycorrhiza consortium of amarginal wasteland soil. Mycorrhiza, 6, 441-446.
- Mandal. BS and Kaushik. J.C. (1995). Interaction between VA mycorrhizae fungi and Rhizobium and their effect on the growth prameters of *Acacia nilotica*, Journal of Research, 25: 3, 107-111; 8 ref.

- Marschner. H. (1995). Mineral nutrition of higher plants. Academic press, London.
- Martins, A.; Casmiron, A. and Pais, M.S. (1997). Influence of mycorrhization on physiologic parameters of micropropagated cast area sativa, Mycorrhiza, 7:161-165.
- Mason, E. (1928). Note on the presence of mycorrhizae in the root of salt-marsh plants. New Phytol., 27, 193-195.
- Matile, P. and Wiemken, A. (1976). Interactions between cytoplasm and vacuole. In : Encyclopaedia of plant physiology. New Series, Vol. III. Transport in plants. Eds. C.R. Stocking, V. Heber, PP. 255-287. Berlin, Springer-Verlag.
- McGonigle, T.P. and Fitter, A.H.; (1988). Ecological consequences of arthropod grazing on VA mycorrhizal fungi. Proceedings of the Royal Society of Edinburgh, 94, 25-32.
- Medeiros. C.A.B., Clark. R. D and Ellis, J.R. (1995). Effect of excess manganese on mineral uptake in mycorrhizal sorghum. Journal of plant Nutrition. 18(2) 201 – 217.
- Menge, J.A. (1982). Effect of soil fumigants and fungicides on vesicular-arbuscular fungi. Amer. Phytopath. Soc., 72, 1125-1132.
- Menge, J. A., Grand, L. F. and Haines, L. W (1977). The effect of fertilization on growth and mycorrhizal numbers in 11-year-old loblolly pine plantations. For Sci., 23, 37-44.
- Menge, J.A.; Sterile, D.; Bagyaraj, D.J.; Johnson, E.L. V. and Leonard, R.T. (1978). Phosphorus concentration in plants responsible for inhibition of mycorrhizal infection. New Phytol., 80, 575-578.
- Menge, J.A.; Johnson, E.L. and Minassian, V. (1979). Effect of heat treatment and three pesticides upon the growth and production of the mycorrhizal fungus *Glomus fasciculatus*. New Phytologist, 82, 473-480.

- Miettinen, P., Karsisto, M. and Musa, M.G. (1992). Nodulation of nine nitrogen-fixing tree species grown in central Sudan. *Forest Ecology and Management*, 48: 1-2, 107-117.
- Miranda, J.C.C.; Harris, P.J. and Wild, A. (1989). Effect of soil and plant phosphorus concentrations on vesicular-arbuscular mycorrhiza in sorghum plants. *New Phytol.*, 112, 405-410.
- Moawad, M. (1979). Ecophysiology of VA mycorrhiza in the tropics. Pages 197-209. In: *The soil-root interface*. Eds. Harley, J.L. and Russel, R.S. Academic Press, London.
- Mac Donald, R. M. and Lewis, M. (1978). The occurrence of some acid phosphatases and dehydrogenases in the vesicular. Arbuscular mycorrhizal fungus. *Glomus mosseae*. *New phytologist*, 80, 134-141.
- Morandi, D. (1989). Effect of xenobiotics on endomycorrhizal infection and isoflavonoid accumulation in soybean roots. *Plant physiol., Biochem.*, 25, 697-701.
- Morandi, D. (1990). Effect of endomycorrhizal infection and biocides on phytoalexin accumulation in soybean roots. *Agriculture, Ecosystems and Environment*, 29, 303-305.
- Morandi, D., Bailey, J.A. and Gianinazzi-Pearson, V. (1984). Isoflavonoid accumulation in soybean root infected with VA mycorrhizal fungi. *Physiological plant Pathology*, 24, 357-364.
- Morandi, D., and Gianinazzi-Pearson, V. (1986). Influence of mycorrhizal infection and phosphate nutrition on secondary metabolite contents of soybean roots. In: *Physiological and Genetical Aspects of Mycorrhizae*. Eds. Gianinazzi-Pearson, V. and Gianinazzi, S. INRA Ser Vice des publications. Paris, 7-87-791.
- Morandi, M. and Le Quere, J.L. (1990). Influence of nitrates on accumulation of isosojagol and associated isoflavonoids in roots and nodules of mycorrhizal and non-mycorrhizal soybean. *New Phytol.* (In Press).

- Mortton, J. B., and Benney. (1990). Revised classification of VAM fungi (Zygomycetes A New order, Glomales, two new suborders. Glomineae and Gigasporineae and two new families, Acaulosporaceae and Gigasporaceae, with anmediation of Glomaceae. Mycotaxon 37.471 – 491.
- Mosse, B. (1959). The regular germination of resting spores and some observation on the growth requirements of an *Endogone sp.* causing VAM fungus. Trans. Brit. Mycol. Soc. 42: 274-286.
- Mosse, B. (1962). The establishment of VA mycorrhiza under aseptic conditions. J. Gen. Microbiol. 27: 509-520.
- Mosse, B. (1970) . Annual report of Rothmast. ed experimeal station for 1969 p. 97. C.F. Hepper and Jakobsen, (1983).
- Mosse, B. (1972). The influence of soil type and Endogone strain on the growth of mycorrhizal plants in phosphate-deficient soil. Rev. Ecol. Biol. Sol., 9, 529.
- Mosse, B. (1973). Advances in the study of vesicular arbuscular mycorrhiza. Ann. Rev. Phytopathology, 11, 171.
- Mosse, B. (1981). Vesicular-arbuscular mycorrhiza research for tropical agriculture. Research Bulletin 194, (Hawaii Institute of Tropical Agriculture and Human Resources). University of Hawaii, 82 Pages.
- Mosse, B.; Hayman; D.S. and Arnold, D.J. (1973). Plant growth responses to vesicular-arbuscular mycorrhiza: Phosphorus uptake by three plant species from P-deficient soils labelled with ^{32}P . New Phytol., 72, 809-815.
- Mosse, B.; Powell, C. Le and Hayman, D.S. (1976). Plant growth responses to VA mycorrhizae IX. Interactions between VA mycorrhiza, rock phosphate and symbiotic N fixation. New Phytol. 76: 331-342.
- Mosse, B., Stribley, D.P. and LeTacon, F. (1981). Ecology of mycorrhizae and mycorrhizal fungi. Advances in Microbial Ecology, 5, 137-210.

- Munns, D.N and Mosse, B. (1980). Mineral nutrition of legume crops. In advances in legume science Edited by R.J. summerfield and A.H. Bunting. HMSO, London, pp. 115-125.
- Nemec, S. (1980). Effects of II fungicides on endomycorrhizal development in sour orange. Can. J. Bot. 58, 522-526.
- Nemec, S. (1981). Histochemical characteristics of *Glomus etunicatus* infection of citrus limon fibrous roots. Can. J. Bot., 59, 609-617.
- Newbould, P. and Rangeley, A. (1984). Effect of lime, phosphorus and mycorrhizal fungi on growth, nodulation and N₂ fixation by white clover (*Trifolium repens*) grown in VK hill soils. Plant and Soil, 76, 105-114.
- Nicolson, T.H. (1959). Einfluss der Bodentemperatur und organisidner stoffe in Boden auf die wirkung der vesikular-arbuscularen Mykorrhiza, Doctoral dissertation, Gearg-August University Gottingen.
- Nicolson, T.H. and Johnston, C. (1979). Mycorrhiza in the *Gramineae*. III. *Glomus fasciculatus* as the endophyte of pioneer grasses in a maritime sand dune. Trans. Br. Mycol. Soc., 72, 261-268.
- O'Bannon, J.H. and Nemec, S. (1978). Influence of soil pesticides on vesicular-arbuscular mycorrhiza in a citrus soil. Nematropica, 8, 56.
- Ocampo, J.A. and Hayman, D.S. (1980). Effects of pesticides on mycorrhiza in field-grown barely, maize and potatoes. Trans. Br. Mycol. Soc., 74, 413-416.
- Ocampo, J.M. and Hayman, D.S. (1981). Influence of plant interactions on VAM infection. II. Crop rotations and residual effects of non-host plants, New Phytol. 84: 333-343.
- Oialla, J.C., Jarrell, W.M., Menge, J. A and Johnson, E.l.v. (1983). Influence of mycorrhizal fungi on the mineral nutrition and yield of onion in saline soil. Agronomy Journal, 75, 255-259.

- Oliver, B., Bertheau, Y., Diem, H. G. and et Gianinazzi -Pearson., V. (1983). Influence de la variété de *vigna unguiculata* dans l'expression de trois associations endomycorhiziennes VA. Can. J. Bot., 61, 354-358.
- Omar, S.A. (1998). The role of rock phosphate-solubilizing fungi and vesicular-arbuscular mycorrhiza (VAM) in plants fertilized with rock phosphate. World Journal of Microbiology & Biotechnology. 14 (2) 211-218.
- Onguene, N.A. and Habte, M.(1995). Nitrogen and phosphorus requirement for raising mycorrhizal seedlings of *leucaemna leucocephala* in containers. Mycorrhiza , 5(5) 347-356.
- Ouf, G.M. (1990). Some Physiological and Ecological Studies of VAM Fungi, (Ph.D.) in Botany, El Mansoura University.
- Ovalle C.; Longeri, L.; Aronso, J.; Herrera, A; Avendano.J. (1996). N₂ fixation, nodule efficiency and biomass accumulation after two years in tree chilean legume trees and *Tagasaste chamaecytisus proliferus* subsp. *Palmensis*. Plant and soil, 179 : 1, 131-140, 37 ref.
- Pacousky, R.S. and Fuller, G. (1985). Influence of soil on the interactions between endomycorrhizae and *Azospirillum* in-sorghum. Soil Biol., Biochem, 17, 4.525-531.
- Pfeiffer, C.M. and Bloss, H.E. (1988). Growth and nutrition of guayule (*Parthenium argentatum*) in a saline soil as influenced by vesicular-arbuscular mycorrhiza and phosphorus fertilization. New Phytol., 108, 315-321.
- Phillips, J.M. and Hayman, D.S. (1970). Improved procedures for clearing roots and staining parasitic and vesicular-arbuscular mycorrhizal fungi for rapid assessment of infection. Trans. Bri. Mycol. Soc., 55, 158-161.
- Piper, C.S. (1950). Soil and Plant analysis 1st Ed. Inter Publishers. new York, W.S.A.PP. 47-79.

- Pond, E.C.; Menge, J.A. and Jarrell, W.M. (1984). Improved growth of tomato in salinized soil by vesicular-arbuscular mycorrhizal fungi collected from saline soils. *Mycologia*, 76, 74-84.
- Pons, F. (1984). L'endomycorhization VA in vitro de quelques especes herbacees et ligneuses; aspects ultrasturcturaux de L'association. Theses 3eme cycle, Universite de Dijon 104P.
- Pons, F., Gianinazzi-Pearson, V., Gianinazzi, S. and Navatel, J.C. (1983). Studies of VA mycorrhizae in vitro: mycorrhizal of axenically propagated wild cherry (*Prunus avium* L.) Plants. *Plant and Soil*, 71, 217-221.
- Poss, J.A.; Pond, E.; Menge, J.A. and Jarrall, W.M. (1985). Effect of salinity on mycorrhizal onion and tomato in soil with and without additional Phosphate. *Plant and Soil*, 88, 307-319.
- Powell, C.L. (1975). Plant growth responses to vesicular-arbuscular mycorrhiza. VIII uptake of P by onion and clover infected with different *Endogone* spore types in ^{32}P -labelled. *Soil. New Phytol.*, 75, 563-566.
- Powell, C.L. and Bagyaraj, D.J. (1984). VA mycorrhiza. CRC Press. Inc. Boca Raton, Florida. 234, pages.
- Priha, Tilehto and Smolander, A. (1999). Mycorrhizas and C and N transformations in the rhizospheres of *pinus sylvestris*, *picea abies* and *Betula. Pendula* seedlings, *Plant and Soil* 206: 191-204.
- Rabatin, S.C. (1979). Seasonal and edaphic variation in vesicular-arbuscular mycorrhizal infection of grasses by *Glomus tenuis*. *New Phytol.*, 83, 95.
- Ramadan, E. M., Ishac, Y. Zand Faris. C.N. (1983). Occurance of Vesicular. arbuscular mycorrhizae in the rhi zosphere and root system of some plants. Egypt. Society of Appl. Microbiol., Proc. V- conf. Microbiol., Cairo, May. Vol., II. Soil and water. microbiol. Paper No. 59. 325-337.
- Ravolanhrina, F. (1990). L'endomycorhization VA des plantes ligneuses (*Vigne, pommier et poirier*) micropropagees.

Techniques d'inoculation, analyse de la morphogenese racinaire et approches biochimique et immunologique
Doctora de L'université, Université de Bourgogne, France.

- Ravolanirina, F.; Gianinazzi-Pearson, V. and Gianinazzi, S. (1987). Preliminary studies in vitro endomycorrhizal inoculation of micropropagated tree species of nutritional value. In: trees and Mycorrhizae (F.S.P. Ng ed.), pp. 91-101. Proceedings of the Asian Seminar, IFS.
- Ravolanirina, F.; Gianinazzi, S.; Trouvelot, A. and Carre, M. (1990). Production of endomycorrhizal explants of micropropagated grapevine root-stocks. Agriculture, Ecosystems and Environment, 29, 323-327.
- Read, D.J., Koucheki, H.K. and Hodgson, J. (1976). Vesicular-arbuscular-mycorrhiza in natural vegetation systems. I. The occurrence of infection New Phytol., 77, 641-653.
- Read, D.J.; Leake, J.R. and Langdale, A.R. (1989). The nitrogen nutrition of mycorrhizal fungi and their host plants. In: Nitrogen, phosphorus and sulphur utilization by fungi. Eds. Lynne, Booddy, R. Marchant and D.J. Read, Cambridge University Press, New York, New Rochelle, Melbourne, Sydney, P. 181-204.
- Redhead, J.F. (1977). Endotrophic mycorrhizas in Nigeria: species of the *endogonaceae* and their distribution. Trans. Br. Mycol. Soc., 69, 275-280.
- Rheineimer, D.S.; Ernain, P.R.; Santos, J.C.P.; Kaminsk. J. and Krunvald, L. (1997). Effect of mycorrhizae on growth of *Trifolium riograndense* and on prediction of its uptake of phosphorus by a mechanistic model. Revista. Brasileira de Ciência do solo, 21(2), 191-197.
- Rhodes, L.H. and Gerdemann, J.W. (1980). Nutrient translocation in vesicular-arbuscular mycorrhizae. In: Cellular Interactions in symbiosis and parasitism. Eds. Cooks, C.B., Pappas, P.W. and Rudolph, E.D., PP. 173-195. Ohio State University Press, Columbus, Ohio, U.S.A.

- Ribet J. and Drevon. J.J (1996). The phosphorus requirement of N₂-fixing and urea fed *Acacia mangium*. New Phytologist. 132: 3, 383-390; 4 ref.
- Richards. L.A. (1959). Diagnoses and Improvement of Saline and Alkaline Soils. V.s. Salinity Labortay, Califomia, Hand book. No. , PP. 94-100,102-103, 105-106.
- Rokhriyal. Tc; Chaukiyal – Sp; Singh – KCH. (1996). Nitrogen fixation and nodulation behaviour in relation to seasonal changes in six multipurpose tree species Indian forester, 122 :8, 718-726; 18 ref.
- Rose, S.L. (1981). Vesicular endomycorrhizal associations of some desert plants of *Bajo California*. Can. J. Bot., 59, 1056.
- Rose, S.L. and Youngberg, C.T. (1981). Tripartite associations in snowbrush (*ceanothus velutinus*) effect of vesicular-arbuscular mycorrhizae on growth , nodulation and N₂ fixation, Can. J. Bot., 59, 34-39.
- Rozema, J.; Arp, W.; Van Diggelen, J.; Van Esbroek, M.; Broekman, R. and Punit, H. (1986). Occurance and ecological significance of vesicular-arbuscular mycorrhiza in the salt marsh environment. Acta Botanica Neerlandica, 35. 457-467.
- Safir, G.R. (1987). Ecophysiology of VA mycorrhizal plants. CRC Press, Boca Raton, Florida, 224 Pages.
- Saleh, H and Sikora, R. A. (1984). Relationshippe between *Glomus fasiculatum* root colonization of cotton and its effects on *Meloidogyne incognita* Nemat ologica, 30 , 230-237.
- Sanders, F.E. (1975). The effect of foliar applied phosphate on the mycorrhizal infection of onion roots. In Endomycorrhizal Eds. F. E. Sanders. B. Mosse and P.B. Tinker, P.P. 261- 276. London.
- Sanders, F.E., Mosse, B. and Tinker, P.B. (1975). Endomycorrhizas. Academic Press, London New York San Francisco, 626 Pages.

- Satoh, T, Kume. and Hirata. H (1998). Effect of *Gl etunicatum* on soybean growth, N und P nutrition and saybean nodule activities Plant and soil 64(1) 62-72.
- Schenck, N. C. and smith, G.S. (1982). Addition new and unreported species of mycorrhizal fungi (Endogonaceae) from florida, Mycologia, 74, 77-92.
- Schenck, N.C. and Hinson, K. (1973). Response of nodulating and non-nodulating soybean to species of *Endogone* mycorrhiza- Agron. J. 65: 894-850.
- Schenck, N.C. and Schroder, V.N. (1974). Temperature response of *endogone* mycorrhiza on soybean roots, mycorlogia, 66, 600-605.
- Schenck, N.C., Kinlock, R.A. and Dickson, D.W. (1975). Interaction of endomycorrhizal fungi and root. Knot nematode on soybean. In F.E. Sanders, B. Mosse and P.B. Tinker (eds). Endomycorrhizal Academic Press, London.
- Schenck, N.C. and Nicolson, T.H. (1977). A zoasporic fungus occurring on species of *Giaspora margarita* and other vesicular-arbuscular mycorrhizal fungi, Mycologia, 69, 1049-1053.
- Schenck, N.C. and Perez, Y. (1987). Manual for the identification of VA mycorrhizal fungi. INVAM, 1453 Fifield Hall, University of Florida, Gainesville, Florida, U.S.A.
- Schenck, N.C.; Kinlock, R.A. and Dickson, D.W. (1978). Interaction of endomycorrhizal fungi and root-knot nematode on soybean. In: F.E. Sanders, B. Mosse and P.B. Tinker (eds.), endomycorrhizas, Academic Press, London.
- Schonbeck, F. (1979) Endomycorrhiza in relation to plant desease. In: Schippers, B., and W. Gams (eds) Soil borne plant pathogens, PP. 271-280, Academic press, London.
- Schwab, S.M., Menge, J.A. and Leonard, R.T., (1983). Comparison of stages of vesicular-arbuscular mycorrhiza formation in sudan grass grown at two levels of phosphorus nutrition. American Journal of Botany, 70, 1225-1232.

Endocytobiology and Symbiosis (Ed. by P. Nardon, V. Gianinazzi- Pearson, A.M. Grenier, L. Margulis and D.C. Smith). PP. 91-98. INRA, Paris.

Snedecor G.W and Cochran, W. G(1967) Statistical Methods. Iowa State Univ., Press, Ames. Iowa, U.S.A.

Soltanpour, P. N and Schwab A.P. (1973) A new soil test for simultaneous extraction. of macro- and micro- nutrients in alkaline soil commune. Soil sc; plant Anal., 8: 195-207.

Son, C.L. and Smith, S.E. (1988). Mycorrhizal growth responses: interactions between photon irradiance and phosphorus nutrition. New Phytol., 108,305-314.

Spanu, P. and Bonfante fasolo,. (1988). Cell- Wall- band peroxidase activity inroots of mycorrhizal *Alluim porrum* New phytol. , 104, 114-124.

Strzelozny K. E.; Pokojaska A and Burdzie J.A (1984). Production of auxins and gibberellin by mycorrhizal fungi, bacteria and actinomycetes. Plant and Soil, 81:2, 185-194.

Subba Rao, N.S. (1982) . Advance in agriculture microbiology. orford & Ibh. publishing Co. New Dlhi Bommbay.

Sutton, J.C. (1973). Development of VA mycorrhizae in crop plants. Can. J. Bot., 51, 2487-2493.

Sutton, J.C. and Sheppard, B.R.(1976). Aggregation of sand dune soil by endomycorrhizal fungi. Can. J. Bot., 54, 326-333.

Sylvia, D.M. and Sinclair, W.A. (1983). Phenolic compounds are resistance to fungal pathogens induced in primary roots of Douglas fir seedlings by the ectomy corrhizal fungus *Laccaria Laccata*. Phytopathol., 73: 390-397.

Takaaki, I. ; Akihiko, N ; Kazutoshi, S. ; Jiro, A. and Kazuomi, K. (1997). Growth, stimulatory substances for VA mycorrhizal fungi in Bahia grass, Plant and Soil. 197: 301-304.

- Tarafdar, J.C. and Marschner, H. (1995). Dual inoculation with *Aspergillus fumigatus* and *Glomus mosseae* enhance biomass production and nutrient uptake in wheat supplied with organic phosphorus as Naphytate, Plant and Soil. 173 (1) 97-102.
- Tawfik, A.E.; Heggo, A.M.; and El-Shall, S.A. (1988). Interaction between mycorrhizal fungi and crown gall bacteria on peach plants. Proc. 2nd Conf. Agric. Develop. Res.; Ain Shams Univ., 1, 227-233.
- Terence P.; McGonigle, Murray H. Miller and Douy Young (1999). Mycorrhizae, Crop growth and crop phosphorus nutrition in maize-soybean rotations. Given various tillage treatments. Plant and Soil 210:33-42.
- Tester, M.; Smith, S.E. and Smith, F.A. (1985). Phosphate inflow into *Trifolium subterraneum* L.: effects of photon irradiance and mycorrhizal infection. Soil Biology and Biochemistry. 17, 807-810.
- Tester, M.; Smith, S.E.; Smith, F.A. and Walker, N.A. (1986). Effects of photon irradiance on the growth of shoots and roots, on the rate of initiation of mycorrhizal infection and the growth of infection units in *Trifolium subterraneum* L. New Phytol, 0103, 375-390.
- Thomson, B. D.; Robson, A.D. and Abbott, B.D. (1990). Mycorrhizas formed by *Gigaspora calospora* and *glomus fasciculatum* on subterranean clover in relation to soluble carbohydrate concentrations in roots. New phytol., 114, 217-225.
- Timmer, L. W. and Leyden, R.F. (1978). Stuning of citrus seedlings in fumigated soils in Taxes and its correction by phosphorus fertilization and inoculation with mycorrhizal fungi. J. A.M. Soc. Hortic. Sci., 103, 533-537.
- Timmer, L.W. and Leyden, R.F. (1980). The relationship of mycorrhizal infection to phosphorus-induced copper deficiency in Sour orange seedlings. New Phytol., New. Phytol., 85, 15-23.

- Tinker, P.B. (1975). Effects of vesicular-arbuscular mycorrhizas on higher plants. In Symp. Soc. Exp. Biol., 29, 325-349.
- Tinker, P.B. (1978). Effect of vesicular-arbuscular mycorrhizas on plant nutrition and plant growth. *Physiol. Veg.*, 16, 743-751.
- Tinker, P.B. and Gildon, A. (1983). Mycorrhizal fungi and ions uptake. In: *Metals and micronutrients*, Eds Robb, D.A. and Pier Point, W.S., Academic Press, London.
- Tisserant. B., Brenac. V, Requena. N and Jeffries. P (1998). The detection of *Glomus* spp forming mycorrhizas in three plants at different stages of seedling development using mycorrhiza specific isozymes. *New phytologist*. 138 (2) 225-239.
- Torafdar J.C . and Marschner. (1995). Dual inoculation with *Aspergillus fumigatus* and *glomus mosseae* enhances biomass production and nutrient uptake in wheat. *Plant and Soil*. 173 (1) 97-102.
- Toro. M, Azcon. R and Baureu. J.M. (1997). Improvement of VA mycorrhiza development by inoculation of soil with phosphate- Solubilizing rhizobacteria to improve rockphosphate bioavailability and nutrient cycling. *App. Eng. Microbiol*. 63 (11) 4408-4412.
- Trappe, J.M. (1981). Mycorrhizae and Productivity of arid and semi arid rangelands. *Adv. Food Prod. Sys. For arid and Semi arid Lands*. PP. 581-599.
- Trappe, J.M. (1982). Synoptic keys to the genera and species of *zygomycetes* (vesicular-arbuscular) mycorrhizal fungi. *Phytopathology*, 72, 1102-1108.
- Trouvelot, A.; Kough, J.L. and Gianinazzi-Pearson, V. (1986). Mesure du taux de mycorrhization VA d'un systeme racinaire Recherche de methodes d'estimation ayant une signification fonctionnelle. In: *Physiological and General Aspects of Mycorrhizae* (Ed. by V. Gianinazzi-Pearson & S. Gianinazzi). INRA Publications, Paris, PP. 217-221.

- Tu shihua, Goh, T.B uno Banerjee, M.R. (1997) Vesicular arbuscular, mycorrhiza mediated uptake and translocation of P and zn by wheat in calcareous soil. *Pedosphere*, 7 (4) 317-324.
- Van-Duin, W.S.; Rozema, J. and Ernst, W.H.O. (1990). Seasonal and Spatial variation in the occurrence of vesicular-arbuscular (VA) mycorrhiza in salt march plants. *Agriculture, Ecosystems and Environment*, 29, 107-110.
- Verma, R. , Jamaluddin, K. an Gupta, B.lv(1994). Effect of inoculation on of VAM fungi and Rhizobium on growth and biomass production in *Acacia nilotich* in nursery. *Indian Forester*. 120 (1) 1089- 1094.
- Verma, R. and Arya, I.D. (1998). Effect of arbuscular mycorrhizal fungal isolates and organic manure on growth and mycorrhization of micropropagated *Dendrocal amus asper* and on spore production in their rhizosphere. *Mycorrhiza*, 8: 113-116.
- Volkmar, K. M. and Woodbury, W. (1989). Effects of soil temperature and depth on colonization and root and shoot growth of barley inoculated with vesicular-arbuscular mycorrhizal indigenous to Canadian Prairie Soil, *Can. J. Bot.*, 67, 1702-1707.
- Wafaa, M. A; Khalaf allah; M. A and Mouwad, H. (1998). Enhancement of nodulation and N₂ Fixation of *Acacia sailgna* in sandy and calcareous soils with endigeneus population of acacia nodulation Rhizobia and mycorrihiza. Reg. symp on Agro-Technologies 14-16. El – Arish Governorate.
- Wang- Weiyoun; Wang- Liangchou; Wang Wr ; Wang. L (1994) Characterization of a Rhizobium strain AA 18 isolated from *Acacia auriculiformsi* . *Bulletin of the Taiwan- Forestry Rese arch. Institue*. 9: 1, 11-20 : 27 ref.
- Warner, A. and Mosse, B. (1979). Factors affecting the spread of VA endophytes. *Rothamsted Annual Report for 1979*, pp. 187-188.
- Warner, A. and Mosse, B. (1980). Independent spread of VAM fungi in soil. *Trans, Br. Mycol. Soc.*, 74: 704-410.

- Wasfy, W., Shindy and Orrin E. Smith (1975) Identification of plant hormones from cotton ovules. *Plant physiol*, 55, 550-554.
- Watanabe, F.S. and S.R. Olsaeen (1965). Test of an ascorbic acid method for determining phosphorus in soil, waters and Na Hco₃ extrats from soil soil sci soc. Amer Proc. , 29: 677-678.
- Watrud, L.S.; Heithaus, III, J.J. and Jaworski, E.G. (1978a). Geotropism in the endomycorrhizal fungus *Giaspora margarita*. *Mycologia*, 70, 449-452.
- Watrud, L.S.; Heithaus, III, J.J. and Jaworski, E.G. (1978b). Evidence for production inhibitor by the vesicular-arbuscular mycorrhizal fungus *Gigaspora margrita*. *Mycologia*, 70, 821-828.
- Weissenhorn. I, Leyval. C. and Bertheline, J.(1994). Bioaviability of heavy metals and abundance of arbuscular mycorrhiza AM in a soil polluted by atmospheric deposition from a smelter. *Biol. Fertil Soils*. 19:22-28.
- Weissenhorn. I, Leyval. C. and Bertheline, J.(1995). Arbuscular mycorrhizal contribution to heavy metal uptake by maize (*zea mays* L.) in pot culture with contaminated soil. *My corrhiza*. 5:245-251.
- Williamson, B and Alexan der, I. (1975) Acid phosphatase localized in the sheath of beech mycorrhiza. *Soi. Biol. Bloch.*, 7. 195-198.
- Williams, S.E.; Wollum, A.G. and Aldon, E.F. (1974). Growth of *Atriplex canescens* (Pursh) Nutt. Improved by formation of vesicular-arbuscular mycorrhizae. *Soil. Sci. Soc. Amer. Proc.*, 38, 962-965.
- Zombolium, L. and Oliveria, A.A.R. (1986). Intracacoentre Gl. etunicatum and Meliodogyne Javonica emfeijao. *Fitopathologia Brasileira*, 11:217-226.

ARABIC SUMMARY