

References

1. *Abruzzese TA, Guzman RJ, Martin RL, Yee C, Zarins CK, Dalman RL (1998):* Matrix metalloproteinase inhibition limits arterial enlargements in a rodent arteriovenous fistula model. *Surgery* 124: 328–334.
2. *Adams MB, Majewski JT, Kiselow MC, Kauffman HM Jr (1986).* Diabetic vascular access. *Dial Transplant*; 15: 307–308
3. *Albers F (1994):* Causes of hemodialysis access failure. *Adv Ren Replace Ther* 1:107-118
4. *Allon M, Daudirdas J, Depner TA, Greene T, Ornt D & Schwab SJ (2006):* Effect of change in vascular access on patient mortality in hemodialysis patients. *Am J Kidney Dis.*; 47(3): 469-77.
5. *Allon M, Lockhart ME, Lilly RZ, Gallichio MH, Young CJ, Barker J, Deierhoi MH & Robbin ML (2001):* Effect of preoperative sonographic mapping on vascular access outcomes in hemodialysis patients. *Kidney Int.*; 60(5): 2013-20.
6. *Amann K, Miltenberger-Miltenyi G, Simonaviciene A, Koch A, Orth ST, Ritz E (2001):* Remodeling of resistance arteries in renal failure: Effect of endothelin receptor blockade. *J Am Soc Nephrol* 12: 2040–2050.
7. *Anderson CB, et al (1977):* Local blood flow characteristics of arteriovenous fistulas in the forearm for dialysis. *Surg Gynecol Obstet* 144:531.

8. **Baldrati L, De Pasc (2003):** [Pre-dialysis arteriovenous fistula results in better patency rate] [Article in Italian] *Alis A, Giudicissi A, Docci D, Neri L, Feletti C1: G Ital Nefrol. Mar-Apr;20(2):166-9.*
9. **Ballermann BJ, Dardik A, Eng E, Liu A (1998):** Shear stress and the endothelium. *Kidney Int 54: 100–108.*
10. **Barrett N, Spencer S, McIvor J, Brown EA (1988):** Subclavian stenosis: A major complication of subclavian dialysis catheters. *Nephrol Dial Transplant 3:423-425.*
11. **Barsoum RS (2006):** Chronic kidney disease in the developing world. *N Eng J Med.; 354(10): 997-9.*
12. **Basile C, Ruggieri G, Vernaglione L, Montanaro A & Giordano R (2004):** The natural history of autogenous radio-cephalic wrist arteriovenous fistulas of haemodialysis patients: a prospective observational study. *Nephrol Dial Transplant; 19(5): 1231-6.*
13. **Beathard GA, Settle Sm, Shields MW (1999):** Salvage of the nonfunctioning arteriovenous fistula. *Am J Kidney Dis 33: 910.*
14. **Bender MHM, Bruyninckx CMA, Gerlag PGGG (1994):** The brachiocephalic elbow fistula: A useful alternative angioaccess for permanent hemodialysis. *J Vasc Surg 20: 808–813.*
15. **Bolz K, Fjermers G, Wideroe T, Hatlinghus S (1995):** Catheter malfunction and thrombus formation on double-lumen hemodialysis catheters: An intravascular ultrasonographic study. *Am J Kidney Dis 25:597-602*
16. **Bosman P et al (1996):** Access flow measurements in haemodialysis patients: In vivo validation of an ultrasound dilution technique. *J Am Soc Nephrol 7:966.*

17. **Bourquelot P, Cussenot O, Corbi P et al (1990).** Microsurgical creation and follow-up of arteriovenous fistulae for chronic haemodialysis in children. *Pediatr Nephrol* 4: 156–159
18. **Brscia MJ, Cimino JE, Appel K, Hurwich BJ(1966):** Chronic haemodialysis using venipuncture and a surgically created arteriovenous fistula. *N Engl J Med*, 275: 1089-1092 =1.d
19. **Burrows L, Kwun K, Schanzer H, Haimov M (1979):** Haemodynamic dangers of high flow arteriovenous fistulas. *Proc Eur Dial Transplant Assoc* 16: 686–687.
20. **Carmin Sessa , Gregory Riehl, Paolo Porcu, Olivier Pichot Pedro Palacin, Mohamed Maghlaoua. (2004)** *Annals of Vascular Surgery* Treatment of Hand Ischemia Following Angioaccess Surgery Using the Distal Revascularization Interval-Ligation Technique with Preservation of Vascular Access: Description of an 18-Case Series Volume 18, Number 6 November, 685 – 94.
21. **Castelao AM, Gorriz JL, Lopez FG, Revuelta KL De Alvaro F & Cruzado JM (2004):** Perceived health-related quality of life and comorbidity in diabetic patients starting dialysis (CALVIDIA study). *J Nephrol.*; 17: 544-51.
22. **Chandraratna PAN (1984):** Determination of contribution of arteriovenous fistula to total cardiac output by Doppler computer. *Nephrol Dial Transplant* 41: 251.
23. **Chen J, Muntner P, Hamm LL, Fonseca V, Batuman V, Whelton PK & He J (2003):** Insulin resistance and risk of chronic kidney disease in nondiabetic US adults. *J Am Soc Nephrol.*; 14:69–477.

24. **Cines DB, Pollak ES, Buck CA, Loscalzo J, Zimmerman GA, McEver RP, Pober JS, Wick TM, Konkle BA, Schwartz BS, Barnathan ES, McCrae KR, Hug BA, Schmidt AM, Stern DM (1998):** Endothelial cells in physiology and in the pathophysiology of vascular disorders. *Blood*; 91: 3527–61.
25. **Coggins C, Lewis J & Caggiula A (1998):** Differences between women and men with chronic renal disease. *Nephrol Dial Transplant.*; 13: 1430–7.
26. **Cohen G, Haag-Weber M, Horl WH (1999):** Immune dysfunction in uremia. *Kidney Int Suppl* 73:S94.
27. **Corpataux JM, Haesler E, Silacci P, Ris HB, Hayoz D (2002):** Low-pressure environment and remodeling of the forearm vein in Brescia-Cimino haemodialysis access. *Nephrol Dial Transplant* 17: 1067–1062.
28. **Dahduli SA, Qattan NM, Al-Kuhaymi RA, Al-Jabreen MA, Al-Khader AA.(2002).** Mobilization and superficialization of basilic vein for brachio basilic fistula. *Saudi Med J.* Oct;23(10):1203-5
29. **De Marchi S, Falleti E, Giacomello R, Stel G, Cecchin E, Sepiacci G, Bortolotti N, Zanello F, Gonano F & Bartoli E (1996):** Risk factors for vascular disease and arteriovenous fistula dysfunction in hemodialysis patients. *J Am Soc Nephrol.*; 7: 1169–77.
30. **De Marchi S, Falleti E, Giacomello R, Stel G, Cecchin E, Sepiacci G, Bortolotti N, Zanello F, Gonano F, Bartoli E (1996):** Risk factors for vascular disease and arteriovenous fistula dysfunction in hemodialysis patients. *J Am Soc Nephrol* 7: 1169–1177.

31. **Dikow R, Schwenger V, Zeier M, Ritz E (2002):** Do AV fistulas contribute to cardiac mortality in hemodialysis patients? *Semin Dial* 15: 14–17.
32. **Donovan K (2006):** Population requirements for vascular access surgery. *Eur J Vasc Endovasc Surg.*; 31(2): 176-80.
33. **Ehnenfield W, Grausz H, Wylie E (1972):** Subcutaneous arteriovenous fistulas for haemodialysis. *Am Surg* 124:200.
34. **Etmand Mad B (1998):** Gastrointestinal complications of renal failure. *Gastroenterol Clin North Am* 27: 875.
35. **Feldman HI, Joffe M, Rosas SE, Burns JE, Knauss J & Brayman K (2003):** Predictors of successful arteriovenous fistula maturation. *Am J Kidney Dis.*; 42(5): 1000-12.
36. **Fitzgerald JT, Schanzer A, Chln AI, McVicar JP, Perez RV & Troppmann C (2004):** Outcomes of upper arm arteriovenous fistulas for maintenance hemodialysis access. *Arch Surg.*; 139(2): 201-8.
37. **Fox CS, Larson MG, Leip EP, Culleton B, Wilson PW & Levy D (2004):** Predictors of new-onset kidney disease in a community-based population. *JAMA* 291:844-50.
38. **Fox CS, Larson MG, Leip EP, Meigs JB, Wilson PW & Levy D (2005):** Predictors of new-onset kidney disease in a community-based population. *Diabetes Care*; 28: 2436-40.
39. **Fox CS, Larson MG, Leip EP, Meigs JB, Wilson PWF & Levy D (2005):** Glycemic Status and development of kidney disease: Pathophysiology/ complications- The Framingham Heart Study. *Diabetes Care*; 28: 2436-40.

40. **Fronek A, King D (1985):** An objective sequential compression test to evaluate the patency of the radial and the ulnar arteries. *J Vasc Surg* 2:450.
41. **Garrancho JM, Kirchgessner J, Arranz M, Klinkner G, Rentero R, Ayala JA & Marcelli D (2005):** Haemoglobin level and vascular access survival in hemodialysis patients. *Nephrol Dial Transplant.*; 20(11): 2453-7.
42. **Genuth S, Alberti KG, Bennett P, Buse J, Defronzo R, Kahn R, Kitzmiller J, Knowler WC, Lebovitz H, Lernmark A, Nathan D, Palmer J, Rizza R, Saudek C, Shaw J, Steffes M, Stern M, Tuomilehto J & Zimmet P (2003):** Expert Committee on the Diagnosis and Classification of Diabetes Mellitus: Follow-up report on the diagnosis of diabetes mellitus. *Diabetes Care*; 26:3160-7.
43. **Gibson KD , et al (2000):** Vascular access survival and incidence of revisions: A comparison of prosthetic grafts, simple autogenous and venous transposition fistulas from the United States Renal Data Systems Dialysis Morbidity and Mortality Study. 14:138.
44. **Girard X, London G, Boutouyrie P, Mourad JJ, Safar M, Laurent S (1996):** Remodeling of the radial artery in response to a chronic increase in shear stress. *Hypertension* 27: 799-803.
45. **Gracz KC, Ing TS, Soung LS, Armbruster KFE, Seim SK, Merfkel FK (1977):** Proximal forearm fistula for maintenance hemodialysis. *Kidney Int* 11: 71-74
46. **Grandaliano G, Teutonico A, Allegretti A, Losappio R, Mancini A, Gesualdo L, Schena FP & Pertosa G (2003):** The role of hyperparathyroidism, erythropoietin therapy, and CMV infection in

- the failure of arteriovenous fistula in hemodialysis. *Kidney Int.*; 64(2): 715-9.
47. **H.Earl Gordon (2002).** Development of vascular access. *Vascular access .Principles and Practice.* Fourth edition 2-3.
 48. **Haage P, Vorwerk D, Wildberger JE, Piroth W, Schürmann K, Guenther RW (2000):** Percutaneous treatment of thrombosed primary arteriovenous hemodialysis access fistulae. *Kidney Int* 57: 1169–1175.
 49. **Harland RC (1994):** Placement of permanent vascular access devices: Surgical considerations. *Adv Ren Replace Ther* 1:99-106
 50. **Haviv, (2000):** Association of anticardiolipin antibodies with vascular access occlusion in hemodialysis patients: cause or effect? *Nephron*; 86(4): 447-54.
 51. **Hovagim AR, Poppers PJ(1989):** Anesthesia for vascular access and peritoneal access for dialysis. In: *Vascular and Peritoneal Access for Dialysis.* edited by Andreucci VE, Boston-Dordrecht-London, Kluwer Academic Publishers,
 52. **Huijbregts HJ & Blankestijn PJ (2006):** Dialysis access--guidelines for current practice. *Eur J Vasc Endovasc Surg.*; 31(3): 284-7.
 53. **James E. Anderson, M.D (1978).** *Grants Atlas of Anatomy.* Seventh Edition., 6-50 -56.
 54. **Jardine AG, Fellstrom B, Logan JO, Cole E, Nyberg G, Riska GC, Madsen S, Neumayer HH, Maes B, Ambuhl P & Holdaas H (2005):** Cardiovascular risk and renal transplantation: post hoc analyses of the Assessment of Lescol in Renal Transplantation (ALERT) Study. *Am J Kidney Dis.*; 46(3): 529-36.

55. **Jeffrey L Ballard (2002).** Surgical anatomy for vascular access procedures. Vascular access .Principles and Practice . fourth edition : 22-33.
56. **Johnson C, et al (1998):** Prognostic value of intraoperative blood flow measurements in vascular access surgery. Surgery 124: 729.
57. **Jones GT, Stehbens WE (1995):** The ultrastructure of arteries proximal to chronic experimental carotid-jugular fistulae in rabbits. Pathology 27: 36–42
58. **Jones GT, Stehbens WE, Martin BJ (1994):** Ultrastructural changes in arteries proximal to short-term experimental carotid-jugular arteriovenous fistulae in rabbits. Int J Exp Pathol 75: 225–232.
59. **Kamiya A, Togawa T (1980):** Adaptive regulation of wall shear stress to flow change in the canine and carotid artery. Am J Physiol 239: H14–H21.
60. **Karalliedde D & Viberti S (2006):** Evidence of renoprotection by blockade of the renin-angiotensin-aldosterone system in hypertension and diabetes. J Hum Hypertens; 20(4): 239–53.
61. **Karmody AM, Lempert N (1974).** ‘Smooth loop’ arteriovenous fistulas for hemodialysis. Surgery; 75: 238–242
62. **Kausz AT, Obrador JT, Pereira PJ (2000):** Anaemia management in patient with chronic renal insufficiency. Am J Kidney Dis 36 (6 suppl 3) : S 39.
63. **Kawecka M A (2005):** Complications of native AVF in hemodialysis patient. N Eng J Med; 322(8) : 543-7.

64. **Ketteler M, Ritz E (2000):** Renal failure: A state of nitric oxide deficiency. *Kidney Int* 58: 1356–1357.
65. **Kherlakian GM, Roedersheimer LR, Arbaugh JJ, Newmark KJ, King LR (1986):** Comparison of autogenous fistula versus expanded polytetrafluoroethylene graft fistula for angioaccess in hemodialysis. *Am J Surg* 152:238-243.
66. **Kherlakin GM, et al (1986):** Comparison of autogenous fistula versus expanded Polytetrafluoroethylene graft fistula for angioaccess in haemodialysis. *Am J Surg* 152:238.
67. **Kim YO, Yang CW, Yoon SA, Chun KA, Kim NI, Park JS, Kim BS, Kim YS, Chang YS & Bang BK (2001):** Access blood flow as a predictor of early failures of native arteriovenous fistulas in hemodialysis patients. *Am J Nephrol.*; 21(3): 221-5.
68. **Kinnaert P, et al (1977):** Nine years experience with internal arteriovenous fistulas for haemodialysis: A study of some factors influencing the results. *Br J Surg* 64:242.
69. **Kinnaert P, Struyven J, Mathieu J, Vereerstaeten P, Toussaint C, van Gerrstruyden J (1980):** Intermittent claudication of the hand after creation of an arteriovenous fistula in the forearm. *Am J Surg* 139: 838–843.
70. **Kjellstrand CM (1978):** The Achilles heel of the haemodialysis patient. *Arch Intern Med* 138:1063.
71. **Klaus Konner(2000).** Interventional strategies for haemodialysis fistulae and grafts: interventional radiology or surgery. *Nephrol Dial Transplant* 15: 1922-1923.

72. **Knox RC, Berman SS, Hughes JD, Gentile AT, Mills JL (2002):** Distal revascularization-interval ligation: A durable and effective treatment for ischemic steal syndrome after hemodialysis access. *J Vasc Surg* 36: 250–256.
73. **Konner K (1999).** A primer on the av fistula—Achilles' heel, but also Cinderella of haemodialysis. *Nephrol Dial Transplant*; 14: 2094-2098
74. **Konner K (2000):** Interventional strategies for hemodialysis fistulae and grafts: Interventional radiology or surgery. *Nephrol Dial Transplant* 15: 1922–1923
75. **Konner K (2000):** Primary vascular access in diabetic patients: an audit. *Nephrol Dial Transplant.*; 15: 1317-25.
76. **Konner K, Vorwerk D (1997):** Permanent pacemaker wires causing subclavian vein stenosis in presence of AV fistula — Is it ever wrong to try angioplasty and stenting ? *Nephrol Dial Transplant* 12: 1735–1738.
77. **Kovalik EC, Newman GE, Suhocki P, Knelson M, Schwab SJ (1994):** Correction of central venous stenoses: Use of angioplasty and vascular Wallstents. *Kidney Int* 45: 1177–1181.
78. **Krönung G (1984):** Plastic deformation of Cimino fistula by repeated puncture. *Dial Transplant* 13: 635–638.
79. **Kusztal M, Weyde W, Letachowicz W, Porazko T, Krajewska M, Penar J & Klinger M (2005):** Influence of autologous arteriovenous fistula on the blood supply to the hand in elderly hemodialyzed patients. *J Vasc Access.*; 6(2): 83-7.

80. **Lawrence PF, Miller FJ, Mineau DE (1981):** Balloon catheter dilatation in patients with failing arteriovenous fistulas. *Surgery* 89:439.
81. **Lea JP, McClellan WM, Melcher C, Gladstone E & Hostetter T (2006):** Chronic renal disease risk factors reported by primary care physicians: do guidelines make a difference? *Am J Kidney Dis.*; 47(1): 72-7.
82. **Lehoux ST, Tronc F, Tedgui A (2002):** Mechanisms of blood flow-induced vascular enlargement. *Biorheology* 39: 319–324.
83. **Levin A, Foley RN (2000):** Cardio Vascular Disease in Chronic Renal Insufficiency. *Am J Kidney Dis* 36 (suppl 3) : s 93, .
84. **Li PK, Ho KK & Szeto CC (2002):** Prognostic indicators of IgA nephropathy in the Chinese—clinical and pathological perspectives. *Nephrol Dial Transplant.*; 17: 64–9.
85. **Lin G, et al (1997):** Pulsed oximetry evaluation of oxygen saturation in the upper extremity with an arteriovenous fistula before and during haemodialysis. *Am J Kidney Dis* 29:230.
86. **Lorenzo V, Martin M, Rufino M, Hernandez D, Torres A & Ayus JC (2004):** Predialysis nephrologic care and a functioning arteriovenous fistula at entry are associated with better survival in incident hemodialysis patients: an observational cohort study. *Am J Kidney Dis.*; 43(6): 999-1007.
87. **Mandel S, et al (1977):** Vascular access in a university transplant and dialysis program. *Arch Surg* 112:1375.
88. **Mandin H (1973):** Mechanism of natriuresis after closure of chronic arteriovenous shunts. *J Clin Incest* 52: 2225.

89. *Matsubayashi S (1974)*: Wound healing accelerated by the creation of arteriovenous fistula. *Ann Surg* 164: 1027.
90. *McAlister VC & Badovinac K (2003)*: Transplantation in Canada: report of the Canadian Organ Replacement Register. *Transplant Proc*; 35: 2428-30.
91. *McCarley P, Wingard RL, Shyr Y, Pettus W, Hakim RM & Ikizler TA (2001)*: Vascular access blood flow monitoring reduces access morbidity and costs. *Kidney Int.*; 60(3): 1164-72.
92. *Mickley V (2003)*: Surgical alternatives to central venous catheters in chronic renal replacement therapy. *Nephrol Dial Transplant*, in press
93. *Middleton WD, Picus DD, Marx MV, Melson GL (1989)*: Color doppler sonography of hemodialysis vascular access: Comparison with angiography. *Am J Roentgenol* 152:633-639
94. *Miller PE, Tolwani A, Luscly CP, Deierhoi MH, Bailey R, Redden DT & Allon M (2000)*: Predictors of adequacy of arteriovenous fistulas in hemodialysis patients. *Kidney Int.*; 57(1): 347-8.
95. *Misovic S, Draskovic M, Tomic A & Sarac M (2005)*: *Med Jor*; 58(3-4): 200-2.
96. *Moe SM. Sprague SM (1994)*: Uremic encephalopathy. *Clin Nephrol* 42: 251.
97. *Montgomrie JZ Klamanson GM, Guze LB (1968)*: Renal failure and infection. *Medicine (Balt)* 47:1.
98. *Moran MR et al (1984)*: Hand exercise effect on maturation and blood flow of dialysis arteriovenous fistulas ultrasound study. *Angiology* 55:641.

99. **Moran MR, et al (1985):** Flow of dialysis fistulas. *Nephron* 40:63.
100. **Munda R, First R, Alexander JW, Linnemann CC, Fidler JP, Kittur D (1983):** Polytetrafluoroethylene graft survival in hemodialysis. *JAMA* 249:219-222.
101. **National Nosocomial Infection Surveillance System (1999):** National nosocomial infection surveillance. *Am J Infect Control* 27:520.
102. **Nazzal MMS, Neglen P, Naseem J, Christenson JT, Al-Hassan HK (1990):** The brachiocephalic fistula: A successful secondary vascular access procedure. *Vasa* 19:326-329
103. **Nephrol Dial Transplant. 2005 Mar;20(3):598-603.** Epub Jan 12.
104. **Neugarten J, Acharya A & Silbiger SR (2000):** Effect of gender on the progression of nondiabetic renal disease: a meta-analysis. *J Am Soc Nephrol* 2000; 11: 319–329
105. **Neyra NR, et al (1998):** Change in access blood flow overtime predicts vascular access thrombosis. *Kidney Int* 54:1714.
106. **O'Regan S, Lemaitre P, Kaye-M (1978):** Hemodynamic studies in patients with expanded polytetrafluoroethylene (PTFE) forearm grafts. *Clin Nephrol* 10: 96–100.
107. **Ozdemir FN, Akcay A, Bilgic A, Akgul A, Arat Z & Haberal M (2005):** Effects of smoking and blood eosinophil count on the development of arteriovenous fistulae thrombosis in hemodialysis patients. *Transplant Proc.*; 37(7): 2918-21.
108. **Padberg FT, Lee BC, Curl GR (1992):** Haemoaccess site infection. *Surgery* 174:103.

109. *Palder SB, Kirkman RL, Whittemore AD, Hakim RM, Lazarus JM, Tilney NL (1985):* Vascular access for hemodialysis: Patency rates and results of revision. *Ann Surg* 202:235-239,
110. *Patel KR, et al (1992):* True venous aneurysms and arterial (steal) secondary to arteriovenous fistulae for dialysis. *J Cardiovasc Surg* 33:185.
111. *Polenakovic MH (2004).* Options in uraemia therapy for diabetics with end-stage renal disease. *Prilozi.* 25(1-2):27-51
112. *Polkinghorne KR, Atkins RC & Kerr PG (2004):* Determinants of native arteriovenous fistula blood flow. *Nephrology*; 9(4): 205-11.
113. *Quinton W E, et al(1960):* Canulation of blood vessels for prolonged hemodialysis. *Trans. Am .Soc. Artif. Inter organs* 6 : 104
114. *Ravani P, Barrett B, Mandolfo S, Brunori G, Cancarini G, Imbasciati E & Malberti F (2005):* Factors associated with unsuccessful utilization and early failure of the arterio-venous fistula for hemodialysis. *J Nephrol.*; 18: 188-96.
115. *Reddan D, Klassen P, Frankenfield DL, Szczech L, Schwab S, Coladonato J, Rocco M, Lowrie EG & Owen WF (2002):* National Profile of Practice Patterns for Hemodialysis Vascular Access in the United States. *J Am Soc Nephrol.*; 13: 2117-24.
116. *Reilly DT, Wood RFM, Bell PRF (1982):* Arteriovenous fistulas for dialysis: Blood flow, viscosity, and long term patency. *World J Surg* 6:628.
117. *Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus (1997).* *Diabetes Care* 20:1183-1197,

118. **Revanur VK, Jardine AG, Hamilton DH & Jindal RM (2000):**
Outcome for arterio-venous fistula at the elbow for haemodialysis.
Clin Transplant; 14(4): 318-22.
119. **Rodriguez JA, Armadans L, Ferrer E, Olmos A, Codina S, Bartolome J, Borrellas J & Piera L (2000):** The function of permanent vascular access. Nephrol Dial Transplant.; 15(3): 402-8.
120. **Rodriguez JA, Ferrer E, Olmos A, Codina S, Borrellas J & Piera L (2001):** Analysis of the survival of permanent vascular access ports. Nefrologia; 21(3): 260-73.
121. **Rohr M, et al (1978):** Arteriovenous Fistulas for long-term dialysis. Arch Surg 113:153.
122. **Salahi H, Mehdizadeh AR, Derakhshan A, Davari HR, Bahdor B, Mashhadieh B, Bagheri F & Malek-hosseini SA (2004):** Evaluation the Cause of End-Stage Renal Disease (ESRD) in Kidney Transplant Patients-A Single Center Study. Iranian J Med Sc.; 29(4): 198.
123. **Samuel E Wilson (2002).** Autologous Arteriovenous Fistula Vascular access .Principles and Practice . fourth edition, 82-90
124. **Sands J (1996):** Optimizing hemodialysis access: A teaching tool. Nephrol News Issues 16-22.
125. **Sands JJ, Nudo SA, Moore KD & Ortel TL (2001):** Antibodies to prothrombin, factor V, and beta2-glycoprotein I and vascular access thrombosis. ASAIO J.; 47(5): 507-10.
126. **Schanzer H, Schwartz M, Harrington E, Haimov M (1988):** Treatment of ischaemia due to "steal" by arteriovenous fistula with distal artery ligation and revascularization. J Vasc Surg 7: 770-773.

127. *Schillinger F, Schillinger D, Montagnac R, Milcent T (1991):* Post catheterization vein stenosis in haemodialysis: Comparative angiographic study of 50 subclavian and 50 internal jugular accesses. *Nephrol Dial Transpl* 6: 722-724.
128. *Schwab SJ, Quarles LD, Middleton JP, Cohan RH, Saeed M, Dennis VW (1988):* Hemodialysis-associated subclavian vein stenosis. *Kidney Int* 33: 1156-1159.
129. *Schwartz IF & Iaina A, (2000):* Management of uremic prurits.
130. *Sechi LA, Catena C, Zingaro L, Melis A & De Marchi S (2002):* Abnormalities of glucose metabolism in patients with early renal failure. *Diabetes*; 51:1226-32.
131. *Serradell M, Diaz-Ricart M, Cases A, Zurbano MJ, Arnar-Salatti J, Lopez-Pedret J, Ordinas A, Escolar G (2001):* Uremic medium disturbs the hemostatic balance of cultured human endothelial cells. *Thromb Haemost* 86: 1099-1105.
132. *Serradell M, Diaz-Ricart M, Cases A, Zurbano MJ, Lopez-Pedret J, Arranz O, Ordinas A, Escolar G (2002):* Uremic medium causes expression, redistribution and shedding of adhesion molecules in cultured endothelial cells. *Haematologica* 87: 1053-1061.
133. *Sivanesan S, How T, Bakran A (1998):* Characterizing flow distributions in Av fistulae for haemodialysis access. *Nephrol Dial Transplant* 13:3108.
134. *Smith RA, Stephens WE, Weber P (1976):* hemodynamically induced increase in soluble collagen in the anastomosed veins of experimental arteriovenous fistulae. *Atherosclerosis* 23: 429.

135. **Song IS, Yang WS, Kim SB, Lee JH, Kwon TW & Park JS (1999):** Association of plasma fibrinogen concentration with vascular access failure in hemodialysis patients. *Nephrol Dial Transplant.*; 14: 137-41.
136. **Sparks SR, et al (1997):** Superior patency of perforating antecubital vein in arteriovenous fistulae for haemodialysis. *Ann Vasc Surg* 11: 165.
137. **Taylor B, Sigley RD, May KJ (1993):** Fate of infected and eroded haemodialysis grafts and autogenous fistulas. *Am J Surg* 165:632.
138. **Tellis VA, Veith FJ, Sobermann RJ, Freed SZ, Gliedman ML (1971).** Internal arteriovenous fistula for hemodialysis. *Surg Gynecol Obstet*; 132: 866-870
139. **Tohda K, Masuda H, Kawamura K, Shozawa T (1992):** Differences in dilatation between endothelium-preserved and desquamated segments in the flow-loaded rat common carotid artery. *Arterioscler Thromb* 12: 519-528.
140. **Tonelli M, Hirsch D, Clark TWI, Wile C, Mossop P, Marryatt J, Jindal K (2002):** Access flow monitoring of patients with native vessel arteriovenous fistulae and previous angioplasty. *J Am Soc Nephrol* 13: 2969-2973.
141. **Tordoir JHM, Hoeneveld H, Eikelboom BC, Kitslaar PJEHM (1990):** The correlation between clinical and duplex ultrasound parameters and the development of complications in arterio-venous fistulae for hemodialysis. *Eur J Vasc Surg* 4:179-184

142. **Tronc F, Mallat Z, Lehoux S, Wassef M, Esposito B, Tedgui A (2000):** Role of matrix metalloproteinases in blood flow-induced arterial enlargement. *Arterioscler Thromb Vasc Biol* 20: e120–e126.
143. **Turmel-Rodrigues L, Pengloan J, Rodrige H, Brillet G, Lataste A, Pierre D, Jourdan J-L, Blanchard D (2000):** Treatment of failed native arteriovenous fistulae for hemodialysis by interventional radiology. *Kidney Int* 57: 1124–1140.
144. **U.S Renal Data System: USRDS 2000 Annual Data Report.** Bethesda, MD, National Institute of Health, National Institute of Diabetes and Digestive and Kidney Diseases.
145. **USRDS (2002):** U.S. Renal Data System, *Annual Data Report: Atlas of End-Stage Renal Disease in the United States*, Bethesda, MD, National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases
146. **Varghese K, Cherian G, Abraham MT, Hayat NJ & Johny KV (2001):** Coronary artery disease among diabetic and non-diabetic patients with end stage renal disease. *Ren Fail.*; 23(5): 669-77.
147. **Vlodaver Z, Edwards JE (1971):** Pathologic changes in aortic-coronary arterial saphenous vein grafts. *Circulation* 44: 719–728.
148. **Vorwerk D, Guenther RW, Mann H, Bohndorf K, Keulers P, Alzen G, Sohn M, Kistler D (1995):** Venous stenosis and occlusion in hemodialysis shunts: Follow-up results of stent placement in 65 patients. *Radiology* 195: 140–146.
149. **Wallace WFM, Jameson JP (1978):** Effect of a surgically created side-to-side arteriovenous fistula on heat elimination from the

human hand and forearm: Evidence for a critical role of venous resistance in determining fistula flow. Clin Sci Mol Med 55: 349.

150. **Wedgood KR, Wiggins PA, Guillou PJ (1984):** A prospective study of end-to-side versus side-to-side arteriovenous fistulas for haemodialysis. Br J Surg 71: 640.
151. **Wedgwood KR, Wiggins PA, Guillou PJ (1984):** A prospective study of end-to-side vs. side-to-side arteriovenous fistulas for haemodialysis. Brit J Surg 71: 640–642.
152. **Wedye W, Letachowicz W, Kusztal M, Porazko T, Jrajewska M & Klinger M (2006):** Outcome of autogenous fistula construction in hemodialyzed patients over 75 years of age. Blood Purif.; 24(2): 190-5.
153. **Weigert AL, Schafer AI (1998):** Uremic bleeding: Pathogenesis and therapy. Am J Med Sci 316: 94.
154. **Whiting JF, Kiberd B & Kalo Z (2004):** Cost-effectiveness of organ donation: evaluating investment into Donor Action and other donor initiatives. Am J Transplant.; 4: 569-73
155. **Windus DW, et al (1990):** Optimization of high efficiency haemodialysis by detection and correction of fistula dysfunction. Kidney Int 38: 337.
156. **Winearls C G(2000):** chronic renal failure and the uremic syndrome. In Jonson R J, Feehally J (eds): Comprehensive clinical nephrology. London, Mosby.
157. **Wong V. et al (1996):** Factors associated with early failure of arteriovenous fistulae for haemodialysis access. Eur J Vasc Endorasc Surg 12:207.

158. *Yu VL, et al (1986):* Staphylococcus aureus nasal carriage and infection in patients on haemodialysis: N Engl J Med 315:91.
159. *Zarins CK, Zatina MA, Giddens DP, Ku DN, Glagov S (1987):* Shear stress regulation of artery lumen diameter in experimental atherogenesis. J Vasc Surg 5: 413-420.
160. *Zibari GB, et al (1988):* Complications from permanent haemodialysis vascular access. Surgery 104:681.