

REFERENCES

1. **Lee HS:**
Diagnosis and predicting severity in acute pancreatitis: Korean J Gastroenterol. 2005 Nov;46(5):333-8.
2. **Villatoro E, Bassi C and Larvin M:**
Antibiotic therapy for prophylaxis against infection of pancreatic necrosis in acute pancreatitis. Cochrane Database Syst Rev. 2006 Oct 18;(4):CD 002941.
3. **Werner J:**
Fulminating pancreatitis – surgical point of view. Schweiz Rundsch Med Prax. 2006 Nov 29;95(48):1887-92.
4. **Funariu G, Bintintan V and Seicean R:**
Surgical treatment of severe acute pancreatitis: Chirurgia. 2006 Nov; 100(6):599-607
5. **Sivasankar A, Kannan DG and Jeswanth S:**
Outcome of severe acute pancreatitis: is there a role for conservative management of infected pancreatic necrosis?: Hepatobiliary Pancreat Dis Int. 2006 Nov;5(4):599-604
6. **Gray, H. (1999) :**
Pancreas: In Gray's Anatomy; 18th ed.; Ed. by Susan Standring., Elsevier., London. New York, Sydney
Pp: 1231-1237

- 7. Moore L.K. and Persaud N.V.T.:**
Development of the pancreas: In Before We Are Born (essentials of embryology and birth defects), 5th ed.
Ed. by Moore L.K and persaud N.V.T, W.B. Saunders company; London, Toronto, Montreal.
pp: 265-268.
- 8. Fawcet W.D.:**
Pancreas. In: Concise Histology, 97th ed.
Edited by Fawcet W.B, Jensh P.R, Chapman & Hall
New York, Bon, Paris. 1996.
pp: 221 – 226.
- 9. Guyton C.A. and Hall E.J.:**
Pancreatic Secretions. In: Text Book of Medical Physiology, 9th ed., Ed. by Guyton C.A and Hall E.J, W.B. Saunders Company, Toronto, Sydney, London, 1996;
pp: 824-827.
- 10. Cuschieri A., Robert J.C. and Abdulrahim M:**
Disorders of the pancreas. In: Essential Surgical Practise (Higher Surgical Training), 4th ed.
Edited by: Cuschieri A; Robert J.C, and Abdul Rahim M., Arnold. Comp., oxford, New York, New Delhi, 2002.
pp: 492-502.
- 11. Trapnell J.E. and Duncan E.H. :**
Patterns of incidence in acute pancreatitis.
Br. Med. J., 1975; 2 : 179-83.
- 12. Assmus C., Petersen M., Gottewelben F., Droge M. and Lankisch P.G.:**
Epidemiology of acute pancreatitis in a defined German population.

Digestion, 1996; 57 : 217.

13. Go V.L.W. :

Etiology and epidemiology of pancreatitis in the United States. Bradley EI III, ed. Acute pancreatitis (diagnosis and therapy).

New York, Raven Press, 1994; 235-9.

14. Mann D.V., Hershman M.J., Hittinger R. and Glazer G.:

Multicenter audit of death from acute pancreatitis.

Br. J. Surg., 1994; 81 : 890-3.

15. Bank S. and Indaram A. :

Causes of acute and recurrent pancreatitis, clinical considerations and clues to diagnosis. Gastroenterol.

Clin. North Am., 1999; 28 : 571-89.

16. Tiscornia O.M., Celener D., Perec C.J. et al. :

Physiopathogenic basis of alcoholic pancreatitis, the effects of elevated cholinergic tone and increased pancreatic ecbolic response to CCK-PZ.

Mt Sinai J. Med., 1983; 50 : 369-87.

17. Tzovaras G., Shukla P. and Kow L. et al. :

What are the risks of diagnostic and therapeutic endoscopic retrograde cholangiopancreatography?

Aust. N.Z.J. Surg., 2000; 70 : 778-82.

18. Fung A.S., Tsiotos G.G. and Sarr M.G. :

ERCP induced acute necrotizing pancreatitis, is it a more severe disease?

Pancreas, 1997; 15 : 217-21.

- 19. Sitges-Serra A., Alonso M., De Lecea C. et al. :**
Pancreatitis and Hyper parathyroidism.
Br. J. Surg. 1988; 75 : 158-60.
- 20. Venu R.P., Geenen J.E., Hogan W. et al. :**
Idiopathic recurrent pancreatitis, an approach to diagnosis and treatment.
Dig. Dis. Sci., 1989, 34 : 56-60.
- 21. Fortson M.R., Freedman S.N., Webster P.D. III :**
Clinical assessment of hyperlipidemic pancreatitis.
Surg., 1985; 51 : 325-9.
- 22. Grendell J.H. :**
Idiopathic acute pancreatitis gastroenterol.
Clin. North Am., 1997; 92 : 2044-8.
- 23. C.D. Johnson :**
Pathogenesis of pancreatitis.
Recent Advances in Surgery; Vol. 18 : 1-16.
- 24. J. Toouli, M. Brooke-Smith, D Carr-Locke, J Telford, P Freeny, C. Imrie and R. Tandon :**
Guidelines for management of acute pancreatitis.
Journal of Gastroent. Hepat. 17, 2002; (1): 15-39.
- 25. Domingues and Munoz J.E. :**
Any news or still amylase. In Acute pancreatitis (Novel Concepts in Biology and Therapy) 1st ed., Ed by Un L.E.,

Friess H. and Malfermeiner P, Black well Science, London, 1999.

pp: 171-180.

26. Lin X.Z., Wang S.S., T Sai Y.T. et al. :

Serum amylase, iso amylase and lipase in the acute abdomen their diagnostic value for acute pancreatitis.

J. Clin. Gastroenterol. 1989; 11 : 47-52.

27. Carballo F. and Dominguea – Munoz J.E. :

Appropriate use of serum pancreatic enzymes for the diagnosis of Acute Pancreatitis In: Diagnostic Procedures In Pancreatic Diseases, 2nd ed

Ed. by Malfer Theiner P., Domingues , Munoz J.E., Lippert H. and Schulz H., Heidelberg : Springer – Verlag, 1997.

pp: 76-9.

28. Kemppainen E.A., Hedstrom J.I., Puolakkainen P.A. et al. :

Rapid measurement of urinary try psinogen-2 as a screening test for acute pancreatitis.

N. Eng. J. Med. 1997; 336 : 719-24.

29. Petersson U., Appelros S. and Borgstrom A. :

Different patterns in immunoreactive anionic and cationic trypsinogen in urine and serum in acute pancreatitis.

Int. J. Pancreatol., 1999; 25 : 165-70.

30. Muller C.A., Appelros S., Uhl W., Buchler M.W. and Borgstrom A. :

Serum levels of procarboxy peptidase-B and its activation peptide in patients with acute pancreatitis and non pancreatic diseases.

Gut 2002; 51 : 229-35.

- 31. Rifkind K.M., Lawrence L.R. and Ranson J.H. :**
Acute pancreatitis, initial roentgenographic signs.
NY J. Med., 1976; 76 (12) : 1968-72.
- 32. Dalzell D.P., Scharling E.S., Ott D.J. and Wolfman N.T.:**
Acute pancreatitis, the role of diagnostic imaging.
Crit. Rev. Diagn. Imaging 1998; (39) 5 : 339-63.
- 33. Jeffrey R.B. J.R. :**
Sonography in acute pancreatitis.
Radiol. Clin. North Am. 1989; (27) 1 : 5-17.
- 34. Balthazar E.J., Freeny P.C. and Vansonnenberg E. :**
Imaging and intervention in acute pancreatitis.
Radiol. 1994; 193 (2) : 297-306.
- 35. Balthazar E.J., Robinson D.L., Megibow A.J. and Ranson J.H. :**
Acute pancreatitis, value of CT in establishing prognosis.
Radiol. 1990; 174 (2) : 331-6.
- 36. Freeny P.C. and Angio C.T. :**
Diagnosis and detection of complications of acute pancreatitis.
Hepatogastroenterol. 1991; (38) : 109-15.
- 37. Freeny P.C. :**

Incremental dynamic bolus computed tomography of acute pancreatitis. J. Int. Pancreatol., 1993; (13) : 147-58.

- 38. London N.J., Leese T., Lavelle J.M. et al. :**
Rapid bolus contrast enhanced dynamic computed tomography in acute pancreatitis : A prospective study.
Br. J. Surg., 1991; (78) : 1452-6.
- 39. Ascher S., Semelka R. and Brown J. :**
Pancreas, spleen, bowel and peritoneum In Clinical Magnetic resonance imaging. 2nd ed. (vol. 2), Ed. by Edelman RR, Hesselin K.J.R. and Laitkin MB.
pp: 1564-609.
- 40. Mitchell D.G., Shapiro M., Schuricht A. et al. :**
Pancreatic disease : Findings on state of the art MR images.
Am. J. Roentgenol., 1992; 159 (3) : 533-8.
- 41. Ward J., Chalmers A.G. and Guthrie A.J. :**
T2-weighted and dynamic enhanced MRI in acute pancreatitis. Comparison with contrast enhanced C.T.
Clin. Radiol., 1997; 52 (2) : 109-114.
- 42. Fazel A. and Draganov P. :**
Interventional endoscopic ultrasound in pancreatic disease.
Curr. Gastroenterol. Rep., 2004; 6 (2) : 104-10.
- 43. Ayub K., Imad R. and Salvin J. :**
Endoscopic retrograde cholangiopancreatography in gall stone associated acute pancreatitis.
Cochrane database. Syst. Rev., 2004; Oct. 18; (4) : 825-32.
- 44. Lin L.U.R., Tang Y., Yuan Z., Han T. and Zhang S. :**

CT guided percutaneous fine needle aspiration for early diagnosis of pancreatic infection after acute necrotizing pancreatitis.

Zhonghua Wai Ke Za Zhi, 2000; 38 (12) : 895-6.

45. Banks P.A., Gerzof S.G., Langevin R.E., Silverman S.G. et al. :

CT guided aspiration of suspected pancreatic infection. Bacteriology and clinical outcome.

Int. J. Pancreatol., 1995; 18 (3) : 265-70.

46. Traverson L.W. :

Infection complicating severe pancreatitis.

Inf. Dis. Clin. North Am., 1992; (6) : 601-11.

47. He Z.J., Alho H., Harmoinen A., Sand J. and Nordback I. :

Ultrathin cutting needle biopsy histology in the tissue diagnosis of acute pancreatitis, experimental study and application in human case.

Int. J. Surg. Investig., 2000; 1 (15) : 441-6.

48. Ake Anderson Sandberg, Andres Borgstrom :

Early prediction of severity in acute pancreatitis, is this possible?

Journal of pancreas, 2002; 3 (5) : 116-125.

49. Kylanpaa-Back, Takala A., Poulakkainen P. et al. :

Cellular markers of systemic inflammation and immune suppression in patients with organ failure due to severe acute pancreatitis.

Scand. J. Gastroenterol. 2001; (36) : 1100-7.

- 50. Exley A.R., Leese T., Holliday M.B., Swann R.A. and Cohen J. :**
Endotoxaemia and serum tumour necrosis factor as prognostic markers in severe acute pancreatitis.
Gut, 1992; (33) : 1126-28.
- 51. De Beaux A.C., Goldie A.S., Ross J.A., Carter D.C. and Fearon K.C.H. :**
Serum concentrations of inflammatory mediators related to organ failure in patients with acute pancreatitis.
Br. J. Surg., 1996; (83): 349-53.
- 52. Dominguez-Munoz J.E., Carballo F. Garcia M.J. et al. :**
Monitoring of proteinase-antiproteinase balance and systemic inflammatory response in prognostic evaluation of acute pancreatitis, results of prospective multicenter study.
Dig. Dis. Sci., 1993; (38) : 507-13.
- 53. Pezzilli R., Billi P., Miniero R., Fiocchi M., Cappelletti O. et al. :**
Serum interleukin-6, interleukin-8 and beta-2 microglobulin in early assessment of severity in acute pancreatitis.
Dig. Dis. Sci, 1995; 40 (11): 2341-8.
- 54. Mayer J. Rau B., Gansauge F. and Beger H.G. :**
Inflammatory mediators in human acute pancreatitis, clinical and pathophysiological implications.
Gut. 2000, (47) : 546-52.
- 55. Gross V., Andreesen R., Leser H.G., Ceska M., Liehl E. et al. :**

Interleukin-8 and Neutrophil Activation in acute pancreatitis.

Eur. J. Clin. Invest., 1992; (22) : 200-3.

- 56. Wilson C., Heads A., Shenkin A. and Imrie C.W. :**
C-Reactive protein, antiproteases and complement factors as objective markers of severity in acute pancreatitis.
Br. J. Surg., 1989; (76) : 177-81.

- 57. Borgstrom A. and Lasson A. :**
Trypsin Alpha-1 protease inhibitor complexes in serum and clinical course in acute pancreatitis.
Scand. J. Gastroenterol, 1984 (19) : 1119-22.

- 58. Hedstrom J., Saino V., Kempainen E., Haappainen R. et al.:**
Serum complex of trypsin 2 and Alpha-1 antitrypsin as diagnostic and prognostic markers of acute pancreatitis, clinical study in consecutive patients.
Br. M. J., 1996 (313) : 333-7.

- 59. Borgstrom A., Lasson A. and Ohlsson K. :**
Patterns of immunoreactive trypsin in serum of patients with acute abdominal disorders.
Scand. J. Clin. Lab. Invest., 1989 (49) (757)-62.

- 60. Neoptolemos J.P., Kempainen E.A., Mayer M.J. et al. :**
Early prediction of severity in acute pancreatitis by urinary trypsinogen activation peptide, a multicenter study.
Lancet 2000; (355) : 1955-60.

- 61. Appelros S., Peterson U., Toh S., Johnson C. and Borgstrom A. :**

Activation peptide of carboxy peptidase B. and anionic trypsinogen as early predictors of severity of acute pancreatitis.

Br. J. Surg. 2001, (88) : 216-21.

- 62. Winslet M., Hall C., London N.J. and Neoptolemos J.P. :**
Relation of diagnostic serum amylase levels to aetiology and severity of acute pancreatitis.

Gut 1992; (33) : 982-6.

- 63. Kempainen E., Hedstrom J., Puolakkainen P., Halttunen J. et al. :**

Increased serum trypsinogen 2 and trypsin 2 alpha1-antitrypsin complex values identify ERCP induced pancreatitis with high accuracy.

Gut, 1997; (41) : 690-5.

- 64. Hedstrom J., Korvuo A., Kenkimaki P., Tikanoza et al. :**

Urinary trypsinogen-2 test strip for acute pancreatitis.

Lancet 1996; (347) : 729-30.

- 65. Gumatse V., Dave P. and Sereny G. :**

Serum lipase : A better test to diagnose acute alcoholic pancreatitis.

Am. J. Med., 1992 (92) : 239-42.

- 66. Imrie C.W. :**

Classification of acute pancreatitis and the role of prognostic factors in assessing severity of disease. Schweiz Med. Wochenschr, 1997; (127) : 798-804.

- 67. Williams M. and Simms H.H. :**

Prognostic usefulness of scoring systems in critically ill patients with severe acute pancreatitis.

Crit Care Med., 1999 (27) : 901-7.

68. Eachempati S.R., Hydo L.J. and Barie B.S. :

Severity scoring for prognostication in patients with severe acute pancreatitis. Comparative analysis of the Ranson score and Apache score.

Arch Surg., 2002; (137) : 730-6.

69. Balthazar E.J., Robinson D.L., Megibow A.J. and Ranson J.H. :

Acute pancreatitis, value of CT in establishing prognosis.

Radiol. 1990; (174) : 331-6.

70. Steinberg W. and Tenner S. :

Acute pancreatitis.

N. Eng. J. Med., 1994; (330) : 1198-210.

71. British Society of Gastroenterology :

United Kingdom guidelines for the management of acute pancreatitis.

Gut., 1998 : 42 (Suppl. 2) : S1-S3.

72. Klar E., Herfarth C. and Messmer K. :

Therapeutic effect of isovolaemic hemodilution with dextran 60 on the impairment of pancreatic microcirculation in acute biliary pancreatitis.

Ann. Surg., 1990 (211) : 349-53.

73. Klar E., Messmer K., Warshaw A.L. and Herfarth C. :

Pancreatic ischaemia in experimental acute pancreatitis, mechanism significance and therapy.

Br. J. Surg., 1990, (77) : 1205-10.

74. Banks B.A. :

Acute pancreatitis, medical and surgical management.

Am. J. Gastroenterol, 1994; 89 (8) 78-85.

75. Banks B.A. :

Practice guidelines in acute pancreatitis.

Am. J. Gastroenterol., 1997; (92) : 377-86.

76. Cavallini G., Tittobello a., Frulloni L. et al. :

Gabexate for the prevention of pancreatic damage related to ERCP. Gabexate in digestive endoscopy.

N. Engl. J. Med., 1996; (335) : 919-23.

77. Messori A., Rampazzo R., Scroccaro G. et al. :

Effectiveness of gabexate mesilate in acute pancreatitis, A meta-analysis.

Dig. Dis. Sci., 1995; (40) : 734-8.

78. Andriulli A., Leandro G., Clemente R. et al. :

Meta-analysis of somatostatin, octeriotide and gabexate mesilate in acute pancreatitis.

Aliment. Pharmacol. Ther., 1998; (12) : 237-45.

79. Uhl W., Buschler M.W., Malfertheiner P. et al. :

A randomized double blind multicenter trial of benefit of octeriotide in moderate to severe acute pancreatitis.

Gut 1999; (45) : 97-104.

80. Johnson C.D., Kingsnorth A.N., Imrie C.W. et al. :

Double blind randomized placebo controlled study of a platelet activating factor antagonist (lexipafant) in the treatment and prevention of organ failure in predicted severe acute pancreatitis.

Gut, 2001; (48) : 62-9.

81. Bassi C. :

Infected pancreatic necrosis.

Int. J. Pancreatol; 1994; (16) : 1-10.

82. Bassi C., Falconi M., Girelli R. et al. :

Microbiological findings in severe pancreatitis.

Surg. Res. Comms, 1989; (5) : 1-4.

83. Bradley E.L. III :

Antibiotics in acute pancreatitis, current status and future directions.

Am. J. Surg., 1989; (158) : 472-7.

84. Bassi C., Falconi M., Talamini G. et al. :

Controlled clinical trial of pefloxacin versus imipenem in severe acute pancreatitis.

Gastro enterol. 1998, (115) : 1513-17.

85. Delcenserie R., Yzet T. and Ducroix J.P. :

Prophylactic antibiotics in the treatment of severe acute alcoholic pancreatitis.

Pancreas, 1996; (13) : 198-201.

86. Luiten E.J., Hop W.C., Lange J.F. and Bruining H.A. :

Controlled clinical trial of selective decontamination for the treatment of severe acute pancreatitis.

Ann. Surg., 1995; (222) : 57-65.

87. Pederzoli P., Bassi C., Vesentini S. and Campedelli A. :

A randomised multicenter clinical trial of antibiotic prophylaxis of septic complications in acute necrotizing pancreatitis with imipenem.

Surg. Gynecol. Obstet., 1993; (176) : 480-3.

88. Sainio V., Kemppainen E., Puolakkainen P. et al. :

Early antibiotic treatment in acute necrotizing pancreatitis.

Lancet, 1995; (346) : 663-7.

89. Buchler M.W., Gloor B., Muller C.A. et al. :

Necrotizing pancreatitis, treatment strategy according to the status of infection.

Ann. Surg., 2000; (232) : 619-26.

90. Eggimann P., Francioli P., Bille J. et al. :

Fluconazole prophylaxis prevents intra-abdominal candidiasis in high risk surgical patients.

Crit. Care Med., 1999; (27) : 1066-72.

91. Isenmann R., Rau B. and Begher H.G. :

Bacterial infection and extent of necrosis are determinates of organ failure in patients with acute necrotizing pancreatitis.

Br. J. Surg., 1999; (86) : 1020-4.

- 92. Blackburn G.L., Williams L.F., Bistrain B.R. et al. :**
New approaches to the management of sever acute pancreatitis.
Am. J. Surg., 1976; (131) : 114-24.
- 93. Moore E.E. and Moore F.A. :**
Immediate enteral nutrition following multisystem trauma a decade perspective.
J. Am. Call. Nutr., 1991; (10) : 633-48.
- 94. Nakad A., Piessevaux H., Marot J.C. et al. :**
Is early nutritionin acute pancreatitis dangerous ? about 20 patients fed by an endoscopically placed nasogastrojejunal tube.
Pancreas, 1998; (17) : 187-93.
- 95. Kalfarentzos F., Kehagias J., Mead N. et al. :**
Enteral Nutrition is superior to parenteral nutrition in sever acute pancreatitis. Results of randomized prospective trial.
Br. J. Surg., 1997; (84) : 1665-9.
- 96. Windsor A.C., Kanwar S., Li A.G. et al. :**
Compared with parenteral nutrition, enteral nutrition attenuates the acute phase response and improves disease severity in acute pancreatitis.
Gut., 1998; (42) : 431-5.
- 97. Eatock F.C., Brombacher G.D., Steven A. et al. :**
Nasogastric feeding in sever acute pancreatitis may be practical and safe.
Int. J. Pancreatol., 2000; (28) : 23-9.

- 98. Fan S.T., Lai A.C., Mock F. B. et al. :**
Early treatment of acute biliary pancreatitis by endoscopic papillotomy.
N. Eng. J. Med., 1993; (328) : 228-32.
- 99. Go V. and Everhart J. :**
Pancreatitis in : Everhart J. ed. Digestive disease in the United States : Epidemiology and impact.
Washington D.C. U.S., 1994; 693-712.
- 100. Neoptolemos J.P., Carr-Locke D.L., London N.J. et al.:**
Controlled trial of urgent ERCP and endoscopic sphinctrotomy versus conservative treatment for acute pancreatitis due to gall stones.
Lancet, 1988; (2) : 979-83.
- 101. Flosch U.R., Nitsche R., Ludtke R. et al. :**
Early ERCP and papillotomy compared with conservative treatment for acute biliary pancreatitis. German study group on acute biliary pancreatitis.
N. Eng. J. Med., 1997; (336) : 237-42.
- 102. Nowak A., Marek T.A., Nowakowski – Dulawa E. et al.:**
Biliary pancreatitis needs ERCP with endoscopic sphinctrotomy for cure.
Endoscopy, 1998; (30) : A256-A259.
- 103. Safrany L.:**
Controversies in acute pancreatitis.
New York : Springer-Verlag, 1982; 242-52.
- 104. Van der Spuys :**

Endoscopic sphinctrotomy in the management of gall stone pancreatitis,
Endoscopy, 1981; (13) : 25-26.

105. Siegel J.H., Veerappan A., Cohen S.A. and Kasmin F.E. :

Endoscopic sphinctrotomy for biliary pancreatitis : An alternative to cholecystectomy in high-risk patients.
Gastroentest. Endosc., 1994; (40) : 573-5.

106. Tanaka M., Ikeda S., Yoshimoto H. and Matsumoto S.:

The long-term fate of the gall bladder after endoscopic sphinctrotomy, complete follow up study of 122 patients.
Am. J. Surg., 1987; (154) : 505-9.

107. Hill J., Martin D.F. and Tweedle D.E. :

Risks of leaving the gall bladder in situ after endoscopic sphinctrotomy for bile duct stones.
Br. J. Surg., 1991; (78) : 554-7.

108. Kelly T.R. :

Gall stone pancreatitis, the timing of surgery.
Surgery, 1980; (88) : 345-50.

109. Mayer A.D., McMahon M.J., Benson E.A. and Axon A.T. :

Operations upon the biliary tract in patients with severe acute pancreatitis aims, indications and timing.
Ann. Roy. Coll. Surg. Eng., 1984; (66) : 179-83.

110. Soper N.J., Brunt L.M., Callery M.P. et al. :

Role of laparoscopic cholecystectomy in the management of acute gall stone pancreatitis.
Am. J. Surg., 1994; (167) : 42-50.

- 111. Raraty M.G., Pope I.M., Finch M. and Neoptolemos J.P. :**
Choledocholithiasis and gall stone pancreatitis.
Clin. Gastroenterol, 1997; (11) : 663-80.
- 112. Soetikno R.M. and Carr-Locke D.L. :**
Endoscopic management of acute gall stone pancreatitis.
Gastrointest. Endosc. Clin. North Am., 1998 : (8) : 1-12.
- 113. Bone R.C., Balk R.A., Cerra F.B. et al. :**
Definition for sepsis and organ failure and guidelines for the use of innovative therapies in sepsis. The ACCP/SCCM consensus conference committee. American college of chest physicians/society of critical care medicine.
Chest, 1992; (101) : 1644-55.
- 114. Bernard G.R., Artigas A., Brigham K.L. et al. :**
The American European Consensus on ARDS, Definition, mechanisms relevant outcomes and clinical trial coordination.
Am. J. Respir. Crit. Care Med., 1994; (149) : 818-24.
- 115. Thadhani R., Pascual M. and Bonventre J.V. :**
Acute renal failure.
N. Eng. J. Med., 1996; (334) : 1448-60.
- 116. Clark J. and Rubin R.N. :**
A practical approach to managing disseminated intravascular coagulation.
J. Crit. Illness, 1994; (9) : 265-80.

- 117. Safrit H.D. and Rice R.P. :**
Gastrointestinal complications of pancreatitis.
Radiol. Clin. North. Am., 1989; (27) : 73-9.
- 118. Kourtesis G., Wilson S.E. and Williams R.A. :**
The clinical significance of fluid collections in acute pancreatitis.
Am. Surg., 1990; (56) : 796-9.
- 119. Freeny P.C. :**
Acute pancreatic fluid collections and pseudocysts : CT diagnosis and percutaneous catheter drainage In : Acute Pancreatitis Diagnosis and Therapy III, ed, Ed by Bradley E.L., Raven Press, New York. 1994.
pp: 197-205.
- 120. Kozarek R.A., Ball T.J., Patterson D.J. et al. :**
Endoscopic transpapillary therapy for disrupted pancreatic duct and peripancreatic fluid collections.
Gastroenterology, 1991; (100) : 1362-70.
- 121. Federle M.P., Jeffrey R.B., Crass R.A. and Van Dalsem V. :**
Computed tomography of pancreatic abscesses.
Am. J. Roentgenol., 1981; (136) : 879-82.
- 122. Banks P.A. :**
The role of needle aspiration bacteriology in the management of necrotizing pancreatitis In :

Acute pancreatitis : Diagnosis and Therapy. III ed, Ed by
Bradley EL, Raven Press New York 1994.
pp: 99-103.

- 123. Vujic I., Andersen B.L., Stanley J.H. and Gobien R.B. :**
Pancreatic and peripancreatic vessels : Embolization for
control of bleeding in pancreatitis.
Radiology, 1984; (150) : 51-55.
- 124. Isaji S. and Uemoto S. :**
Surgical indication and timing for sever acute pancreatitis.
Nippon Rinsho, 2004; 62 (11) : 2108-14.
- 125. Kostyroni A.V., Starosek V.N. and Groizik K.L. :**
Drainage operations for the infectious pancreonecrosis.
Klin Khir, 2004; (8) : 16-18.
- 126. King N.K. and Siriwardena A.K. :**
European survey of surgical strategies for the management
of sever acute pancreatitis.
Am. J. Gastroenterol, 2004; Apr. (99) : 719-28.
- 127. Powell, Miles and Si Riwardena :**
Antibiotic prophylaxis in the initial management of sever
acute pancreatitis.
Br. J. Surg., 1998; (85) : 582.
- 128. Nordback I., Sand J., Saaristo R. and Paajanen H. :**
Early treatment with antibiotics reduces the need for
surgery in acute necrotizing pancreatitis, a single center
randomized study.
J. Gastrointest. Surg., 2001; 5 (2) : 113-120.

- 129. Powell, Campbell, Johnson and Siriwardena :**
Survey of antibiotic prophylaxis in acute pancreatitis in UK and Ireland.
Br. J. Surg., 1999; (86) : 320.
- 130. Pramod Kumar Gary, Sudeep Khanna, Narendra P.B. et al. :**
Incidence, spectrum and antibiotic sensitivity pattern of bacterial infection among patients with acute pancreatitis.
J. Gastroent. Hepat., 2001; (16) : 1055.
- 131. Ho H.S. and Frey C.F. :**
The role of antibiotic prophylaxis in sever acute pancreatitis.
Arch. Surg., 1997; (132) : 487-93.
- 132. Barie P.S. :**
A critical review of antibiotic prophylaxis in sever acute pancreatitis.
Am. J. Surg., 1996; (172) : 38-43.
- 133. Kramer K.M. and Levy H. :**
Prophylactic antibiotics for sever acute pancreatitis, the beginning of an era.
Pharmacotherapy, 1999; 19 (5) : 592-602.
- 134. Golub R., Siddiqi F. and Pohl D. :**
Role of antibiotics in acute pancreatitis : Ameta-analysis.

Gastrointest. Surg., 1998 (6) : 496-503.

135. Gumaste V. :

Prophylactic antibiotic therapy in the management of acute pancreatitis.

J. Clin. Gastroenterol., 2000; 31 (1) : 6-10.

136. Sharma V.K. and Howden C.W. :

Prophylactic antibiotic administration reduces sepsis and mortality in acute necrotizing pancreatitis : A meta-analysis.

Pancreas, 2001; (1) : 28-31.

137. Bassi C., Mangiante G., Falconi M., Salvia R. et al. :

Prophylaxis for septic complications in acute necrotizing pancreatitis.

J. Hepatobiliary. pancreat. Surg., 2001; (3) : 211-5.

138. Bosscha K., Vos A., Visser M.R., Berger et al. :

Reduced risk of complications associated with severe acute necrotizing pancreatitis by administration of antibiotics. Results from a literature Review.

Ned Tijdschr Geneeskde, 2001; (41) : 1982-5.

139. Sharma V.R. and Howden C.W. :

Antibiotic prophylaxis in acute necrotizing pancreatitis.

Am. J. Gastroenterol., 2002; (97) : 1557.

140. Bassi C., Larvin M. and Villatoro E. :

Antibiotic therapy for prophylaxis against infection of pancreatic necrosis in acute pancreatitis.

Cochrane Database Syst. Rev., 2003; (4) : CD002941.

141. Sinnatomby S.C.:

Pancreas. In Last's Anatomy (Regional and applied], 10th ed., Edited by sinnatamy S.C, Churchill Livingstone, London, New York, Philadelphia, 1999.
pp: 260- 264.

142. Zhou Y.M.; Xue ZL; Li YM and Zhu YQ.

Antibiotic prophylaxis in patients with sever acute pancreatitis.
Hepatobiliary pancrct. Dis. Int. 2002; 4 (1): 23-7.

143. Salvin J. and Neoptolemos J.P.

Antibiotic prophylaxis in sever acute pancreatitis.
Tangent beck Arch. Surg. 2001: 386 (2): 155-9.