

REFERENCES

REFERENCES

Ahrene W. (1975) : Morphometry . In the placenta and its maternal supply line (Ed. by P. Gruenwald) . Medical and Technical Publishing . Lancaster . p-p : 80-97 .

Baron F. (1953) : Placenta accreta . Bull. Fed. Soc. Obstet Gynec. Franc., 5 : 459 .

Beard R.M. (1966): Placenta accreta in a patient with Asherman syndrome . Aust. N. Z. G. Obstet. Gynec., 6 : 316 .

Beazly J. M. (1986) : Complications of the third stage of labour in Whitfield C. R. . Dewhurst's Textbook of Obstetrics & Gynaecology 3rd Ed. Oxford : Blackwell Scientific p-p : 409-416.

Begnaud W. (1965) : Placenta accreta in early gestation . Am J. Obstet. Gynecol., 92 : 267 .

Beischer N.A. & Mackay E.V. (1986) : Obstetrics and the Newborn . Bailhere Tindall . Eastbourne . pp : 262-269 .

*Bender S. (1954) : Placenta previa and previous lower segmen
caesarean section . Surg. Gynecol. Obstet., 98 : 625 .*

*Berg & Reid (1945) : Quoted from Breen J.L., Newbecker R.
Grigori C.A.(1977) : Placenta accreta, increta and percreta
Obstet. Gynecol., 49 : 43-53 .*

*Botha M. C. (1965) : Spontaneous rupture of the uterus due t
placenta accreta in early gestation . Am. J. Obstet. Gynecol., 95
267 .*

*Boyd J.D. & Hamilton W.J. (1970): The human placenta . Heffer
Cambridge . p-p : 85-105 .*

*Breen J. L., Newbecker R. & Grigori C. A. (1977) : Placent
accreta, increta and percreta . Obstet. Gynecol., 49 : 43-53 .*

*Brosens I.,Robertson W.B.&Dixon H.G.(1967) : The physiologica
response of the vessels of the placental bed in normal pregnancy
Journal of Pathology and Bacteriology ., 93: 569-79 .*

*Brunel G., Landes P. & Semelet J. (1976) : Placenta accreta
Bull. Fed. Soc. Obstet. Gynec. Franc., 19 : 337 .*

Cantle S.T.(1987) : Interpretation of Syncytial Sprouts and Pridges in the human placenta . Placenta ., 8 : 221-34 .

Carroli G.(1991): Management of retained placenta by umbilical vein injection , Br. J. Obstet. Gynaecol., 98 : 348-350 .

Castellucci M., Celona A., Barels H.&Kaufman P.(1987): Mitoses of Hofbauer cells : possible implications for a fetal macrophage . Placenta ., 8 : 65-76 .

Chacko A.W. & Reynolds S. R .M. (1954) : Quoted by Pritchard J.A., Mac Donald P.C.(1985) : The placenta and foetal membranes , Williams Obstetrics 17th ed., New York , Appleton century Crofts, Norwalk, Connecticut . p : 97 .

Chamberlain G. (1990) : Placental structure in health and disease . Modern antenatal care of fetus, Blackwell Scientific Publications, Oxford london . Edinburgh . Boston . Melbourne . p-p : 33-44 .

Cherry S. H. (1961) : Hypofibrinogenemia associated with placenta previa and placenta previa accreta . Surg. Gynecol. Obstet. , 112 : 551 .

Chestnut D. & Wil Coxi (1987) : Influence of umbilical vein administration of oxytocin on third stage of labour : A randomized double blind, placenta-controlled study . Am. J. Obstet. Gynecol. 157 : 166-173 .

Christopher M. (1990) : Postpartum Haemorrhage : Placenta accreta, uterine inversion, and puerperal haematomas . Clinica Obstet. Gynecol., 33 : 922-932 .

Clark S. L., Paul P. & Phelan P. J. (1985) : Placenta previa/accreta and prior caesarean section . Obstet. Gynecol., 66 : 89 .

Con Michael (1974) : Actomyosin content of the human placenta . J. Obstet. Gynaecol. of British Commonwealth ., 81 : 307-310 .

Combs C. A. & Laros R. K. (1991) : Prolonged third stage of labour : Morbidity and risk factors . Obstet. Gynecol., 77 : 863 .

Cunningham G. F. & Mac Donald P. C. (1989) : Anatomy of the placenta . Williams Obstetrics, 18th Ed., Appleton & Lange, East Norwalk, Connecticut . p : 35 .

Cunningham G. F., Mac Donald P. C. & Gant N. S. (1993) : The third stage of labour . Williams Obstetrics, 19th ed, Appleton & Lange, East Norwalk, Connecticut . p :385 .

Davies M. G. (1958) : Rupture of caesarean scar in gravid uterus with placenta previa and placenta accreta . J. Amer. Ass., 51 : 243 .

Dearden I. (1983): Structure of human trophoblast: Correlation with function . In Biology of Trophoblast (Ed. by Y.W. Loke) Elsevier, Amsterdam . p-p : 64-110 .

Demir R. & Erbenli T.(1984) : Some new findings about Hofbauer cell in the chorionic villi of the human placenta . Acta Anatomica ., 119 : 18-26 .

De Wolf F., De Wolf-Peeters C. & Brosens I. (1973) : Ultrastructure of the spiral arteries in the human placental bed at the end of normal pregnancy . Am. J. Obstet. Gynecol., 117 : 833-839 .

Di Giulio V. S., Heiberger C. G. & Vandenberg R. (1959) . Placenta accreta . Report of a case treated without hysterectomy . Obstet. Gynecol. N. Y., 13 : 316 .

Donald I. (1979): Post partum haemorrhage . Practical Obstetrical Problems 4th Ed., London, Medical Book Limited . p : 748 .

Dyer I. (1954): Placenta accreta . A 15 years study at Charity Hospital in New Orleans . Louisiana State Med. Soc. J., 106 : 12

Embrey M.P. (1980) : Scientific foundation of obstetrics gynaecology 3rd Ed., London Williams Heinmann Medical Books LTD . : 516 .

Flienger J.R. (1979) : Third stage management; how important is it ? Obstetric & Gynecology Survey., 34 : 583-587 .

Fox H. (1972): Placenta accreta . Obstetrical & gynaecological survey ., 27 : 475-490 .

Frank C. M. (1983) : Uterine Motility in spontaneous labour Clinical Obstet. & Gynecol., 26 : 78-85 .

Friedman E. A. (1986) : Severe obstetric complications after aggressive treatment of Asherman syndrome . Obstet. Gynecol., 67 : 864 .

Gaunt M. & Ockleford C. D. (1986) : Micro-injection of human placenta : 2 Biological applications . Placenta ., 7 : 325-31 .

Geary D. L. (1966) : Placenta accreta . Louisiana State Med Soc. J., 118 : 343 .

Gemmel A. A. (1947) : An unusual case of adherent placenta treated in an unorthodox manner . J. Obstet. Gynaecol. Brit. Emp. 54 : 213 .

Golan A., Lidor A. L. & Wexler S. (1983): A new method for the management of the retained placenta . Am. J. Obstet. Gynecol., 146 708-710 .

Golan A., Lidor A. L. & Wexler S. (1984): Reply to liner . Am J. Obstet., Gynecol., 148 .

Golan A., (1988) : Intraumbilical oxytocin for the retained placenta . Am. J. Obstet. Gynecol., 159 : 1309 .

Goldman J. A. (1963) : Placenta previa accreta and increta With special reference to the problem of conservative versus radical treatment . Israel Med. J., 22 : 232 . Quoted from Fox H. (1972) Placenta accreta . Obstetrical & gynaecological survey .,27:475-490.

Hassim A. M. (1968) : Spontaneous uterine rupture caused placenta percreta . Brit. Med. J., 2 : 97 .

Hauksson A. (1986) : Oxytocin injection into the umbilical vein in women with retained placenta . A questionable method . Acta J. Obstet. Gynecol., 155 : 1140-1145 .

Heinonen P. (1985) : Pharmacologic management and controlled cord traction in the third stage of labour . Ann. Chir. Gynaecol. Suppl., 197 : 31 .

Huber G. P. (1991) : umbilical vein administration of oxytocin for the management of retained placenta : Is it effective ? . Am. J. Obstet. Gynecol., 164 : 1216 .

Huszar G. (1981) : Biology and biochemistry of myometrial contractility and cervical maturation . Semin Perinatal ., 5 : 210 .

Irving F. G. & Hertig A. T. (1937) : A study of placental accreta . Surg. Gynecol. Obstet., 64 : 178 .

Jarco (1928) : Quoted from Carroli G. (1991) : Management of retained placenta by umbilical vein injection . Br. J. Obstet. Gynaecol., 98 : 348-351 .

Jensen C. W. (1989): Removing a retained placenta by oxytocin
Am. J. Obstet. Gynecol., 161 : 155 .

Jones C.J.P. & Fox H. (1977): Syncytial knots and intervillous
bridges in the human placenta : an ultrastructural study . Journal
of anatomy ., 124 : 275-86 .

Jones D. L. (1990) : Management of the third stage . In
Fundamentals of obstetrics & gynaecology . 5th Ed., London p.
127-129 .

Josey W. E. (1964) : Placenta previa accreta with associated
hypofibrinogenemia . Am. J. Obstet. Gynecol., 89 : 135 .

Kistner R. W., Hertig A. T. & Reid D. E. (1952)
Simultaneously occurring placenta accreta and placenta previa
Surg. Gynecol. Obstet., 94 : 141 .

Kristiansen F.V., Frost L. & Kaspersen P. (1987) : The effect of
oxytocin injection into the umbilical vein for the management of
retained placenta . Am. J. Obstet. Gynecol., 156 : 979-982 .

Kyodo Y. & Inatomi K. & Tadayuki A. (1988) : A case report of destructive mole after uterine rupture . Am. J. Obstet. Gynecol. 158 : 1182 .

Layton K. B. (1968) : uterine artery ligation in a case of placenta accreta . Aust. N. Z. J. Obstet. Gynaecol., 8 : 93 .

Litwin M. S. (1989) : Placenta percreta invading the urinary bladder . Br. J. Of Urology , 64 : 283 .

Luke K., James W. & Greene R. R. (1966) : Placenta accreta : the adherent or invasive placenta . Am. J. Obstet. gynecol., 95 : 660-667 .

Mac Donald R. R. (1978): Placental structure, scientific basis of obstetrics & gynaecology 2nd Ed., Edinburgh London, Churchill Livingstone . pp : 32-54 .

Makhlouf A. M. (1958) : Placenta accreta . Review and report of 3 cases and suggested new line of treatment . Gaz. Egypt Soc. Gynaec. Obstet., 7 : 65 .

Mc Carthy E. G. (1950) : Ruptured uterus due to placenta percreta . Am. J. Surg., 80 : 485 .

Meyer B. (1955) : placenta accreta . Analysis based on an unusual case . Acta Obstet. Gynecol., 34 : 189 .

Millar W. G. (1961) : Clinical and pathological study of placenta accreta . J. Obstet. Gynaecol. Brit. Emp., 68 : 270 .

Nagy P. S. (1989): Placenta percreta induced uterine rupture . Am. J. Obstet. Gynecol., 161 : 1185 .

Neri A., Goldman J. & Gans B. (1966) : Intraumbilical vein injection of pitocin, a new method in the management of the third stage of labour . Quoted from Huber G. P. (1991) : umbilical vein administration of oxytocin for the management of retained placenta : Is it effective ? . Am. J. Obstet. Gynecol., 164 : 1216 .

Niswander K. B. (1980) : Normal third stage of labour . Manual of obstetric diagnosis and therapy, 2nd Ed., London, Little Brown Company Boston . p : 305 .

Percival R. (1980) : Normal pregnancy . Manual of obstetrics
14th Ed., London, J & A. Churchill LTD. . p : 43-63 .

Percival R. (1980) : Abnormal labour . Manual of obstetrics
14th Ed., London, J & A. Churchill LTD. . p-p : 554-559 .

Pijnenborg R., Bland J.M., Robertson W.B. & Brosens I. (1983)
Uteroplacental arterial changes related to interstitial trophoblast
migration in early human pregnancy . *Placenta* ., 4 : 397-414 .

Prendiville W., Diana E. & Jain C. H. (1988) : The effects of
routine oxytocic administration in the management of the third stage
of labour . *Br. J. Obstet. Gynaecol.*, 95 : 3-16 .

Prichard J. A. & Mac Donald P. C. (1985): Physiology of labour
Williams Obstetrics, 17th Ed., New York, Appleton century crofts
Norwalk, Connecticut . p : 295 .

Ramsy E. M., Corner P. & Donner M. W. (1963): Serial cineradiographic
angiographic vascularization of maternal circulation in the primate
(hemochorial) placenta . Quoted by *Cunningham G. F., Mac Donald P.C*
(1989) : Placenta & Foetal membranes . Williams Obstetrics 18th Ed
p-p : 39-65 .

Ramsy E. M. (1985) : what we learned about placental circulation . J. Reprod. Med. ., 30 : 215 .

Rayburn F. & Zuspan P. (1992) : Oxytocic drugs . Drug therapy in obstetrics & gynaecology 3rd Ed., Library of Congress Cataloging Publication Data, St. Louis . p : 233 .

Read J. A., Cotton D. B. & Miller F. C. (1980) : Placenta accreta : Changing clinical aspects and outcome . Obstet. Gynecol 56 : 31 .

Reddy V. V. & Carey C. J. (1989) : Effect of umbilical vein occlusion by oxytocin on puerperal blood loss and length of the third stage of labour . Am. J. Obstet. Gynecol., 160 : 206 .

Richart R. (1962) : Studies of placental morphogenesis I Radiograph studies of human placenta utilizing tritiated thymidine . Proceedings of the society for Experimental Biology & Medicine . 106 : 829-31 .

Roman c. (1960) : Placenta accreta, Synechies uterines et adenomyomatoses : Bull. Fed. Soc. Obstet. Gynec. Franc., 12 : 279

Rosemary D., Richard E. & Weitzman E. (1980): Pharmacokinetics of oxytocin in the human subjects . *Obstet. Gynecol.*, 56 : 701-703 .

Rotton W. N. & Friedman E. A. (1957) : Placenta accreta . Review of the literature and report of four cases . *Obstet Gynecol. N. Y.*, 9 : 580 .

Senatore A. (1953) : La pituitrina endovena ombelicale nel mancato secondamento . *Clin. Ostet. Ginecol.*, 5 : 305 .

Sheehan H.L. (1968): Complications of postpartum haemorrhage . *Brit. Med. Bull.*, 24 : 59 .

Singh P. M., Rodrigues C. & Gupta A. N. (1981) : Placenta previa and previous caesarean section . *Acta Obstet. Gynecol.*, 60 : 367 .

Sorbe B. (1978) : Active pharmacologic management of the third stage of labour . A comparison of oxytocin and ergometrine . *Obstet. Gynecol.*, 52 : 694 .

Studd J. (1985) : Management of labour 1st Published, Oxford, London, Edinburgh, Blackwell Scientific . p : 288 .

Sumawong V., Nondasuta A. & Thanapath S. (1966) : Placenta accreta . A review of the literature and a survey of 10 cases Obstet. Gynecol. N. Y., 27 : 511 .

Susan M. C., Robert J. C. & Cotton B. D. (1988) : Placenta percreta: Ultrasound diagnosis and conservative surgical management Obstet. Gynecol., 71 : 454 .

Teppa T. P., Teppa D. G. & Dominguez I. G. (1986) : Placenta accreta . Rev. Obstet. Ginec. Venezuela, 28 : 147 .

Thonet C. (1949) : Placenta accreta . Bol. Soc. Obstet. Ginec., 14 : 72 .

Toppozada H. K. & Rizk M. A. (1977) : Normal pregnancy, the placenta . Alexandria Manual of Obstetrics 2nd Ed. . p : 32 .

Torbet T. E. (1968) : Placenta previa accreta : Conservative management J. Obstet. Gynaecol. Brit. Commonwealth., 75 : 737 .

Tovena A. (1963) : Considerations about uterine adenomyomatosis : Bull. Fed. Soc. Obstet. Gynec. Franc., 12 : 279

Tylor E. S. (1983) : Editorial comments . Obstetrical & Gynecological survey, 38 : 96 .

Whitfield C. R. (1988) : Complications of the third stage of labour . Dewhurst textbook of obstetrics & gynaec. 4th Ed., London, Blackwell scientific publications . p-p : 404-411 .

Wislocki G. B. & Dempsey E. W. (1948) : Am. J. Anat., 83 : 1 .
Quoted from Luke K., James W. & Greene R.R. (1966): Placenta accreta : the adherent or invasive placenta . Am. J. Obstet. gynecol., 95 : 660-667 .

Young S. B., Peter D. M. & Lawrence G. (1988) : The effect of intraumbilical oxytocin on the third stage of labour . Obstet. Gynecol., 71 : 736-741 .